## **EXP NO: 8**

## 22481A0544:

<u>AIM:</u> Create a user authentication application using JSP where the user submits login name and password to the server through form. The name and password are verified against the data already available in the database and if there is a match, a welcome page is returned. Otherwise a failure message is displayed to the user.

## PROGRAM: <%@page import="java.sql.\*"%> <% try{ Class.forName("oracle.jdbc.driver.OracleDriver"); out.println("Class will loaded"); Connection con=DriverManager.getConnection("jdbc:Oracle:thin:@localhost:1521:xe","SYSTEM","cse"); out.println("database connected"); Statement st=con.createStatement(); ResultSet rs=st.executeQuery("CREATE TABLE user2(username varchar(30),password varchar(20))"); out.println("Create table successfully"); } catch(Exception e) { out.println(e); } %> localhost:9010/22544/cdt.jsp ① localhost:9010/22544/cdt.jsp

Class will loaded database connected Create table successfully

```
FORM TO INSERT IN DB:
<html>
<body>
<form action="insert1.jsp">
username:<input type="text" name="uname">
password:<input type="password" name="password">
<input type="submit" value="signup">
</form>
</body>
INSERTING TO DB:
<html>
<body>
<%@page import="java.sql.*" %>
<%
try
{
<u>Class.forName("oracle.jdbc.driver.OracleDriver");</u>
Connection
con=DriverManager.getConnection("jdbc:Oracle:thin:@localhost:1521:xe","SYSTEM","cse");
Statement stmt=con.createStatement();
String uname=request.getParameter("uname");
String pwd=request.getParameter("password");
int i=stmt.executeUpdate("INSERT into user2 values(""+uname+"',""+pwd+"')");
<u>if(i==1)</u>
{
out.println("inserted");
}
}
catch(Exception e)
```

```
{
out.println(e);
}
<u>%></u>
</body>
</html>
         localhost:9010/22544/store.jsp X
                                       +
                 ① localhost:9010/22544/store.jsp
                                  password: ....
 username: cse
                                                                   signup
       localhost:9010/22544/insert1.js
                  ① localhost:9010/22544/insert1.jsp?uname=cse&password=1234
 inserted
FORM FOR VERFICATION:
<html>
<body>
<form action="insertlogin.jsp">
username:<input type="text" name="uname">
password:<input type="password" name="password">
<input type="submit" value="login">
</form>
</body>
```

**DB CODE FOR VERFICATION:** 

```
<html>
<body>
<%@ page import="java.sql.*" %>
<%
try
{
<u>Class.forName("oracle.jdbc.driver.OracleDriver");</u>
Connection
con=DriverManager.getConnection("jdbc:Oracle:thin:@localhost:1521:xe","SYSTEM","cse");
Statement stmt=con.createStatement();
String uname=request.getParameter("uname");
String pwd=request.getParameter("password");
ResultSet rs=stmt.executeQuery("SELECT * from user1S");
boolean flag=false;
while(rs.next())
{
String uname1=(String)rs.getString(1);
String pwd1=(String)rs.getString(2);
if(uname1.equals(uname))
{
if(pwd1.equals(pwd))
{
flag=true;
session.setAttribute("uname",uname);
response.sendRedirect("welcome1.jsp");
}
}
}
if(flag==false)
```

```
{
response.sendRedirect("failure.jsp");
}
}
catch(Exception e)
{
out.println(e);
}
<u>%></u>
</body>
</html>

✓ localhost:9010/22544/loginverjc × +
                  ① localhost:9010/22544/loginverjdbc.jsp
                                   password: •••
username: cse
                                                                       login
       localhost:9010/22544/welcome ×
                  ① localhost:9010/22544/welcome1.jsp
 welcomecse
```

**WELCOME1.JSP:** 

<html>

<body>

## <% String uname=(String)session.getAttribute("uname");</pre> out.println("welcome"+uname); <u>%></u> </body> </html> localhost:9010/22544/welcome × ① localhost:9010/22544/welcome1.jsp welcomecse **FAILURE.JSP:** <html> <body> <u><%</u> response.sendRedirect("loginverjdbc.jsp"); <u>%></u> </body> </html> localhost:9010/22544/loginverjc × ① localhost:9010/22544/loginverjdbc.jsp password: login username: