PHOENIX FOUNDATION ALPHA

Integrated Build-Freeze Decision Register Crosswalk and Capability Coverage Review - V1.1

Prepared for	Shaligram Infotech LLP
Prepared by	World Systems Solutions / PHOENIX
Primary inputs	Shaligram BF-01 to BF-36; WSS User-Journey Freeze Matrix; Twenty Intended Alpha Capabilities
Review purpose	Completeness, user-flow alignment, capability coverage, implementation clarity and UAT readiness
Recommended use	Guided V1.1 supplement and joint triage reference

Working status

This review uses the twenty capability areas only as a completeness lens. They are not treated as twenty separate modules, proof of implementation, or automatic additions to Alpha scope. Final scope, implementation and acceptance remain subject to the controlled WSS–Shaligram baseline.

27 October 2026 | WSS joint review edition | Enhanced Section 6.2 controls

1. Executive assessment

The Shaligram BF-01 to BF-36 register, the WSS User-Journey Freeze Matrix and the Twenty Intended Alpha Capability Areas are complementary instruments rather than substitutes.

- The Shaligram register is strongest at formal disposition, scope control and documenting an agreed product decision.
- The WSS journey matrix is strongest at chronological user-flow coverage, handoffs, negative permissions and executable UAT scenarios.
- The capability map is strongest at checking whether the combined design still expresses the intended value of Foundation Alpha; it is not proof that a feature is implemented or in scope for the same phase.

Key conclusion

Use a three-layer control model: (1) Decision Register, (2) User-Journey/UAT Matrix, and (3) Capability Coverage Map. Link all three by stable IDs rather than forcing every decision, test and strategic rationale into one oversized table.

1.1 What the combined review found

- All twenty intended capability areas are represented somewhere in the current WSS journey matrix.
- After the V1.1 additions, eighteen capability areas have direct journey coverage. Practical AI remains feature-flag/scope dependent, and commercial access remains subject to an explicit owner decision.
- The V1.1 matrix now makes notification delivery, work-linked communication, metrics semantics and learning/correction explicit. The remaining structural gap is the commercial/entitlement scope decision; implementation proof is still pending across the matrix.
- The 36-entry Shaligram register contains several strong architectural decisions, but some important user-flow behavior remains implicit or only appears in the FRD/NFR material.
- A V1.1 register should therefore reconcile existing contradictions and add a small set of supplemental freeze decisions rather than simply increasing prose inside the existing rows.

1.2 Recommended control stack

Layer	Instrument	Primary purpose
Register A	Build-Freeze Decision Register	What is decided, its disposition, scope classification, owner decision and target release.
Register B	WSS User-Journey Freeze Matrix	How users experience the decision, handoffs, denied actions, failure states and UAT scenarios.
Register C	Capability Coverage Map	Why the decision matters to the Alpha value proposition and which intended capability areas remain partial.
Annex D	Implementation and Test Evidence	Screens, data objects, APIs/events, migration impact, positive/negative tests and evidence links.

1.3 Priority and triage vocabulary

Code / class	Meaning
B – Blocker	Must be resolved before requirements/build freeze or release sign-off.
C – Critical	Required Alpha behavior or release gate; fix or formally disposition before release.
M – Minor	Low-risk usability or documentation improvement; may be accepted into known issues.

Code / class	Meaning
CR – Change Request	Genuinely new or advanced scope beyond the controlled Alpha baseline.
Baseline correction	Existing accepted requirement is missing, contradicted or misclassified; not automatically a commercial CR.
Owner decision	A real product/governance/scope choice still requires WSS disposition.

2. Capability coverage scorecard

This scorecard tests the latest WSS journey matrix against the twenty intended Alpha capability areas. “Strong” means the capability has direct journey checkpoints and acceptance treatment. “Partial” means it is represented, but a phase, owner decision or operational control is still incomplete.

ID	Capability area	Primary flow position	Shaligram BF coverage	WSS journey coverage	Assessment	Remaining freeze need
CAP-01	Identity, Role, and Authority Management	Access, context, administration	BF-01, 05, 12, 25, 26, 29, 34	JF-05–10, 16–19, 74–75, 80	Strong	Keep six base roles, but freeze separate authority grants, acceptance, scope, expiry, recusal and no self-grant.
CAP-02	Consent, Visibility, and Information Governance	Consent and every downstream release	BF-01, 02, 04, 08, 12, 21–23	JF-11–15, 32, 58, 60–64	Strong	Add exact downstream withdrawal effects, retention/deletion rules, and purpose-specific release records.
CAP-03	Purpose, Profile, and Context Orientation	Home, Compass, pathway, profile	BF-01, 06, 10, 14, 33	JF-16–29	Strong	Separate participant-controlled profile text from official role, credential, membership and authority records.
CAP-04	Structured Collaboration and Relationship Formation	Project, Circle, Rope Team, workspace	BF-07, 16, 27–28	JF-30–38, 46, 51	Strong	Retain a persistent Project parent, separate membership per space and explicit link provenance.
CAP-05	Needs, Assets, Offers, Opportunity Discovery, and Reviewed Matching	Explore, cards, match, introduction	BF-15, 18, 31–33	JF-39–45	Strong	Clarify the discovery surface dependency, project geography source and Sponsor Challenge originator boundary.
CAP-06	Governed Deliberation and Decision Support	Circle proposals, formal decisions, publication	BF-03, 09, 13, 21, 24	JF-36–38, 60–61, 74–75	Strong after correction	Replace the universal Project Owner override with decision methods configured by category before a decision opens.
CAP-07	Action and Project Coordination	Action Workspace and delivery cycle	BF-07, 27–28	JF-46–51	Strong	Add explicit charter, task acceptance, dependencies, escalation, closure conditions and successor-cycle controls.
CAP-08	Governed Records, Evidence, and Metrics	Repository, evidence, review, dashboards	BF-04, 20–23	JF-52–59, 79, 81, 90–91	Strong	Use the four-layer metric model and correction propagation; link implementation evidence through EV-JF references.
CAP-09	Learning, Correction, and Adaptive Improvement	Harvest, profile candidate, correction, next cycle	BF-06, 20–21, 28, 30	JF-28, 57–62, 70–72, 91–92	Strong after V1.1 addition	Demonstrate correction propagation, permissioned learning reuse and separately authorized successor cycles.
CAP-10	Bounded AI and Configurable Platform Operations	AI gateway, pack configuration and restore	BF-09, 17, 25, 30, 34, 36	JF-23–29, 74–79, 85	Strong after scope alignment	Return fourth-pack configuration/restore to Alpha and define provider/source/feature flags without hard-coding one model.
CAP-11	Consent Control and Withdrawal	Consent change after onboarding	BF-02	JF-11–15	Strong	Freeze queued-request cancellation, derivative/cache restriction, audit retention and truthful deletion/retention messaging.
CAP-12	Matching Transparency	Match Brief and mutual introduction	BF-18, 31–32	JF-40, 43–45	Strong	Keep reasons, sources, gaps, uncertainty and consent visible; never use a person score or paid priority.
CAP-13	Decision Records and Accountability	Project Brief, proposals, approvals and audit	BF-03–05, 13, 17, 20–22, 27, 29	JF-30, 36–38, 46, 55–63, 75, 81	Strong	Link every consequential decision to the governing rule/version, authority, rationale, object version and execution status.
CAP-14	Communication Connected to the Work	Threads, responses, updates, polls and escalation	BF-15, 18, 23–24	JF-21, 38, 45, 49, 54, 73, 89	Strong after V1.1 addition	Demonstrate thread-to-object linkage, lifecycle/moderation and promotion from attachment to governed project record.
CAP-15	Document and Information Management	Repository, versions, references, export	BF-04, 21–23, 27	JF-52–54, 57, 60–64	Strong	Add right-to-share confirmation, malware/quarantine, version manifest, redaction and secure download handling.
CAP-16	Practical AI Assistance	Drafts, summaries, pathways, requirements and task suggestions	BF-09, 30	JF-23, 50, 59, 85	Partial / feature-flag dependent	Freeze which AI functions are enabled in Alpha, source boundaries, model variability, cost telemetry and manual alternatives.

ID	Capability area	Primary flow position	Shaligram BF coverage	WSS journey coverage	Assessment	Remaining freeze need
CAP-17	AI Access Controls and Human Review	AI retrieval, consent, source and release controls	BF-02, 09, 30	JF-11–13, 50, 58–59, 85–86	Strong	Use one gateway, explicit output classes, permission-aware retrieval, prompt-injection refusal and no model training on participant data.
CAP-18	Paid, Sponsored, and Free Access	Seats, entitlements, donations and Sponsor reporting	BF-08, 18–19, 35	JF-41, 51, 65–69, 93–94	Partial / owner decision	WSS must choose the Alpha commercial boundary; entitlement must remain distinct from role, authority and workspace access.
CAP-19	Invitations and Notifications	Access, role invitation, review/action notification	BF-01, 12, 14, 26, 29	JF-05–10, 20–21, 45, 64–65, 73, 79, 88	Strong after V1.1 addition	Demonstrate provider delivery/retry/expiry and safe notification content; the in-app inbox remains authoritative.
CAP-20	Action Tracking and Audit Trails	Tasks, decisions, evidence, roles, configuration and AI lineage	BF-01, 03–04, 06–07, 17, 20–23, 27–30	JF-01–04, 30, 37, 46–59, 63, 75, 81, 87	Strong	Define the consequential event catalogue, role-limited audit access, retention and final verification evidence.

3. Shaligram BF-01 to BF-36 user-flow and capability crosswalk

The rows below retain Shaligram's stable BF identifiers and map each decision to the point in the user journey where it becomes visible. The "recommended triage" is a WSS review recommendation, not a claim about current implementation status.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-01 Role and context isolation	My PHOENIX / context	All users	CAP-01, 02, 19, 20	Accepted	JF-08, 16–17, 20	Strong core rule; multi-tab stale-context behavior and safe notification previews are not fully frozen.	B	Extend accepted baseline	Retain one identity and active context. Revalidate every API action and all open tabs after context change; direct links and notifications must never disclose or execute in the wrong context.	**Partially built.** One sign-in holds one active role and context. The switcher offers only Active assignments in non-suspended contexts, resets screen state and is audited (core.js). Opening another context's object shows a gate that loads nothing and offers "Switch and open"; a notification from another context needs a confirmed switch before it opens. Actions pass a client-side guard layer (guards.js). Limits: other open tabs are not revalidated and the last tab to save overwrites state; the notification panel shows full text of other-context notices; some action guards do not check the object's context.	**Baseline extension.** Revalidate all open tabs on context change and stop last-write-wins state overwrite; show safe generic preview text for other-context notifications; add object-context checks to every action guard; implement server-side authorization on every API action in the production build (not demonstrable in this click-prototype). Acceptance: JF-08, 16–17, 20 negative tests, including direct links and notifications opened in the wrong context.
BF-02 Optional consent	Agreement and consent	All participants; admins	CAP-02, 11, 17	Accepted	JF-11–15	Good onboarding rule; downstream withdrawal, agreement versioning, re-acceptance and data-rights consequences need detail.	B	Extend accepted baseline	Add consent receipts, versions, purpose, audience and withdrawal effects. Demonstrate AI/research withdrawal without blocking unrelated core journeys.	**Partially built.** The required agreement is separate from five optional purposes (AI, research, cross-organisation, public/funder, external), none pre-ticked at onboarding. My records and consent shows grant, decline and withdraw per purpose, the effective state and change history. Agreements are versioned with effective dates, re-acceptance on material change and an acceptance receipt ID. Withdrawal cancels queued AI jobs, stops pending public/funder releases and excludes the person from research export; core journeys stay open (seed: Mary declines AI).	**Baseline extension.** Issue receipts for optional-purpose choices, not only agreements; record purpose-wording version and audience on each consent record; define consequences for data already processed (restriction or deletion of derivatives and caches), linked to BF-40; make research withdrawal visible to the participant; replace the simulated receipt download. Demonstrate AI and research withdrawal end-to-end in UAT.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-03 Circle voting	Circle decisions	Circle members; facilitator; decision authority	CAP-06, 13, 20	Accepted	JF-36–38	Conflicts with later WSS direction because every vote is treated as advisory to the Project Owner.	B	Reconcile baseline	Keep one-person/one-vote, but configure each decision category as advisory, binding, delegated or binding with an authority check before voting opens.	**Partially built.** Circle polls use one eligible member = one vote, with no owner weight or override; observers and the facilitator do not vote. The eligible-voter list and the rule (threshold, quorum, window, reminder) are frozen when a poll opens; pass, fail, tie and no-quorum outcomes, reminders and closing are handled (circles.js). The Readme still describes weighted voting; the code is equal-weight. Limits: one global rule and no decision category; whether a result is advisory or binding is not modelled, and a separate free-text "Final review" by owner or facilitator reads as advisory.	**Baseline correction.** Owner decision required: WSS to confirm the categories. Add a decision category (advisory, binding, delegated, binding with authority check) set before a vote opens, with the authority check at opening; define what a passing vote executes; restrict early manual closing of open votes (owner or facilitator can currently close at any time and so time the result). Depends on BF-13 and the BF-42 governance profile.
BF-04 Evidence states	Evidence and review	Submitter; reviewer; participant	CAP-08, 13, 15, 20	Accepted	JF-55–58	Substantially aligned; reviewer independence, Insufficient outcome, retention and file-safety behavior should be linked.	C	Retain and extend	Keep review outcome, support level, confidentiality, lifecycle and release separate. Add recusal and revision/negative-finding tests.	**Partially built.** Evidence keeps review status, support level (E0–E4), confidentiality, lifecycle and per-audience release as separate fields with separate history (evidence.js). Needs Revision and Insufficient outcomes exist; only the owner can resubmit; non-quality values are refused as a review status. Review needs the Reviewer bundle and the reviewer cannot be the submitter. Release needs owner authorisation, then disclosure review. Seed record: Approved, E2, Restricted, Not cleared.	**Baseline extension.** Add conflict declaration and recusal for evidence reviewers (only self-review is blocked today); define and enforce retention (currently a fixed label); replace simulated file safety (filename-based quarantine, extension blocklist) with real scanning in production, see BF-45; write revision and negative-finding test cases.
BF-05 Admin vs specialist authority	Administration / review	Admin; reviewer; safety/release/ technical authorities	CAP-01, 06, 13, 20	Accepted	JF-56, 74–75, 80	Literal contradiction: "no specialist responsibilities" cannot coexist with an admin denied and a reviewer permitted.	B	Baseline correction	Retain six user-facing base roles; implement separately granted, scoped, time-bounded authority bundles for consequential actions.	**Partially built.** Evidence approval needs the Reviewer bundle; Organization Admin and Facilitator do not receive it by default. Bundles (Reviewer, Project Lead) are stored per role assignment, granted by the Organization Admin with audit, and an admin cannot grant bundles to themself. Mandates carry a scope and a valid-until date. Limits: only two bundles exist; release, safety, policy and finance authority are tied to base roles (Organization Admin, Platform Administrator), not separately granted; bundles have no expiry or approval step.	**Baseline correction.** Correct the BF-05 wording; add separately granted, scoped, time-bounded authority bundles for release, safety, policy and finance; add grant approval and expiry; check that the target assignment is in the granting admin's context. Confirm whether Platform Administrator counts outside the six base roles. Uses the same authority-grant model as BF-25 and BF-29.
BF-06 Profile evolution	Profile and learning	Participant; reviewer; facilitator; AI	CAP-03, 08, 09, 20	Accepted	JF-28–29, 59	Strong; official role/authority/credential records are not yet explicitly separated from participant-controlled profile text.	C	Retain and clarify	Source events create profile proposals only. Preserve source and edits; reject/withdraw without changing source evidence. Display official records separately.	**Partially built.** Approved evidence and Learning Harvests create pending profile candidates instead of writing to the profile; AI proposals are labelled. The participant can accept, edit (original wording kept), reject or defer; each change adds a profile version and keeps provenance. Revoking a claim does not change the source evidence (profile.js, evidence.js).	**Baseline extension.** Add a separate official-records area for role, authority (bundles, mandates) and credentials, distinct from participant-controlled text (today "Reviewer-verified" is only a label on a participant claim); add a Withdraw state for candidates. Small UI and data change.
BF-07 Collaboration routes	Project / linked spaces	Participant; mentor; steward; project lead	CAP-04, 07, 13	Accepted	JF-30, 33–35, 38	Correct non-linear concept; Project parent, link provenance, separate access and successor-cycle behavior need explicit data rules.	B	Retain and extend	Model Project as durable parent with one Project Brief and separate Circle/Rope/Workspace identities, memberships, histories and link records.	**Partially built.** Circle, Rope Team and Action Workspace are separate objects with their own memberships. The journey display follows which spaces are linked, not a fixed order, so Circle-first, Rope-first and Workspace-first entry work. Link records hold type, source, target, context, creator, date and one Primary Origin; linking never moves members and Rope Team content never crosses a link (links.js, journey.js).	**Baseline extension.** Make Project a durable parent able to hold several spaces of a type and successor spaces (single slots today); keep link history on unlink (the link record is deleted, only an audit line remains); give successor cycles their own identity instead of a counter; use one versioned Project Brief (BF-27). Data rules to be agreed before build.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-08 Sponsor boundary	Sponsor / sustainability	Sponsor; admin; finance; project teams	CAP-02, 05, 18	Accepted	JF-66–69	Conflicts with BF-18, BF-19 and BF-35 on Sponsor challenges, seats, invoices, checkout and paid access.	B	Owner decision and reconciliation	Freeze one coherent Sponsor model: released discovery/challenges and approved reporting; no automatic private access, project authority, fund custody or tranche execution.	**Partially built.** Sponsors cannot enter workspaces; staged funding, tranches and pitches are denied by guards; sponsors see seat counts only; funder-safe reports use released evidence only; PHOENIX records payment status with no fund custody (sponsor.js, guards.js). Conflicts with target: the Sponsor shortlists applicants, finalises the team, nominates project owners and approves sponsor milestones; seats by invoice, donations and a simulated hosted checkout are present.	**Owner decision required.** WSS to freeze one Sponsor model together with BF-18, BF-19 and BF-35. Then remove or move Sponsor team-selection and milestone-approval authority, and keep or remove seats, invoices and checkout as decided. Acceptance: no automatic private access, project authority, fund custody or tranche execution. Real payment handling is a production item.
BF-09 AI authority	Cross-cutting AI	All users; reviewers; AI owner	CAP-06, 16, 17	Accepted	JF-50, 59, 85	Core boundary is strong; enabled AI functions and BF-30 statement that proposal checking stays off are inconsistent.	C	Retain; align feature flags	AI remains advisory. Freeze enabled functions, source registry, output class, model/provider record, uncertainty, human review and manual route.	**Partially built.** Every AI call passes a consent and availability check (tenant, programme, person, record), with a manual route on failure. Ask PHOENIX refuses questions about other people and prompt-injection patterns and shows source and uncertainty. The Circle source check is advisory and cannot change a vote; AI outputs are drafts or candidates needing human acceptance; each use is logged with class, purpose, sources and status. All AI behaviour is simulated (rule-based or canned).	**Baseline extension**, aligned with BF-30. Freeze the list of enabled AI functions with per-function flags (Circle proposal checking is live, contradicting BF-30); add a source registry, full output classes, a real provider/model/version on every log entry, and uncertainty on all outputs. Real model behaviour must be verified once a provider is connected.
BF-10 Purpose Compass	Purpose and orientation	Participant; mentor/ facilitator	CAP-03	Accepted	JF-22	Strong. Question version, privacy, visibility and progressive optional prompts are not in the BF row.	C	Retain and clarify	Freeze the minimum question set/version, private-by-default treatment, no score, and participant control of any later sharing.	**Partially built.** Purpose Compass has twelve reflective questions: PC1–PC6 required at onboarding, PC7–PC12 optional later in Profile. No score is calculated or shown. Questions carry visibility labels, own views are marked “Only you”, and saves add a profile version entry (onboarding.js, profile.js). Limits: the question set has no version ID; earlier answers are overwritten; visibility labels are display-only.	**Baseline extension and defect fix.** Version the question set and store it with answers; keep answer history; add participant-controlled sharing and revoke. Fix: Facilitator and Mentor viewers see the PC2 goal without consent, contradicting private-by-default. The pack option “compass optional” is stored but not applied. WSS to freeze the minimum question set.
BF-11 Device requirement	Cross-cutting UX/NFR	All personas	Cross-cutting NFR	Accepted	JF-82	Responsive web is necessary but does not cover accessibility, browser support, 200% zoom or phone-sized admin/review flows.	C	Extend NFR acceptance	Test priority journeys at 360/390px, desktop, keyboard-only, screen-reader semantics, contrast and 200% zoom.	**Partially built.** Responsive layouts exist: viewport meta, phone breakpoints with 16px gutter, single-column forms, 44px inputs, tables as stacked cards, drawer and bottom navigation on phones. Accessibility basics: skip link, visible focus, reduced motion, aria-live regions, focus trap in the drawer. Verification required: no tests at 360/390px, keyboard-only, screen reader, contrast or 200% zoom have been run; the only script (smoke-roles) is out of date.	**NFR acceptance** (QA lead). Run and record priority-journey tests at 360/390px and desktop, keyboard-only, screen reader, contrast and 200% zoom; define supported browsers; review phone layouts of admin and review screens; update the smoke script. WCAG conformance can only be confirmed by testing, see BF-52.
BF-12 Entry route and age data	Access and activation	Applicants; participants; admins	CAP-01, 02, 19	Accepted	JF-05–10	Conflicts with BF-26. Invitation states, verification failure, resend and resume are not fully represented.	B	Reconcile BF-12/BF-26	Recommended Alpha route: Request Access is pre-account intake; admin approval creates an invitation; activation creates/reuses one Person and contextual role.	**Built in prototype.** Request Access creates no account: it stores a request and notifies Organization Admins. “Approve and invite” issues a single-use invitation (14-day expiry); decline creates nothing. Registration without an invitation falls back to Request Access; an existing email reuses the same Person and adds a role. Invitation states (Pending, Resent, Accepted, Expired, Revoked, invalid) and verification resend and resume are handled. Age is an attestation; no date of birth is collected. Email is simulated.	**Minor.** Prevent duplicate pending requests for the same email; stop writing the requester’s email into the audit target; align BF-12/BF-26 wording and the Readme (still says direct registration). Real email delivery and token security are production items to verify.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-13 Voting parameters	Formal decisions	Project members; Project Owner/decision bodies	CAP-06, 13	Accepted	JF-36–38	Same universal owner-override conflict as BF-03; no quorum rule may not fit every decision category.	B	Baseline correction	Move method, threshold, quorum/tie and final authority into a versioned Project Governance Profile; freeze the rule once the decision opens.	**Partially built.** Threshold, quorum, window and reminder come from settings and are frozen on each poll at opening with the eligible-voter snapshot; equal weight; pass, fail, tie and no-quorum outcomes. The Organization Admin can edit threshold and quorum (new votes only), with audit; configuration versions snapshot voting settings. Limits: one global rule for all contexts and projects; window and reminder not editable; no method choice or final-authority rule.	**Baseline correction and change request.** Introduce a versioned Project Governance Profile per project (method, threshold, quorum/tie and final authority by category), frozen when a decision opens, see BF-42. Scope voting settings per context (today one Organization Admin's change affects every context). Depends on BF-03.
BF-14 Navigation and Help	My PHOENIX	All personas	CAP-01, 03, 19	Accepted	JF-16, 18–21	Good role/context filtering; a fixed global shell, denial explanation, safe locked states, Help and human support need explicit behavior.	C	Retain and extend	Keep stable global navigation; hide sensitive existence, show safe locked capabilities where useful, explain denial and route legitimate access/support requests.	**Partially built.** Navigation is filtered by role, with a persistent block for every role (Profile, My records and consent, Resources, Help and support, Report a concern) and a fixed shell with role/context switcher, notifications and Ask PHOENIX. Route and action denials explain the effective permission and are audited. Human Help is separate from Ask PHOENIX, with a request lifecycle and routing to admins (core.js, freeze.js).	**Baseline extension.** Add safe locked states where useful; add a request-access route from denial screens; stop the cross-context gate from naming the owning context for objects the user should not know exist; review Participant menu length (up to 13 items). Note: the WSS action pack numbers this item BF-13; align numbering.
BF-15 Bulletin Board Lite	Explore and release	Participants; partners; sponsors; admins	CAP-05, 09, 14	Phase 2 / CR	JF-39–40, 45, 64	Architecturally sound thin view, but deferral conflicts with accepted Sponsor Challenges, announcements and Visible Wins that need discovery.	C	Reclassify dependency	If BF-18 remains Alpha, include a minimal permission-filtered Explore/Board composed from existing objects; no social-feed mechanics.	**Built in prototype.** The Explore board (all roles) composes existing records only: visible Active Opportunity Cards, programme announcements, approved Visible Wins released to the programme, and Sponsor listings under alias. Items are context-filtered and keep their source audience; date order only, with no likes, comments, followers or ranking (freeze.js).	**Minor alignment.** Update the disposition (row says Phase 2/CR but a minimal board is built). Allow announcements to be created (seed only today); require approval before Sponsor listings appear (live on creation today); separate approval and release of Visible Wins. Depends on BF-18 staying in Alpha.
BF-16 Relationship / Collaboration List Lite	Collaboration awareness	Project members; partners; admins	CAP-01, 03, 04	Phase 2 / CR	JF-29, 34–35, 40	Current proposal is too broad: complete profiles, longitudinal comparison and relationship analytics exceed "Lite."	CR	Split thin Alpha from advanced	Alpha may show authorized current collaborators, role, context and provenance. Defer broad history comparison, graph analytics and profile-over-time UI.	**Partially built.** My collaborations lists confirmed introductions, shared Circle, Rope Team and workspace memberships, and same-organisation people, with relationship type, place, role and status. A collaborator view shows only claims shared with the viewer, needs an existing relationship and is audited. No graph or trust score. Beyond the thin Alpha scope: past rows are kept after access ends, and "Our history" and "Then and now" comparison tabs exist.	**Scope split.** Hide or remove past-relationship rows and the history/comparison tabs for Alpha, or obtain WSS acceptance of them as scope; limit "same organisation" to actual collaborators. Otherwise the thin list meets the target.
BF-17 Controlled baseline	Freeze readiness	WSS and Shaligram delivery teams	CAP-10, 13, 20	Accepted	JF-01–04, 87	Essential but incomplete without release-candidate identity, schema/config snapshot and requirements-to-test traceability.	B	Freeze gate	Issue V1.1 controlled baseline and identify exact build/commit, schema, config, UAT dataset, release notes, known issues and test evidence.	**Not built.** No release-candidate identity: the repository has no tags; no build/commit is shown in the app; no release notes, known-issues list or UAT dataset ID; the v1.1 WSS documents are not under version control. Related artefacts: configuration versions can be saved and exported (packs, voting, templates), the data schema has a version check, and a Shaligram Closure Register (BF-01 to BF-17) is in docs.	**Freeze gate** (Delivery lead and WSS). Tag the candidate commit; publish schema and full configuration snapshot, synthetic UAT dataset, release notes, known issues and requirements-to-test traceability (BF-37, BF-38); place the v1.1 baseline documents under version control. Process deliverable, not product code.
BF-18 Sponsor challenges and pseudonyms	Explore / Sponsor intake	Sponsor; applicants; steward; admin	CAP-05, 12, 14, 18	Accepted	JF-41–45, 69	Useful bounded opportunity flow; automatic Sponsor = Project Owner/Circle Owner over-concentrates authority and alias governance is incomplete.	B	Amend accepted design	Sponsor is Opportunity Originator. Assign project/space leadership separately. Define alias resolver, disclosure trigger, audit, retention, abuse/fraud and closure rules.	**Partially built.** A Sponsor lists a project under a generated alias and is not made Project or Circle Owner; at team finalisation the Sponsor designates participant owner(s) and Organization Admins assign a Steward; the Sponsor is never a workspace member. Others see only the alias; dispute aliases can be revealed only by an Organization Admin, with audit (sponsor.js, applications.js).	**Amend accepted design.** Owner decision on alias governance. Model the Sponsor as Opportunity Originator and move team and owner selection to a separately authorised role (Sponsor chooses owners today, see BF-08); define alias resolver, disclosure trigger, retention, abuse/fraud and closure rules; add approval before listings go live. Depends on BF-15, BF-19 and BF-35.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-19 Milestone-linked Sponsor commitments and payment status	Sponsor / commercial	Sponsor; finance; project team	CAP-13, 18	Accepted	JF-66–68	Project funding boundary is clear, but seats/donations/invoicing conflict with BF-08 and BF-35.	B	Owner decision required	Freeze whether Alpha includes hosted commercial access or records only offline status. In all cases, entitlement never creates role, membership or authority.	**Partially built.** Offline model: sponsor projects record milestone payment status only (Pending, Due, Paid Offline, On Hold, Disputed); a record is created when a milestone is agreed and becomes Due on sponsor approval; changes keep history, notify and are audited. Hosted model (simulated): seats by invoice, donations and subscription products with provider checkout. Entitlements gate nothing (helper defined, never called), so payment creates no role or authority.	**Owner decision required.** Both commercial models are live; WSS to choose hosted commercial access or offline status only (section 6.6 recommends no in-platform checkout, with a manual entitlement/seat model). Remove the unselected UI; keep entitlement separate from role, membership and authority. Real payments, invoicing and webhooks are production items. Depends on BF-08 and BF-35.
BF-20 Milestone dispute process	Concern / appeal	Submitter; reviewer; admin; independent authority	CAP-08, 09, 13	Phase 2 / CR	JF-56–57, 70–72	A full Sponsor-funding dispute may be later phase, but ordinary evidence/milestone disagreement, recusal and appeal are still needed in Alpha.	C	Split thin Alpha / advanced CR	Keep return-for-revision, tracked concern, independent review, reasons and appeal. Defer financial remedies and Sponsor-payment enforcement.	**Partially built.** Return for revision exists for evidence (Needs Revision) and Steward milestone review (Changes requested); a Steward cannot review their own items. Sponsor milestone/payment disputes need written reasons; the Organization Admin assigns an independent Steward (conflicted candidates excluded, independence attestation); both sides use aliases; the decision is reasoned. Incidents support appeal.	**Scope split.** Add appeal of review and dispute decisions (Decided is final today); add a tracked concern linked to the evidence or milestone, and independent review and recusal for ordinary reviews. The built dispute decision sets payment amount and status, which contradicts deferring financial remedies: descope or flag as an advanced CR. Depends on BF-19 and BF-47.
BF-21 Project and milestone publication	Publication and release	Project team; affected participants; release authority	CAP-02, 09, 13, 15	Accepted	JF-60–64	Too broad: team voting alone cannot release protected Rope content, testimony, IP, restricted evidence or a different version.	B	Amend accepted design	Release exact object/version to exact audience/purpose. Require applicable consent, rights, redaction and Publication/Release Authority check; preserve correction/withdrawal history.	**Partially built.** Project publication needs an accepted project and a team vote (threshold, quorum, voter snapshot), then the owner publishes; only documents marked Public are exposed, Rope Team and locked files are excluded, and unpublish is logged. Evidence release is separate: per audience, owner authorisation, Organization Admin disclosure review and public/funder consent check (publish.js, evidence.js).	**Amend accepted design.** Bind each release to an exact object version and audience/purpose (the public page shows the live project today); add a Publication/Release Authority check plus consent, rights and redaction checks at project publish (team vote and owner suffice today); add milestone publication; keep correction and withdrawal version history. Depends on BF-22 and BF-27.
BF-22 Excel and ZIP exports	Export	Authorized users; admin; technical operator	CAP-02, 15, 20	Accepted	JF-63, 81	Good foundation; preview, manifest, redaction, permission recheck and secure download are missing.	C	Retain and extend	Export only released versions. Include manifest, provenance, creator, reason, timestamp, version IDs and audit; use expiring access where practical.	**Partially built.** ZIP export of a project's Public documents builds a real ZIP with folders and a manifest (path, source, sharer, date, size, scope, downloader, timestamp), guarded and audited. Personal records, metrics, research dataset and configuration export as JSON. Repository "Export with metadata" shows a message only.	**Baseline extension.** Build Excel export (none exists); export only released versions (selection is by visibility today); add version IDs, reason/purpose, creator and provenance to the manifest; add preview and redaction; add guard checks to export actions (several are only hidden in the UI); use expiring secure download links in production.
BF-23 Chat attachments, promotion and folders	Communication / repository	All collaborating users	CAP-14, 15, 20	Accepted	JF-52–54, 63	Strong single-storage principle; file safety, right-to-share, retention and version identity need explicit treatment.	C	Retain and extend	Keep chat attachment separate until promoted. Capture title, purpose, owner, classification, rights, related object, release status, checksum/version and malware state.	**Partially built.** Chat attachments have a size limit and an executable-file blocklist. The Documents module indexes files in place without copies, pointing to the holding record, with folders for Circle, Rope Team, Action Room (by milestone and task) and Evidence (documents.js). Simulated malware quarantine applies to evidence and repository uploads only.	**Baseline extension.** Add an explicit promote-to-record action (attachments appear directly in Documents and can be made Public today); capture title, purpose, owner, classification, rights, related object, release status, checksum/version and malware state; scan chat files; keep originals when a message is moderated; define attachment retention. Shares file controls with BF-45.
BF-24 Message threads and polls	Circle/work communication	Members; facilitator; admin	CAP-06, 14	Amended	JF-36–38, 54	Correctly avoids real-time chat and formal-decision confusion; thread lifecycle, moderation and object linkage remain unstated.	C	Retain and extend	Link each thread to the proposal/task/evidence it concerns; define archive/moderation, attachment retention and notification behavior. Polls remain advisory.	**Partially built.** One conversation per space, members only, with replies, question flag and answered marking; moderators can hide messages (audited); unread notifications are grouped per conversation. Quick polls are labelled advisory and kept separate from formal Circle votes; closed spaces become read-only. No real-time chat is implied (messages.js).	**Baseline extension.** Link threads to the proposal, task or evidence they concern; add a thread lock/archive lifecycle; keep moderated originals (hiding overwrites text and attachment today); define attachment retention and notification rules. Same work as BF-51.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-25 Admin role consolidation	Administration	Organisation/ Programme Admin; technical operator	CAP-01, 10	Accepted	JF-74–76, 80	Reasonable Alpha UX simplification if technical and consequential authorities remain separate.	C	Retain with boundary	One combined admin base role may operate the pilot; technical operations and review/release/safety/finance authorities stay separately granted.	**Partially built.** One combined Organization Admin base role runs each context; Platform Administrator is a separate technical role. An admin cannot approve their own role; Reviewer and Project Lead bundles are assigned separately. Conflict: finance and policy authority are tied to the Platform Administrator (technical operator) role, and release and safety authority to any Organization Admin.	**Baseline correction.** Separate finance, release, safety and policy authority from the technical-operator and admin base roles as separately granted bundles (same model as BF-05 and BF-29). Confirm who confirms invoices (BF-19).
BF-26 Sponsor and participant self-registration	Access and Sponsor onboarding	Applicants; sponsors; admins	CAP-01, 19	Accepted	JF-05–07, 65	The row contradicts itself and BF-12: it says direct sign-up but demonstration says no sign-up.	B	Correct wording	Use one controlled access rule. Request Access does not create an active account; approval leads to invitation/activation. Sponsor route may have a different intake form but same activation control.	**Built in prototype.** One controlled access rule: the sign-in page states Request Access does not create an account; registration without an invitation falls back to the request form; Organization Admin approval issues an expiring invitation; activation goes through the invitation, then email verification; existing people are reused. Sponsors use the same form and activation control (public.js, admin.js).	**Minor clean-up.** Remove unreachable self-registration code and Sponsor copy ("Fund projects stage by stage", which conflicts with BF-08); correct the BF-26 row and Readme wording. A separate Sponsor intake form is optional. Real email verification is a production item.
BF-27 Single project-definition layer	Project definition	All project personas	CAP-07, 13, 15, 20	Accepted	JF-30–31, 35–36, 46	Strong. Decision-governance configuration and which brief version governed each milestone/decision/task are not yet linked.	C	Retain and extend	Keep one versioned Project Brief. Link governance profile, origin, spaces and the governing brief version to consequential records.	**Partially built.** Every project, including sponsor projects, is a single record; regular projects have an 8-section definition and sponsor projects a brief; spaces link back to their origin; edits are logged per field (projects.js, sponsor.js).	**Baseline extension.** Merge the two shapes into one Project Brief schema; version the brief (edits overwrite today); attach the governance profile (BF-42) and record the governing brief version on milestones, decisions and tasks.
BF-28 Moving between spaces	Collaboration / next cycle	Circle, Rope and workspace members	CAP-04, 07, 13	Accepted	JF-33–35, 38, 51	Strong; link authorization, predecessor/successor cycle and carried-forward records need explicit fields.	C	Retain and extend	Create/link, never convert. Record initiator, authorizer, purpose, source/destination, visibility, cycle number and selected references.	**Partially built.** Spaces are linked, never converted. Link records hold source, target, type, context, creator, date and Primary Origin; linking copies no members, roles or content and needs authority in the source object. A new Action Workspace records origin, purpose/charter and mandate; others can only propose one. "Continue to new cycle" needs an approved Harvest (links.js, rooms.js).	**Baseline extension.** Add authoriser (separate from initiator), purpose, visibility and cycle number to link records; keep link history on unlink; create a successor record with a predecessor reference instead of incrementing a counter; record selected references carried forward. Same data model as BF-07 and BF-44.
BF-29 Role-assignment lifecycle	Access and authority	All roles; admins	CAP-01, 20	Accepted	JF-08, 10, 74–75	Strong for base roles; separate authority lifecycle, acceptance, expiry effects and queued decisions are missing.	B	Extend state model	Maintain distinct BaseRoleAssignment and AuthorityGrant lifecycles. Revoking authority must stop new use without deleting underlying role or history.	**Partially built.** Base role assignments have statuses (Pending, Active, Deactivated, Not activated) with Organization Admin approve, decline, deactivate and reactivate; only Active assignments can be used. Authority sits on the assignment as bundles plus a mandate with scope and valid-until date; revoking a mandate downgrades institutional room roles but keeps the base role (admin.js, guards.js).	**Change request** (state model). Introduce a distinct AuthorityGrant with grantor, dates, acceptance, expiry and history; enforce mandate expiry consistently (some screens check only the valid flag); define the effect on queued decisions; stop hard-deleting assignments when a user is deleted; add own-context checks to user-management guards.
BF-30 AI provider, license and new AI use	AI / technical operations	All users; AI owner; technical operator	CAP-10, 16, 17	Accepted	JF-50, 59, 85–86	Provider-neutral direction is good; existing ChatGPT subscription suitability is unverified, feature scope conflicts with BF-09, and cost/provenance controls are incomplete.	C	Clarify and feature-flag	Use WSS-controlled provider/API accounts after contractual check. Log provider/model, prompt/version, source scope, output class, consent, review and usage; keep manual fallback.	**Partially built.** AI calls go through an adapter with purpose check and manual fallback; Ask PHOENIX shows a manual route when AI is off and enforces a daily quota; AI jobs are logged (by, class, purpose, sources, consent, model, status, time); the Platform Administrator can set provider name, mode and quota. All AI is simulated. Verification required: provider account and licence suitability (contractual, outside the prototype).	**Clarify and feature-flag.** Log real provider/model/version, prompt version, usage/cost and the actual consent result (consent is hard-coded on log entries today); add per-feature flags; apply the quota to all AI paths; resolve the BF-09 conflict on proposal checking. WSS AI owner to confirm provider accounts and licence before a model is connected.
BF-31 Profile matching percentage	Opportunity matching	Participants; partners; steward	CAP-05, 12	Accepted	JF-43	Well aligned.	C	Retain	Show rationale, data used, gaps and uncertainty; no percentage, ranking, trust score or paid priority.	**Built in prototype.** Match Briefs show why suggested, source data used, gaps, readiness gaps, uncertainty, permissions and restrictions, labelled "Not a score"; no percentage, trust score or paid priority appears in matching (opportunities.js).	**Minor.** Collaborator candidates are ordered by keyword-hit count while labelled "not ranked"; WSS to confirm this ordering is acceptable, otherwise use neutral ordering. No other work identified.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance	Shaligram Already Built	Future Work
BF-32 Geography filter	Explore / search	Participants; partners; sponsors	CAP-05	Accepted	JF-40	Filtering is useful, but project geography must not be inferred from a person's profile country.	C	Correct data source	Store geography on Project/Opportunity records, optionally with country/region/remote/multi-location. Filter only authorized records.	**Partially built.** Country is required and validated on projects, opportunity cards and sponsor projects; projects also have a free-text area; new cards default to the linked project's country; country filters exist on project and card lists. Geography is not inferred from a person's profile country.	**Correct data source.** Add region, remote and multi-location fields; stop defaulting legacy and new sponsor projects to the organisation's country; build filter options from authorised records only (card country and category options come from all cards today, which can reveal restricted values).
BF-33 Profile availability status	Profile / offers	Participants; matching users	CAP-03, 05	Amended	JF-29, 39	Direction is sound; Offer visibility, duration and expiry are not frozen.	C	Retain and clarify	Represent availability as an Offer with scope, audience, capacity, valid dates and withdrawal/expiry; do not create another persistent profile status.	**Partially built.** Offers are Opportunity Cards of type Offer with required expiry, country, linked project and a lifecycle (Draft, Active, Paused, Fulfilled/Closed, Withdrawn, Expired), owner withdrawal and automatic expiry. Conflict: "Availability" remains a persistent profile claim field.	**Retain and clarify.** Add selectable scope/audience, capacity and valid-from date; allow personal Offers not tied to a project; owner decision on removing or migrating the Availability profile field and the Availability column in Rope Team indicators.
BF-34 "Others" fallback role	Role model / packs	All users; admins	CAP-01, 10	Rejected	JF-74, 77	Correct. A catch-all role would weaken authorization.	C	Retain rejection	Use approved base roles, project roles and authority grants. Pack-specific names are display aliases only.	**Built in prototype.** Consistent with the rejection: no "Others" or catch-all role exists; the guard blocks creating new roles; permission changes need an approved change reference; pack-specific role names are display aliases only, and duplicate aliases are rejected (guards.js, platform.js).	**No additional work identified** for the rejection itself. Authority grants are covered under BF-29.
BF-35 Membership / subscription plans	Commercial access	Participants; sponsors; finance; admins	CAP-18	Deferred Phase 2	JF-66–68	Conflicts with BF-08/BF-19 references to seats, donations and invoices and with earlier entitlement architecture.	B	Owner scope decision	Either remove all commercial UI from Alpha or retain a lightweight Entitlement object and approved seat/donation flow. Do not mix commercial access with role permissions.	**Built in prototype**, which conflicts with the Phase 2 deferral. Present: subscription (monthly/annual), one-time pass, invoice cohort and donation products; a Billing route with checkout, billing portal, cancel and refund; admin tabs for products, entitlements, seat pools and payment events; simulated provider checkout and renewal failure (funding.js). Entitlements gate no feature.	**Owner scope decision.** Either remove all commercial UI from Alpha or keep a lightweight Entitlement object with an approved seat/donation flow (section 6.6 option). Add guard checks to checkout, payment-result, portal and entitlement actions (unguarded today). Depends on BF-08 and BF-19.
BF-36 Use-case packs on one PHOENIX platform	Pack configuration	WSS Admin; organisation admins; all pack users	CAP-10	Deferred Phase 2	JF-74, 76–79, 87	Architecture is correct, but deferral conflicts with the controlled Alpha requirement for four shared-primitives packs and fourth-pack create/restore UAT.	B	Baseline correction	Return thin four-pack proof to Alpha: common kernel, role display aliases, templates, selected workflow/metrics, config export/restore, strict context isolation and no code/database/vendor script.	**Partially built.** Three packs share one kernel with per-pack workspace label and role display aliases; the Organization Admin can edit labels and evidence-type text; configuration versions support save, restore (current configuration saved first) and JSON export. Not built: a fourth pack. A load-time migration forces exactly the three predefined packs, and there is no pack creation or import. Circle/Rope labels and per-pack flows, evidence types and metrics are stored but not applied.	**Baseline correction.** Remove the three-pack lock; add pack create/clone and import/restore of a new pack; apply all labels; make templates, workflow and metrics per pack; scope configuration and restore per tenant (any Organization Admin can change or restore every pack today); demonstrate fourth-pack UAT without code, database or vendor script. See BF-50.

4. Suggested supplemental build-freeze decisions

These items are proposed where the current 36-row register does not yet provide a stable decision or release gate. Several are already contained in the FRD/NFR material; adding them to the decision register makes them visible for triage and sign-off rather than creating new conceptual scope.

Feature Module	Sub-Functionality	Client Input / Observed Behavior	Business Impact & Justification	Priority	Recommended Dev Team Triage Status	Target Action / Resolution Plan	Shaligram Already Built	Future Work
Freeze readiness and control	BF-37 Release-candidate identity and immutable review baseline	The current register records behavior but not the exact build, source commit, schema, feature flags, configuration or synthetic UAT data being reviewed.	A “freeze” is not reliable unless both teams test the same identifiable candidate.	B	Add as baseline control	Freeze build/commit ID, schema migration, configuration export, environment, dataset, release notes, known issues and checksum/package manifest.	**Not built.** No build/commit identity, release notes, known issues, checksum or package manifest; the repository has no tags. Partial artefacts only: configuration export (packs, voting, templates) and an integer data-schema version. The in-app decisions card is an empty stub.	**Baseline control** (Delivery lead / Release manager). Tag the candidate commit; produce schema migration record, full configuration export, environment record, synthetic UAT dataset, release notes, known issues and checksum/package manifest. Needs a build pipeline; none exists in this repository.
Freeze readiness and control	BF-38 Requirements-to-test traceability and exception control	Demonstrations exist in individual rows, but no complete requirement → object/API/screen → permission → test → evidence chain is frozen.	Traceability prevents omissions and distinguishes defects, baseline corrections and genuine change requests.	C	Add as baseline control	Maintain a linked traceability register and record every freeze exception with impact, approver, commit and regression evidence.	**Not built.** No traceability register; code comments reference BF-01 to BF-16 only; the only automated test is an out-of-date sidebar smoke script; Readme section 19 is a manual checklist.	**Baseline control** (QA lead and PM). Maintain a requirement → object/API/screen → permission → test → evidence register for BF-01 to BF-54 and JF items; add automated permission and flow tests; log freeze exceptions with impact, approver, commit and regression evidence. Depends on BF-37.
Access and account security	BF-39 Account security, recovery and session controls	Password reset, account recovery, admin MFA, session timeout, reused/expired invite behavior and compromised-session handling are not explicit BF items.	Weak recovery or session rules can bypass otherwise correct role/context controls.	B	Add NFR/acceptance item	Freeze admin MFA, secure reset/recovery, session invalidation, reused/expired invite denial and server-side authorization on every protected API.	**Partially built.** Simulated only. Admin password sign-in leads to a two-step screen (fixed demo code; one-click demo login skips it); forgot-password shows “link sent” only; the lockout counter resets on reload; expired, revoked or used invitations are denied with audit and a request-new route. Session timeout and password policy are display text; “Revoke all sessions” signs no one out.	**NFR item** (Backend/security engineer). Real admin MFA, secure reset and recovery tokens, idle timeout and session invalidation, compromised-session handling, enforced password policy and server-side authorization on every protected API. Production-only; not demonstrable in the click-prototype. Depends on BF-01 and BF-52.
Consent and data rights	BF-40 Data retention, correction, deletion and personal export	Consent withdrawal is covered, but record retention, deletion eligibility, correction, archive and personal data export are not consolidated.	Trust and legal readiness depend on truthful data-rights behavior, not only onboarding consent.	C	Add thin Alpha control	Define data classes, retention basis, correction route, deletion/withdrawal limits, participant export and audit preservation.	**Partially built.** My records and consent shows data held (largely static), a JSON personal export (person, claims, compass, consents, evidence summary) and free-text requests; the admin “Complete” action only changes status. Claim correction works; repository deletion only marks “Deletion requested”; retention is a fixed label.	**Thin Alpha control.** Owner decision on retention policy (WSS / data-protection owner). Define data classes and retention basis, deletion eligibility and withdrawal limits; a correction route that changes the data; a complete export (agreements, pathways, messages, Harvest contributions); explicit audit preservation. Depends on BF-02.
Purpose and pathway	BF-41 Pathway modes, step logic and participant acceptance	The BF register mentions Purpose Compass but omits approved/adapted/custom-AI pathway modes, mandatory/optional/conditional steps, prior evidence and blocked states.	Pathways are the bridge from purpose to action; missing rules create inconsistent user journeys and reviewer bottlenecks.	C	Add as functional baseline	Freeze review rules by pathway mode, participant acceptance, deterministic Next Action, prior-evidence requirements and safety prerequisites.	**Partially built.** Three pathway modes (template, adapted, custom) with review routing; mandatory, optional and conditional steps; derived step states including Blocked with reason; deterministic next step; prior evidence confirmed by a Reviewer; participant acceptance before steps open, earlier version kept as Superseded; reviewer cannot be the author or participant (profile.js). Review rules are coded as assumptions.	**Functional baseline.** WSS to confirm review rules per mode and the adaptation envelope; add a distinct safety/safeguarding prerequisite type; implement or relabel AI drafting for the custom mode (label only today).
Project governance	BF-42 Project Governance Profile and decision-rule versioning	BF-03/13 discuss voting but do not define a reusable, visible decision method per category.	Different projects need flexibility without changing rules during a live decision.	B	Add as baseline correction	Link a versioned governance profile to the Project Brief: category, method, eligible group, threshold, tie/quorum, authority dependency and effective version.	**Partially built.** One set of voting parameters, editable by the Organization Admin; each poll freezes its rule and eligible voters at opening (also used for publication votes). Same evidence as BF-03 and BF-13. No governance profile object exists.	**Baseline correction and change request.** Create a versioned governance profile linked to the Project Brief: decision category, method, eligible group, threshold, tie/quorum, authority dependency and effective version; scope settings per context (global today). WSS to define categories. Depends on BF-03, BF-13 and BF-27.

Feature Module	Sub-Functionality	Client Input / Observed Behavior	Business Impact & Justification	Priority	Recommended Dev Team Triage Status	Target Action / Resolution Plan	Shaligram Already Built	Future Work
Explore and search	BF-43 Search authorization and result-leakage prevention	BF-15/BF-32 cover Board/filtering but not whether unauthorized titles, snippets, participants or counts can appear in search or AI retrieval.	Search is a privacy boundary; leaking that a restricted project exists can itself be harmful.	B	Add cross-cutting permission rule	Authorize before result display. Do not expose restricted metadata; show safe access-request routes only where permitted.	**Partially built.** No global search; list search runs over items each screen has already filtered by permission and context; cross-context links are gated; linked objects the viewer cannot open show a lock; Ask PHOENIX refuses questions about other people. Leaks found: restricted linked-object names, non-member Circle listings, other-context notification text, and card filter options built from all cards.	**Cross-cutting permission rule** (Tech lead). One authorise-before-display rule for search, lists, filters, notifications and AI retrieval; remove the leaks listed; add leakage tests; safe access-request routes. Server-side enforcement needed in production. Depends on BF-15, BF-32 and BF-49.
Action and lifecycle	BF-44 Action Workspace closure, handover and successor cycle	Tasks/milestones are discussed, but closure criteria, unresolved obligations, archive, handover and successor-cycle initiation are not complete.	Projects need a trustworthy endpoint and continuity path, not only task completion.	C	Add thin lifecycle control	Freeze close/continue/archive states, unresolved item handling, Harvest trigger, closure authority and predecessor/successor references.	**Partially built.** Workspace lifecycle Draft → Proposed → Pending approval → Active → Closed; close and continue need an approved Learning Harvest and are limited to the lead or Organization Admin; closed rooms are read-only; project close is steward-driven (rooms.js).	**Thin lifecycle control.** Check unresolved tasks, milestones, disputes and payments before closing; add a handover record and Archive state; create a successor workspace with predecessor reference (continue only increments a cycle counter today); define closure authority. Depends on BF-28, BF-46 and BF-20.
Evidence and records	BF-45 File safety, reviewer independence and evidence retention	BF-04/BF-23 do not fully freeze file allow-list, size, malware quarantine, contributor conflict, recusal and retention.	Evidence credibility and platform safety depend on both content governance and technical file controls.	B	Add common evidence gate	Validate type/size, scan/quarantine, record provenance/contributors, prevent self-review, preserve version/retention and permit negative findings.	**Partially built.** Evidence uploads have a 100 MB size limit and an executable-type blocklist; malware is simulated by filename match; the reviewer must hold the Reviewer bundle and not be the submitter (also for milestone review); a negative-findings field notifies safety owners; repository records keep version notes.	**Common evidence gate.** Allow-list for evidence and documents; real scanning and quarantine (production); contributor provenance; conflict declaration and recusal for reviewers; enforced retention; versioned evidence files. Same work as BF-04 and BF-23.
Learning and correction	BF-46 Learning Harvest, correction propagation and new-cycle authorization	The register does not fully state how negative findings, dissent, corrected published items and released learning lead—or do not lead—to a new project cycle.	A learning platform must retain failure and correction without silently changing commitments or profiles.	C	Add thin Alpha capability	Freeze Harvest lifecycle, dissent, correction/supersession, participant-approved profile candidate, released-learning reuse and authorized next-cycle decision.	**Partially built.** Harvest drafting, approve/reject and per-audience release by the Organization Admin, with versions kept; negative findings are mandatory and a dissent section exists; profile candidates are offered to participants and never auto-written; a new cycle needs an approved Harvest and the room lead (evidence.js, rooms.js).	**Thin Alpha capability.** Owner decision on the propagation design. Add correction/supersession of approved or released Harvests; propagate corrections to linked records, profiles and released copies; released-learning reuse; separate authorisation of the next cycle. Depends on BF-06 and BF-44.
Incidents and human support	BF-47 Incident, rights, remedy, appeal and support routes	BF-20 covers milestone disputes, but safety, rights, emergency pause, reporter visibility, remedy, reopening and ordinary support are not a unified freeze area.	Users need to know whether to seek product help, mentoring support, governance escalation or protected incident review.	B	Add thin Alpha backstop	Implement Report → Triage → Human Review → Remedy → Appeal/Reopen; restrict reporter visibility; distinguish Help, Support Request, Concern and Incident.	**Partially built.** Incident flow Reported → Triaged → Under review → Decision/remedy → Appealed → Closed, routed to the context's Organization Admins (or the Platform Administrator), with emergency pause; only the reporter can appeal and sees only their own case. Help and support is a separate route from Ask PHOENIX, mentors and incidents (support.js, freeze.js).	**Thin Alpha backstop.** Make Reopen reachable (state exists, no action sets it); enforce allowed state transitions (a case owner can set any state today); decide what handler identity the reporter sees; link privacy/rights requests to cases; consider anonymous reporting. Depends on BF-14 and BF-20.
Metrics and dashboards	BF-48 Pilot-learning metrics and activity-versus-impact separation	The BF register lacks a decision on dashboard signals, source definitions and the distinction between platform activity, evidence confidence, project output and real-world outcome.	Without this distinction, dashboards can overstate impact or create misleading performance pressure.	C	Add measurement control	Freeze a small approved metric registry with owner, source, formula, aggregation, privacy and interpretation note; label Alpha measures as pilot learning, not impact proof.	**Partially built.** A registry of 10 metrics with name, category, definition, owner, gate and status, computed live and labelled aggregate only (data.js, admin.js).	**Measurement control.** Add source, formula, aggregation, privacy and interpretation fields; classify activity, evidence confidence, output and outcome; label measures as pilot learning, not impact proof; apply small-group suppression in exports (stated on screen, not applied). WSS to approve metric definitions.
Notifications	BF-49 Notification lifecycle, delivery and safe content	Notifications are mentioned in BF-01/BF-14 but not delivery failure, retry, unread state, expiry, digest or sensitive preview rules.	Missed or overexposed notifications can delay work or leak protected context.	C	Add functional/NFR item	Each notification carries context, object/action and expiry. Reauthorize on open; use safe preview text; define email/in-app delivery, retry, unread and failure status.	**Partially built.** Notifications are in-app only and carry recipient, text, route, read flag, date and the role/context they belong to; unread filter and mark-all-read exist; opening re-checks route and context permissions and needs a switch for other contexts (audited).	**Functional/NFR item.** Add expiry, email delivery with retry and failure status, and digest; use safe preview text for other-context notices (full text shows today). Email delivery is a production item. Same work as the BF-01 notification items.
Pack configuration	BF-50 Pack versioning, fourth-pack UAT and restore safety	BF-36 describes one kernel but not the complete pack lifecycle or restore guardrails.	The extensibility proof is central to platform sustainability and future use-case adaptation.	B	Add to Alpha baseline	Draft/validate/publish/supersede pack versions; export/restore configuration only; demonstrate Community Climate Action without code/database/vendor script.	**Partially built.** Three Active packs; label and evidence-type editing; role-name aliases; configuration save, restore and export that does not touch participant data. No fourth pack and no pack creation (see BF-36).	**Alpha baseline.** Per-pack draft → validate → publish → supersede versioning; create and restore a new pack; Community Climate Action fourth-pack UAT without code, database or vendor script; per-tenant restore guard. WSS to supply fourth-pack content. Depends on BF-36.

Feature Module	Sub-Functionality	Client Input / Observed Behavior	Business Impact & Justification	Priority	Recommended Dev Team Triage Status	Target Action / Resolution Plan	Shaligram Already Built	Future Work
Communication	BF-51 Contextual communication and moderation	BF-24 freezes message threads and polls but not how threads attach to proposals, tasks, milestones or evidence, or how moderation/retention works.	Communication gains value when it remains interpretable in relation to work and cannot silently become a formal commitment.	C	Add lightweight control	Thread object reference, audience, attachments, moderation/lock/archive, retention and escalation. No real-time chat or external conferencing implied.	**Partially built.** One members-only conversation per space, and review threads attached to projects and pathways; evidence comments and sponsor milestone discussion; moderators can hide messages (audited); closed spaces are read-only.	**Lightweight control.** Thread object reference for tasks, milestones and proposals; lock/archive; keep moderated originals; retention rule; escalate a message to a concern or incident. Owner decision on chat governance (open item OI-05). Same work as BF-24.
Non-functional release gates	BF-52 Accessibility, security, performance, backup and recovery	These exist in the FRD/NFR material but are largely absent from the 36-row decision register.	A feature-complete build is not freeze-ready if users cannot access it safely or if recovery cannot be demonstrated.	B	Add release gate section	Freeze WCAG 2.2 AA priority tests, phone/browser matrix, agreed OWASP controls, 1,000-account pilot envelope, monitoring and backup/restore test.	**Not built.** No release gates exist. Accessibility basics are in the code (skip link, focus handling, aria labels, reduced motion); backup, restore-test, uptime and latency screens use simulated or seeded values.	**Release gate** (QA lead and DevOps). WCAG 2.2 AA priority tests, phone/browser matrix, OWASP controls, 1,000-account performance envelope, monitoring and a real backup/restore test. Production-environment work; not demonstrable in the click-prototype.
Operations and handover	BF-53 Audit, observability, cost controls, portability and WSS ownership	Consequential audit is scattered and the register does not freeze logs, cost alerts, source/config/schema handover or WSS-controlled service accounts.	Operational sustainability requires visibility, cost containment and vendor-independent control.	B	Add handover gate	Define audit event catalogue, role-limited logs, provider/AI cost alerts, source/schema/config/prompt exports, credentials transfer and reproducible deployment instructions.	**Partially built.** Audit entries record time, actor, context, action, object, detail and result, including every guard denial; an audit screen with filters for admin roles; AI daily quota and alert toggles. Defects: Organization Admins see audit entries from all contexts; “Export audit log”, configuration and payments exports download metrics instead.	**Handover gate.** Audit event catalogue and immutable, context-scoped audit storage; fix the export defects; provider/AI cost alerts; source, schema, configuration and prompt exports; credential transfer to WSS-controlled accounts; reproducible deployment instructions.
Capability status	BF-54 Capability status and proof level	The twenty capability headings are intended areas, not proof that each is implemented, accepted or verified in one phase.	A shared status vocabulary prevents architecture intent from being mistaken for working software or agreed scope.	C	Add governance field	For every capability/BF/JF item record: Proposed, Specified, Implemented-reported, Demonstrated, UAT accepted, Deferred, or Not applicable—with evidence link and version.	**Not built.** No proof-level status vocabulary in the app or repository; unused frozen/configurable helpers and an empty decisions card are the only related code.	**Governance field** (PM). Record Proposed, Specified, Implemented-reported, Demonstrated, UAT accepted, Deferred or Not applicable, with evidence link and version, per BF/JF/CAP item. The entries in this column are code-review findings on the prototype, not demonstration or UAT acceptance. Depends on BF-37 and BF-38.

How to interpret the supplemental rows

Several supplemental rows formalize requirements already present in the FRD or NFR material. Their inclusion in the decision register should therefore be treated as visibility and acceptance control, not automatically as a request for a new product module.

5. Recommended guided-register design

A single 20-column working table can become difficult to read and maintain. The more usable approach is a compact Decision Register linked to an Implementation/Test Annex by BF ID. The fields below are the recommended master schema; teams may display a subset in each working view.

Recommended status vocabulary

For every row, distinguish Proposed, Specified, Implemented-reported, Demonstrated, UAT accepted, Accepted with known limitation, Deferred, and Not applicable. This prevents intended capability from being mistaken for verified software.

Field group	Field / criterion	Use	Example
Identity	BF ID / stable decision key	Required	BF-18
Flow position	User-journey stage and sequence	Required	Explore → Sponsor Challenge → Introduction
Scope	Feature module and sub-function	Required	Opportunity / Sponsor Challenge
Users	Affected personas and contexts	Required	Sponsor, applicant, Steward, Admin
Capability link	CAP-01 to CAP-20	Required	CAP-05, CAP-12, CAP-18
Requirements link	FRD / owner-decision / SOW references	Required	F06, BF-18, JF-41–45
Current vendor disposition	Accepted / amended / rejected / Phase 2 / CR	Required	Accepted
WSS recommended disposition	Retain / clarify / reconcile / split / defer	Required	Amend authority assumption
Scope classification	Baseline requirement / baseline correction / clarification / CR / Phase 2	Required	Baseline correction
Priority	Blocker / Critical / Minor / CR	Required	Blocker
Owner decision	Decision needed, owner and due date	When applicable	WSS: project-lead assignment rule
Affected implementation	Screens, objects, APIs/events and migrations	Required	Opportunity Card, alias map, introduction event
Authority and privacy impact	Role, membership, consent, release and cross-context effect	Required	Sponsor does not inherit project authority
Dependencies	Upstream/downstream features and providers	Required	Explore Board, Match Brief, notifications
Positive acceptance	Primary success scenario	Required	Sponsor publishes alias challenge; mutual introduction succeeds
Negative / abuse acceptance	Denied, failure and edge scenario	Required	Applicant cannot resolve real Sponsor identity before consent
Evidence artifact	Screenshot/log/export/test ID/commit	Required at UAT	TST-SP-04, audit event, screen capture
Implementation	Not started / in build / implemented-	Required	Implemented-reported

Field group	Field / criterion	Use	Example
status	reported / demonstrated		
UAT status	Not run / pass / fail / conditional / accepted risk	Required at UAT	Not run
Target release	Alpha RC / Phase 2 / backlog	Required	Alpha RC

5.1 Suggested Decision Register view

- BF ID and feature decision
- Journey stage and affected personas
- Capability links and requirement references
- Current Shaligram disposition and WSS recommended disposition
- Scope classification and priority
- Owner decision, dependencies, target release and target action

5.2 Suggested Implementation and Test Annex

- Affected screens, data objects, APIs/events and migration impact
- Role, authority, consent, privacy and cross-context effects
- Positive user-flow scenario and negative/abuse scenario
- Expected lifecycle states and audit events
- Implementation status, UAT result, evidence link and accepted limitation

5.3 Stable cross-reference model

Identifier	Purpose
BF-xx	Formal decision and scope disposition
JF-xx	Journey checkpoint and UAT expectation
CAP-xx	Intended capability area / strategic completeness lens
FR-/NFR-xx	Controlled functional or non-functional requirement
TST-xx	Executable positive/negative test
OBJ-/API-/EVT-xx	Implementation object, API or event where maintained

6. Effectiveness of the current WSS User-Journey Freeze Matrix

The latest WSS matrix is effective as an end-to-end completeness and UAT instrument. It follows the chronological experience from freeze readiness through access, consent, purpose, collaboration, matching, action, evidence, release, Sponsor activity, rights, administration and handover. It therefore catches many omissions that a decision register ordered by issue number cannot easily reveal.

6.1 What it does well

- Covers all principal persona journeys and the cross-role handoffs between them.
- Makes privacy and denied-action cases explicit, including protected Rope Team content, context leakage, Sponsor-private URLs and reviewer conflicts.
- Separates baseline corrections from true Change Requests.
- Adds non-functional release gates such as accessibility, security, recovery, performance and WSS ownership.

- Provides a natural sequence for UAT and joint demonstrations.

6.2 What should be added to make it fully effective

Coverage judgement
The WSS journey matrix represents all twenty intended capability areas. After the V1.1 additions, eighteen have direct journey coverage. Practical AI remains feature-flag/scope dependent, and Paid/Sponsored/Free Access remains subject to the commercial/entitlement owner decision. The supplemental BF rows in Section 4 close these gaps without turning the matrix into a new product scope.

The V1.1 companion matrix applies the seven additions below directly. The additions are separated into a readable core journey matrix, an evidence register and a high-risk technical-impact annex rather than forcing all fields into one oversized table.

Addition	How V1.1 implements it	Primary identifiers	Value to joint review	Current limitation/status
Direct capability cross-reference	Every JF row carries one or more CAP-01 to CAP-20 identifiers.	JF-xx -> CAP-xx	Shows which intended Alpha capability each user interaction supports and exposes capability gaps without inventing separate modules.	Coverage link only; it does not prove implementation.
Implementation proof and evidence link	A linked register records PL-0 to PL-5 and EV-JF-xx evidence references.	JF-xx -> EV-JF-xx	Separates documented behavior from vendor report, demonstration, WSS UAT and formal acceptance.	Available materials support mainly PL-0/PL-1; executable links remain pending.
Objects, service/API operations, events and migration	Blocker rows receive working object, operation, event and migration-impact identifiers.	JF-xx -> object/API/event IDs	Allows Shaligram to assess architecture and migration risk before estimating or modifying the candidate.	Names are logical working IDs; Shaligram maps them to actual implementation names.
Notification and work-linked communication	Adds JF-88 and JF-89 for delivery/retry/safe previews and thread lifecycle/promotion.	CAP-19; CAP-14/15/20	Covers the operational path between a decision/action and the person expected to respond while protecting message context.	Requires Shaligram feasibility/implementation evidence.
Metrics separation	Adds JF-90 with four labelled layers: workflow, evidence confidence, outputs and real-world outcomes.	CAP-08; CAP-20	Prevents activity from being represented as impact and prevents evidence levels becoming scores of people/projects.	Outcome indicators remain domain-defined and externally evidenced.
Learning and correction	Adds JF-91 and JF-92 for correction propagation, released-learning reuse and next-cycle authorization.	CAP-09; CAP-08/10/13	Supports scalable learning without silently copying private context or authorizing new work.	No automatic cross-project reuse or cycle creation.
Commercial/entitlement boundary	Adds JF-93 and JF-94 plus a three-option owner decision table.	CAP-18; BF-08/19/35	Resolves the current seats/invoices/offline payment/no-paid-plan tension while preserving authority separation.	WSS owner selection remains required before implementation.

6.3 Proof level and evidence-link model

A requirement, an accepted disposition and a verified build result are different evidence states. The companion matrix therefore uses PL-0 Open, PL-1 Specified, PL-2 Implemented-reported, PL-3 Demonstrated, PL-4 WSS UAT passed and PL-5 Freeze accepted. Each row receives EV-JF-xx as a stable evidence reference. The actual repository URL, build/commit, environment, tester, date and result are added when evidence exists.

Level	Minimum evidence	Who records it	Effect
PL-0	Open decision or undefined requirement	WSS/Shaligram register owner	No implementation or sign-off.
PL-1	Controlled requirement/disposition	Requirements owner	May be estimated and designed; not treated as working.
PL-2	Build/commit identified; vendor states complete	Shaligram	Eligible for demonstration.
PL-3	Recording/log/export/screens linked	Shaligram with WSS access	Eligible for WSS UAT.
PL-4 / PL-5	WSS test passed / accepted against frozen candidate	WSS requirements owner	Counts toward freeze and release sign-off.

6.4 High-risk technical impact and migration model

For Blocker rows, the companion annex identifies affected domain objects, logical service operations, audit events and a migration class. This is intentionally implementation-neutral: Shaligram may retain its endpoint and table names, but should demonstrate equivalent boundaries and explain whether the change is additive, needs backfill, recalculates permissions/states or changes the object model.

Class	Typical effect	Required freeze treatment

Class	Typical effect	Required freeze treatment
M0/M1	Document/config control or additive field/table/event	Normal implementation and regression; no destructive data change.
M2	Existing records need links, versions, defaults or classification	Backfill script/plan, sample validation and rollback.
M3	Roles, consent, release, membership or lifecycle states recalculated	Permission test, audit reconciliation and stale-session invalidation.
M4	Parent/ownership/workflow meaning changes	Architecture review, rehearsal, rollback and explicit WSS authorization.

6.5 New cross-cutting journey checkpoints

JF ID	Journey placement	Capability link	Freeze purpose
JF-88	My PHOENIX / notifications	CAP-19, CAP-20	Delivery states, capped retry, expiry, safe previews and fresh authorization on open.
JF-89	Circle/project/workspace communication	CAP-14, CAP-15, CAP-20	Thread-to-work linkage, moderation, retention and deliberate promotion to governed records.
JF-90	Admin dashboards and reporting	CAP-08, CAP-20	Separate activity, evidence confidence, outputs and real-world outcomes.
JF-91	Evidence and Harvest	CAP-08, CAP-09, CAP-20	Propagate negative findings, corrections and supersession to dependent records.
JF-92	Harvest / next cycle	CAP-09, CAP-10, CAP-13	Reuse released learning by reference and require human authorization for a new cycle/context.
JF-93	Sponsor/commercial boundary	CAP-01, CAP-18	Obtain owner decision resolving seats/invoices/offline payments versus no paid Alpha plans.
JF-94	Entitlement architecture	CAP-18, CAP-20	Keep commercial access separate from role, authority, membership, consent and record visibility.

6.6 Recommended commercial/entitlement owner disposition

The most proportionate Alpha option is: no in-platform checkout or pricing, while retaining a lightweight manually administered Entitlement/SeatPool model and external commercial reference. This supports sponsored, free and institutional access without adding payment custody or allowing payment to grant authority. Hosted checkout should activate only if the signed SOW explicitly includes it. WSS should confirm this option before the affected BF rows are frozen.

Companion operational matrix
See the companion V1.1 journey matrix: 94 JF checkpoints with CAP, PL/EV and technical-impact links.

7. Recommended joint review workflow

Step	Action	Outcome
1	Shaligram updates BF V1.1	Reconcile contradictions and add supplemental decisions or explicit deferrals.
2	WSS links each BF to JF and CAP IDs	Confirms user-flow and capability completeness.
3	Shaligram completes implementation annex	Screens/objects/APIs, effort, dependencies, migration and status.
4	Both teams agree Alpha versus Phase 2	Baseline corrections are not silently treated as CRs; genuine new scope is estimated.
5	Freeze one identifiable release candidate	Build, schema, configuration, environment and synthetic dataset are fixed.
6	Run journey-based UAT and negative tests	Record evidence and defects against TST IDs.
7	Sign off register, journey matrix and known issues together	Creates one mutually intelligible freeze package.

8. Illustrative guided-matrix example

Criterion	Example treatment
Feature Module	Explore and responsible matching
Sub-Functionality	Sponsor Challenge under controlled pseudonym
Journey position	Sponsor onboarding → publish opportunity → responses → shortlist → bilateral introduction → create/link project
Capability links	CAP-05, CAP-12, CAP-18
Current BF position	BF-18 Accepted
Observed gap	Sponsor is automatically treated as Project/Circle Owner; alias resolver and abuse/disclosure controls are incomplete.
Recommended disposition	Amend existing baseline; not a new Challenge feature request.
Positive test	Applicant sees alias, responds, both consent, real identity is released only to that respondent.
Negative test	Applicant searches alias/URL before consent and cannot resolve real identity, private projects or other challenge identities.
Target action	Sponsor remains Opportunity Originator; project leadership and consequential authority are separately assigned and audited.

9. Recommended V1.1 package structure

- Part A: corrected BF-01 to BF-36 Decision Register plus BF-37 to BF-54 supplemental items, or explicit reasons for deferral.
- Part B: WSS User-Journey Freeze Matrix with direct CAP links, JF-88 to JF-94 additions and Shaligram triage/status responses.
- Part C: capability scorecard showing Strong, Partial, Deferred or Not Applicable.
- Part D: Role/Authority Matrix and Project Decision-Governance Matrix.
- Part E: Implementation Proof/Evidence Register, high-risk Object/API/Event/Migration Annex and identifiable release-candidate manifest.
- Part F: Known limitations, Phase 2 backlog and accepted risks.

10. Closing recommendation

The Shaligram Decision Register should remain the authoritative place for scope and disposition. The WSS journey matrix should remain the authoritative place for end-to-end experience and UAT completeness. The capability scorecard should remain a strategic completeness check. Linking the three instruments by stable identifiers gives both teams a clearer process than enlarging any one table until it becomes difficult to use.

Recommended decision

Ask Shaligram to return a V1.1 register with one response for every correction and supplemental item: Accepted as baseline, Already implemented, Estimate required, Owner decision required, Deferred as CR, or Not applicable with reason. WSS can then freeze only the small number of items that materially affect architecture, safety, user completion or future adaptability.