PHOENIX FOUNDATION ALPHA

Integrated Build-Freeze Decision Register Crosswalk and Capability Coverage Review - V1.1

Prepared for	Shaligram Infotech LLP
Prepared by	World Systems Solutions / PHOENIX
Primary inputs	Shaligram BF-01 to BF-36; WSS User-Journey Freeze Matrix; Twenty Intended Alpha Capabilities
Review purpose	Completeness, user-flow alignment, capability coverage, implementation clarity and UAT readiness
Recommended use	Guided V1.1 supplement and joint triage reference

Working status

This review uses the twenty capability areas only as a completeness lens. They are not treated as twenty separate modules, proof of implementation, or automatic additions to Alpha scope. Final scope, implementation and acceptance remain subject to the controlled WSS–Shaligram baseline.

27 October 2026 | WSS joint review edition | Enhanced Section 6.2 controls

1. Executive assessment

The Shaligram BF-01 to BF-36 register, the WSS User-Journey Freeze Matrix and the Twenty Intended Alpha Capability Areas are complementary instruments rather than substitutes.

- The Shaligram register is strongest at formal disposition, scope control and documenting an agreed product decision.
- The WSS journey matrix is strongest at chronological user-flow coverage, handoffs, negative permissions and executable UAT scenarios.
- The capability map is strongest at checking whether the combined design still expresses the intended value of Foundation Alpha; it is not proof that a feature is implemented or in scope for the same phase.

Key conclusion

Use a three-layer control model: (1) Decision Register, (2) User-Journey/UAT Matrix, and (3) Capability Coverage Map. Link all three by stable IDs rather than forcing every decision, test and strategic rationale into one oversized table.

1.1 What the combined review found

- All twenty intended capability areas are represented somewhere in the current WSS journey matrix.
- After the V1.1 additions, eighteen capability areas have direct journey coverage. Practical AI remains feature-flag/scope dependent, and commercial access remains subject to an explicit owner decision.
- The V1.1 matrix now makes notification delivery, work-linked communication, metrics semantics and learning/correction explicit. The remaining structural gap is the commercial/entitlement scope decision; implementation proof is still pending across the matrix.
- The 36-entry Shaligram register contains several strong architectural decisions, but some important user-flow behavior remains implicit or only appears in the FRD/NFR material.
- A V1.1 register should therefore reconcile existing contradictions and add a small set of supplemental freeze decisions rather than simply increasing prose inside the existing rows.

1.2 Recommended control stack

Layer	Instrument	Primary purpose
Register A	Build-Freeze Decision Register	What is decided, its disposition, scope classification, owner decision and target release.
Register B	WSS User-Journey Freeze Matrix	How users experience the decision, handoffs, denied actions, failure states and UAT scenarios.
Register C	Capability Coverage Map	Why the decision matters to the Alpha value proposition and which intended capability areas remain partial.
Annex D	Implementation and Test Evidence	Screens, data objects, APIs/events, migration impact, positive/negative tests and evidence links.

1.3 Priority and triage vocabulary

Code / class	Meaning
B – Blocker	Must be resolved before requirements/build freeze or release sign-off.
C – Critical	Required Alpha behavior or release gate; fix or formally disposition before release.
M – Minor	Low-risk usability or documentation improvement; may be accepted into known issues.

Code / class	Meaning
CR – Change Request	Genuinely new or advanced scope beyond the controlled Alpha baseline.
Baseline correction	Existing accepted requirement is missing, contradicted or misclassified; not automatically a commercial CR.
Owner decision	A real product/governance/scope choice still requires WSS disposition.

2. Capability coverage scorecard

This scorecard tests the latest WSS journey matrix against the twenty intended Alpha capability areas. “Strong” means the capability has direct journey checkpoints and acceptance treatment. “Partial” means it is represented, but a phase, owner decision or operational control is still incomplete.

ID	Capability area	Primary flow position	Shaligram BF coverage	WSS journey coverage	Assessment	Remaining freeze need
CAP-01	Identity, Role, and Authority Management	Access, context, administration	BF-01, 05, 12, 25, 26, 29, 34	JF-05–10, 16–19, 74–75, 80	Strong	Keep six base roles, but freeze separate authority grants, acceptance, scope, expiry, recusal and no self-grant.
CAP-02	Consent, Visibility, and Information Governance	Consent and every downstream release	BF-01, 02, 04, 08, 12, 21–23	JF-11–15, 32, 58, 60–64	Strong	Add exact downstream withdrawal effects, retention/deletion rules, and purpose-specific release records.
CAP-03	Purpose, Profile, and Context Orientation	Home, Compass, pathway, profile	BF-01, 06, 10, 14, 33	JF-16–29	Strong	Separate participant-controlled profile text from official role, credential, membership and authority records.
CAP-04	Structured Collaboration and Relationship Formation	Project, Circle, Rope Team, workspace	BF-07, 16, 27–28	JF-30–38, 46, 51	Strong	Retain a persistent Project parent, separate membership per space and explicit link provenance.
CAP-05	Needs, Assets, Offers, Opportunity Discovery, and Reviewed Matching	Explore, cards, match, introduction	BF-15, 18, 31–33	JF-39–45	Strong	Clarify the discovery surface dependency, project geography source and Sponsor Challenge originator boundary.
CAP-06	Governed Deliberation and Decision Support	Circle proposals, formal decisions, publication	BF-03, 09, 13, 21, 24	JF-36–38, 60–61, 74–75	Strong after correction	Replace the universal Project Owner override with decision methods configured by category before a decision opens.
CAP-07	Action and Project Coordination	Action Workspace and delivery cycle	BF-07, 27–28	JF-46–51	Strong	Add explicit charter, task acceptance, dependencies, escalation, closure conditions and successor-cycle controls.
CAP-08	Governed Records, Evidence, and Metrics	Repository, evidence, review, dashboards	BF-04, 20–23	JF-52–59, 79, 81, 90–91	Strong	Use the four-layer metric model and correction propagation; link implementation evidence through EV-JF references.
CAP-09	Learning, Correction, and Adaptive Improvement	Harvest, profile candidate, correction, next cycle	BF-06, 20–21, 28, 30	JF-28, 57–62, 70–72, 91–92	Strong after V1.1 addition	Demonstrate correction propagation, permissioned learning reuse and separately authorized successor cycles.
CAP-10	Bounded AI and Configurable Platform Operations	AI gateway, pack configuration and restore	BF-09, 17, 25, 30, 34, 36	JF-23–29, 74–79, 85	Strong after scope alignment	Return fourth-pack configuration/restore to Alpha and define provider/source/feature flags without hard-coding one model.
CAP-11	Consent Control and Withdrawal	Consent change after onboarding	BF-02	JF-11–15	Strong	Freeze queued-request cancellation, derivative/cache restriction, audit retention and truthful deletion/retention messaging.
CAP-12	Matching Transparency	Match Brief and mutual introduction	BF-18, 31–32	JF-40, 43–45	Strong	Keep reasons, sources, gaps, uncertainty and consent visible; never use a person score or paid priority.
CAP-13	Decision Records and Accountability	Project Brief, proposals, approvals and audit	BF-03–05, 13, 17, 20–22, 27, 29	JF-30, 36–38, 46, 55–63, 75, 81	Strong	Link every consequential decision to the governing rule/version, authority, rationale, object version and execution status.
CAP-14	Communication Connected to the Work	Threads, responses, updates, polls and escalation	BF-15, 18, 23–24	JF-21, 38, 45, 49, 54, 73, 89	Strong after V1.1 addition	Demonstrate thread-to-object linkage, lifecycle/moderation and promotion from attachment to governed project record.
CAP-15	Document and Information Management	Repository, versions, references, export	BF-04, 21–23, 27	JF-52–54, 57, 60–64	Strong	Add right-to-share confirmation, malware/quarantine, version manifest, redaction and secure download handling.
CAP-16	Practical AI Assistance	Drafts, summaries, pathways, requirements and task suggestions	BF-09, 30	JF-23, 50, 59, 85	Partial / feature-flag dependent	Freeze which AI functions are enabled in Alpha, source boundaries, model variability, cost telemetry and manual alternatives.

ID	Capability area	Primary flow position	Shaligram BF coverage	WSS journey coverage	Assessment	Remaining freeze need
CAP-17	AI Access Controls and Human Review	AI retrieval, consent, source and release controls	BF-02, 09, 30	JF-11–13, 50, 58–59, 85–86	Strong	Use one gateway, explicit output classes, permission-aware retrieval, prompt-injection refusal and no model training on participant data.
CAP-18	Paid, Sponsored, and Free Access	Seats, entitlements, donations and Sponsor reporting	BF-08, 18–19, 35	JF-41, 51, 65–69, 93–94	Partial / owner decision	WSS must choose the Alpha commercial boundary; entitlement must remain distinct from role, authority and workspace access.
CAP-19	Invitations and Notifications	Access, role invitation, review/action notification	BF-01, 12, 14, 26, 29	JF-05–10, 20–21, 45, 64–65, 73, 79, 88	Strong after V1.1 addition	Demonstrate provider delivery/retry/expiry and safe notification content; the in-app inbox remains authoritative.
CAP-20	Action Tracking and Audit Trails	Tasks, decisions, evidence, roles, configuration and AI lineage	BF-01, 03–04, 06–07, 17, 20–23, 27–30	JF-01–04, 30, 37, 46–59, 63, 75, 81, 87	Strong	Define the consequential event catalogue, role-limited audit access, retention and final verification evidence.

3. Shaligram BF-01 to BF-36 user-flow and capability crosswalk

The rows below retain Shaligram's stable BF identifiers and map each decision to the point in the user journey where it becomes visible. The "recommended triage" is a WSS review recommendation, not a claim about current implementation status.

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance
BF-01 Role and context isolation	My PHOENIX / context	All users	CAP-01, 02, 19, 20	Accepted	JF-08, 16–17, 20	Strong core rule; multi-tab stale-context behavior and safe notification previews are not fully frozen.	B	Extend accepted baseline	Retain one identity and active context. Revalidate every API action and all open tabs after context change; direct links and notifications must never disclose or execute in the wrong context.
BF-02 Optional consent	Agreement and consent	All participants; admins	CAP-02, 11, 17	Accepted	JF-11–15	Good onboarding rule; downstream withdrawal, agreement versioning, re-acceptance and data-rights consequences need detail.	B	Extend accepted baseline	Add consent receipts, versions, purpose, audience and withdrawal effects. Demonstrate AI/research withdrawal without blocking unrelated core journeys.
BF-03 Circle voting	Circle decisions	Circle members; facilitator; decision authority	CAP-06, 13, 20	Accepted	JF-36–38	Conflicts with later WSS direction because every vote is treated as advisory to the Project Owner.	B	Reconcile baseline	Keep one-person/one-vote, but configure each decision category as advisory, binding, delegated or binding with an authority check before voting opens.
BF-04 Evidence states	Evidence and review	Submitter; reviewer; participant	CAP-08, 13, 15, 20	Accepted	JF-55–58	Substantially aligned; reviewer independence, Insufficient outcome, retention and file-safety behavior should be linked.	C	Retain and extend	Keep review outcome, support level, confidentiality, lifecycle and release separate. Add recusal and revision/negative-finding tests.
BF-05 Admin vs specialist authority	Administration / review	Admin; reviewer; safety/release/technical authorities	CAP-01, 06, 13, 20	Accepted	JF-56, 74–75, 80	Literal contradiction: "no specialist responsibilities" cannot coexist with an admin denied and a reviewer permitted.	B	Baseline correction	Retain six user-facing base roles; implement separately granted, scoped, time-bounded authority bundles for consequential actions.
BF-06 Profile evolution	Profile and learning	Participant; reviewer; facilitator; AI	CAP-03, 08, 09, 20	Accepted	JF-28–29, 59	Strong; official role/authority/credential records are not yet explicitly separated from participant-controlled profile text.	C	Retain and clarify	Source events create profile proposals only. Preserve source and edits; reject/withdraw without changing source evidence. Display official records separately.
BF-07 Collaboration routes	Project / linked spaces	Participant; mentor; steward; project lead	CAP-04, 07, 13	Accepted	JF-30, 33–35, 38	Correct non-linear concept; Project parent, link provenance, separate access and successor-cycle behavior need explicit data rules.	B	Retain and extend	Model Project as durable parent with one Project Brief and separate Circle/Rope/Workspace identities, memberships, histories and link records.
BF-08	Sponsor / sustainability	Sponsor; admin; finance;	CAP-02, 05, 18	Accepted	JF-66–69	Conflicts with BF-18, BF-19 and BF-35 on Sponsor challenges, seats, invoices, checkout and paid	B	Owner decision and	Freeze one coherent Sponsor model: released discovery/challenges and approved reporting; no

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance
Sponsor boundary		project teams				access.		reconciliation	automatic private access, project authority, fund custody or tranche execution.
BF-09 AI authority	Cross-cutting AI	All users; reviewers; AI owner	CAP-06, 16, 17	Accepted	JF-50, 59, 85	Core boundary is strong; enabled AI functions and BF-30 statement that proposal checking stays off are inconsistent.	C	Retain; align feature flags	AI remains advisory. Freeze enabled functions, source registry, output class, model/provider record, uncertainty, human review and manual route.
BF-10 Purpose Compass	Purpose and orientation	Participant; mentor/facilitator	CAP-03	Accepted	JF-22	Strong. Question version, privacy, visibility and progressive optional prompts are not in the BF row.	C	Retain and clarify	Freeze the minimum question set/version, private-by-default treatment, no score, and participant control of any later sharing.
BF-11 Device requirement	Cross-cutting UX/NFR	All personas	Cross-cutting NFR	Accepted	JF-82	Responsive web is necessary but does not cover accessibility, browser support, 200% zoom or phone-sized admin/review flows.	C	Extend NFR acceptance	Test priority journeys at 360/390px, desktop, keyboard-only, screen-reader semantics, contrast and 200% zoom.
BF-12 Entry route and age data	Access and activation	Applicants; participants; admins	CAP-01, 02, 19	Accepted	JF-05–10	Conflicts with BF-26. Invitation states, verification failure, resend and resume are not fully represented.	B	Reconcile BF-12/BF-26	Recommended Alpha route: Request Access is pre-account intake; admin approval creates an invitation; activation creates/reuses one Person and contextual role.
BF-13 Voting parameters	Formal decisions	Project members; Project Owner/decision bodies	CAP-06, 13	Accepted	JF-36–38	Same universal owner-override conflict as BF-03; no quorum rule may not fit every decision category.	B	Baseline correction	Move method, threshold, quorum/tie and final authority into a versioned Project Governance Profile; freeze the rule once the decision opens.
BF-14 Navigation and Help	My PHOENIX	All personas	CAP-01, 03, 19	Accepted	JF-16, 18–21	Good role/context filtering; a fixed global shell, denial explanation, safe locked states, Help and human support need explicit behavior.	C	Retain and extend	Keep stable global navigation; hide sensitive existence, show safe locked capabilities where useful, explain denial and route legitimate access/support requests.
BF-15 Bulletin Board Lite	Explore and release	Participants; partners; sponsors; admins	CAP-05, 09, 14	Phase 2 / CR	JF-39–40, 45, 64	Architecturally sound thin view, but deferral conflicts with accepted Sponsor Challenges, announcements and Visible Wins that need discovery.	C	Reclassify dependency	If BF-18 remains Alpha, include a minimal permission-filtered Explore/Board composed from existing objects; no social-feed mechanics.
BF-16 Relationship / Collaboration List Lite	Collaboration awareness	Project members; partners; admins	CAP-01, 03, 04	Phase 2 / CR	JF-29, 34–35, 40	Current proposal is too broad: complete profiles, longitudinal comparison and relationship analytics exceed “Lite.”	CR	Split thin Alpha from advanced	Alpha may show authorized current collaborators, role, context and provenance. Defer broad history comparison, graph analytics and profile-over-time UI.
BF-17 Controlled baseline	Freeze readiness	WSS and Shaligram delivery teams	CAP-10, 13, 20	Accepted	JF-01–04, 87	Essential but incomplete without release-candidate identity, schema/config snapshot and requirements-to-test traceability.	B	Freeze gate	Issue V1.1 controlled baseline and identify exact build/commit, schema, config, UAT dataset, release notes, known issues and test evidence.
BF-18 Sponsor challenges and pseudonyms	Explore / Sponsor intake	Sponsor; applicants; steward; admin	CAP-05, 12, 14, 18	Accepted	JF-41–45, 69	Useful bounded opportunity flow; automatic Sponsor = Project Owner/Circle Owner over-concentrates authority and alias governance is incomplete.	B	Amend accepted design	Sponsor is Opportunity Originator. Assign project/space leadership separately. Define alias resolver, disclosure trigger, audit, retention, abuse/fraud and closure rules.
BF-19 Milestone-linked Sponsor commitments and payment status	Sponsor / commercial	Sponsor; finance; project team	CAP-13, 18	Accepted	JF-66–68	Project funding boundary is clear, but seats/donations/invoicing conflict with BF-08 and BF-35.	B	Owner decision required	Freeze whether Alpha includes hosted commercial access or records only offline status. In all cases, entitlement never creates role, membership or authority.
BF-20 Milestone dispute process	Concern / appeal	Submitter; reviewer; admin; independent authority	CAP-08, 09, 13	Phase 2 / CR	JF-56–57, 70–72	A full Sponsor-funding dispute may be later phase, but ordinary evidence/milestone disagreement, recusal and appeal are still needed in Alpha.	C	Split thin Alpha / advanced CR	Keep return-for-revision, tracked concern, independent review, reasons and appeal. Defer financial remedies and Sponsor-payment enforcement.
BF-21 Project and milestone publication	Publication and release	Project team; affected participants; release authority	CAP-02, 09, 13, 15	Accepted	JF-60–64	Too broad: team voting alone cannot release protected Rope content, testimony, IP, restricted evidence or a different version.	B	Amend accepted design	Release exact object/version to exact audience/purpose. Require applicable consent, rights, redaction and Publication/Release Authority check; preserve correction/withdrawal history.
BF-22 Excel and ZIP	Export	Authorized users; admin; technical operator	CAP-02, 15, 20	Accepted	JF-63, 81	Good foundation; preview, manifest, redaction, permission recheck and secure download are	C	Retain and extend	Export only released versions. Include manifest, provenance, creator, reason, timestamp, version IDs

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance
exports						missing.			and audit; use expiring access where practical.
BF-23 Chat attachments, promotion and folders	Communication / repository	All collaborating users	CAP-14, 15, 20	Accepted	JF-52–54, 63	Strong single-storage principle; file safety, right-to-share, retention and version identity need explicit treatment.	C	Retain and extend	Keep chat attachment separate until promoted. Capture title, purpose, owner, classification, rights, related object, release status, checksum/version and malware state.
BF-24 Message threads and polls	Circle/work communication	Members; facilitator; admin	CAP-06, 14	Amended	JF-36–38, 54	Correctly avoids real-time chat and formal-decision confusion; thread lifecycle, moderation and object linkage remain unstated.	C	Retain and extend	Link each thread to the proposal/task/evidence it concerns; define archive/moderation, attachment retention and notification behavior. Polls remain advisory.
BF-25 Admin role consolidation	Administration	Organisation/Programme Admin; technical operator	CAP-01, 10	Accepted	JF-74–76, 80	Reasonable Alpha UX simplification if technical and consequential authorities remain separate.	C	Retain with boundary	One combined admin base role may operate the pilot; technical operations and review/release/safety/finance authorities stay separately granted.
BF-26 Sponsor and participant self-registration	Access and Sponsor onboarding	Applicants; sponsors; admins	CAP-01, 19	Accepted	JF-05–07, 65	The row contradicts itself and BF-12: it says direct sign-up but demonstration says no sign-up.	B	Correct wording	Use one controlled access rule. Request Access does not create an active account; approval leads to invitation/activation. Sponsor route may have a different intake form but same activation control.
BF-27 Single project-definition layer	Project definition	All project personas	CAP-07, 13, 15, 20	Accepted	JF-30–31, 35–36, 46	Strong. Decision-governance configuration and which brief version governed each milestone/decision/task are not yet linked.	C	Retain and extend	Keep one versioned Project Brief. Link governance profile, origin, spaces and the governing brief version to consequential records.
BF-28 Moving between spaces	Collaboration / next cycle	Circle, Rope and workspace members	CAP-04, 07, 13	Accepted	JF-33–35, 38, 51	Strong; link authorization, predecessor/successor cycle and carried-forward records need explicit fields.	C	Retain and extend	Create/link, never convert. Record initiator, authorizer, purpose, source/destination, visibility, cycle number and selected references.
BF-29 Role-assignment lifecycle	Access and authority	All roles; admins	CAP-01, 20	Accepted	JF-08, 10, 74–75	Strong for base roles; separate authority lifecycle, acceptance, expiry effects and queued decisions are missing.	B	Extend state model	Maintain distinct BaseRoleAssignment and AuthorityGrant lifecycles. Revoking authority must stop new use without deleting underlying role or history.
BF-30 AI provider, license and new AI use	AI / technical operations	All users; AI owner; technical operator	CAP-10, 16, 17	Accepted	JF-50, 59, 85–86	Provider-neutral direction is good; existing ChatGPT subscription suitability is unverified, feature scope conflicts with BF-09, and cost/provenance controls are incomplete.	C	Clarify and feature-flag	Use WSS-controlled provider/API accounts after contractual check. Log provider/model, prompt/version, source scope, output class, consent, review and usage; keep manual fallback.
BF-31 Profile matching percentage	Opportunity matching	Participants; partners; steward	CAP-05, 12	Accepted	JF-43	Well aligned.	C	Retain	Show rationale, data used, gaps and uncertainty; no percentage, ranking, trust score or paid priority.
BF-32 Geography filter	Explore / search	Participants; partners; sponsors	CAP-05	Accepted	JF-40	Filtering is useful, but project geography must not be inferred from a person's profile country.	C	Correct data source	Store geography on Project/Opportunity records, optionally with country/region/remote/multi-location. Filter only authorized records.
BF-33 Profile availability status	Profile / offers	Participants; matching users	CAP-03, 05	Amended	JF-29, 39	Direction is sound; Offer visibility, duration and expiry are not frozen.	C	Retain and clarify	Represent availability as an Offer with scope, audience, capacity, valid dates and withdrawal/expiry; do not create another persistent profile status.
BF-34 "Others" fallback role	Role model / packs	All users; admins	CAP-01, 10	Rejected	JF-74, 77	Correct. A catch-all role would weaken authorization.	C	Retain rejection	Use approved base roles, project roles and authority grants. Pack-specific names are display aliases only.
BF-35 Membership / subscription plans	Commercial access	Participants; sponsors; finance; admins	CAP-18	Deferred Phase 2	JF-66–68	Conflicts with BF-08/BF-19 references to seats, donations and invoices and with earlier entitlement architecture.	B	Owner scope decision	Either remove all commercial UI from Alpha or retain a lightweight Entitlement object and approved seat/donation flow. Do not mix commercial access with role permissions.
BF-36 Use-case packs on one PHOENIX	Pack configuration	WSS Admin; organisation admins; all pack users	CAP-10	Deferred Phase 2	JF-74, 76–79, 87	Architecture is correct, but deferral conflicts with the controlled Alpha requirement for four shared-primitives packs and fourth-pack create/restore	B	Baseline correction	Return thin four-pack proof to Alpha: common kernel, role display aliases, templates, selected workflow/metrics, config export/restore, strict

BF / feature	Journey stage	Primary personas	Capability links	Current disposition	WSS JF refs	Coverage / missing behavior	Priority	Recommended triage	Target action / acceptance
platform						UAT.			context isolation and no code/database/vendor script.

4. Suggested supplemental build-freeze decisions

These items are proposed where the current 36-row register does not yet provide a stable decision or release gate. Several are already contained in the FRD/NFR material; adding them to the decision register makes them visible for triage and sign-off rather than creating new conceptual scope.

Feature Module	Sub-Functionality	Client Input / Observed Behavior	Business Impact & Justification	Priority	Recommended Dev Team Triage Status	Target Action / Resolution Plan
Freeze readiness and control	BF-37 Release-candidate identity and immutable review baseline	The current register records behavior but not the exact build, source commit, schema, feature flags, configuration or synthetic UAT data being reviewed.	A “freeze” is not reliable unless both teams test the same identifiable candidate.	B	Add as baseline control	Freeze build/commit ID, schema migration, configuration export, environment, dataset, release notes, known issues and checksum/package manifest.
Freeze readiness and control	BF-38 Requirements-to-test traceability and exception control	Demonstrations exist in individual rows, but no complete requirement → object/API/screen → permission → test → evidence chain is frozen.	Traceability prevents omissions and distinguishes defects, baseline corrections and genuine change requests.	C	Add as baseline control	Maintain a linked traceability register and record every freeze exception with impact, approver, commit and regression evidence.
Access and account security	BF-39 Account security, recovery and session controls	Password reset, account recovery, admin MFA, session timeout, reused/expired invite behavior and compromised-session handling are not explicit BF items.	Weak recovery or session rules can bypass otherwise correct role/context controls.	B	Add NFR/acceptance item	Freeze admin MFA, secure reset/recovery, session invalidation, reused/expired invite denial and server-side authorization on every protected API.
Consent and data rights	BF-40 Data retention, correction, deletion and personal export	Consent withdrawal is covered, but record retention, deletion eligibility, correction, archive and personal data export are not consolidated.	Trust and legal readiness depend on truthful data-rights behavior, not only onboarding consent.	C	Add thin Alpha control	Define data classes, retention basis, correction route, deletion/withdrawal limits, participant export and audit preservation.
Purpose and pathway	BF-41 Pathway modes, step logic and participant acceptance	The BF register mentions Purpose Compass but omits approved/adapted/custom-AI pathway modes, mandatory/optional/conditional steps, prior evidence and blocked states.	Pathways are the bridge from purpose to action; missing rules create inconsistent user journeys and reviewer bottlenecks.	C	Add as functional baseline	Freeze review rules by pathway mode, participant acceptance, deterministic Next Action, prior-evidence requirements and safety prerequisites.
Project governance	BF-42 Project Governance Profile and decision-rule versioning	BF-03/13 discuss voting but do not define a reusable, visible decision method per category.	Different projects need flexibility without changing rules during a live decision.	B	Add as baseline correction	Link a versioned governance profile to the Project Brief: category, method, eligible group, threshold, tie/quorum, authority dependency and effective version.
Explore and search	BF-43 Search authorization and result-leakage prevention	BF-15/BF-32 cover Board/filtering but not whether unauthorized titles, snippets, participants or counts can appear in search or AI retrieval.	Search is a privacy boundary; leaking that a restricted project exists can itself be harmful.	B	Add cross-cutting permission rule	Authorize before result display. Do not expose restricted metadata; show safe access-request routes only where permitted.
Action and lifecycle	BF-44 Action Workspace closure, handover and successor cycle	Tasks/milestones are discussed, but closure criteria, unresolved obligations, archive, handover and successor-cycle initiation are not complete.	Projects need a trustworthy endpoint and continuity path, not only task completion.	C	Add thin lifecycle control	Freeze close/continue/archive states, unresolved item handling, Harvest trigger, closure authority and predecessor/successor references.
Evidence and records	BF-45 File safety, reviewer independence and evidence retention	BF-04/BF-23 do not fully freeze file allow-list, size, malware quarantine, contributor conflict, recusal and retention.	Evidence credibility and platform safety depend on both content governance and technical file controls.	B	Add common evidence gate	Validate type/size, scan/quarantine, record provenance/contributors, prevent self-review, preserve version/retention and permit negative findings.
Learning and correction	BF-46 Learning Harvest, correction propagation and new-cycle authorization	The register does not fully state how negative findings, dissent, corrected published items and released learning lead—or do not lead—to a new project cycle.	A learning platform must retain failure and correction without silently changing commitments or profiles.	C	Add thin Alpha capability	Freeze Harvest lifecycle, dissent, correction/supersession, participant-approved profile candidate, released-learning reuse and authorized next-cycle decision.

Feature Module	Sub-Functionality	Client Input / Observed Behavior	Business Impact & Justification	Priority	Recommended Dev Team Triage Status	Target Action / Resolution Plan
Incidents and human support	BF-47 Incident, rights, remedy, appeal and support routes	BF-20 covers milestone disputes, but safety, rights, emergency pause, reporter visibility, remedy, reopening and ordinary support are not a unified freeze area.	Users need to know whether to seek product help, mentoring support, governance escalation or protected incident review.	B	Add thin Alpha backstop	Implement Report → Triage → Human Review → Remedy → Appeal/Reopen; restrict reporter visibility; distinguish Help, Support Request, Concern and Incident.
Metrics and dashboards	BF-48 Pilot-learning metrics and activity-versus-impact separation	The BF register lacks a decision on dashboard signals, source definitions and the distinction between platform activity, evidence confidence, project output and real-world outcome.	Without this distinction, dashboards can overstate impact or create misleading performance pressure.	C	Add measurement control	Freeze a small approved metric registry with owner, source, formula, aggregation, privacy and interpretation note; label Alpha measures as pilot learning, not impact proof.
Notifications	BF-49 Notification lifecycle, delivery and safe content	Notifications are mentioned in BF-01/BF-14 but not delivery failure, retry, unread state, expiry, digest or sensitive preview rules.	Missed or overexposed notifications can delay work or leak protected context.	C	Add functional/NFR item	Each notification carries context, object/action and expiry. Reauthorize on open; use safe preview text; define email/in-app delivery, retry, unread and failure status.
Pack configuration	BF-50 Pack versioning, fourth-pack UAT and restore safety	BF-36 describes one kernel but not the complete pack lifecycle or restore guardrails.	The extensibility proof is central to platform sustainability and future use-case adaptation.	B	Add to Alpha baseline	Draft/validate/publish/supersede pack versions; export/restore configuration only; demonstrate Community Climate Action without code/database/vendor script.
Communication	BF-51 Contextual communication and moderation	BF-24 freezes message threads and polls but not how threads attach to proposals, tasks, milestones or evidence, or how moderation/retention works.	Communication gains value when it remains interpretable in relation to work and cannot silently become a formal commitment.	C	Add lightweight control	Thread object reference, audience, attachments, moderation/lock/archive, retention and escalation. No real-time chat or external conferencing implied.
Non-functional release gates	BF-52 Accessibility, security, performance, backup and recovery	These exist in the FRD/NFR material but are largely absent from the 36-row decision register.	A feature-complete build is not freeze-ready if users cannot access it safely or if recovery cannot be demonstrated.	B	Add release gate section	Freeze WCAG 2.2 AA priority tests, phone/browser matrix, agreed OWASP controls, 1,000-account pilot envelope, monitoring and backup/restore test.
Operations and handover	BF-53 Audit, observability, cost controls, portability and WSS ownership	Consequential audit is scattered and the register does not freeze logs, cost alerts, source/config/schema handover or WSS-controlled service accounts.	Operational sustainability requires visibility, cost containment and vendor-independent control.	B	Add handover gate	Define audit event catalogue, role-limited logs, provider/AI cost alerts, source/schema/config/prompt exports, credentials transfer and reproducible deployment instructions.
Capability status	BF-54 Capability status and proof level	The twenty capability headings are intended areas, not proof that each is implemented, accepted or verified in one phase.	A shared status vocabulary prevents architecture intent from being mistaken for working software or agreed scope.	C	Add governance field	For every capability/BF/JF item record: Proposed, Specified, Implemented-reported, Demonstrated, UAT accepted, Deferred, or Not applicable—with evidence link and version.

How to interpret the supplemental rows

Several supplemental rows formalize requirements already present in the FRD or NFR material. Their inclusion in the decision register should therefore be treated as visibility and acceptance control, not automatically as a request for a new product module.

5. Recommended guided-register design

A single 20-column working table can become difficult to read and maintain. The more usable approach is a compact Decision Register linked to an Implementation/Test Annex by BF ID. The fields below are the recommended master schema; teams may display a subset in each working view.

Recommended status vocabulary

For every row, distinguish Proposed, Specified, Implemented-reported, Demonstrated, UAT accepted, Accepted with known limitation, Deferred, and Not applicable. This prevents intended capability from being mistaken for verified software.

Field group	Field / criterion	Use	Example
Identity	BF ID / stable decision key	Required	BF-18
Flow position	User-journey stage and sequence	Required	Explore → Sponsor Challenge → Introduction
Scope	Feature module and sub-function	Required	Opportunity / Sponsor Challenge
Users	Affected personas and contexts	Required	Sponsor, applicant, Steward, Admin
Capability link	CAP-01 to CAP-20	Required	CAP-05, CAP-12, CAP-18
Requirements link	FRD / owner-decision / SOW references	Required	F06, BF-18, JF-41–45
Current vendor disposition	Accepted / amended / rejected / Phase 2 / CR	Required	Accepted
WSS recommended disposition	Retain / clarify / reconcile / split / defer	Required	Amend authority assumption
Scope classification	Baseline requirement / baseline correction / clarification / CR / Phase 2	Required	Baseline correction
Priority	Blocker / Critical / Minor / CR	Required	Blocker
Owner decision	Decision needed, owner and due date	When applicable	WSS: project-lead assignment rule
Affected implementation	Screens, objects, APIs/events and migrations	Required	Opportunity Card, alias map, introduction event
Authority and privacy impact	Role, membership, consent, release and cross-context effect	Required	Sponsor does not inherit project authority
Dependencies	Upstream/downstream features and providers	Required	Explore Board, Match Brief, notifications
Positive acceptance	Primary success scenario	Required	Sponsor publishes alias challenge; mutual introduction succeeds
Negative / abuse acceptance	Denied, failure and edge scenario	Required	Applicant cannot resolve real Sponsor identity before consent
Evidence artifact	Screenshot/log/export/test ID/commit	Required at UAT	TST-SP-04, audit event, screen capture
Implementation	Not started / in build / implemented-	Required	Implemented-reported

Field group	Field / criterion	Use	Example
status	reported / demonstrated		
UAT status	Not run / pass / fail / conditional / accepted risk	Required at UAT	Not run
Target release	Alpha RC / Phase 2 / backlog	Required	Alpha RC

5.1 Suggested Decision Register view

- BF ID and feature decision
- Journey stage and affected personas
- Capability links and requirement references
- Current Shaligram disposition and WSS recommended disposition
- Scope classification and priority
- Owner decision, dependencies, target release and target action

5.2 Suggested Implementation and Test Annex

- Affected screens, data objects, APIs/events and migration impact
- Role, authority, consent, privacy and cross-context effects
- Positive user-flow scenario and negative/abuse scenario
- Expected lifecycle states and audit events
- Implementation status, UAT result, evidence link and accepted limitation

5.3 Stable cross-reference model

Identifier	Purpose
BF-xx	Formal decision and scope disposition
JF-xx	Journey checkpoint and UAT expectation
CAP-xx	Intended capability area / strategic completeness lens
FR-/NFR-xx	Controlled functional or non-functional requirement
TST-xx	Executable positive/negative test
OBJ-/API-/EVT-xx	Implementation object, API or event where maintained

6. Effectiveness of the current WSS User-Journey Freeze Matrix

The latest WSS matrix is effective as an end-to-end completeness and UAT instrument. It follows the chronological experience from freeze readiness through access, consent, purpose, collaboration, matching, action, evidence, release, Sponsor activity, rights, administration and handover. It therefore catches many omissions that a decision register ordered by issue number cannot easily reveal.

6.1 What it does well

- Covers all principal persona journeys and the cross-role handoffs between them.
- Makes privacy and denied-action cases explicit, including protected Rope Team content, context leakage, Sponsor-private URLs and reviewer conflicts.
- Separates baseline corrections from true Change Requests.
- Adds non-functional release gates such as accessibility, security, recovery, performance and WSS ownership.

- Provides a natural sequence for UAT and joint demonstrations.

6.2 What should be added to make it fully effective

Coverage judgement
The WSS journey matrix represents all twenty intended capability areas. After the V1.1 additions, eighteen have direct journey coverage. Practical AI remains feature-flag/scope dependent, and Paid/Sponsored/Free Access remains subject to the commercial/entitlement owner decision. The supplemental BF rows in Section 4 close these gaps without turning the matrix into a new product scope.

The V1.1 companion matrix applies the seven additions below directly. The additions are separated into a readable core journey matrix, an evidence register and a high-risk technical-impact annex rather than forcing all fields into one oversized table.

Addition	How V1.1 implements it	Primary identifiers	Value to joint review	Current limitation/status
Direct capability cross-reference	Every JF row carries one or more CAP-01 to CAP-20 identifiers.	JF-xx -> CAP-xx	Shows which intended Alpha capability each user interaction supports and exposes capability gaps without inventing separate modules.	Coverage link only; it does not prove implementation.
Implementation proof and evidence link	A linked register records PL-0 to PL-5 and EV-JF-xx evidence references.	JF-xx -> EV-JF-xx	Separates documented behavior from vendor report, demonstration, WSS UAT and formal acceptance.	Available materials support mainly PL-0/PL-1; executable links remain pending.
Objects, service/API operations, events and migration	Blocker rows receive working object, operation, event and migration-impact identifiers.	JF-xx -> object/API/event IDs	Allows Shaligram to assess architecture and migration risk before estimating or modifying the candidate.	Names are logical working IDs; Shaligram maps them to actual implementation names.
Notification and work-linked communication	Adds JF-88 and JF-89 for delivery/retry/safe previews and thread lifecycle/promotion.	CAP-19; CAP-14/15/20	Covers the operational path between a decision/action and the person expected to respond while protecting message context.	Requires Shaligram feasibility/implementation evidence.
Metrics separation	Adds JF-90 with four labelled layers: workflow, evidence confidence, outputs and real-world outcomes.	CAP-08; CAP-20	Prevents activity from being represented as impact and prevents evidence levels becoming scores of people/projects.	Outcome indicators remain domain-defined and externally evidenced.
Learning and correction	Adds JF-91 and JF-92 for correction propagation, released-learning reuse and next-cycle authorization.	CAP-09; CAP-08/10/13	Supports scalable learning without silently copying private context or authorizing new work.	No automatic cross-project reuse or cycle creation.
Commercial/entitlement boundary	Adds JF-93 and JF-94 plus a three-option owner decision table.	CAP-18; BF-08/19/35	Resolves the current seats/invoices/offline payment/no-paid-plan tension while preserving authority separation.	WSS owner selection remains required before implementation.

6.3 Proof level and evidence-link model

A requirement, an accepted disposition and a verified build result are different evidence states. The companion matrix therefore uses PL-0 Open, PL-1 Specified, PL-2 Implemented-reported, PL-3 Demonstrated, PL-4 WSS UAT passed and PL-5 Freeze accepted. Each row receives EV-JF-xx as a stable evidence reference. The actual repository URL, build/commit, environment, tester, date and result are added when evidence exists.

Level	Minimum evidence	Who records it	Effect
PL-0	Open decision or undefined requirement	WSS/Shaligram register owner	No implementation or sign-off.
PL-1	Controlled requirement/disposition	Requirements owner	May be estimated and designed; not treated as working.
PL-2	Build/commit identified; vendor states complete	Shaligram	Eligible for demonstration.
PL-3	Recording/log/export/screens linked	Shaligram with WSS access	Eligible for WSS UAT.
PL-4 / PL-5	WSS test passed / accepted against frozen candidate	WSS requirements owner	Counts toward freeze and release sign-off.

6.4 High-risk technical impact and migration model

For Blocker rows, the companion annex identifies affected domain objects, logical service operations, audit events and a migration class. This is intentionally implementation-neutral: Shaligram may retain its endpoint and table names, but should demonstrate equivalent boundaries and explain whether the change is additive, needs backfill, recalculates permissions/states or changes the object model.

Class	Typical effect	Required freeze treatment

Class	Typical effect	Required freeze treatment
M0/M1	Document/config control or additive field/table/event	Normal implementation and regression; no destructive data change.
M2	Existing records need links, versions, defaults or classification	Backfill script/plan, sample validation and rollback.
M3	Roles, consent, release, membership or lifecycle states recalculated	Permission test, audit reconciliation and stale-session invalidation.
M4	Parent/ownership/workflow meaning changes	Architecture review, rehearsal, rollback and explicit WSS authorization.

6.5 New cross-cutting journey checkpoints

JF ID	Journey placement	Capability link	Freeze purpose
JF-88	My PHOENIX / notifications	CAP-19, CAP-20	Delivery states, capped retry, expiry, safe previews and fresh authorization on open.
JF-89	Circle/project/workspace communication	CAP-14, CAP-15, CAP-20	Thread-to-work linkage, moderation, retention and deliberate promotion to governed records.
JF-90	Admin dashboards and reporting	CAP-08, CAP-20	Separate activity, evidence confidence, outputs and real-world outcomes.
JF-91	Evidence and Harvest	CAP-08, CAP-09, CAP-20	Propagate negative findings, corrections and supersession to dependent records.
JF-92	Harvest / next cycle	CAP-09, CAP-10, CAP-13	Reuse released learning by reference and require human authorization for a new cycle/context.
JF-93	Sponsor/commercial boundary	CAP-01, CAP-18	Obtain owner decision resolving seats/invoices/offline payments versus no paid Alpha plans.
JF-94	Entitlement architecture	CAP-18, CAP-20	Keep commercial access separate from role, authority, membership, consent and record visibility.

6.6 Recommended commercial/entitlement owner disposition

The most proportionate Alpha option is: no in-platform checkout or pricing, while retaining a lightweight manually administered Entitlement/SeatPool model and external commercial reference. This supports sponsored, free and institutional access without adding payment custody or allowing payment to grant authority. Hosted checkout should activate only if the signed SOW explicitly includes it. WSS should confirm this option before the affected BF rows are frozen.

Companion operational matrix
See the companion V1.1 journey matrix: 94 JF checkpoints with CAP, PL/EV and technical-impact links.

7. Recommended joint review workflow

Step	Action	Outcome
1	Shaligram updates BF V1.1	Reconcile contradictions and add supplemental decisions or explicit deferrals.
2	WSS links each BF to JF and CAP IDs	Confirms user-flow and capability completeness.
3	Shaligram completes implementation annex	Screens/objects/APIs, effort, dependencies, migration and status.
4	Both teams agree Alpha versus Phase 2	Baseline corrections are not silently treated as CRs; genuine new scope is estimated.
5	Freeze one identifiable release candidate	Build, schema, configuration, environment and synthetic dataset are fixed.
6	Run journey-based UAT and negative tests	Record evidence and defects against TST IDs.
7	Sign off register, journey matrix and known issues together	Creates one mutually intelligible freeze package.

8. Illustrative guided-matrix example

Criterion	Example treatment
Feature Module	Explore and responsible matching
Sub-Functionality	Sponsor Challenge under controlled pseudonym
Journey position	Sponsor onboarding → publish opportunity → responses → shortlist → bilateral introduction → create/link project
Capability links	CAP-05, CAP-12, CAP-18
Current BF position	BF-18 Accepted
Observed gap	Sponsor is automatically treated as Project/Circle Owner; alias resolver and abuse/disclosure controls are incomplete.
Recommended disposition	Amend existing baseline; not a new Challenge feature request.
Positive test	Applicant sees alias, responds, both consent, real identity is released only to that respondent.
Negative test	Applicant searches alias/URL before consent and cannot resolve real identity, private projects or other challenge identities.
Target action	Sponsor remains Opportunity Originator; project leadership and consequential authority are separately assigned and audited.

9. Recommended V1.1 package structure

- Part A: corrected BF-01 to BF-36 Decision Register plus BF-37 to BF-54 supplemental items, or explicit reasons for deferral.
- Part B: WSS User-Journey Freeze Matrix with direct CAP links, JF-88 to JF-94 additions and Shaligram triage/status responses.
- Part C: capability scorecard showing Strong, Partial, Deferred or Not Applicable.
- Part D: Role/Authority Matrix and Project Decision-Governance Matrix.
- Part E: Implementation Proof/Evidence Register, high-risk Object/API/Event/Migration Annex and identifiable release-candidate manifest.
- Part F: Known limitations, Phase 2 backlog and accepted risks.

10. Closing recommendation

The Shaligram Decision Register should remain the authoritative place for scope and disposition. The WSS journey matrix should remain the authoritative place for end-to-end experience and UAT completeness. The capability scorecard should remain a strategic completeness check. Linking the three instruments by stable identifiers gives both teams a clearer process than enlarging any one table until it becomes difficult to use.

Recommended decision

Ask Shaligram to return a V1.1 register with one response for every correction and supplemental item: Accepted as baseline, Already implemented, Estimate required, Owner decision required, Deferred as CR, or Not applicable with reason. WSS can then freeze only the small number of items that materially affect architecture, safety, user completion or future adaptability.