PHOENIX FOUNDATION ALPHA

User-Journey Build-Freeze Review Matrix

WSS response and recommended V1.1 supplement to the Shaligram Build-Freeze Package

27 October 2026 | Joint review edition | V1.1 enhanced control matrix

Prepared for	Shaligram Infotech LLP
Prepared by	World Systems Solutions / PHOENIX
Primary reference	Shaligram Foundation Alpha Build-Freeze Package V1
Review lens	End-to-end user journeys, permissions, governance, UAT and release readiness
Recommended use	Annex to the BF decision register; input to V1.1 and UAT planning

Design intent: keep Alpha simple for users while preserving the authority, data and configuration boundaries needed for scale.

1. Executive assessment

The Shaligram V1 package is a useful decision register, but it is not ordered around what each user actually experiences. The matrix in this document follows the user journey from freeze readiness and access through purpose, collaboration, action, evidence, release, support, administration and technical handover. It is intended to complement, not replace, the existing BF-01 to BF-36 register.

Key conclusion: the journey matrix is better for UAT coverage and handoff testing; the Shaligram BF table remains better for formal disposition and change control. The strongest approach is to use both, cross-referenced.

What this review adds

- A chronological view of the experience for Participants, Mentors, Stewards, Partners, Sponsors, organization/programme administrators and technical operators.
- Explicit handoff and negative-permission checkpoints, including stale context, consent withdrawal, protected Rope Team content, release versioning and restore safety.
- A distinction between existing baseline corrections and true new Change Requests.
- Concrete examples and target actions that Shaligram can estimate, implement and demonstrate without interpreting broad concepts.

Priority and triage legend

Code	Meaning	Expected treatment
B	Blocker	Must be resolved before requirements/build freeze or release sign-off.
C	Critical	Required Alpha behavior or release gate; fix or formally disposition before release.
M	Minor	Low-risk UX/documentation refinement; may be deferred with a known-issue entry.
CR	Change Request	Genuinely new/advanced scope beyond the accepted Alpha baseline.

Important: many Blocker/Critical rows below are baseline corrections or acceptance clarifications, not requests for additional product scope. The Dev Team Triage Status column distinguishes these cases.

Recommended end-to-end journey spine

Access & Trust	Purpose & Pathway	Collaborate	Explore & Match	Act	Evidence & Learn	Release & Evolve
Invite, identity, consent	Compass, pathway, profile	Circle, Rope, decisions	Cards, steward, consent	Workspace, tasks, milestones	Evidence, Harvest, rights	Publication, export, next cycle

2. User-journey build-freeze matrix

Rows are ordered by the sequence in which a typical user encounters PHOENIX. V1.1 adds a direct CAP-01 to CAP-20 cross-reference to every journey checkpoint. Supplemental JF-88 to JF-94 retain stable IDs but are placed at their correct journey stage. Implementation proof and technical impact are held in linked annexes so the operational matrix remains readable.

0. Freeze readiness and control

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Freeze readiness and control	JF-01 Controlled baseline and V1.1	CAP-10 CAP-20	Shaligram BF-17 correctly requires a reissued requirements baseline, but V1 still contains unresolved conflicts across BF-03/13, BF-05, BF-12/26 and BF-36.	A software freeze against contradictory requirements creates rework and dispute risk. The controlled baseline must be the single testable source of truth.	B	Amend existing BF-17	Issue a V1.1 successor baseline before code freeze. It should incorporate WSS owner directions, show Alpha versus Phase 2 boundaries, and mark every unresolved owner decision explicitly.
Freeze readiness and control	JF-02 Release-candidate identity	CAP-20	The current package freezes behavior but does not identify the exact application build, source commit, schema migration, feature flags, configuration snapshot or UAT dataset.	Without an immutable candidate identity, both teams may test different software while believing they are reviewing the same build.	B	Missing - add to freeze	Freeze one RC package: build/commit ID, database schema version, configuration export, environment URL, synthetic dataset version and release notes.
Freeze readiness and control	JF-03 Requirements-to-test traceability	CAP-20	The BF rows contain demonstrations, but there is no complete mapping from requirement to screen/API/object, permission rule, test case and result.	Traceability reduces missed handoffs and lets defects be triaged quickly without reopening design discussions.	C	Missing - add to freeze	Provide a compact matrix linking each P0/P1 requirement and each BF/JF item to implementation location, negative test, evidence and disposition.
Freeze readiness and control	JF-04 Controlled freeze exceptions and UAT data	CAP-20	The package does not state who may authorize a freeze exception or confirm that initial testing uses synthetic people, projects, evidence, sponsor records and incidents.	A clear exception route prevents scope creep; synthetic data avoids privacy and legal exposure while workflows remain unstable.	C	Missing - add to freeze	After RC declaration, allow only approved Blocker/Critical fixes. Record request, impact, approver, commit and regression evidence. Use synthetic data until live-data gates are separately approved.

1. Access request, invitation and activation

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Access request, invitation and activation	JF-05 Request Access versus self-registration	CAP-01 CAP-19	BF-12 says there is no direct sign-up and an approved Request Access becomes an invitation. BF-26 says participants and sponsors can sign up directly, while its own demonstration says the sign-up route is absent.	This contradiction affects account creation, security, duplicate prevention and the first user experience.	B	Conflict - reconcile BF-12/BF-26	Freeze one route: Request Access creates no account; admin approval creates an invitation; email verification and acceptance create the account/role assignment. Sponsors may use the same request/invite pattern.
Access request, invitation and activation	JF-06 Invitation lifecycle	CAP-01 CAP-19 CAP-20	The FRD defines Pending, Accepted, Expired, Revoked and Resent invitations, but the build-freeze list does not explicitly freeze expiry, single-use links, revoke/resend or audit behavior.	Invitation misuse is a direct identity and access-control risk and a frequent operational support issue.	C	Missing - add explicit acceptance	Test valid, reused, expired and revoked links. Show a safe message and a route to request a new invitation; log every denial without changing the account.
Access request, invitation and activation	JF-07 Email verification, age confirmation and resume	CAP-01 CAP-19	BF-12 covers 18+ confirmation and no DOB. It does not explicitly freeze email verification, partial-onboarding	Users will abandon long onboarding if progress is lost; unverified identities must not	C	Extend BF-12	Require verified email before Active state; save each completed onboarding step; resume at the first incomplete step; allow verification-link resend.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
			save/resume or expired verification-link recovery.	become active.			Example: Mary closes the browser after consent and resumes at Purpose Compass.
Access request, invitation and activation	JF-08 One identity across roles and contexts	CAP-01	BF-01 accepts one PHOENIX identity with personal and organizational access. The FRD also requires a new contextual role assignment rather than another person record.	Identity continuity is essential for longitudinal learning, collaboration history and avoiding fragmented or duplicate accounts.	B	Retain BF-01; add identity test	A verified existing person receiving a second invitation gets a new role/context assignment, not a second identity. Test Participant in Context A plus Mentor in Context B.
Access request, invitation and activation	JF-09 Suspected duplicate or ghost accounts	CAP-01 CAP-20	The meeting raised duplicate/ghost accounts, but the BF package contains no controlled review flow. Email alone cannot safely prove two accounts are the same person.	Automatic merging may expose private data or combine unrelated people; ignoring duplicates weakens trust and reporting.	C	Missing - add bounded review	Create Potential Duplicate status -> authorized review -> confirm merge/keep separate -> audit. Never reveal one account to another until the review is completed.
Access request, invitation and activation	JF-10 Deactivation versus context suspension	CAP-01 CAP-20	BF-29 states role suspension/revocation in one organization does not affect other roles. The distinction between disabling one context and disabling the entire identity should be explicit.	Organizations need local control without erasing a person or disrupting unrelated programmes.	C	Clarify BF-01/BF-29	Separate global account state from context membership and role state. Example: Excelsior suspension ends only Excelsior access; Seva access and personal records remain available.

2. Agreements, consent, privacy and data rights

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Agreements, consent, privacy and data rights	JF-11 Required agreement versus optional permissions	CAP-02 CAP-11	BF-02 correctly separates required terms from optional permissions and preserves the manual core journey when optional permission is declined.	This is central to voluntariness, trust and legal defensibility.	B	Retain BF-02	Keep each optional permission independently grantable, declineable and withdrawable. Test AI declined while pathway, Circle and workspace use remain possible.
Agreements, consent, privacy and data rights	JF-12 Purpose-specific consent receipts	CAP-02 CAP-11 CAP-20	The build-freeze document does not enumerate the consent purposes discussed elsewhere: AI assistance, research use, cross-organization discovery, public/funder release and external exchange.	A single generic consent switch is not sufficient for adaptable use cases or trustworthy sharing.	C	Missing - add to consent registry	Store purpose, scope, context, version, decision, date and source. Do not infer permission for one purpose from another. Pack labels may vary; core consent meanings remain fixed.
Agreements, consent, privacy and data rights	JF-13 Withdrawal and downstream effect	CAP-02 CAP-11 CAP-20	BF-02 allows withdrawal but does not state what happens to pending AI outputs, future retrieval, draft releases or derived recommendations.	Withdrawal that changes only a checkbox but not system behavior is misleading and unsafe.	B	Amend BF-02	Stop future use immediately; block affected pending release/AI actions; preserve lawful audit and source history; do not delete unrelated records. Show the user what changed and what remains.
Agreements, consent, privacy and data rights	JF-14 Agreement versioning and re-acceptance	CAP-02 CAP-11 CAP-20	The FRD expects versioned agreements and re-acceptance after material changes, but this is absent from the freeze list.	Users must know which terms governed their participation; silent term changes undermine consent and auditability.	C	Missing - add to freeze	Freeze Draft -> Active -> Superseded/Retired agreement states and Not Accepted -> Accepted -> Re-acceptance Required user states. Material changes create a visible clause-level summary.
Agreements, consent, privacy and data rights	JF-15 Data minimization, correction and personal export	CAP-02 CAP-11 CAP-15	The journey includes personal record export and correction/withdrawal rights, but Shaligram V1 focuses mainly on project export.	Personal control supports trust, regulatory readiness and vendor independence.	C	Missing - add bounded rights flow	Provide My Data/Access and Authority views, correction request, consent history and authorized personal export. Retention/deletion behavior should be documented; manual processing is acceptable in Alpha.

3. My PHOENIX, context, navigation and support

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
My PHOENIX, context, navigation and support	JF-16 Active role/context switch	CAP-01 CAP-03	BF-01 and BF-14 cover context switching and role-based menus. WSS later clarified one selected active base role in one active organizational/project/space context at a time.	A stable active context prevents users from acting with authority from another organization or project.	B	Amend BF-01/BF-14	Show a persistent active-context/role banner. Switching closes unsafe dialogs, clears protected state and rechecks every action server-side.
My PHOENIX, context, navigation and support	JF-17 Multi-tab stale-context protection	CAP-01 CAP-20	The current BF tests a mid-dialog switch but does not address multiple open browser tabs.	A stale tab can submit an action under old authority after the user changes context elsewhere.	B	Missing - add session rule	All tabs in the same authenticated session share/revalidate the active context. On change, other tabs refresh, pause or require revalidation before any action.
My PHOENIX, context, navigation and support	JF-18 Fixed global shell plus authority-dependent actions	CAP-01 CAP-03	BF-14 says role menus change, while later WSS direction calls for a stable global shell and permission-controlled operational modules.	Users need orientation across roles; completely different navigation structures increase training and error risk.	C	Clarify BF-14	Keep fixed global items: Home, Context Switcher, Notifications, Profile, Access/Authority, Consent/Data Rights, Help, Account/Security. Show operational modules by role and consequential controls only with the required authority bundle.
My PHOENIX, context, navigation and support	JF-19 Hidden versus locked functions and denial explanation	CAP-01 CAP-02	The current package largely hides unauthorized functions. It does not distinguish privacy-sensitive invisibility from a safe locked capability with an access route.	Total hiding can confuse users, while revealing protected objects leaks information.	C	Missing - add UX rule	Hide records or features whose existence is sensitive. Where non-sensitive, show a locked action with a plain-language reason and legitimate request route. Never expose restricted names or metadata.
My PHOENIX, context, navigation and support	JF-20 Context-bound notifications and deterministic next action	CAP-03 CAP-19	BF-01 mentions cross-context notifications; the FRD defines a deterministic Next Action order without AI ranking.	Notifications and next actions are the platform handoff mechanism and must not bypass context or overwhelm users.	C	Extend BF-01 and My PHOENIX	Every notification carries context/object/action metadata. Opening it prompts a safe context switch and reauthorization. Next Action order: blocking required -> time-sensitive -> pending human decision -> accepted task/pathway -> optional.
My PHOENIX, context, navigation and support	JF-21 Human Help, support, empty states and resume	CAP-03 CAP-14 CAP-19	BF-14 names Help but does not freeze a usable support route. Prior review also identified the need for query resolution distinct from mentoring, AI and safety incidents.	Users need recovery when they are stuck; otherwise small problems become abandonment or inappropriate incident reports.	M	Missing - add lightweight UX	Provide persistent Help/Support entry, contextual empty states, save/resume, and returned-item explanations. Human product support should be separate from Ask PHOENIX, Mentor support and F11 incidents.
My PHOENIX, context, navigation and support	JF-88 Notification delivery, retry, expiry and safe preview	CAP-19 CAP-20	JF-20 freezes context-bound notifications but not the end-to-end delivery lifecycle. Email/in-app messages may fail, expire, duplicate or reveal protected details in a preview unless delivery states and content rules are explicit.	Distributed users may miss reviews, invitations or deadlines; unsafe previews can disclose protected project or participant information.	C	Add cross-cutting notification freeze	Create Notification states Queued, Sent, Delivered/Failed, Expired and Acknowledged. Use capped retry and a manual resend/dead-letter route. Email previews contain only a safe context label and action type; opening the item requires authentication, context switch and fresh authorization. The in-app inbox remains the source of truth.

4. Purpose Compass, pathways and profile

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Purpose Compass, pathways and profile	JF-22 Purpose Compass minimum and no scoring	CAP-03	BF-10 correctly freezes six short questions and prohibits purpose, coherence or IKIGAI scores.	The Compass should guide action without ranking identity, worth or readiness.	C	Retain BF-10	WSS supplies final question text. Store responses private by default; expose only participant-approved fields. Test that no score exists in UI, API, export or AI prompt context.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Purpose Compass, pathways and profile	JF-23 Pathway creation modes and review	CAP-03 CAP-16 CAP-17	The FRD distinguishes approved template, adapted template and custom/AI pathways; the BF list does not freeze the different review routes.	Without this distinction, every pathway may be over-reviewed or unsafe custom pathways may activate automatically.	C	Missing - add explicit freeze	Approved template: no new review. Adapted: follow template rules. Custom/AI: authorized Reviewer required. Every pathway becomes Current only after participant acceptance.
Purpose Compass, pathways and profile	JF-24 Recommend, propose, accept, decline and revise	CAP-03 CAP-06	Earlier clarifications distinguished facilitator/mentor recommendation from assignment or forced activation; this distinction is not in V1.	Human agency and clear responsibility depend on knowing whether an item is advice, a proposal or an active commitment.	C	Missing - add state/action vocabulary	Freeze actions: recommend/propose -> participant accept, ask for change or decline -> active. A recommender cannot silently activate a personal pathway.
Purpose Compass, pathways and profile	JF-25 Pathway step types and statuses	CAP-03 CAP-20	Mandatory, optional, conditional, governance/safety, prior-evidence and blocked behavior are absent from Shaligram V1.	These rules determine whether the learning-to-action journey can be completed consistently and tested.	C	Missing - add acceptance matrix	Freeze step types separately from runtime states. Test Mandatory cannot skip; Optional may skip; Conditional appears only when true; Blocked shows reason and next action; skipped/replaced steps remain in history.
Purpose Compass, pathways and profile	JF-26 Prior evidence and safety prerequisites	CAP-03 CAP-08	The FRD permits Satisfied by Prior Evidence only through approved evidence and never allows bypass of a Governance/Safety prerequisite.	This prevents duplicate work without weakening safety or falsely crediting unsupported claims.	C	Missing - add negative tests	Mentor/facilitator may link already-approved evidence only where the template allows. Refuse unapproved evidence and any attempt to bypass a safety prerequisite.
Purpose Compass, pathways and profile	JF-27 Deterministic next-step logic	CAP-03 CAP-20	The FRD requires the next unmet required step or accepted task to be selected by deterministic rule, with no AI ranking.	Predictable progression improves usability, accessibility and explainability while avoiding opaque prioritization.	C	Missing - add My PHOENIX test	When Step 1 is complete and Step 2 is available, My PHOENIX shows Step 2 without an AI call. Document tie-breaking and due-date logic.
Purpose Compass, pathways and profile	JF-28 Participant-controlled profile evolution	CAP-03 CAP-09	BF-06 correctly requires accept/edit/reject and preserves history. It should also preserve the source event and distinguish Accepted with Edits.	Profile control is a central user benefit and prevents AI, reviewers or institutions from silently defining the person.	C	Retain and extend BF-06	Each proposal shows source, rationale, field, proposed text, visibility and uncertainty. Rejection leaves underlying evidence unchanged. Keep original proposal, participant edit and final accepted version.
Purpose Compass, pathways and profile	JF-29 Personal profile versus official records and availability	CAP-01 CAP-03	BF-33 uses Offers rather than a profile availability status. V1 does not distinguish participant-authored profile text from official role, membership, credential or authority records.	Users should control self-description but must not be able to rewrite official assignments; institutions must not overwrite personal identity.	C	Add clarification; retain BF-33	Display official role/authority/credential records separately. Availability is an Offer with scope, visibility and expiry, e.g., "three hours per week until 31 December."

5. Project, Circle, Rope Team and decision flow

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Project, Circle, Rope Team and decision flow	JF-30 Persistent Project parent and single Project Brief	CAP-04 CAP-13	BF-27 creates one versioned Project Brief shown from every linked space. This should be the durable project-definition layer, with governance linked to it.	One source of project truth prevents Circle, Rope Team and Workspace documents from diverging.	B	Retain BF-27; extend object model	Project remains the parent object; every linked space shows the current Brief and history. Tasks, decisions and milestones record which Brief version governed them.
Project, Circle, Rope Team and decision flow	JF-31 Circle proposal, charter and lifecycle	CAP-04 CAP-06	The FRD defines Draft -> Pending Review -> Active -> Paused/Repair -> Completed -> Archived/Closed, plus purpose, charter, agreements, roles and invited members. V1 does not freeze this lifecycle.	Clear states prevent unapproved Circles from operating and preserve repair/closure history.	C	Missing - add explicit freeze	Test participant proposal, facilitator approval/return, membership access, pause/repair and archive. Non-members must be denied Circle content.
Project, Circle, Rope Team and decision	JF-32 Rope Team privacy and support boundary	CAP-02 CAP-04	The BF package recognizes linked spaces but does not explicitly freeze	Rope Team privacy is essential for mentoring trust and psychological	B	Missing - add privacy gate	Only fields deliberately shared for mentoring are visible. Test a linked Workspace member searching

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
flow			that protected Rope Team records never appear in search, linked spaces, Sponsor reports, Harvests or AI retrieval.	safety.			for a protected Rope note: no title, snippet, participant or existence leak.
Project, Circle, Rope Team and decision flow	JF-33 Linked spaces, concurrent routes and no conversion	CAP-04	BF-07/BF-28 correctly allow origin in any space, concurrent activity and new linked cycles without conversion.	This supports varied use cases while preserving purpose, membership and history of each space.	B	Retain BF-07/BF-28	Use Create/Link, not Convert/Move. Example: Workspace continues while a scope issue is routed to a Circle; a closed Rope Team remains closed and a successor cycle is created.
Project, Circle, Rope Team and decision flow	JF-34 Separate membership and authority per space	CAP-01 CAP-04	BF-28 says joining one space never grants another, but the freeze should also distinguish project membership, space membership, base role and authority.	Automatic inheritance would expose protected content and over-authorize collaborators.	B	Extend BF-28	Each space requires its own invitation/approval. A person may belong to the Circle but not the Workspace and may hold different roles in each.
Project, Circle, Rope Team and decision flow	JF-35 Space-link provenance and reference-only sharing	CAP-02 CAP-04 CAP-13	The FRD requires linked records and private content to remain in the source context; V1 does not define the link record.	Explicit lineage enables reuse without uncontrolled copying or privacy leakage.	C	Missing - add link model	Record source/destination space, relationship type, purpose, initiator, authorizing decision, date, visibility, cycle and referenced records. Share approved metadata by reference only.
Project, Circle, Rope Team and decision flow	JF-36 Configurable decision method by category	CAP-06 CAP-13	BF-03/BF-13 make all formal votes advisory to the Project Owner, while BF-21 makes publication voting binding. WSS has since confirmed category-specific decision methods.	One universal owner-override model cannot support participatory, institutional and protected decisions safely.	B	Amend BF-03/BF-13	For Alpha support Advisory, Binding, Binding plus Authority Check, and Delegated Authority. Configure the method before the decision opens and version it with the Project Brief/governance profile.
Project, Circle, Rope Team and decision flow	JF-37 Vote mechanics, eligibility snapshot and no hidden override	CAP-06 CAP-13 CAP-20	One-person/one-vote is accepted, but threshold, tie, abstention, electorate and result effect are not consistently frozen.	Stable voting rules prevent manipulation and inconsistent results across screens and exports.	B	Missing - add decision instance controls	Snapshot eligible voters at opening; freeze threshold/tie/window/object version; record abstention/recusal separately. A binding result cannot be replaced by ordinary admin or owner preference.
Project, Circle, Rope Team and decision flow	JF-38 Informal polls, concerns and successor cycles	CAP-04 CAP-06 CAP-09 CAP-14	BF-24 correctly separates message-thread polls from formal decisions. Governance concerns, escalation and Parked/reopened proposals are not fully represented.	Teams need low-friction sentiment checks and a controlled route for unresolved issues without confusing them with formal authority.	C	Retain BF-24; add thin concern flow	Polls remain advisory. Concerns become tracked items with owner, due date and escalation route. Parked items stay visible. Closed spaces create linked successor cycles rather than reopening history.
Project, Circle, Rope Team and decision flow	JF-89 Work-linked communication lifecycle	CAP-14 CAP-15 CAP-20	Threads, polls and attachments are mentioned across Circles, opportunities and workspaces, but message edit/withdrawal, moderation, retention, closure and promotion to a governed record are not fully frozen.	Without a work-linked lifecycle, informal discussion can be mistaken for an accepted decision, files can become hard to retrieve, and later participants lose the context behind work.	C	Extend BF-23/BF-24 and communication rules	Every thread references its project/space and optional proposal, task, milestone, evidence or decision. Message states are Active, Edited, Withdrawn, Moderated or Archived. Attachments remain message-only until promoted with metadata. Formal decisions use the decision workflow, not a thread poll. Closed-object threads become read-only under retention rules; real-time chat is not required.

6. Explore, Opportunity Cards and responsible matching

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Explore, Opportunity Cards and responsible matching	JF-39 Opportunity Card lifecycle and audience	CAP-05	Sponsor Challenges, partner needs/offers and participant Offers depend on the Opportunity Card lifecycle, but BF V1 does not freeze	Clear audience and expiry rules prevent stale opportunities, unwanted requests and private cross-context exposure.	C	Missing - add Alpha freeze	Every card stores type, owner, context, audience, category, geography, expiry and state. Closed cards remain readable only where authorized, with actions disabled.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
			Draft, Active, Paused, Closed/Fulfilled, Withdrawn and Expired states.				
Explore, Opportunity Cards and responsible matching	JF-40 Permission-filtered search and project geography	CAP-02 CAP-05	BF-32 filters by the country a person provides. Project/opportunity geography is a separate attribute and search authorization is not explicit.	Using personal location for project geography produces wrong results; unauthorized search snippets can leak protected projects.	C	Amend BF-32	Store geography on Project/Opportunity (country, optional region, continent). Apply permission filtering before returning titles, snippets, participants or counts.
Explore, Opportunity Cards and responsible matching	JF-41 Sponsor Challenge originator versus Project Owner	CAP-01 CAP-05 CAP-18	BF-18 automatically makes the Sponsor the Project Owner and Circle Owner for any challenge they publish.	Publishing a problem statement should not automatically grant operational or governance control over the resulting team.	B	Amend BF-18	Treat Sponsor as Opportunity Originator. After shortlisting and mutual engagement, assign Project Lead/Circle ownership separately through the project governance configuration.
Explore, Opportunity Cards and responsible matching	JF-42 Sponsor alias as controlled pseudonym	CAP-02 CAP-05	BF-18 supports aliases and reveals identity after mutual introduction, but alias mapping, access, expiry, legal/safety exceptions and correlation controls are not frozen.	A label of "anonymous" could create false expectations; pseudonymity needs auditable identity resolution.	B	Extend BF-18	Define who can resolve identity, disclosure triggers, retention/deletion and dispute/fraud exceptions. Use a per-challenge alias to reduce cross-post correlation.
Explore, Opportunity Cards and responsible matching	JF-43 Explainable Match Brief and no percentage	CAP-05 CAP-12	BF-31 correctly removes match percentages. The FRD requires rationale, source data, gaps, uncertainty, consent, authority and readiness status.	Explainability supports informed choice without ranking human worth or hiding missing information.	C	Retain BF-31; add required fields	Show positive-fit reasons and missing data, not a score. AI suggestions remain advisory and disclose sources/uncertainty.
Explore, Opportunity Cards and responsible matching	JF-44 Steward review, bilateral consent and direct route	CAP-01 CAP-05 CAP-12	V1 does not explicitly freeze the two routes: PHOENIX-generated match with Steward review and bilateral consent, versus known authorized collaborator with five checks.	This is the central privacy and human-agency boundary before contact information is released.	B	Missing - add P0 acceptance	No contact details before both parties consent. Direct route requires valid context, role/mandate, invite permission, other-party consent and no restriction; otherwise create a Match Brief.
Explore, Opportunity Cards and responsible matching	JF-45 Post-introduction outcomes and discovery surfaces	CAP-05 CAP-14 CAP-19	The FRD defines Close, Continue Conversation, Link Existing Workspace and Create New Workspace. BF-15 defers Bulletin Board Lite even though BF-18 accepts Sponsor Challenges.	Without a discovery surface and defined post-introduction outcomes, accepted challenge/match journeys are incomplete.	C / CR	Reclassify Lite; defer advanced social features	Include a read-only Explore/Board composed from authorized Opportunity, Announcement and Visible Win records. Keep likes, follows, ranking and social feed behavior out of Alpha. Relationship List Lite may show current authorized collaborators; defer graph analytics/profile comparison.

7. Action Workspace and execution

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Action Workspace and execution	JF-46 Workspace creation, Primary Origin and mandate	CAP-04 CAP-07 CAP-13	BF-07/BF-28 cover routes, but the freeze should require one Primary Origin, optional Related Objects and authorization/mandate for the creator and external joins.	Lineage explains why work exists; mandates prevent invited external users from receiving elevated access automatically.	B	Add explicit F07 freeze item	Record origin type/ID, related objects, context, creator authority and approvals. Example: Match Brief is Primary Origin; Circle and Opportunity are Related Objects.
Action Workspace and execution	JF-47 Charter, roles, tasks, milestones, risks and resources	CAP-07 CAP-13	The user journey depends on a charter, scoped roles, owners, dates, decisions, commitments, risks, dependencies and resource commitments. V1 does not freeze the minimum workspace record.	Execution quality and later evidence cannot be assessed without clear scope and accountability.	C	Missing - add workspace minimum	Define mandatory fields and versioning. Every task/milestone shows owner, status, target date, source decision and related Project Brief version.
Action Workspace and execution	JF-48 Task acceptance and self-assignment	CAP-07 CAP-20	The FRD requires an assignee to accept before In Progress and permits self-assignment only where enabled by	This prevents silent assignment and preserves individual agency and workload clarity.	C	Missing - add acceptance test	Assigned -> Accepted -> In Progress -> Completed. Refuse In Progress before acceptance. Record decline/reassignment where supported.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
			Project Lead.				
Action Workspace and execution	JF-49 State clarity, dependency escalation and handoff	CAP-07 CAP-14 CAP-20	The BF table does not require each workflow screen to show current state, owner, due date, next permissible action and escalation path.	Users need to know who acts next and what remains possible when work is blocked.	C	Missing - add UX acceptance	Show state chip, owner, due/age and next action. A blocked dependency routes to Project Lead and, after the configured period, to Facilitator/Admin; AI never reassigns.
Action Workspace and execution	JF-50 AI roadmap drafts and Change Objects	CAP-07 CAP-16 CAP-17	BF-09 says AI advises; BF-30 says AI task suggestions are off. The FRD permits human-editable roadmap/task drafts and requires human approval for Change Objects.	Contradictory AI scope creates estimation and test uncertainty.	B	Reconcile BF-09/BF-30	Use feature flags: permitted AI drafts are Class B, visibly AI-assisted and accept/edit/reject; no AI assignment or automatic Change Object approval. Freeze which functions are on in Alpha.
Action Workspace and execution	JF-51 Sponsor access, close/continue and new cycle	CAP-07 CAP-09 CAP-18	Sponsors have no automatic workspace membership. Workspace can close or continue to a new cycle and triggers a Harvest.	Funding interest or entitlement must not reveal private execution; closure must preserve learning and obligations.	B	Add explicit negative and lifecycle tests	Sponsor opening private Workspace URL is denied. Closure records unresolved items and triggers Harvest; later work creates a linked cycle rather than rewriting history.

8. Repository, evidence and Learning Harvest

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Repository, evidence and Learning Harvest	JF-52 File types, size and malware quarantine	CAP-08 CAP-15	BF-23 covers promotion/folders but not the FRD controls for allowed formats, size limits, malware scanning and quarantine.	Uploads are a high-risk security boundary and a frequent source of operational failure.	B	Missing - add NFR/functional gate	Allow approved types and links, enforce configured size limit, scan/quarantine failures and use safe download URLs. Example: 40 MB upload is refused with a clear message where the limit is 25 MB.
Repository, evidence and Learning Harvest	JF-53 Single storage, multiple governed references	CAP-08 CAP-15	BF-23 correctly stores a file once and allows it to appear in several folders. Cross-space records need the same authoritative-reference principle.	This avoids duplicate versions, inconsistent retention and unnecessary storage cost.	C	Retain BF-23; generalize reference model	Each record/file has one ID/version/history and permission-governed links to project, space, milestone, task, evidence or decision.
Repository, evidence and Learning Harvest	JF-54 Chat attachment promotion	CAP-14 CAP-15	BF-23 correctly keeps a message attachment outside formal project records until deliberately saved, but should also capture right-to-share and provenance.	Conversation convenience must not silently create official evidence or publishable project records.	C	Retain and extend BF-23	Promotion requires title, purpose, owner, classification, related object, access, release state, provenance and confirmation of sharing rights. Default release = Not Cleared.
Repository, evidence and Learning Harvest	JF-55 Evidence dimensions and state model	CAP-08	BF-04 correctly separates review outcome, support strength, confidentiality, lifecycle and release.	Collapsing these dimensions creates misleading evidence claims and unsafe disclosure.	B	Retain BF-04	Freeze separate fields and acceptance tests. E-level is never a person/project score; Restricted/Withdrawn are not review outcomes.
Repository, evidence and Learning Harvest	JF-56 Reviewer authority, conflict and recusal	CAP-01 CAP-08 CAP-13	BF-05 demonstrates reviewer authority but denies separate specialist responsibilities; BF-20 includes a useful no-self-review rule.	Evidence credibility requires an authorized, non-conflicted reviewer and visible recusal.	B	Reconcile with authority bundles	Only active Evidence Review Authority can approve. Refuse review of evidence the reviewer created, contributed to, supervised or sponsored; route for reassignment and log recusal.
Repository, evidence and Learning Harvest	JF-57 Revision, negative findings, provenance and retention	CAP-08 CAP-09 CAP-15	V1 does not freeze Needs Revision/resubmission, negative findings, limitations, retention or version history.	Learning depends on preserving what failed or remained uncertain, not only positive evidence.	C	Missing - add evidence lifecycle	Return with reasons and editable fields; keep prior versions; record contributors, source, claim/metric, limitations, retention and correction. Negative findings remain visible within authorized scope.
Repository, evidence and Learning Harvest	JF-58 Release by audience and participant authorization	CAP-02 CAP-08 CAP-11	The FRD requires a new release decision for a new audience/purpose and participant authorization for identifiable evidence.	Approval of evidence does not equal permission to expose the person or reuse it in a Sponsor/public report.	B	Missing - add release gate	Internal, Named Audience, Funder-safe and Public are separate release states. A new audience/purpose creates a separate release request.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Repository, evidence and Learning Harvest	JF-59 Learning Harvest lifecycle and dissent	CAP-08 CAP-09 CAP-16 CAP-17	The Harvest journey is largely absent from Shaligram V1. The FRD requires source records -> Draft -> Review -> Edit -> Approved/Rejected -> Released and preservation of dissent.	The Harvest converts activity into reusable learning and next action; without governance it can misrepresent participants.	C	Missing - add core journey item	Authorized humans complete/release Harvests. AI may draft only. Only attributable participant-approved items become profile candidates; team conflict never writes to a profile.
Repository, evidence and Learning Harvest	JF-91 Negative findings and correction propagation	CAP-08 CAP-09 CAP-20	The sources permit negative findings and corrections, but do not yet freeze how a corrected or withdrawn record propagates to linked claims, exports, released learning and AI retrieval indexes.	Uncorrected derivatives can cause teams to reuse outdated or disproven learning and weaken trust in evidence and publication controls.	C	Add correction-propagation freeze	Create a Correction/Supersession record that identifies the source version and affected claims, releases, exports and retrieval indexes. Mark dependent records as corrected, superseded or review-required; notify authorized owners; preserve history and never silently delete the original audit trail.
Repository, evidence and Learning Harvest	JF-92 Released-learning reuse and next-cycle authorization	CAP-09 CAP-10 CAP-13	A Harvest may recommend next steps, but released learning should not automatically create a new project, reopen a closed space or cross into another context.	This is the boundary between useful organizational learning and uncontrolled reuse of another team's context, evidence or commitments.	C	Add learning-reuse and next-cycle rule	Reuse only a released item whose audience permits it. Create a LearningReference with source/version, limitations and attribution. An authorized human accepts or adapts it for the receiving context. Starting a successor cycle or new project requires an explicit decision and new memberships/mandates; AI may suggest, never authorize.

9. Publication, external visibility and export

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Publication, external visibility and export	JF-60 Exact release object, version, audience and purpose	CAP-02 CAP-13 CAP-15	BF-21 allows publication after voting but does not require the exact version, audience and purpose to be frozen in the decision.	A valid approval for one summary must not publish a different draft or its underlying records.	B	Amend BF-21	Create a Release record identifying object ID, version, audience, purpose, approval, consent references, date and correction/withdrawal state.
Publication, external visibility and export	JF-61 Collective decision plus release authority check	CAP-06 CAP-13	BF-21 treats the vote as the complete publication gate. WSS direction separates the substantive team decision from consent/privacy/IP verification.	Publication needs both legitimacy and a specialized control check without giving an administrator power to change the team decision.	B	Amend BF-21 using authority model	Use Binding plus Publication/Release Authority for consequential release. The authority verifies controls and exact version; it may return for correction but not substitute personal preference.
Publication, external visibility and export	JF-62 Protected content, rights, redaction and withdrawal	CAP-02 CAP-11 CAP-15	V1 says Circle, Rope and Action documents may be published independently, but majority approval cannot override protected mentoring notes, personal testimony, IP or community/rights-holder authority.	A broad publication rule creates severe privacy, trust and intellectual-property risk.	B	Add explicit exclusions/consent	Require participant/rightsholder consent where applicable, IP/privacy review, financial redaction and protected-space rules. Corrections supersede versions; withdrawal removes future visibility but preserves audit.
Publication, external visibility and export	JF-63 Excel/ZIP preview, manifest and secure download	CAP-15 CAP-20	BF-22 includes released versions and logging but omits preview, manifest, field-level exclusions and download lifecycle.	Users must understand exactly what will leave the platform; exports are a major data-leak boundary.	C	Extend BF-22	Show export preview; include manifest with object/version/provenance; apply redaction and authorization at generation time; use expiring or access-checked download; log who/when/why.
Publication, external visibility and export	JF-64 Discovery propagation and audience definition	CAP-02 CAP-05 CAP-19	BF-21 defines Public as all signed-in PHOENIX users, not the open web. Search/Board propagation after release is not explicitly frozen.	Audience ambiguity can cause accidental external disclosure or make released learning undiscoverable.	C	Clarify BF-15/BF-21	Name audiences explicitly: Space, Project, Organization, Named Audience, All PHOENIX users; open web is out unless separately authorized. Only released items enter Search/Board.

10. Sponsor/funder experience and sustainability

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Sponsor/funder experience and sustainability	JF-65 Sponsor onboarding and agreement	CAP-01 CAP-18 CAP-19	BF-26 conflicts on sign-up route and BF-08/BF-18 assume Sponsor capability without a clear agreement/approval sequence.	Sponsors require clear privacy, communication and project-boundary expectations before discovery or challenge posting.	C	Reconcile with access model	Sponsor uses Request Access/invitation, verifies identity, accepts Sponsor agreement and receives scoped Sponsor role. No participant-level access follows automatically.
Sponsor/funder experience and sustainability	JF-66 Seats/entitlements versus role and authority	CAP-01 CAP-18	BF-08 shows seats/invoices while BF-35 defers plans/subscriptions and says role alone controls features.	Commercial access, membership and governance must remain separate even if paid products are deferred.	B	Owner decision; preserve architecture	Retain a lightweight Entitlement/Seat object or explicitly remove all seat/invoice UI from Alpha. In either case, entitlement never grants role, membership, workspace access or decision authority.
Sponsor/funder experience and sustainability	JF-67 Payment and project-funding boundary	CAP-18	BF-08 says no payment/checkout; BF-19 says Sponsors pay for seats/donations offline; the earlier FRD includes hosted checkout. The controlling Alpha commercial scope is unresolved.	Conflicting payment assumptions affect UI, data model, PCI scope, invoices and Sponsor journey.	B	Conflict - WSS scope disposition required	Freeze one of two models: (A) no Alpha checkout, external references only; or (B) hosted checkout for access products only. In both models, no project fund custody, tranches or member distribution.
Sponsor/funder experience and sustainability	JF-68 Sponsor reporting, small-group suppression and stories	CAP-02 CAP-08 CAP-18	BF-08 covers aggregates/evidence summaries/reports but not small-group suppression or the separate release required for identifiable stories.	Sponsor value must be demonstrated without exposing individuals or allowing re-identification from small cohorts.	C	Extend BF-08	Show released aggregates, project-safe status, visible wins and reports only. Suppress/combine small groups per frozen threshold. Story/photo/quote requires separate participant approval.
Sponsor/funder experience and sustainability	JF-69 Challenge intake, communication closure and external funding status	CAP-05 CAP-14 CAP-18	BF-18 closes a challenge after selection. It does not fully freeze request throttling, archival, communication permissions or any minimum external funding reference.	Controlled intake avoids Sponsor flooding and preserves a clear audit of what was promised without turning Alpha into grant management.	C / CR	Retain Lite; defer advanced finance	Sponsor can pause/close/archive requests and control identity disclosure. Alpha may store an optional external agreement/payment reference and status if evidenced; full funding workflow remains Phase 2/CR.
Sponsor/funder experience and sustainability	JF-93 Commercial and entitlement owner decision	CAP-01 CAP-18	BF-08 retains seats/invoices, BF-19 describes offline seat pools/donations, while BF-35 says Alpha has no paid plans or paid features. These cannot all be implemented literally without an owner disposition.	The choice affects Sponsor UX, data objects, finance/security scope, acceptance tests and future migration. Leaving it implicit risks either hidden scope growth or removal of the sponsored-access model.	B	Owner decision required before freeze	WSS selects one boundary: A (recommended) - no checkout/pricing in Alpha; retain manually administered Entitlement/SeatPool and external invoice/donation references. B - include hosted checkout only if the signed SOW activates F10 and finance/PCI controls. C - remove seats/invoices entirely and document Phase 2 reintroduction. Update BF-08, BF-19 and BF-35 together.
Sponsor/funder experience and sustainability	JF-94 Commercial access state and authority separation	CAP-18 CAP-20	Regardless of the commercial option, access entitlement must remain separate from organization membership, project membership, base role, authority, consent and record visibility.	This preserves sponsored/free/institutional access models without allowing payment to purchase governance power or private workspace access.	C	Add architecture safeguard after owner decision	Where retained, model Entitlement states Pending, Active, Suspended, Expired and Cancelled, with product/seat pool, beneficiary, validity and source. Entitlement may enable a product or programme entry route only; every project/record action still checks context membership, role/authority, consent and object permission.

11. Incidents, rights, correction and human support

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Incidents, rights, correction and human support	JF-70 Incident lifecycle and emergency pause	CAP-09 CAP-13	F11 defines Reported -> Triaged -> Emergency Pause -> Human Review -> Remedy -> Appeal -> Closed/Reopened, but the Shaligram BF package omits the core incident journey.	A safety and rights backstop is necessary before inviting real participants into collaboration spaces.	B	Missing - add P0 freeze item	Any user may report. An authorized Incident/Safety holder may apply a temporary pause; a human reviews; no automated sanction.

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Incidents, rights, correction and human support	JF-71 Reporter confidentiality and limited case visibility	CAP-02 CAP-09	The FRD says reporters see only their own report and status; ordinary admins/reporters do not receive unrestricted case access.	Confidentiality reduces retaliation risk and protects affected parties.	B	Missing - add negative test	Test Mentor reports a case and later sees only report/status. Hide identities, evidence and reviewer details unless the reporter is separately authorized.
Incidents, rights, correction and human support	JF-72 Remedy, appeal, reopening and conflict controls	CAP-09 CAP-13 CAP-20	BF-20 proposes a fuller dispute process as CR. A thin correction/appeal path is already part of F11 and should not depend on Sponsor funding disputes.	Users need a route to challenge consequential decisions and correct changed circumstances.	C / CR	Split thin Alpha vs advanced dispute	Alpha: reasoned human outcome, remedy, one configured reconsideration/appeal route, reopen on permitted grounds, conflict/recusal. Advanced panels and financial dispute remedies may remain CR.
Incidents, rights, correction and human support	JF-73 Product support versus mentoring, AI and incident routes	CAP-09 CAP-14 CAP-19	Help is named but operational ownership is not. Users may otherwise submit ordinary technical questions as safety cases or mentoring requests.	Clear support routing reduces burden and increases adoption.	M	Missing - add lightweight support queue	Provide categories: Product/Access, Mentoring/Pathway, Project/Space, Rights/Safety, AI Question. Each displays owner, status and expected next step; no enterprise SLA claim is required.

12. Administration, packs and organizational operation

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Administration, packs and organizational operation	JF-74 Six base roles plus authority bundles	CAP-01 CAP-10	BF-05 says exactly six roles and no specialist responsibilities; John/WSS has resolved this as six base roles plus separate authority bundles.	This is the foundational permission model for every persona and consequential action.	B	Amend BF-05/BF-25	Keep six user-facing roles. Add canonical authority grants for review, milestone, release, safety, appeal, data, AI and technical operations. Admin consolidation is an Alpha display choice, not authority merger.
Administration, packs and organizational operation	JF-75 Role/authority lifecycle, acceptance and no self-grant	CAP-01 CAP-13 CAP-20	BF-29 covers role states; later WSS direction requires authority grants to be separately accepted and governed.	Consequential authority should never appear silently or remain active after expiry/revocation.	B	Extend BF-29	Separate BaseRoleAssignment and AuthorityGrant lifecycles. Holder accepts scope/term/conflict rules. No self-grant/sole self-approval. Restore or cached sessions never reactivate expired/revoked grants.
Administration, packs and organizational operation	JF-76 Registries, queues, content and agreement administration	CAP-02 CAP-10 CAP-15	The FRD expects role/pack templates, source/consent registries, review queues, resources, visibility and moderation. These are not represented in V1.	Admins need bounded operational tools or every change becomes vendor intervention.	C	Missing - add admin minimum	Freeze approved-template selection, content visibility/moderation, consent/agreement publishing, review inbox ownership/age and export controls. Org admins cannot redefine security or evidence semantics.
Administration, packs and organizational operation	JF-77 Four packs on one configurable kernel	CAP-10	BF-36 correctly describes one platform but defers it to Phase 2, conflicting with the controlled Alpha FRD and Shaligram V5.1.	The thin fourth-pack proof is the main evidence that PHOENIX is a reusable platform rather than a custom university app.	B	Reclassify BF-36 into Alpha	University = primary UAT; Seva and Women = thin references; Community Climate Action = extensibility test. Same objects/permissions, configurable labels/templates/categories, no code fork.
Administration, packs and organizational operation	JF-78 Pack version export, restore and safety	CAP-10 CAP-20	V1 lacks the required configuration version/restore demonstration because BF-36 is deferred.	Config rollback is necessary for adaptable use cases and vendor independence, but must not roll back participant history or rights.	B	Add Alpha acceptance	Publish Pack v1/v2/v3; restore prior settings; audit action; preserve participant records. Reevaluate current roles/authorities/consent so restore never resurrects expired or withdrawn access.
Administration, packs and organizational operation	JF-79 Metrics, dashboards, notifications and organizational privacy	CAP-08 CAP-10 CAP-19	The FRD requires event-derived pilot learning measures, role-scoped dashboards and small-group suppression, while Org Reps must not see raw Purpose, Rope notes or unrelated records.	Organizations need useful operational insight without surveillance or causal impact claims.	C	Missing - add freeze rules	Freeze metric definitions/source events, label outputs as pilot learning, enforce organization/context scope, suppress small cohorts and prohibit AI team summaries for Sponsors.
Administration,	JF-90 Metrics layers,	CAP-08	JF-79 references metrics and	Without this distinction, high	C	Add dashboard/metric	Use four labelled layers: (1) workflow activity, (2)

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
packs and organizational operation	evidence confidence and outcome claims	CAP-20	dashboards, but the freeze does not clearly separate workflow activity, evidence confidence, project outputs and externally observed real-world outcomes.	activity can be misrepresented as impact, and evidence support levels may be mistaken for project or human scores.		semantics freeze	evidence confidence/support and review status, (3) project outputs/visible wins, and (4) real-world outcomes. No composite coherence/impact score. Outcome indicators require definition, native unit, baseline/comparator, assessment date, source, confidence and attribution note; Alpha dashboards remain labelled pilot learning, not impact proof.

13. Technical operations, non-functional gates and handover

Feature Module	Sub-Functionality	Capability CAP ID(s)	Client Input / Observed Behavior	Business Impact & Justification	Priority	Dev Team Triage Status	Target Action / Resolution Plan
Technical operations, non-functional gates and handover	JF-80 Technical operator boundary, MFA and server authorization	CAP-01 CAP-10	BF-25 mentions a separate technical role but V1 does not freeze MFA or server-side authorization. The NFR baseline requires both.	Technical access must keep the platform running without creating programme, evidence or privacy authority.	B	Add NFR gate	Require MFA for admin/technical access and server-side permission checks on every protected API. Technical operator has no default participant-content access.
Technical operations, non-functional gates and handover	JF-81 Append-only consequential audit	CAP-13 CAP-20	Many BF rows say actions are logged, but no common audit-event minimum is frozen.	Auditability supports incident review, consent proof, vendor handover and future interoperability.	B	Missing - add common audit model	Record actor, active context/role/authority, object/version, action, outcome, reason, timestamp and correlation ID for consequential events. Audit is append-only and role-limited.
Technical operations, non-functional gates and handover	JF-82 Accessibility, mobile and browser acceptance	CAP-10	BF-11 freezes responsive web but not WCAG 2.2 AA, keyboard, screen reader, 200% zoom or 360/390 px critical journeys.	Accessibility defects discovered after build are expensive and can exclude intended users.	C	Extend BF-11 with NFR test plan	Test invitation, consent, pathway, Circle, voting, evidence, review and admin flows on mobile and desktop; keyboard-only; visible focus; labels/errors; non-color cues; screen-reader names.
Technical operations, non-functional gates and handover	JF-83 Backup, recovery, monitoring and restore tests	CAP-10 CAP-15 CAP-20	Technical recovery appears in the FRD but not Shaligram V1.	A freeze is incomplete if the pilot cannot be restored or if recovery reactivates revoked access.	B	Missing - add release gate	Demonstrate database/object backup and recovery, monitoring/alerts and configuration restore. Verify withdrawn consent and revoked/expired authority remain inactive after recovery.
Technical operations, non-functional gates and handover	JF-84 Performance, capacity and service continuity	CAP-10 CAP-20	The established NFR envelope is 1,000 accounts, 100 sustained/200 burst concurrent users and 100 GB storage; V1 has no performance gate.	The Alpha need not meet enterprise scale, but must work reliably under its agreed pilot envelope.	C	Missing - add bounded performance test	Define representative load and response thresholds for priority screens, queue processing and exports. Exclude large transfers/provider delays from normal page-load target and document limitations.
Technical operations, non-functional gates and handover	JF-85 Provider-neutral AI gateway, cost and provenance	CAP-10 CAP-16 CAP-17 CAP-20	BF-30 uses a common layer but assumes current GPT/Claude arrangements and says other providers are CR. Provider terms, feature set and cost controls are not frozen.	Provider flexibility, consent and cost visibility are essential for sustainability and no-AI continuity.	C	Clarify BF-30	All AI calls use one gateway with provider/model, feature ID, source scope, consent, output class, cost/usage and lineage. Use feature flags and spend alerts; manual route always works. Confirm contractual use separately.
Technical operations, non-functional gates and handover	JF-86 Security, secrets, environments and file handling	CAP-02 CAP-10 CAP-15 CAP-17	The NFR baseline names OWASP-oriented controls, separate secrets/environments and file safety; V1 does not make them freeze gates.	Cross-context leakage, malicious uploads or leaked credentials would invalidate the pilot regardless of feature completeness.	B	Add security gate	Agree the Alpha security control subset; separate dev/UAT/pilot secrets/data; no secrets in source/client; test cross-context URLs, prompt injection, malicious uploads and privilege escalation; no unresolved critical security defect.
Technical operations, non-functional gates and handover	JF-87 WSS ownership, portability and final verification package	CAP-10 CAP-20	The established NFR requires WSS control of environments, repositories and service accounts. V1 does not identify the handover/verification package.	Vendor independence and repeatable deployment protect long-term sustainability and reduce lock-in.	B	Missing - add handover gate	Deliver source, schema/migrations, configurations, prompt/source registry, environment/runbook, service-account inventory, test evidence, known limitations, release notes and export. Include commit/package checksum and exact launch instructions.

V1.1 control design
The core journey table now answers what must happen and why. The evidence annex answers what has actually been shown. The technical annex answers what objects, service operations, events and migrations are affected. No requirement should be treated as implemented solely because it appears in a decision register.

2.1 Implementation proof and evidence register

The register below separates a documented requirement from verified software behavior. At the date of this review, the supplied materials contain requirements and vendor dispositions, but no complete linked executable-evidence set. Evidence references therefore use stable placeholders (EV-JF-xx) for Shaligram/WSS to replace with repository URLs, recordings, logs or exports.

Proof level	Meaning	Freeze interpretation
PL-0	Open or unresolved owner/scope decision	Cannot be implemented or signed off until disposition is recorded.
PL-1	Requirement/disposition documented	Expected behavior is defined; no executable proof is linked.
PL-2	Implemented-reported	Vendor identifies build/commit and states implementation is complete.
PL-3	Demonstrated	Recording, screenshot, API/log or export evidence is linked.
PL-4 / PL-5	WSS UAT passed / formally accepted	Acceptance result and any limitation are recorded against the frozen candidate.

Evidence register

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
JF-01	CAP-10, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-01 - Pending repository URL	Signed/versioned baseline or release manifest, checksum, exception log and traceability extract.
JF-02	CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-02 - Pending repository URL	Signed/versioned baseline or release manifest, checksum, exception log and traceability extract.
JF-03	CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-03 - Pending repository URL	Signed/versioned baseline or release manifest, checksum, exception log and traceability extract.
JF-04	CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-04 - Pending repository URL	Signed/versioned baseline or release manifest, checksum, exception log and traceability extract.
JF-05	CAP-01, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-05 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-06	CAP-01, CAP-19, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-06 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-07	CAP-01, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-07 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-08	CAP-01	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-08 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-09	CAP-01, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-09 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-10	CAP-01, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-10 - Pending repository URL	UAT screen recording plus invitation/account/role audit export and negative-link test result.
JF-11	CAP-02, CAP-	PL-1 - Specified/review-defined;	EV-JF-11 - Pending repository URL	Consent/agreement record export, withdrawal test, derivative restriction evidence and manual-flow recording.

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
	11	executable evidence not yet linked		
JF-12	CAP-02, CAP-11, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-12 - Pending repository URL	Consent/agreement record export, withdrawal test, derivative restriction evidence and manual-flow recording.
JF-13	CAP-02, CAP-11, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-13 - Pending repository URL	Consent/agreement record export, withdrawal test, derivative restriction evidence and manual-flow recording.
JF-14	CAP-02, CAP-11, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-14 - Pending repository URL	Consent/agreement record export, withdrawal test, derivative restriction evidence and manual-flow recording.
JF-15	CAP-02, CAP-11, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-15 - Pending repository URL	Consent/agreement record export, withdrawal test, derivative restriction evidence and manual-flow recording.
JF-16	CAP-01, CAP-03	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-16 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-17	CAP-01, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-17 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-18	CAP-01, CAP-03	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-18 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-19	CAP-01, CAP-02	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-19 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-20	CAP-03, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-20 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-21	CAP-03, CAP-14, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-21 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-22	CAP-03	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-22 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-23	CAP-03, CAP-16, CAP-17	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-23 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-24	CAP-03, CAP-06	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-24 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-25	CAP-03, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-25 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-26	CAP-03, CAP-08	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-26 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-27	CAP-03, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-27 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-28	CAP-03, CAP-09	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-28 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-29	CAP-01, CAP-03	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-29 - Pending repository URL	UI/state recording showing pathway/profile lifecycle, participant choice and audit/history output.
JF-30	CAP-04, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-30 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-31	CAP-04, CAP-06	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-31 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-32	CAP-02, CAP-	PL-1 - Specified/review-defined;	EV-JF-32 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
	04	executable evidence not yet linked		
JF-33	CAP-04	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-33 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-34	CAP-01, CAP-04	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-34 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-35	CAP-02, CAP-04, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-35 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-36	CAP-06, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-36 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-37	CAP-06, CAP-13, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-37 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-38	CAP-04, CAP-06, CAP-09, CAP-14	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-38 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-39	CAP-05	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-39 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-40	CAP-02, CAP-05	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-40 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-41	CAP-01, CAP-05, CAP-18	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-41 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-42	CAP-02, CAP-05	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-42 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-43	CAP-05, CAP-12	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-43 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-44	CAP-01, CAP-05, CAP-12	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-44 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-45	CAP-05, CAP-14, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-45 - Pending repository URL	Opportunity/search/match recording, consent record, alias or visibility test and no-leak search result.
JF-46	CAP-04, CAP-07, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-46 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-47	CAP-07, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-47 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-48	CAP-07, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-48 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-49	CAP-07, CAP-14, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-49 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-50	CAP-07, CAP-16, CAP-17	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-50 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-51	CAP-07, CAP-09, CAP-18	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-51 - Pending repository URL	Workspace state recording, task/milestone/mandate export, escalation result and audit events.
JF-52	CAP-08, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-52 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
JF-53	CAP-08, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-53 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-54	CAP-14, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-54 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-55	CAP-08	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-55 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-56	CAP-01, CAP-08, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-56 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-57	CAP-08, CAP-09, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-57 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-58	CAP-02, CAP-08, CAP-11	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-58 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-59	CAP-08, CAP-09, CAP-16, CAP-17	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-59 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-60	CAP-02, CAP-13, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-60 - Pending repository URL	Release record, exact-version approval, export preview/manifest, redaction and unauthorized-access test.
JF-61	CAP-06, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-61 - Pending repository URL	Release record, exact-version approval, export preview/manifest, redaction and unauthorized-access test.
JF-62	CAP-02, CAP-11, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-62 - Pending repository URL	Release record, exact-version approval, export preview/manifest, redaction and unauthorized-access test.
JF-63	CAP-15, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-63 - Pending repository URL	Release record, exact-version approval, export preview/manifest, redaction and unauthorized-access test.
JF-64	CAP-02, CAP-05, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-64 - Pending repository URL	Release record, exact-version approval, export preview/manifest, redaction and unauthorized-access test.
JF-65	CAP-01, CAP-18, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-65 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-66	CAP-01, CAP-18	PL-0 - Open owner decision; no implementation proof	EV-JF-66 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-67	CAP-18	PL-0 - Open owner decision; no implementation proof	EV-JF-67 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-68	CAP-02, CAP-08, CAP-18	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-68 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-69	CAP-05, CAP-14, CAP-18	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-69 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-70	CAP-09, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-70 - Pending repository URL	Synthetic case timeline, limited reporter view, pause/remedy/appeal record and conflict/recusal evidence.
JF-71	CAP-02, CAP-09	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-71 - Pending repository URL	Synthetic case timeline, limited reporter view, pause/remedy/appeal record and conflict/recusal evidence.
JF-72	CAP-09, CAP-13, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-72 - Pending repository URL	Synthetic case timeline, limited reporter view, pause/remedy/appeal record and conflict/recusal evidence.
JF-73	CAP-09, CAP-14, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-73 - Pending repository URL	Synthetic case timeline, limited reporter view, pause/remedy/appeal record and conflict/recusal evidence.

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
JF-74	CAP-01, CAP-10	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-74 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-75	CAP-01, CAP-13, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-75 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-76	CAP-02, CAP-10, CAP-15	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-76 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-77	CAP-10	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-77 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-78	CAP-10, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-78 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-79	CAP-08, CAP-10, CAP-19	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-79 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-80	CAP-01, CAP-10	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-80 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-81	CAP-13, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-81 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-82	CAP-10	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-82 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-83	CAP-10, CAP-15, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-83 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-84	CAP-10, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-84 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-85	CAP-10, CAP-16, CAP-17, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-85 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-86	CAP-02, CAP-10, CAP-15, CAP-17	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-86 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-87	CAP-10, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-87 - Pending repository URL	Security/accessibility/performance/recovery report, monitoring/audit extract or WSS handover manifest.
JF-88	CAP-19, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-88 - Pending repository URL	Context-switch/navigation recording, notification artifact and server-side authorization/denial log.
JF-89	CAP-14, CAP-15, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-89 - Pending repository URL	Project/space object graph, membership/decision records, access-denial result and audit history.
JF-90	CAP-08, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-90 - Pending repository URL	Admin recording, authority/configuration export, pack publish/restore log and cross-context denial evidence.
JF-91	CAP-08, CAP-09, CAP-20	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-91 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-92	CAP-09, CAP-10, CAP-13	PL-1 - Specified/review-defined; executable evidence not yet linked	EV-JF-92 - Pending repository URL	Upload/repository/evidence/Harvest recording, scan or quarantine log, reviewer decision and provenance export.
JF-93	CAP-01, CAP-18	PL-0 - Open owner decision; no implementation proof	EV-JF-93 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access denial.
JF-94	CAP-18, CAP-	PL-1 - Specified/review-defined;	EV-JF-94 - Pending repository URL	Sponsor journey recording, challenge/seat/entitlement or boundary evidence, aggregate report and private-access

JF ID / checkpoint	CAP ID(s)	Current proof level	Evidence reference / link status	Required evidence or acceptance artifact
	20	executable evidence not yet linked		denial.

2.2 High-risk object, service/API, event and migration-impact register

These are implementation-neutral working identifiers, not prescribed endpoint names. Shaligram may map them to its existing architecture, but the functional distinctions and migration effects should remain traceable. The annex includes Blocker rows only; Critical rows may be added where implementation reveals structural impact.

Migration class	Meaning
M0 - None/document only	No production data/schema change; control or documentation update only.
M1 - Additive	New field/table/event can be added without changing existing meaning.
M2 - Backfill	Existing records require default values, links, versions or classification.
M3 - Permission/state migration	Existing access, role, consent, release or lifecycle state must be recalculated.
M4 - Structural/breaking	Existing object ownership, workflow or data meaning changes; rehearsal and rollback required.

JF / priority	Affected object identifiers	Logical service / API operation IDs	Required events / audit IDs	Migration impact and treatment
JF-01 B	RequirementsBaseline; DecisionDisposition; ReleaseCandidate	Baseline.Publish; Freeze.ExceptionApprove	BaselineVersionPublished; FreezeExceptionApproved	M0/M1: No user-data migration; requires controlled document/config versioning.
JF-02 B	ReleaseCandidateManifest; BuildArtifact; SchemaVersion; ConfigSnapshot	ReleaseCandidate.Freeze; Artifact.Verify	CandidateFrozen; ArtifactVerified	M0/M1: No domain migration; freeze and checksum current build/schema/config.
JF-05 B	AccessRequest; Invitation; Person; Account	AccessRequest.Submit; AccessRequest.Approve; Invitation.Activate	AccessRequested; InvitationIssued; AccountActivated	M1/M2: Reconcile any direct-signup records; backfill pending requests/invitations.
JF-08 B	Person; ContextMembership; BaseRoleAssignment; Profile	Identity.ResolveExisting; RoleAssignment.Accept	PersonReused; ContextMembershipActivated	M2/M3: Potential duplicate-account review and person-role-context backfill.
JF-11 B	AgreementVersion; AgreementAcceptance; ConsentReceipt	Agreement.Accept; Consent.Set	AgreementAccepted; ConsentGranted; ConsentDeclined	M2/M3: Backfill generic acceptance into versioned agreement/purpose receipts where possible.
JF-13 B	ConsentReceipt; AIRequest; DerivedRecord; SearchIndexEntry	Consent.Withdraw; AIRequest.Cancel; Derivative.Restrict	ConsentWithdrawn; AIRequestCancelled; DerivativeRestricted	M2/M3: Add purpose lineage; flag affected derivatives/caches for restriction/review.
JF-16 B	ActiveContextSession; BaseRoleAssignment; Notification	Context.Switch; Permission.Revalidate	ActiveContextChanged; SessionRevalidated	M1/M2: Add active-context version to session and invalidate stale action tokens.
JF-17 B	BrowserSession; SessionContextVersion; PendingForm	Session.Revalidate; Action.Authorize	StaleContextRejected; PendingActionCancelled	M2/M3: Session/token change; open forms may need safe cancellation/reload behavior.
JF-30 B	Project; ProjectBrief; ProjectBriefVersion	Project.Create; ProjectBrief.Update	ProjectCreated; ProjectBriefVersionPublished	M4: Create durable Project parent; link/backfill existing spaces and origins.
JF-32 B	RopeTeam; SpaceMembership; ProtectedRecord	RopeTeam.Authorize; ProtectedRecord.Read	RopeAccessDenied; ProtectedRecordViewed	M2/M3: Classify legacy support notes and backfill visibility/membership boundaries.
JF-33 B	Circle; RopeTeam; ActionWorkspace; SpaceLink	SpaceLink.Create; SuccessorCycle.Create	SpaceLinked; SuccessorCycleCreated	M4: Replace any conversion/state-overwrite logic with additive links and cycles.
JF-34 B	SpaceMembership; SpaceRoleAssignment; AuthorityGrant	Membership.Invite; Membership.Accept; Space.Authorize	SpaceMembershipActivated; SpaceAccessDenied	M2/M3: Backfill separate membership/role records for each linked space.
JF-36	ProjectGovernanceProfile; DecisionRule;	Governance.Publish; Decision.Open	GovernanceVersionPublished;	M4: Backfill a default governance profile for existing

Migration class		Meaning		
B	DecisionCategory		DecisionRuleApplied	projects.
JF-37 B	DecisionInstance; EligibleParticipantSnapshot; VoteOrApproval	Decision.Open; Vote.Cast; Decision.Close	ElectorateSnapshotted; VoteCast; DecisionFinalized	M2/M3: Add governing-rule/version references to existing decisions/votes.
JF-41 B	SponsorChallenge; OpportunityCard; Project; LeadershipAssignment	Challenge.Publish; Project.Create; Leadership.Assign	ChallengePublished; ProjectLeadershipAssigned	M4: Remove/backfill any automatic Sponsor owner/Circle owner assignments.
JF-42 B	AliasMapping; SponsorChallenge; Introduction	Alias.Create; Alias.Resolve; Alias.Expire	AliasIssued; IdentityDisclosed; AliasExpired	M2/M3: Protect/encrypt mappings; add disclosure and retention rules.
JF-44 B	MatchBrief; ConsentToIntroduction; Introduction	Match.Review; IntroductionConsent.Record; Introduction.Create	MatchReviewed; IntroductionConsentGranted; IntroductionCreated	M2/M3: Backfill consent/status where existing introductions lack explicit records.
JF-46 B	ActionWorkspace; PrimaryOrigin; RelatedObject; Mandate; WorkspaceMembership	Workspace.Create; Mandate.Validate; Workspace.Invite	WorkspaceCreated; MandateGranted; WorkspaceMemberActivated	M2/M3: Backfill origins/mandates; block elevated legacy members without mandate.
JF-50 B	AIOutput; TaskDraft; ChangeObject; HumanDecision	AI.Draft; ChangeObject.Review; FeatureFlag.Set	AIOutputGenerated; DraftAccepted; ChangeApproved	M1/M2: Add AI lineage/output class and disable autonomous state transitions.
JF-51 B	WorkspaceMembership; SponsorEntitlement; WorkspaceCycle; LearningHarvest	Workspace.Authorize; Workspace.Close; SuccessorCycle.Create	WorkspaceAccessDenied; WorkspaceClosed; CycleCreated	M2/M3: Remove entitlement-based workspace access; backfill closure/cycle links.
JF-52 B	RepositoryRecord; FileObject; ScanResult; QuarantineRecord	File.Upload; File.Scan; File.Promote	FileUploaded; MalwareDetected; FileQuarantined	M2/M3: Legacy files require scan status or explicit legacy/unverified classification.
JF-55 B	EvidenceRecord; ReviewOutcome; SupportLevel; Confidentiality; ReleaseState	Evidence.Submit; Evidence.Review	EvidenceSubmitted; EvidenceReviewed	M2/M3: Split any collapsed status field; backfill separate review/support/release values.
JF-56 B	AuthorityGrant; ReviewAssignment; ConflictDisclosure; Recusal	Review.Assign; Conflict.Declare; Reviewer.Recuse	ReviewerAssigned; ConflictDeclared; ReviewerRecused	M2/M3: Create review authority grants; migrate reviewer flags and conflict records.
JF-58 B	ReleaseDecision; ConsentReceipt; EvidenceRecord; Audience	Release.Request; Release.Authorize; Release.Withdraw	ReleaseAuthorized; ReleaseBlocked; ReleaseWithdrawn	M2/M3: Backfill audience/purpose and participant authorization references.
JF-60 B	ReleaseRecord; ObjectVersion; Audience; Purpose	Release.Create; Release.Publish	ReleaseVersionApproved; ReleasePublished	M4: Replace boolean public flags with versioned release records.
JF-61 B	DecisionInstance; PublicationAuthorityCheck; ReleaseRecord	Publication.Vote; ReleaseAuthority.Check; Release.Execute	PublicationApproved; ReleaseCheckPassed; ReleasePublished	M4: Add two-stage publication state and migrate existing published items.
JF-62 B	RightsHolder; RedactionRule; ReleaseRecord; WithdrawalRecord	Rights.Verify; Redaction.Apply; Release.Withdraw	RightsCleared; RedactionApplied; ReleaseWithdrawn	M2/M3: Review existing published items for rights/consent/redaction gaps.
JF-66 B	Entitlement; SeatPool; BaseRoleAssignment; AuthorityGrant	Entitlement.Allocate; Entitlement.Suspend	EntitlementActivated; EntitlementSuspended	M2/M3: Owner decision; prevent coupling entitlement to role/authority.
JF-67 B	ExternalPaymentReference; DonationReference; FundingAgreement	ExternalStatus.Record; FundingUI.Disable	ExternalPaymentReferenced; FundingFeatureDisabled	M2/M3: Remove or isolate tranche/project-funding fields and UI from Alpha.
JF-70 B	IncidentCase; EmergencyPause; Remedy; AffectedParty	Incident.Report; Incident.Triage; EmergencyPause.Apply	IncidentReported; PauseApplied; RemedyIssued	M2/M3: Create case access model; migrate existing concerns into appropriate case type.
JF-71 B	IncidentCaseMembership; ReporterStatusView; ConfidentialRecord	Incident.ViewReporterStatus; Incident.Authorize	CaseStatusViewed; CaseAccessDenied	M2/M3: Redact legacy case views and enforce reporter-only status scope.
JF-74 B	BaseRoleAssignment; AuthorityType; AuthorityGrant	Role.Assign; Authority.Grant; Authority.Accept	BaseRoleAssigned; AuthorityGranted; AuthorityAccepted	M4: Split specialist permissions from base-role records; backfill current holders.
JF-75 B	AuthorityGrant; GrantAcceptance; AuthorityLifecycleEvent	Authority.Accept; Authority.Suspend; Authority.Revoke	AuthorityAccepted; AuthoritySuspended; AuthorityRevoked	M2/M3: Backfill terms/status; revoke invalid or expired grants without removing base role.

Migration class		Meaning		
JF-77 B	PackDefinition; PackVersion; TemplateReference; DisplayAlias	Pack.Create; Pack.Validate; Pack.Publish	PackConfigured; PackPublished	M4: Move pack-specific labels/templates out of code into shared configuration.
JF-78 B	PackVersion; ConfigurationExport; RestoreJob; RestoreValidation	Pack.Export; Pack.Restore; Restore.Validate	ConfigurationExported; RestoreCompleted; RestoreValidated	M2/M3: Version existing settings; ensure restore never overwrites transactional data.
JF-80 B	TechnicalOperatorAssignment; MFAEnrollment; ServiceAccount; ProtectedAPI	Admin.AuthenticateMFA; API.Authorize	MFAChallengeCompleted; ProtectedAPIRejected	M2/M3: Enroll admins in MFA; move authorization to server-side protected services.
JF-81 B	AuditEvent; AuditPolicy; AuditAccessGrant	Audit.Append; Audit.QueryAuthorized	ConsequentialActionLogged; AuditAccessDenied	M2/M3: Introduce append-only store; limited historical backfill where trustworthy.
JF-83 B	BackupSet; RestoreTest; RecoveryRunbook; MonitoringAlert	Backup.Create; Restore.Test; Alert.Acknowledge	BackupCompleted; RestoreValidated; AlertRaised	M0/M1: No semantic migration; validate backups and object-storage lifecycle.
JF-86 B	Secret; Environment; UploadPolicy; SecurityFinding	Secret.Rotate; File.Validate; Security.Scan	SecretRotated; FileRejected; SecurityFindingOpened	M2/M3: Move secrets from code/client; rescan or classify legacy uploads.
JF-87 B	SourceRepository; EnvironmentOwnership; HandoverManifest; VerificationPackage	Handover.Export; Handover.Verify	HandoverPackageCreated; OwnershipTransferred; PackageVerified	M2/M3: Transfer accounts/repos/keys/configuration to WSS-controlled ownership.
JF-93 B	CommercialScopeDecision; EntitlementPolicy; ProductConfiguration	CommercialScope.Decide; EntitlementPolicy.Publish	CommercialBoundaryApproved; CommercialOptionSelected	Owner decision - M0 to M4: Migration depends on selected option; freeze before implementing seats/invoices/checkout.

2.3 Commercial and entitlement owner decision

This decision is required because BF-08, BF-19 and BF-35 currently imply different Alpha boundaries. The recommended treatment preserves future sponsored/free/institutional access without adding payment processing unless it is expressly included in the signed scope.

Option	Alpha treatment	Benefits	Cost / risk	Recommended disposition
A - Manual/offline commercial status + lightweight entitlement	No checkout or pricing. Admin creates sponsored/free/institutional seat pools or entitlements; external invoice/donation reference may be recorded.	Preserves Sponsor and inclusion model; keeps authority separate; lowest finance/security burden.	Requires a small Entitlement/SeatPool state model and manual reconciliation.	Recommended for owner confirmation. Amend BF-08/BF-19/BF-35 together.
B - Hosted checkout in Alpha	Approved products/seats use hosted provider checkout and verified webhooks; no card data stored.	Demonstrates paid access end to end.	Activates finance, PCI, webhook, refund, reconciliation and contractual scope.	Only if signed SOW explicitly includes F10 and WSS approves provider/account model.
C - Remove commercial access from Alpha	No seats, invoices, donations, pricing or entitlements in Alpha.	Smallest immediate scope.	Weakens Sponsor/access demonstration and creates later schema/UX rework.	Use only if WSS deliberately accepts the loss of sponsored-access proof.

3. How this V1.1 matrix should be used with the Shaligram Decision Register

The Shaligram register remains the formal scope/disposition instrument. This matrix now adds direct capability intent, implementation-proof status and technical-impact traceability. Together they distinguish an agreed requirement, a vendor implementation statement, a demonstrated result and a WSS-accepted frozen behavior.

Recommended two-register model

- Register 1 - Build-Freeze Decision Register: retain BF-01 to BF-36 (corrected in V1.1) as the formal scope and disposition record.
- Register 2 - User-Journey Freeze Matrix: use JF-01 onward as the UAT, handoff, negative-test and completeness checklist.
- Cross-reference each JF row to the applicable BF/FRD requirement and one executable test. This avoids expanding prose while improving coverage.

Four practical walkthroughs for joint demonstration

Example A - One person, two contexts: Mary activates as a Participant in a University context, later accepts a Mentor invitation in a Seva context, switches roles safely, and a stale browser tab cannot act under the previous context.

Example B - Sponsor Challenge without Sponsor control: A Sponsor publishes a bounded data-center cooling challenge under a per-challenge alias. Respondents express interest; a Steward/authorized route supports mutual introduction; project leadership and workspace access are assigned separately.

Example C - Non-linear collaboration: A climate project begins in an Action Workspace, encounters obsolete technology, routes the issue to a linked Circle for new expertise, creates a new Rope Team cycle, and returns to execution without converting or overwriting any space.

Example D - Fourth-pack and restore: A trained WSS admin configures Community Climate Action from approved primitives, runs a thin journey, publishes v2, restores v1 settings and confirms that participant records, consent and revoked authority remain unchanged.

Recommended immediate next step

Ask Shaligram to return the same matrix with one response per row and a linked evidence reference: Accepted as baseline, Already implemented, Estimate required, Owner decision required, Deferred/CR, or Not applicable. Implementation evidence should progress through PL-1 to PL-5 rather than being inferred from the design wording. V1.1 contains 94 journey checkpoints: 87 retained stable checkpoints plus seven additions for notification delivery, work-linked communication, metrics semantics, correction propagation, released-learning reuse and commercial/entitlement scope.

Matrix profile

Total checkpoints	Blocker	Critical	Minor	Critical / CR split
94	41	48	2	3