```
CREATE DATABASE Stud;
USE Stud;
CREATE TABLE Student (
   Student_ID INT PRIMARY KEY,
   Student_Name VARCHAR(100) NOT NULL,
   Class VARCHAR(100) NOT NULL,
   Marks VARCHAR(100) NOT NULL,
   Fee_Paid VARCHAR(100) NOT NULL,
   D_O_B VARCHAR(100) NOT NULL,
   Admission_Date VARCHAR(100) NOT NULL
);
INSERT INTO Student
(Student_ID, Student_Name, Class, Marks, Fee_Paid, D_O_B, Admission_Date)
VALUES
(100, 'Yashas', '10B', '80', '50000', '2009-02-10', '2023-06-10'),
(101, 'Mithun', '10A', '79', '50000', '2010-05-31', '2023-06-12'),
(102, 'Shreyas', '10B', '43', '50000', '2007-04-02', '2023-06-11'),
(103, 'Sanjana', '10A', '89', '50000', '2008-05-15', '2023-06-15'),
(104, 'Roshni', '10B', '32', '50000', '2009-01-30', '2023-06-13');
SELECT * FROM Student;
SELECT YEAR(D_O_B) AS Birth_Year
FRM Student;
SELECT MONTH(D_O_B) AS Birth_Month
FROM Student;
SELECT DAY(D_O_B) AS Birth_Day
FROM Student;
SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
FROM Student;
SELECT CURDATE() AS Today;
SELECT UPPER(Student_Name) AS Upper_Name
FROM Student;
SELECT LOWER(Class) AS Lower_Name
FROM Student;
SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM Student;
SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
FROM Student;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
```

```
FROM Student;

SELECT ROUND(Marks*3) AS Bonus

FROM Student;

SELECT CEIL(Marks/10.0) AS Valued

FROM Student;

SELECT FLOOR(Marks/10.0) AS Down

FROM Student

SELECT MOD(Marks, 5) AS Remainder

FROM Student;

SELECT ABS(Marks-10) AS Difference

FROM Student;

SELECT Student_Name, Class

FROM Student


WHERE Class = '10A'


UNION


SELECT Student_Name, Class


FROM Student


WHERE Class = '10B';
```






MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
22 • SELECT YEAR(D_O_B) AS Birth_Year
23 FROM Student;
24
25 • SELECT MONTH(D_O_B) AS Birth_Month
26 FROM Student;
27
28 • SELECT DAY(D_O_B) AS Birth_Day
29 FROM Student;
30
31 • SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Birth_Year
2009
2010
2007
2008
2009
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
22 • SELECT YEAR(D_O_B) AS Birth_Year
23 FROM Student;
24
25 • SELECT MONTH(D_O_B) AS Birth_Month
26 FROM Student;
27
28 • SELECT DAY(D_O_B) AS Birth_Day
29 FROM Student;
30
31 • SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Birth_Month
2
5
4
5
1
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
22 • SELECT YEAR(D_O_B) AS Birth_Year
23 FROM Student;
24
25 • SELECT MONTH(D_O_B) AS Birth_Month
26 FROM Student;
27
28 • SELECT DAY(D_O_B) AS Birth_Day
29 FROM Student;
30
31 • SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Birth_Day
10
31
2
15
30
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
22 • SELECT YEAR(D_O_B) AS Birth_Year
23 FROM Student;
24
25 • SELECT MONTH(D_O_B) AS Birth_Month
26 FROM Student;
27
28 • SELECT DAY(D_O_B) AS Birth_Day
29 FROM Student;
30
31 • SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Age
17
16
19
18
17
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
34 • SELECT CURDATE() AS Today;
35 • SELECT UPPER(Student_Name) AS Upper_Name
36 FROM Student;
37
38 • SELECT LOWER(Class) AS Lower_Name
39 FROM Student;
40
41 • SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
42 FROM Student;
43
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Today
2026-10-02
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
34 • SELECT CURDATE() AS Today;
35 • SELECT UPPER(Student_Name) AS Upper_Name
36 FROM Student;
37
38 • SELECT LOWER(Class) AS Lower_Name
39 FROM Student;
40
41 • SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
42 FROM Student;
43
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Upper_Name
YASHAS
METHUN
SHREYAS
SANJANA
ROSHNI
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
34 • SELECT CURDATE() AS Today;
35 • SELECT UPPER(Student_Name) AS Upper_Name
36 FROM Student;
37
38 • SELECT LOWER(Class) AS Lower_Name
39 FROM Student;
40
41 • SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
42 FROM Student;
43
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Lower_Name
10b
10a
10b
10a
10b
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
34 • SELECT CURDATE() AS Today;
35 • SELECT UPPER(Student_Name) AS Upper_Name
36 FROM Student;
37
38 • SELECT LOWER(Class) AS Lower_Name
39 FROM Student;
40
41 • SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
42 FROM Student;
43
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name Name_Length
Yashas 6
Mithun 6
Shreyas 7
Sanjana 7
Roshni 6
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SQLAdditions
Jump to
No Context Help
43
44 • SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
45 FROM Student;
46
47 • SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
48 FROM Student;
49
50 • SELECT ROUND(Marks*3) AS Bonus
51 FROM Student;
52
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Details
Yashas - 10B - 80
Mithun - 10A - 79
Shreyas - 10B - 43
Sanjana - 10A - 89
Roshni - 10B - 32
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SQLAdditions
Jump to
No Context Help
43
44 • SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
45 FROM Student;
46
47 • SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
48 FROM Student;
49
50 • SELECT ROUND(Marks*3) AS Bonus
51 FROM Student;
52
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name Short_Name
Yashas Yas
Mithun Mit
Shreyas Shr
Sanjana San
Roshni Ros
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
FROM Student;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
FROM Student;
SELECT ROUND(Marks*3) AS Bonus
FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Bonus
240
237
129
267
96
SQLAdditions
Jump to
No Context Help
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT CEIL(Marks/10.0) AS Valued
FROM Student;
SELECT FLOOR(Marks/10.0) AS Down
FROM Student;
SELECT MOD(Marks, 5) AS Remainder
FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Valued
8
8
5
9
4
SQLAdditions
Jump to
No Context Help
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT CEIL(Marks/10.0) AS Valued
FROM Student;
SELECT FLOOR(Marks/10.0) AS Down
FROM Student;
SELECT MOD(Marks, 5) AS Remainder
FROM Student;
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Down
8
7
4
8
3
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT CEIL(Marks/10.0) AS Valued
FROM Student;
SELECT FLOOR(Marks/10.0) AS Down
FROM Student;
SELECT MOD(Marks, 5) AS Remainder
FROM Student;
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Remainder
0
4
3
4
2
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT FLOOR(Marks/10.0) AS Down
FROM Student;
SELECT MOD(Marks, 5) AS Remainder
FROM Student;
SELECT ABS(Marks-10) AS Difference
FROM Student;
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Difference
70
69
33
79
22
Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Yashas
File Edit View Query Database Server Tools Scripting Help
SQL File 1*
Limit to 1000 rows
SELECT Student_Name, Class
FROM Student
WHERE Class = '10A'
UNION
SELECT Student_Name, Class
FROM Student
WHERE Class = '10B';
SQLAdditions
Jump to
No Context Help
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_Name Class
Mithun 10A
Sanjana 10A
Yashas 10B
Shreyas 10B
Roshni 10B
Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17
Read Only
Context Help
Snippets
Output
Action Output
Time Action Message Duration / Fetch
66 19:43:59 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
67 19:43:59 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
68 19:43:59 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
69 19:43:59 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
70 19:43:59 SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class FROM Student W... 5 row(s) returned 0.000 sec / 0.000 sec