BOX-Lazysysadmin:1.0

- **Finding the ip address of the target**

```
┌──(yashash㉿kali)-[~]
└─$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:da:bf:40 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
       valid_lft 582sec preferred_lft 582sec
    inet6 fe80::a00:27ff:feda:bf40/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
```

- **Scan the ip address to check for the open ports and their services**

```
┌──(yashash㉿kali)-[~]
└─$ nmap -A -F 10.0.2.4
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-18 18:09 IST
Nmap scan report for 10.0.2.4
Host is up (0.0030s latency).
Not shown: 95 closed tcp ports (reset)
PORT     STATE SERVICE     VERSION
22/tcp   open  ssh         OpenSSH 6.6.1p1 Ubuntu 2ubuntu2.8 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   1024 b5:38:66:0f:a1:ee:cd:41:69:3b:82:cf:ad:a1:f7:13 (DSA)
|   2048 58:5a:63:69:d0:da:dd:51:cc:c1:6e:00:fd:7e:61:d0 (RSA)
|   256 61:30:f3:55:1a:0d:de:c8:6a:59:5b:c9:9c:b4:92:04 (ECDSA)
|_  256 1f:65:c0:dd:15:e6:e4:21:f2:c1:9b:a3:b6:55:a0:45 (ED25519)
80/tcp   open  http        Apache httpd 2.4.7 ((Ubuntu))
|_http-generator: Silex v2.2.7
|_http-server-header: Apache/2.4.7 (Ubuntu)
| http-robots.txt: 4 disallowed entries
|_/old/ /test/ /TR2/ /Backnode_files/
|_http-title: Backnode
139/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp  open  netbios-ssn Samba smbd 4.3.11-Ubuntu (workgroup: WORKGROUP)
3306/tcp open  mysql       MySQL (unauthorized)
MAC Address: 08:00:27:5D:94:F6 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.2 - 4.14
Network Distance: 1 hop
Service Info: Host: LAZYSYSADMIN; OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

- **We found 5 ports and the services are http,ssh,netbios-ssn and mysql**
- **Let's visit the ip address and there are three pages in that web page**



- **From the scan we observe that there is robots.txt file present**



- **We got 4 paths, just try all the paths to get any information.**



- **Try to scan the ip address using nikto scan for more information**



```
+ Server: Apache/2.4.7 (Ubuntu)
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://
ing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /test/: Directory indexing found.
+ /robots.txt: Entry '/test/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /Backnode_files/: Directory indexing found.
+ /robots.txt: Entry '/Backnode_files/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /old/: Directory indexing found.
+ /robots.txt: Entry '/old/' is returned a non-forbidden or redirect HTTP code (200). See: https://portswigger.net/kb/issues/00600600_robots-txt-file
+ /robots.txt: contains 4 entries which should be manually viewed. See: https://developer.mozilla.org/en-US/docs/Glossary/Robots.txt
+ Apache/2.4.7 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
+ /: Server may leak inodes via ETags, header found with file /, inode: 8ce8, size: 5560ea23d23c0, mtime: gzip. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, POST, OPTIONS .
+ /apache/: Directory indexing found.
+ /apache/: This might be interesting.
+ /old/: This might be interesting.
+ /phpmyadmin/changelog.php: Retrieved x-powered-by header: PHP/5.5.9-1ubuntu4.22.
+ /phpmyadmin/changelog.php: Uncommon header 'x-ob_mode' found, with contents: 0.
+ /test/: This might be interesting.
+ /info.php: Output from the phpinfo() function was found.
+ /info.php: PHP is installed, and a test script which runs phpinfo() was found. This gives a lot of system information. See: CWE-552
+ /icons/README: Apache default file found. See: https://www.vntweb.co.uk/apache-restricting-access-to-iconsreadme/
+ /info.php?file=http://blog.cirt.net/rfiinc.txt: Remote File Inclusion (RFI) from RSnake's RFI list. See: https://gist.github.com/mubix/5d269c686584875015a2
+ /wordpress/wp-content/plugins/akismet/readme.txt: The WordPress Akismet plugin 'Tested up to' version usually matches the WordPress version.
+ /wordpress/wp-links-opml.php: This WordPress script reveals the installed version.
+ /wordpress/: Drupal Link header found with value: <http://10.0.2.4/wordpress/index.php?rest_route=/>; rel="https://api.w.org/". See: https://www.drupal.org/
+ /wordpress/: A Wordpress installation was found.
+ /phpmyadmin/: phpMyAdmin directory found.
+ /wordpress/wp-login.php?action=register: Cookie wordpress_test_cookie created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ /wordpress/wp-login.php?action=register: Wordpress registration enabled.
+ /wordpress/wp-content/uploads/: Directory indexing found.
+ /wordpress/wp-content/uploads/: Wordpress uploads directory is browsable. This may reveal sensitive information.
+ /wordpress/wp-login.php: Wordpress login found.
+ 8258 requests: 0 error(s) and 32 item(s) reported on remote host
+ End Time:           2026-03-18 18:28:03 (GMT5.5) (47 seconds)
```

- **We got many paths and try to explore all**

- We observer that there is a login.php path, after visiting that there is login form with username and password, so we need to find the credentials of it
- Now check the other ports.
- Try searching about samba (SMB)
- Samba:
  - Samba is a free, open-source software suite that allows Linux and Unix systems to communicate with Windows networks.
  - It acts as a "translator" between different operating systems, enabling them to share files and printers seamlessly over a local network.
- Now let's list the files or shares present in it
- Run the command 'smbclient -L //ip_address'

```
┌──(yashash㉿kali)-[~]
└─$ smbclient -L //10.0.2.4
Password for [WORKGROUP\yashash]:

        Sharename       Type      Comment
        ---------       ----      -------
        print$          Disk      Printer Drivers
        share$          Disk      Sumshare
        IPC$            IPC       IPC Service (Web server)
Reconnecting with SMB1 for workgroup listing.

        Server               Comment
        ---------            -------

        Workgroup            Master
        ---------            -------
        WORKGROUP            LAZYSYSADMIN
```

- Now let's connect to the share
- Run the command 'smbclient //ip_address/share_name -U username'

```
┌──(yashash㉿kali)-[~]
└─$ smbclient //10.0.2.4/share$ -U yashash
Password for [WORKGROUP\yashash]:
Try "help" to get a list of possible commands.
smb: \> get deets.txt
getting file \deets.txt of size 139 as deets.txt (2.6 KiloBytes/sec) (average 2.6 KiloBytes/sec)
smb: \>
```

- After connecting you will get a prompt showing that smb :\>
- Now let's list of all the files present in the share(share$)

```
┌──(yashash㉿kali)-[~]
└─$ smbclient //10.0.2.4/share$ -U yashash
Password for [WORKGROUP\yashash]:
Try "help" to get a list of possible commands.
smb: \> ls
  .                                   D        0  Tue Aug 15 16:35:52 2017
  ..                                  D        0  Mon Aug 14 18:04:47 2017
  wordpress                           D        0  Tue Aug 15 16:51:08 2017
  Backnode_files                      D        0  Mon Aug 14 17:38:26 2017
  wp                                  D        0  Tue Aug 15 16:21:23 2017
  deets.txt                           N      139  Mon Aug 14 17:50:05 2017
  robots.txt                          N       92  Mon Aug 14 18:06:14 2017
  todolist.txt                        N       79  Mon Aug 14 18:09:56 2017
  apache                              D        0  Mon Aug 14 18:05:19 2017
  index.html                          N    36072  Sun Aug  6 10:32:15 2017
  info.php                            N       20  Tue Aug 15 16:25:19 2017
  test                                D        0  Mon Aug 14 18:05:10 2017
  old                                 D        0  Mon Aug 14 18:05:13 2017

                3029776 blocks of size 1024. 1457804 blocks available
smb: \>
```

- **Now try to get the files from samba to our local terminal by running the command 'get filename.txt'**

```
smb: \> get deets.txt
getting file \deets.txt of size 139 as deets.txt (12.3 KiloBytes/sec) (average 12.3 KiloBytes/sec)
smb: \>
```

- **Now read the deets.txt file from your terminal**

```
┌──(yashash㉿kali)-[~]
└─$ cat deets.txt
CBF Remembering all these passwords.

Remember to remove this file and update your password after we push out the server.

Password 12345
```

- **We got the password (pw=12345)**
- **Let's read the other files too.**

```
┌──(yashash㉿kali)-[~]
└─$ cat todolist.txt
Prevent users from being able to view to web root using the local file browser
```