- ✪ ❋ was Dingbat 101
- ✪ `\dingfill` (with the usual numeric parameter) acts like other filling commands, but fills the space with a chosen Dingbat ❋ ❋ ❋ ❋ ❋ ❋ like that.
- ✪ `\dingline` *generates a freestanding line of the little chaps:*

  ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌ ✌
- ✪ *Inevitably, the 'dinglist' environment sets up an itemized list, but has a Dingbat instead of a bullet (you are reading a* `dinglist` *at the moment).*

- ϑ ε was symbol 101
- ϑ `\Pifill{psy}` (with the usual numeric parameter) acts like other filling commands, but fills the space with a chosen symbol ε ε ε ε like that.
- ϑ `\Piline` generates a freestanding line of the little chaps:

  , , , , , , , , , , , , , , , , ,
- ϑ Inevitably, the 'Pilist' environment sets up an itemized list, but has a symbol instead of a bullet (you are reading a `Pilist` at the moment).

- ① text inside list,
  - α text inside list,
  - β text inside list,
    - i. text inside list,
      - ✎ text inside list,
      - ✏ text inside list,
    - ii. text inside list,
  - χ text inside list,
- ② text inside list

So we can refer to item ✎ as usual.

- ❦ `\Pisymbol` generates a Pi character; it has two parameters: the font family, and the character number. Thus `\Pisymbol{pzd}{'166}` generates ❖.
- ❦ `\Pifill` (with the same parameters) acts like the other filling commands in TEX, but fills the space with a chosen symbol ➠ ➠ ➠ ➠ ➠ ➠ like that.
- ❦ `\Piline` generates a freestanding line of the little chaps:

  ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄ ✄