

Inline and Display Mathematics

Source-backed grouped formula sample

1 Expressions

Expression 1. The following expression is taken from a source-backed formula corpus.

$$\frac{-i\langle Ta_{\mathbf{k}}^{\dagger t}(-\mathbf{q})a_{\mathbf{k}'}^{\dagger}(\mathbf{q}')\rangle}{\langle T1\rangle}=\sum_n \exp(\omega_n t)\frac{-i\langle Ta_{\mathbf{k}}^{\dagger n}(-\mathbf{q})a_{\mathbf{k}'}^{\dagger}(\mathbf{q}')\rangle}{\langle T1\rangle}$$

Expression 2. The following expression is taken from a source-backed formula corpus.

$$S=-\frac{1}{2}\int d^2x dy\left(i\bar{\psi}\gamma^{\mu}\frac{\partial\psi}{\partial x^{\mu}}-\frac{1}{2}\bar{\psi}\gamma_5\frac{\partial\psi}{\partial y}+\frac{\partial\phi}{\partial x^{\mu}}\frac{\partial\phi}{\partial x_{\mu}}-\frac{1}{4}\frac{\partial\phi}{\partial y}\frac{\partial\phi}{\partial y}+F^2\right)$$

Expression 3. The following expression is taken from a source-backed formula corpus.

$$\frac{\partial}{\partial q_{tA}}=\frac{\partial r}{\partial q_{tA}}\frac{\partial}{\partial r}+\frac{\partial e_B}{\partial q_{tA}}\frac{\partial}{\partial e_B}+\frac{\partial E_s}{\partial q_{tA}}\frac{\partial}{\partial E_s}+\frac{\partial y_{sB}}{\partial q_{tA}}\frac{\partial}{\partial y_{sB}}\,.$$

Expression 4. The following expression is taken from a source-backed formula corpus.

$$<\overrightarrow{\mu}>=\frac{e}{m}\left\{1+\frac{\alpha}{2\pi}-\frac{m^2e^2|\widetilde{q}|^2}{48\pi^2}\left[\ln\frac{m^2|\widetilde{q}|^2}{4}-1+2\gamma_E\right]\right\}\overrightarrow{s}+\frac{ie^2(\widetilde{q})}{4\pi^2|\widetilde{q}|^2}\overrightarrow{\theta}$$

Expression 5. The following expression is taken from a source-backed formula corpus.

$$\rho_{\ell}(y_{\ell},y'_{\ell})=\min_{(x_{\ell},x'_{\ell})\in\mathcal{X}_{\ell}\times\mathcal{X}_{\ell}}\left(s_{\ell}-s'_{\ell}\right)^{\top}V_{\ell}^{-1}\left(s_{\ell}-s'_{\ell}\right)\leq c_{\ell}(s_{\ell},s'_{\ell}),\forall s_{\ell},s'_{\ell}\in\mathcal{S}_{\ell}.$$