

Inline and Display Mathematics

Source-backed grouped formula sample

1 Expressions

Expression 1. The following expression is taken from a source-backed formula corpus.

$$\alpha = \omega \frac{p+1}{p} + \chi_{\infty} \left(\left\lfloor \frac{1}{2} + \frac{S}{p+1} + \frac{\omega}{\pi} \right\rfloor - \left\lfloor \frac{1}{2} + \frac{S}{p+1} - \frac{\omega}{\pi} \right\rfloor \right)$$

Expression 2. The following expression is taken from a source-backed formula corpus.

$$\int d\mathbf{k} \frac{|\mathbf{k}|}{(k_0^{\text{eff}})} \Psi(\mathbf{k}, \mathbf{q}; \omega) = \frac{\alpha}{\left\{ 1 - (g^2/4\pi) (\xi + 1) \int \frac{d\mathbf{k}'}{(k_0^{\text{eff}})'} \frac{(\mathbf{k}')^2}{[\{(k_0^{\text{eff}})'\}^2 - \omega^2/4 + i\epsilon]} \right\}}$$

Expression 3. The following expression is taken from a source-backed formula corpus.

$$\mathcal{L} = -\frac{1}{12}(\partial_{\mu}A_{\nu\lambda} + \partial_{\lambda}A_{\mu\nu} + \partial_{\nu}A_{\lambda\mu})^2 + \frac{m^2}{4}A_{\mu\nu}^2 - \bar{\psi}(\gamma_{\mu}\partial^{\mu} + M)\psi - \frac{1}{2}g\varepsilon_{\mu\nu\lambda\varrho}\bar{\psi}\gamma^{\nu}\psi\partial^{\mu}A^{\lambda\varrho}.$$

Expression 4. The following expression is taken from a source-backed formula corpus.

$$\frac{8}{\kappa}V_{\mu\nu,\alpha\beta}^{2ghost}(k_1,k_2;p_1,p_2) = -4p_{1\mu}p_{2\nu}\eta_{\alpha\beta} + 8p_{1\beta}p_{2\nu}\eta_{\alpha\mu} - 2p_1\cdot p_2\eta_{\alpha\mu}\eta_{\beta\nu} + p_1\cdot p_2\eta_{\alpha\beta}\eta_{\mu\nu}.$$

Expression 5. The following expression is taken from a source-backed formula corpus.

$$\int_0^t dt' \int d^2\xi' K_{\xi\xi'}^{t-t'} e^{-\phi(\xi)} \left(-\frac{1}{2}(\xi' - \xi)^a (\xi' - \xi)^b (\partial_a \phi(\xi) \partial_b \phi(\xi) - \partial_a \partial_b \phi(\xi)) \right) \Delta' K_{\xi'\xi}^{t'\xi}$$