

Inline and Display Mathematics

Source-backed grouped formula sample

1 Expressions

Expression 1. The following expression is taken from a source-backed formula corpus.

$$G_D^{(+)}(\mathbf{r}, \mathbf{r}'; k) = \mathcal{G}_D^{(+)}(\mathbf{R}; k) \stackrel{(r \rightarrow \infty)}{\sim} -\frac{1}{4\pi} \left(\frac{k}{2\pi} \right)^{(D-3)/2} e^{i\gamma_D} \frac{e^{ikr}}{r^{(D-1)/2}} e^{-i\mathbf{k}' \cdot \mathbf{r}'} ,$$

Expression 2. The following expression is taken from a source-backed formula corpus.

$$N_Q(-i\Omega_m, \vec{p}) = -\frac{d_Q(R)}{2} \int \frac{d^3l}{(2\pi)^3} T \sum_{n=-\infty}^{\infty} \text{tr} S_Q(-i\omega_n + \mu_Q, \vec{l}) S_Q(-i\omega_n - i\Omega_m + \mu_Q, \vec{l} + \vec{p}).$$

Expression 3. The following expression is taken from a source-backed formula corpus.

$$\underline{D}_\mu^\psi(\eta) = \liminf_{t \rightarrow \infty} \frac{\mu(B(\eta, e^{-t}))}{\psi(e^{-t})} \asymp_\times \liminf_{t \rightarrow \infty} \frac{e^{-\delta t} e^{b(\eta_t)(k(\eta_t) - \delta)}}{e^{-\delta t} e^{\Psi(t)}} = \exp \liminf_{t \rightarrow \infty} [b(\eta_t)(k(\eta_t) - \delta) - \Psi(t)].$$

Expression 4. The following expression is taken from a source-backed formula corpus.

$$\tilde{S}_L = \frac{1}{4\pi\alpha'} \int_{\Sigma} [\tilde{g}^{\mu\nu} (\partial_t \tilde{x}_\mu \partial_t \tilde{x}_\nu - \partial_\sigma \tilde{x}_\mu \partial_\sigma \tilde{x}_\nu) + 4\pi i \alpha' \tilde{b}^{\mu\nu} \partial_t \tilde{x}_\mu \partial_\sigma \tilde{x}_\nu],$$

Expression 5. The following expression is taken from a source-backed formula corpus.

$$F_{r\tilde{\theta}}^1 = -\frac{1}{2\lambda} \dot{a} \quad , \quad F_{r\tilde{\varphi}}^2 = \frac{1}{2\lambda} \sin \tilde{\theta} \dot{a} \quad , \quad F_{\tilde{\theta}\tilde{\varphi}}^3 = \frac{1}{2\lambda} \sin \tilde{\theta} (1 - a^2) \quad .$$