

Inline and Display Mathematics

Source-backed grouped formula sample

1 Expressions

Expression 1. The following expression is taken from a source-backed formula corpus.

$$\left({}^cD_{0+}^{0,\alpha',\beta,\beta',\gamma}f\right)(x)=\left({}^cD_{0+}^{\gamma,\alpha'-\gamma,\beta',-\gamma}f\right)(x),\quad\left({}^cD_-^{0,\alpha',\beta,\beta',\gamma}f\right)(x)=\left({}^cD_-^{\gamma,\alpha'-\gamma,\beta',-\gamma}f\right)(x).$$

Expression 2. The following expression is taken from a source-backed formula corpus.

$$\left\{-\sum_{i=1}^3\frac{\partial^2}{\partial x_i^2}+\sum_{\substack{i,j=1\\i\neq j}}^3\left(\frac{\omega^2}{8}(x_i-x_j)^2+\frac{2\alpha}{(x_i-x_j)^2}+\Omega\left(\frac{x_i-x_j}{\sqrt{2}}\right)\right)\right\}\psi=E\psi\;,$$

Expression 3. The following expression is taken from a source-backed formula corpus.

$$\langle \Phi_{H.W.}^{(\lambda_1,\mu_1)}(z_1,\bar{z}_1)\Phi_{H.W.}^{(\lambda_2,\mu_2)}(z_2,\bar{z}_2)\Phi_{T_z^3,Y^3}^{(\lambda_3,\mu_3)}(z_3,\bar{z}_3)\tilde{\Phi}_{L.W.}^{(\lambda_4,\mu_4)}(z_4,\bar{z}_4)\rangle =$$

Expression 4. The following expression is taken from a source-backed formula corpus.

$$(\frac{\delta \tilde{\Gamma}}{\delta A}, \frac{\delta \tilde{\Gamma}}{\delta K}) + (\frac{\delta \tilde{\Gamma}}{\delta c}, \frac{\delta \tilde{\Gamma}}{\delta L}) + \frac{\delta \tilde{\Gamma}}{\delta V} \cdot \frac{\delta \tilde{\Gamma}}{\delta M} = 0.$$

Expression 5. The following expression is taken from a source-backed formula corpus.

$$\int_{\mathcal{V}\times\mathcal{V}}\varphi_{\lambda}d\widetilde{\pi}\geq\int_{\mathcal{V}}g\,d\gamma-\lambda_1\boldsymbol{K}_1(\mu_1,\gamma_1)-\lambda_2\boldsymbol{K}_2(\mu_2,\gamma_2)-\epsilon=I_{\mathrm{D},\lambda}[\gamma]-\epsilon.$$