

Simple Tables

Source-backed grouped table sample

1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.00046_table_6

Sentence	Length	Difficulty assumed	Difficulty avg	Flesch Reading Ease	Coleman-Liau	Automated Index	Difficult Words	Syllable count
Quote1	51.00	1.00	1.50	46.44	10.80	8.50	1.00	14.00
Quote2	55.00	1.00	1.50	85.69	4.74	3.30	1.00	14.00
Quote3	75.00	1.00	1.00	42.38	12.28	9.70	4.00	21.00
Quote4	101.00	2.00	1.50	103.12	3.05	2.20	2.00	23.00
Quote5	105.00	1.00	1.50	87.72	8.03	6.30	3.00	24.00
Quote6	155.00	1.00	1.50	67.42	7.50	13.70	3.00	39.00
Quote7	179.00	3.00	2.25	88.74	4.83	4.00	4.00	42.00
Quote8	194.00	2.00	1.75	40.01	13.41	19.00	6.00	51.00
Quote9	289.00	2.00	2.00	91.82	5.79	6.10	8.00	65.00
Quote10	291.00	2.00	1.75	85.89	4.39	4.60	5.00	70.00
Quote11	309.00	3.00	2.25	80.17	4.54	3.50	7.00	77.00
Quote12	350.00	3.00	2.75	67.79	9.05	11.10	9.00	86.00
Quote13	379.00	2.00	2.75	72.19	6.22	10.60	6.00	96.00
Quote14	889.00	3.00	2.75	75.20	7.53	7.20	21.00	218.00
Quote15	1117.00	3.00	2.75	54.09	8.43	16.70	22.00	282.00

Table 2: Source table 2: 2512.01034_table_3

Hyperparameters	Value
Environment	Ant-v4 (MuJoCo)
Total timesteps	1×10^7
Seed	1
Number of environments	1
Algorithm	PPO (CleanRL)
Number of networks (AltNet)	2 (active / passive)
Reset frequency (environment steps)	2×10^5
Optimizer	Adam
Optimizer: learning rate	0.0003
Optimizer: ϵ	1×10^{-5}
Learning rate annealing	False
Discount factor (γ)	0.99
GAE λ	0.95
Rollout length (per env)	2048 steps
Number of minibatches	32
Number of update epochs	10
Batch size	2048
Minibatch size	64
Advantage normalization	True
Clip coefficient (ϵ)	0.2
Value loss coefficient (c_v)	0.5
Entropy coefficient (c_e)	0.0
Max gradient norm	0.5
Target KL divergence	None
Network architecture	MLP (64–64)
Trainable log standard deviation	Initialized to 0