

Simple Tables

Source-backed grouped table sample

1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.03071_table_2

	Calinski Harabasz	Silhouette FAMD	Silhouette Gower	Davies Bouldin
K-Prototypes	176.08	0.34	0.44	1.23
Modha Spangler	176.08	0.34	0.44	1.23
KAMILA	176.08	0.34	0.44	1.23
ClustMD	176.08	0.34	0.44	1.23
MixtComp	176.08	0.34	0.44	1.23
Phillip & Ottaway	176.08	0.34	0.44	1.23
DenseClus	176.08	0.34	0.44	1.23
Pretopo FAMD	182.22	0.66	0.65	0.70
Pretopo UMAP	163.89	0.36	0.44	1.24
Pretopo PaCMAP	61.80	0.34	0.29	1.12
PretopoMD	105.17	0.239	0.263	1.71

Table 2: Source table 2: 2512.04244 _table_1

N	Observed τ_N^{max}	Multiple observations	Minimiser	MLE fit for endpoint	95% upper credible bound	68% smallest credible interval
3	0.333333333333333	–	DE	–	–	–
4	0.42264973081037	–	DE	–	–	–
5	0.45399486580028	100/100	DE	–	–	–
6	0.46365344258188	42/100	DE	–	–	–
7	0.47402556454109	10/50	DE	–	–	–
8	0.4794393476107	56/500	DE	–	–	–
9 ^(*)	0.4834291842117	12/500	DE	0.48361(7)	0.483678	[0.483530, 0.483627]
9 ^(*)	0.483429184	11/500	CMA-ES	–	–	–
10 ^(*)	0.485274995845	5/500	DE	0.48536(5)	0.485417	[0.485307, 0.485372]
10 ^(*)	0.485274996	3/500	CMA-ES	0.485286(7)	0.485304	[0.485279, 0.485292]
11 ^(*)	0.48761809234	2/100	DE	0.48768(12)	0.488127	[0.487684, 0.487929]
11 ^(*)	0.48761809	6/1000	CMA-ES	0.48771(2)	0.487754	[0.487672, 0.487726]
12 ^(*)	0.4886904	NO/100	DE	0.48875(9)	0.488914	[0.488705, 0.488811]
12 ^(*)	0.4886904	NO/500	CMA-ES	0.48872(2)	0.488768	[0.488699, 0.488736]
13	0.4898755	NO/500	CMA-ES	0.48984(8)	0.489926	[0.489878, 0.489901]
14	0.4908994	NO/500	CMA-ES	0.49088(5)	0.490958	[0.490904, 0.490932]
15	0.4925471	NO/500	CMA-ES	0.49260(24)	0.492825	[0.492604, 0.492730]
20	0.4940428	NO/100	CMA-ES	0.49410(10)	0.494321	[0.494046, 0.494174]