

Moderate Tables

Source-backed grouped table sample

1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.01392_table_5

Scenario	CO2price	FMsgrowth	BeechArea0	costMargAgri	costInvAgri	costInvLevelAgri	ghgAgri	Agrigrowth	Agriarea0	PeatExtract
S01	—	—	—	—	—	—	—	+90%	+90%	+90%
S02	—	—	—	—	—	—	—	-60 %	-60 %	-60 %
S03	-20 %	-20 %	-20 %	—	—	—	—	—	—	—
S04	-20%	0 %	-20%	—	—	—	—	—	—	—
S05	-20%	0%	0%	—	—	—	—	—	—	—
S06	+20%	0%	+20%	—	—	—	—	—	—	—
S07	+20%	+20%	-20%	—	—	—	—	—	—	—
S08	+20 %	+20%	+20%	—	—	—	—	—	—	—
S09	—	—	—	—	—	—	—	—	—	—
S10	—	—	—	—	-50 %	-50 %	-50 %	-50 %	-50 %	—
S11	—	—	—	—	-20 %	-20 %	—	-20 %	—	—
S12	—	—	—	—	-20 %	-20 %	-20 %	—	—	—
S13	—	—	—	—	+20 %	+20 %	—	+20 %	—	—
S14	—	—	—	—	+20 %	+20 %	+20 %	—	—	—
S15	—	—	—	—	-30 %	-30 %	—	-30 %	—	—
S16	—	—	—	—	+70 %	+70 %	—	+70 %	—	—
S17	—	—	—	-40 %	—	—	—	-40 %	—	—
S18	—	—	—	+50 %	—	—	+50 %	+50 %	+50 %	+50 %
S19	—	—	—	+60 %	—	—	—	+60 %	—	—
S20	—	—	—	+100 %	+100 %	+100 %	—	—	—	—
S21	—	—	—	—	—	—	- 50 %	—	—	- 50 %
S22	—	—	—	—	—	—	-20 %	-20 %	-20 %	-20 %
S23	—	—	—	—	—	—	+20 %	+20 %	+20 %	+ 20 %
S24	—	—	—	—	—	—	+50 %	+50 %	+50 %	+50 %
S25	—	—	—	—	—	—	+80 %	+ 80 %	+ 80 %	+ 80 %
S26	—	—	—	—	—	—	+80 %	—	—	+80 %

Table 2: Source table 2: 2512.05403 _table_9

Inspiration ID	Inspiration	Acc. (%)	Key Architectural Modification
baseline	ResNet basic block	90.80	Two 3×3 conv + BN + ReLU with residual add (standard baseline).
p8515	DW-FFN: depthwise conv inside MLP for token mixing	95.22	Replace 2nd conv by DWConv→PWConv path; extra PWConv and residual add for spatial token mixing.
p1483	Per-block top- k expert router (MoE-lite) with load-balance loss	95.22	DW-FFN base; add block-wise routing/gating idea (MoE-lite) while keeping residual PW mixing.
p9167	DW-FFN: depthwise conv inside MLP for token mixing	95.22	DWConv(3 × 3) → PWConv with residual add; token mixing in FFN style.
p965	DW-FFN: depthwise conv inside MLP for token mixing	95.12	Compact DWConv(3 × 3) → PWConv; remove last ReLU; pre-activation-style add.
p477	DW-FFN: depthwise conv inside MLP for token mixing	95.12	DWConv(3 × 3) → PWConv with BN then residual add; lightweight token mixer.
p12347	RMSNorm swap-in + pre-norm residual	95.12	Pre-norm variant of DW-FFN idea (implemented via BN here) before residual add for stability.
p8334	DWConv($k=5$)→PWConv expand	94.98	Replace inner 3×3 with DWConv(5) then PWConv expansion; residual add kept minimal.
p2571	DW-FFN: depthwise conv inside MLP for token mixing	94.94	Minimal DWConv(3)→PWConv pathway attached to residual.
p6793	DWConv($k=7$)→PWConv expand 4× (MBConv variant)	94.92	Wider DW kernel (7) then PW expand; MBConv-like expansion under residual.
p8158	Task-agnostic expert learning via gating re-param	94.87	Output-side GELU gating on residual to encourage expert-like specialization.
p7852	DWConv($k=7$)→PWConv expand 4× (MBConv variant)	94.86	Stronger MBConv-style expansion (4×) inside residual token mixer.
p9908	RMSNorm swap-in + pre-norm residual	94.70	Pre-norm (via BN) after residual add to stabilize gradients.
p1865	In-block cross-scale fusion (stage $k \leftrightarrow k \pm 1$)	94.69	Extra 1×1 projection branch merged into residual to blend cross-scale features.
p7257	Anti-alias downsample branch (blur/dilation) within block	94.68	Use dilation in DW-FFN path to reduce aliasing while keeping residual mixing.
p2455	RMSNorm swap-in + pre-norm residual	94.67	BN-as-pre-norm placed on residual output; remove extra nonlinearity.
p4569	RMSNorm swap-in + pre-norm residual	94.64	Pre-norm BN at input; output-side BN after add.
p4199	Cross-token routing head (top- k sparse links)	94.61	Add light routing on DW-FFN output path to sparsify cross-token flow.
p928	Use pre-norm residual connections for block stability	94.57	BN→Conv→ReLU pre-activation; residual add before final BN.
p11876	Dynamic routing head for enhanced feature selection	94.55	DW-FFN with dilated DWConv($d=2$) plus selection head at output.
p3128	RMSNorm swap-in + pre-norm residual	94.52	Extra normalization after residual add for stability under small models.
p11944	DW-FFN: depthwise conv inside MLP for token mixing	94.50	Minimal DWConv(3)→PWConv with straight residual add (no extra BN).
p351	RMSNorm swap-in + pre-norm residual	94.49	Remove tail ReLU; pre-activation residual with BN to improve stability.
p8417	In-block cross-scale fusion via 1×1 proj + add	94.43	Add 1×1 projection and fuse into residual to mix neighbor-scale features.
p9874	DW-FFN: depthwise conv inside MLP for token mixing	94.31	DWConv(3)→PWConv→PWConv chain before add.
p4616	DW-FFN variant	94.25	Second conv becomes DWConv; extra 1×1 to align channels before add.
p8060	Unconv with residual scaling	94.22	Dilated DW path + residual rescaling via ex-