

✱ ✱ was Dingbat 101

✱ `\dingfill` (with the usual numeric parameter) acts like other filling commands, but fills the space with a chosen Dingbat ✱ ✱ ✱ ✱ ✱ ✱ like that.

✱ `\dingline` generates a freestanding line of the little chaps:

👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉 👉

✱ Inevitably, the ‘dinglist’ environment sets up an itemized list, but has a Dingbat instead of a bullet (you are reading a `dinglist` at the moment).

∅ ε was symbol 101

∅ `\Pifill{psy}` (with the usual numeric parameter) acts like other filling commands, but fills the space with a chosen symbol ε ε ε ε like that.

∅ `\Piline` generates a freestanding line of the little chaps:

, , , , , , , , , , , , , , , , , , , ,

∅ Inevitably, the ‘Pilist’ environment sets up an itemized list, but has a symbol instead of a bullet (you are reading a `Pilist` at the moment).

① text inside list,

α text inside list,

β text inside list,

i. text inside list,

👉 text inside list,

👈 text inside list,

ii. text inside list,

χ text inside list,

② text inside list

So we can refer to item 👉 as usual.

🌀 `\Pisymbol` generates a Pi character; it has two parameters: the font family, and the character number. Thus `\Pisymbol{pzd}{'166}` generates ❖.

🌀 `\Pifill` (with the same parameters) acts like the other filling commands in $\text{\TeX}$, but fills the space with a chosen symbol ➡ ➡ ➡ ➡ ➡ ➡ like that.

🌀 `\Piline` generates a freestanding line of the little chaps:

🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀 🌀