

Sample document testing the glossaries-extra package

Nicola Talbot

July 13, 2026

Contents

1	Introduction	3
2	General Entries	4
3	Abbreviations	6
	Glossary	7
	List of Abbreviations	8

1 Introduction

This is a sample document testing the `glossaries-extra` package.

2 General Entries

Sample entries: **duck** and **parrot**.

Test makeindex's special characters: @ (actual) " (escape) ! (level) and | (encap).

Use some entries again: **duck** and **parrot**.

3 Abbreviations

First use: **hypertext markup language (HTML)** and **extensible markup language (XML)**.

Next use: **HTML** and **XML**.

Glossary

This document is incomplete. The external file associated with the glossary ‘main’ (which should be called `sample-autoindex-hyp.gls`) hasn’t been created.

Check the contents of the file `sample-autoindex-hyp.gls`. If it’s empty, that means you haven’t indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can’t be generated. If the file isn’t empty, the document build process hasn’t been completed.

If you don’t want this glossary, add `nomain` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[nomain]{glossaries-extra}
```

Try one of the following:

- Add `automake` to your package option list when you load `glossaries-extra.sty`. For example:

```
\usepackage[automake]{glossaries-extra}
```

- Run the external (Lua) application:
`makeglossaries-lite.lua "sample-autoindex-hyp"`
- Run the external (Perl) application:
`makeglossaries "sample-autoindex-hyp"`

Then rerun $\text{\LaTeX}$ on this document.

This message will be removed once the problem has been fixed.

List of Abbreviations

This document is incomplete. The external file associated with the glossary ‘abbreviations’ (which should be called `sample-autoindex-hyp.gls-abr`) hasn’t been created.

Check the contents of the file `sample-autoindex-hyp.glo-abr`. If it’s empty, that means you haven’t indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can’t be generated. If the file isn’t empty, the document build process hasn’t been completed.

Try one of the following:

- Add `automake` to your package option list when you load `glossaries-extra.sty`.
For example:

```
\usepackage[automake]{glossaries-extra}
```

- Run the external (Lua) application:
`makeglossaries-lite.lua "sample-autoindex-hyp"`
- Run the external (Perl) application:
`makeglossaries "sample-autoindex-hyp"`

Then rerun $\text{\LaTeX}$ on this document.

This message will be removed once the problem has been fixed.