

Package: datetime2-en-fulltext
Size: medium, 89 nonblank lines, 2775 chars
Tags: lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/datetime2-en-fulltext/sample-en-fulltext.tex

p1

1 Date

en-fulltext: Monday the thirteenth of July, two thousand and twenty-six.
en-FullText: Monday the Thirteenth of July, Two Thousand and Twenty-Six.
en-FULLTEXT: MONDAY THE THIRTEENTH OF JULY, TWO THOUSAND AND TWENTY-SIX.

2 Time

2.1 Default (en-fulltext)

Time: twenty minutes past midnight.
12.00: noon.
0.00: midnight.
24.00: midnight.
0.01: one minute past midnight.
0.30: half past midnight.
0.45: quarter to one in the morning.
8.01: one minute past eight in the morning.
8.59: one minute to nine in the morning.
6.30: half past six in the morning.
11.45: quarter to twelve in the morning.
12.15: quarter past twelve in the afternoon.
12.55: five minutes to one in the afternoon.
23.58: two minutes to midnight.
24.03: three minutes past midnight.
24.48: twelve minutes to one in the morning.

2.2 en-Fulltext

Time: Twenty minutes past midnight.
12.00: Noon.
0.00: Midnight.
24.00: Midnight.
0.01: One minute past midnight.
0.30: Half past midnight.
0.45: Quarter to one in the morning.
8.01: One minute past eight in the morning.
8.59: One minute to nine in the morning.
6.30: Half past six in the morning.
11.45: Quarter to twelve in the morning.
12.15: Quarter past twelve in the afternoon.
12.55: Five minutes to one in the afternoon.
23.58: Two minutes to midnight.

p2

24.03: Three minutes past midnight.
24.48: Twelve minutes to one in the morning.

2.3 en-FULLTEXT

Time: TWENTY MINUTES PAST MIDNIGHT.
12.00: NOON.
0.00: MIDNIGHT.
24.00: MIDNIGHT.
0.01: ONE MINUTE PAST MIDNIGHT.
0.30: HALF PAST MIDNIGHT.
0.45: QUARTER TO ONE IN THE MORNING.
8.01: ONE MINUTE PAST EIGHT IN THE MORNING.
8.59: ONE MINUTE TO NINE IN THE MORNING.
6.30: HALF PAST SIX IN THE MORNING.
11.45: QUARTER TO TWELVE IN THE MORNING.
12.15: QUARTER PAST TWELVE IN THE AFTERNOON.
12.55: FIVE MINUTES TO ONE IN THE AFTERNOON.
23.58: TWO MINUTES TO MIDNIGHT.
24.03: THREE MINUTES PAST MIDNIGHT.
24.48: TWELVE MINUTES TO ONE IN THE MORNING.

2.4 en-FullText

Time: Twenty Minutes Past Midnight.
12.00: Noon.
0.00: Midnight.
24.00: Midnight.
0.01: One Minute Past Midnight.
0.30: Half Past Midnight.
0.45: Quarter to One in the Morning.
8.01: One Minute Past Eight in the Morning.
8.59: One Minute to Nine in the Morning.
6.30: Half Past Six in the Morning.
11.45: Quarter to Twelve in the Morning.
12.15: Quarter Past Twelve in the Afternoon.
12.55: Five Minutes to One in the Afternoon.
23.58: Two Minutes to Midnight.
24.03: Three Minutes Past Midnight.
24.48: Twelve Minutes to One in the Morning.

Package: flowfram
Size: medium, 150 nonblank lines, 5579 chars
Tags: figures_images, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/flowfram/samples/sample-news.tex

p1

Fairy Tale Times

Issue 1. 20 November 2005.

Killer Wolf on the Loose

The authorities are warning of a killer wolf on the loose. He has so far devoured an old grandmother and two pig brothers. He is described as being furry with big eyes and big teeth.

On Monday this week he broke into a house, and devoured an old lady. He then disguised himself as the old lady in order to deceive her granddaughter. Luckily for the little girl a woodsman arrived in time to rescue her. Parents are being cautioned not to let their children wander about on their own, and to remind them not to talk to strangers.

The next day the wolf struck again, this time targeting two pig brothers who had most incautiously made their dwellings on the cheap using inadequate materials. The wolf also made an attempt on the third pig brother, but was unable to break into his house.

Police are appealing to the public for witnesses and remind people to keep their doors securely fastened at all times.

“Always ask to see identification,” said one police advisor, “and invest in improving the general security of your property.”

Relief as Missing Sheep Finally Return Home

There was much celebration yesterday morning when Little Bo Peep’s sheep finally returned home. They had been missing for more than a week.

“I just didn’t know where to find them,” the shepherdess stated, “but I was told to leave them alone and they’d come home.” Unusual advice perhaps, but it seems to have worked as they did indeed come home. Eye witnesses reported

that their tails were wagging behind them. “I’m just so happy they’ve come home,” Little Bo Peep said in a press conference yesterday

Tragic Wall Accident

An egg person tragically fell from a six foot wall yesterday afternoon and was smashed to pieces. The king’s cavalry rushed to the scene, but regretted that they were unable to help him.

Humpty Dumpty was believed to be sitting on the wall when he fell. Police have ruled out foul play, but are advising people not to play on high walls, particularly those vulnerable members of the population suffering from eggshell syndrome.



afternoon. The sheep themselves made no comment, and police are still trying to determine what happened to them.

This is a sample document illustrating the flowfram package. It uses TeX’s \parshape command to create irregularly shaped paragraphs.

Nicola Talbot

Package: moodle
Size: medium, 101 nonblank lines, 2732 chars
Tags: fonts_symbols, lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/moodle/test/test_cloze_multi.tex

p1

Introduction

This document is intended to check the support of multi answers questions embedded in cloze questions. The following options are tested

- Single or multiple correct answer
- Regular mode, Horizontal mode, Vertical mode
- Shuffling or no shuffling

Cloze Multi

(1) Cloze

EMBEDDED ANSWERS penalty 0.10

Regular, single, no shuffle

MULTIPLE CHOICE marked out of 1 One answer only

chip ✓	yes
chop (10%)	
chap (−30%)	no.

Vertical, single, no shuffle

MULTIPLE CHOICE marked out of 1 One answer only

- chip ✓ → yes
- chop (11%) → no.
- chap (−31%)

Horizontal, single, no shuffle

MULTIPLE CHOICE marked out of 1 One answer only

- chip ✓ → yes
- chop (10%)
- chap → no.

Regular, single, shuffle

MULTIPLE CHOICE marked out of 1 One answer only Shuffle

chip ✓	
chop	yes
chap	no.

Vertical, single, shuffle

MULTIPLE CHOICE marked out of 1 One answer only Shuffle

- chip ✓ → yes
- chop (10%) → no.
- chap

p2

Horizontal, single, shuffle

MULTIPLE CHOICE marked out of 1 One answer only Shuffle

- chip ✓ → yes
- chop
- chap → no.

Regular, multiple, no shuffle

MULTIPLE CHOICE marked out of 1 Multiple answers allowed

- chip (50%)
- chop (50%) → yes
- chap (−103%) → no.

Horizontal, multiple, no shuffle

MULTIPLE CHOICE marked out of 1 Multiple answers allowed

- chip (50%) → yes
- chop (50%)
- chap (−50%) → no.

Regular, multiple, shuffle

MULTIPLE CHOICE marked out of 1 Multiple answers allowed Shuffle

- chip (50%)
- chop (50%) → yes
- chap (−50%) → no.

Horizontal, multiple, shuffle

MULTIPLE CHOICE marked out of 1 Multiple answers allowed Shuffle

- chip (50%) → yes
- chop (50%)
- chap (−50%) → no.

Total of marks: 10

Package: moodle
Size: medium, 133 nonblank lines, 3393 chars
Tags: fonts_symbols, lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/moodle/test/test_handout.tex

p1

Introduction

This document is intended to check the support of the package option `handout`.
With this option, the PDF file is clean from teacher-only information (answers, points, penalty feedback, tags) and hence, can be given to students for classroom work. In particular, as would Moodle do, answers in matching questions are shuffled and the option `shuffle` triggers the shuffling of choice options (multi and matching). The XML file is generated as usual.

Option Handout

(1) Description

Description text

(2) Essay

Question text

(3) Multi Single

Question text

a. A
b. B
c. C

(4) Multi Multiple

Question text

a. C
b. B
c. D
d. A

1

p2

(5) True/False 1

Question text

- True
- False

(6) True/False 2

Question text

- True
- False

(7) True/False 3

Question text

- True
- False

(8) Numerical

Question text

(9) Short Answer

Question text

(10) Matching

Question text

C	⤵	¶ 1
B	⤵	¶ 1
A	⤵	¶ 2
		¶ 3

(11) Matching

Question text

A	⤵	¶ 1
B	⤵	¶ 2
C	⤵	¶ 1
		¶ 3

(12) Choice

Question text

- A
- B
- C

Question text

2

p3

• A
• B
• C

Question text

Question text

• A

• B

Question text

• C

• A

• B

Question text

Question text

Question text

Question text

Total of marks: 18

3

Package: moodle
Size: medium, 83 nonblank lines, 2378 chars
Tags: fonts_symbols, inline_math, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/moodle/test/test_punctuation_and_symbols.tex

p1

Introduction

This document is intended to check the support of some L^AT_EX commands for punctuation and other symbols.
Note that Xe^LA_TE^X and Lua^LA_TE^X will typeset " and \dq as the right double quote, while " is what pdf^LA_TE^X typesets and is rendered by Moodle.
The typesetting of \og and \fg depends on babel's current language (French or other). Regardless, moodle passes the French « guillemets » to the XML.

Punctuation and Other Symbols

(1) Symbols

QCM

noté sur 1

pénalité 0.10

Réponse unique

Find the symbol standing for “paragraph”.

- a. %
- b. #
- c. −
- d. \
- e. §
- f. &z
- g. § ✓
- h. {
- i. }
- j. €
- k. ...
- l. ...
- m. j
- n. ¨
- o. −
- p. €
- q. =

(2) Quotation Marks

QCM

noté sur 1

pénalité 0.10

Plusieurs réponses possibles

Find the French quotes

- a. ‘and’ (−20%)
- b. ’and’ (−20%)
- c. “and” (−20%)
- d. “and” (−20%)
- e. ’ (−20%)
- f. " (−20%)
- g. " (−20%)
- h. <and> (20%) → le fameux chevron!
- i. «and» (20%) → le fameux double chevron!
- j. , (−20%) → these quotes are German!

p2

- k. , (−20%) → these are German!
- l. <and> (20%) → le fameux chevron!
- m. «and» (20%) → le fameux double chevron!
- n. «and» (20%) → le fameux double chevron!
- o. ,and’ (−20%) → these quotes are German!
- p. " (−20%) → these quotes are German!
- q. ,and" (−20%) → these quotes are German!

(3) The question

Réponses vérifiées

pénalité 0.10

Find the symbol “equal”.

QCM

noté sur 1

Réponse unique

<	
>	
= ✓	

QCM

noté sur 1

Réponse unique

- <
- >
- = ✓

Total des points: 4

Package: moodle
Size: medium, 89 nonblank lines, 2201 chars
Tags: fonts_symbols, lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/moodle/test/test_tags.tex

p1

Introduction

This document is intended to check the support of tags (i.e. keywords).

Moodle Tags

(1) **Title** tags: multikill, low

A

x. = → low
h. = ✓ → low

(2) **Title** tags: quiz-level, leading whitespace, with, comma

A

• B ✓ → low
• C ✓ → low
• * (0%)

(3) **Title**

A

• 1 (0%) → low
• 2 (0%) → low
• 3 (0%)

(4) **Title** tags: sketching

A

=>> uni
=>> uni
↓ A

(5) **Title** tags: essay

A

Information for graders:

1

p2

• myo
• w

(6) **Title** tags: desc

Test

(7) **Title** tags: TF

A

• True ✓ → myo
• False

(8) **Close** tags: close

A(E)

Chap 1	Chap 2
Chap 1 (0%)	Chap 2 (0%)
Chap 1	Chap 2

A

1 (0%)	2 (0%)
2 (0%)	3 (0%)
3 (0%)	4 (0%)

A

1 (0%)	2 (0%)
2 (0%)	3 (0%)
3 (0%)	4 (0%)

A

(9)

• chap ✓ → yes
• chap (0%) → no
• chap

2

p3

Total of marks: 11

3

Package: subfigure
Size: short, 36 nonblank lines, 973 chars
Tags: captions, crossrefs, figures_images, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/subfigure/test4.tex

p1

List of Figures

1	Testfigures	2
(a)	SubFig1	2
(b)	SubFig2	2

p2

1 Test of subfigure

There is a test figure 1 with subfigures 1(a) and 1(b).
Also referenced with 1(a) and 1(b).






Figure 1: Testfigures



Package: venndiagram
Size: short, 39 nonblank lines, 1345 chars
Tags: diagram_nodes_edges, fonts_symbols, inline_math
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/venndiagram/samples/venn-sample.tex

p1



p2





Package: opencolor
Size: short, 20 nonblank lines, 656 chars
Tags: custom_macros, diagram_nodes_edges, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/opencolor/demo-opencolor.tex

p1

oc-gray-0	oc-gray-1	oc-gray-2	oc-gray-3	oc-gray-4	oc-gray-5	oc-gray-6	oc-gray-7	oc-gray-8	oc-gray-9
oc-red-0	oc-red-1	oc-red-2	oc-red-3	oc-red-4	oc-red-5	oc-red-6	oc-red-7	oc-red-8	oc-red-9
oc-pink-0	oc-pink-1	oc-pink-2	oc-pink-3	oc-pink-4	oc-pink-5	oc-pink-6	oc-pink-7	oc-pink-8	oc-pink-9
oc-grape-0	oc-grape-1	oc-grape-2	oc-grape-3	oc-grape-4	oc-grape-5	oc-grape-6	oc-grape-7	oc-grape-8	oc-grape-9
oc-violet-0	oc-violet-1	oc-violet-2	oc-violet-3	oc-violet-4	oc-violet-5	oc-violet-6	oc-violet-7	oc-violet-8	oc-violet-9
oc-indigo-0	oc-indigo-1	oc-indigo-2	oc-indigo-3	oc-indigo-4	oc-indigo-5	oc-indigo-6	oc-indigo-7	oc-indigo-8	oc-indigo-9
oc-blue-0	oc-blue-1	oc-blue-2	oc-blue-3	oc-blue-4	oc-blue-5	oc-blue-6	oc-blue-7	oc-blue-8	oc-blue-9
oc-cyan-0	oc-cyan-1	oc-cyan-2	oc-cyan-3	oc-cyan-4	oc-cyan-5	oc-cyan-6	oc-cyan-7	oc-cyan-8	oc-cyan-9
oc-teal-0	oc-teal-1	oc-teal-2	oc-teal-3	oc-teal-4	oc-teal-5	oc-teal-6	oc-teal-7	oc-teal-8	oc-teal-9
oc-green-0	oc-green-1	oc-green-2	oc-green-3	oc-green-4	oc-green-5	oc-green-6	oc-green-7	oc-green-8	oc-green-9
oc-lime-0	oc-lime-1	oc-lime-2	oc-lime-3	oc-lime-4	oc-lime-5	oc-lime-6	oc-lime-7	oc-lime-8	oc-lime-9
oc-yellow-0	oc-yellow-1	oc-yellow-2	oc-yellow-3	oc-yellow-4	oc-yellow-5	oc-yellow-6	oc-yellow-7	oc-yellow-8	oc-yellow-9
oc-orange-0	oc-orange-1	oc-orange-2	oc-orange-3	oc-orange-4	oc-orange-5	oc-orange-6	oc-orange-7	oc-orange-8	oc-orange-9

Package: support
Size: medium, 106 nonblank lines, 4379 chars
Tags: captions, color, crossrefs, diagram_nodes_edges, figures_images, lists, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/support/srcredact/twain1.tex

p1

A Letter to the Secretary of the Treasury

Mark Twain

Riverdale-on-the-Hudson, October 15, 1902

This document consists of three versions:

- uppercase:** the salutation is in uppercase.
- nobonds:** the salutation is in uppercase, and the paragraph about government bonds omitted.
- default:** the salutation is in small caps, and the paragraph about government bonds included.

There are also updated versions of all three documents, which include the description of the Riverdale. The update is done in the nobonds version, and then propagated to the other versions of the document. This is shown on Figure 1.

*This document's version is default. uppercase. nobonds.
This document is not updated.*

THE HON. THE SECRETARY OF THE TREASURY, WASHINGTON,
D. C.: THE HON. THE SECRETARY OF THE TREASURY, WASHINGTON, D. C.:
Sir,—Prices for the customary kinds of winter fuel having reached an altitude which puts them out of the reach of literary persons in straitened circumstances, I desire to place with you the following order:
Forty-five tons best old dry government bonds, suitable for furnace, gold 7 per cents., 1864, preferred.
Twelve tons early greenbacks, range size, suitable for cooking.
Eight barrels seasoned 25 and 50 cent postal currency, vintage of 1866, eligible for kindlings.
Please deliver with all convenient despatch at my house in Riverdale at lowest rates for spot cash, and send bill to
Your obliged servant,
Mark Twain, Who will be very grateful, and will vote right.

p2




Figure 1: Document workflow. **Blue**—manual edits, **Red**—generated by srcredact in extract mode, **Green**—generated by srcredact in unextract mode.

Package: support
Size: medium, 90 nonblank lines, 4130 chars
Tags: captions, color, crossrefs, diagram_nodes_edges, figures_images, lists, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/support/srcredact/twain1-default.tex

p1

A Letter to the Secretary of the Treasury

Mark Twain

Riverdale-on-the-Hudson, October 15, 1902

This document consists of three versions:

- uppercase:** the salutation is in uppercase.
- nobonds:** the salutation is in uppercase, and the paragraph about government bonds omitted.
- default:** the salutation is in small caps, and the paragraph about government bonds included.

There are also updated versions of all three documents, which include the description of the Riverdale. The update is done in the nobonds version, and then propagated to the other versions of the document. This is shown on Figure 1.

*This document's version is default.
This document is not updated.*

THE HON. THE SECRETARY OF THE TREASURY, WASHINGTON, D. C.:
Sir,—Prices for the customary kinds of winter fuel having reached an altitude which puts them out of the reach of literary persons in straitened circumstances, I desire to place with you the following order:
Forty-five tons best old dry government bonds, suitable for furnace, gold 7 per cents., 1864, preferred.
Twelve tons early greenbacks, range size, suitable for cooking.
Eight barrels seasoned 25 and 50 cent postal currency, vintage of 1866, eligible for kindlings.
Please deliver with all convenient despatch at my house in Riverdale at lowest rates for spot cash, and send bill to
Your obliged servant,
Mark Twain, Who will be very grateful, and will vote right.

p2




Figure 1: Document workflow. **Blue**—manual edits, **Red**—generated by srcredact in extract mode, **Green**—generated by srcredact in unextract mode.

Package: support
Size: medium, 90 nonblank lines, 4123 chars
Tags: captions, color, crossrefs, diagram_nodes_edges, figures_images, lists, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/support/srcredact/twain1-uppercase.tex

p1

A Letter to the Secretary of the Treasury

Mark Twain

Riverdale-on-the-Hudson, October 15, 1902

This document consists of three versions:

- uppercase:** *the salutation is in uppercase.*
- nobonds:** *the salutation is in uppercase, and the paragraph about government bonds omitted.*
- default:** *the salutation is in small caps, and the paragraph about government bonds included.*

There are also updated versions of all three documents, which include the description of the Riverdale. The update is done in the nobonds version, and then propagated to the other versions of the document. This is shown on Figure 1.

*This document's version is uppercase.
This document is not updated.*

THE HON. THE SECRETARY OF THE TREASURY, WASHINGTON,
D. C.:

Sir,—Prices for the customary kinds of winter fuel having reached an altitude which puts them out of the reach of literary persons in straitened circumstances, I desire to place with you the following order:

Forty-five tons best old dry government bonds, suitable for furnace, gold 7 per cents., 1864, preferred.

Twelve tons early greenbacks, range size, suitable for cooking.

Eight barrels seasoned 25 and 50 cent postal currency, vintage of 1866, eligible for kindlings.

Please deliver with all convenient despatch at my house in Riverdale at lowest rates for spot cash, and send bill to

Your obliged servant,

Mark Twain, Who will be very grateful, and will vote right.

p2





Figure 1: Document workflow. **Blue**—manual edits, **Red**—generated by srcredact in extract mode, **Green**—generated by srcredact in unextract mode.

Package: svg-animate
Size: medium, 121 nonblank lines, 4076 chars
Tags: custom_macros, diagram_nodes_edges, display_math, simple_table, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/svg-animate/test.tex



Package: tikz-bagua

Size: medium, 82 nonblank lines, 4225 chars

Tags: citations_bibliography, diagram_nodes_edges, inline_math, text_sectioning, tikz

Source: /usr/local/texlive/2026/texmf-dist/doc/latex/tikz-bagua/tikz-bagua-en.tex

p1

TikZ-Bagua Package

WANG Xu
cwangx@hotmail.com
July 13, 2026 v1.01

1 Introduction

The TikZ-&Bagua package mainly using TikZ, by xparse, xstring, bitset and xintexpr, defines the Grand Terminus [1] `\xtaiji` and `\xtaiji2` for newer method, `\liangyi` for the Two Elementary Forms `\xizixing` for the Four Emblematic Symbols, `\bagua` for the Eight Trigrams and `\bagua` for Sixty-four Hexagrams, in *The I Ching*, without require special fonts.

2 Usage methods

The last argument of all defined macros is optional *scale*, and default 1.

2.1 The Grand Terminus (the *Taiji*)

Thanks to netizens, the default is same as in ancient books without the *Fish Eyes*, show its by macro with star. For reason that there are some formed by semi-circles, so add `\xtaiji` for it, with (or without) star.

`\taiji [⟨scale⟩], \taiji* [⟨scale⟩].`

`\xtaiji [<scale>]`, `\xtaiji* [<scale>]`.
The four above macros show .

[illegible]

2.2 The Two Elementary Forms (the *Liangyi*)

```
\liangyi {<bin>} [<scale>]
```

We can obtain $-$ and $++$ by `\liangyi{<bin>}` getting 1 and 0, respectively.

2.3 The Four Emblematic Symbols (the *Siriang*)

`\sixiang {<bin>} [<scale>], \sixiang* {<dec>} [<scale>].`

The Four Emblematic Symbols obtained from `\sixiang{<bin>}` by getting the binary number of 3, 2, 1, 0, and `\sixiang*{<dec>}` for decimal.

11	10	01	00
<u> </u>	<u> </u>	<u> </u>	<u> </u>
3	2	1	0

p2

2.4 The Eight Trigrams (the *Bagua* with three lines)

The Field Theories obtained from `\baga` (`\bin`) by

The Eight Trigrams obtained from `\bagua{<bin>}` by getting the binary number of 7, 6, ..., 0, and `\bagua*{<dec>}` for decimal.

111	110	101	100	011	010	001	000
$\equiv$	$\equiv$	$\equiv$	$\equiv$	$\equiv$	$\equiv$	$\equiv$	$\equiv$
7	6	5	4	3	2	1	0

2.5 The Sixty-four Hexagrams (the *Bagua* with six lines)

\Bagua [<2,8>]{<bin,oct>} [<scale>], \Bagua* {<dec>} [<scale>]

The Sixty-four Hexagrams obtained from `\Bagua{<bin>}` by getting the binary number of 63, 62, ..., 0, `\Bagua[8]{<oct>}` for octal number 77, 76, ..., 0, and `\bagua*{<dec>}` for decimal.

We list all the Sixty-four Hexagrams here, in which the above number is binary, the below is decimal and octal.

[illegible]

3 Versions

v1.01 2022.08.04

Revise \taiji to show the Grand Terminus in ancient books, add \xtaiji for later, fix some bugs.

p3

v1.0 2021.10.17
Release TikZ-Bugua v1.0.

References

[1] James Legge (Trans.). *The I Ching*, Second Edition. Dover Publications, Inc.

Package: exsol
Size: medium, 96 nonblank lines, 3225 chars
Tags: inline_math, lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/exsol/example-inline.tex

p1

Local inline example, from the ExSol package

Philippe Marti
13. Juli 2026

1 Gleichungssysteme und Geraden

Ein bisschen Theorie...

Serie 1: Gleichungssysteme

Aufgabe 1-1: Die Summe zweier Zahlen ist 17 und ihre Differenz 7. Bestimme die beiden Zahlen!

Lösung: 5 und 12

Aufgabe 1-2: Die Differenz einer Zahl und dem Dreifachen einer zweiten Zahl ist 14. Bestimme die beiden Zahlen, falls die zweite Zahl ein Zehntel der ersten ist.

Lösung: 20 und 2

Etwas mehr Theorie...

Serie 2: Geraden

Aufgabe 1-1: Berechne den Schnittpunkt von $y = 3x + 1$ und $y = 3x - 7$.

Lösung: Es gibt keinen Schnittpunkt

Aufgabe 1-2: Die Familie Meier fordert Offerten für eine Heizungsreparatur ein. Firma A berechnet für die Fahrtkosten Fr. 42.- und für jede Arbeitsstunde 76.-. Bei der Firma B sind die Fahrtkosten Fr. 35.- und jede Arbeitsstunde wird mit Fr. 80.- berechnet.

- a) Welche Kosten entstehen für beide Firmen, wenn ein Monteur 3.5 Stunden für die Arbeit benötigt? Welche Firma ist in diesem Fall kostengünstiger?

p2

- b) Wie lauten die Gleichungen derjenigen zwei linearen Funktionen, die jeder Arbeitszeit x (in Stunden) die entstehenden Kosten y (in Franken) zuordnet?
- c) Berechne, bei welcher Arbeitszeit die Kosten bei beiden Firmen gleich sind.

Lösung:

- a) Firma A: 308.- | Firma B: 315.-
- b) A: $y = 76x + 42$ | B: $y = 80x + 35$
- c) Bei $1\frac{3}{4}$ Stunden

Package: exsol
Size: medium, 96 nonblank lines, 3266 chars
Tags: inline_math, lists, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/exsol/example-local.tex

p1

Local example, from the ExSol package

Philippe Marti
13. Juli 2026

1 Aufgaben

Serie 1: Gleichungen | Gleichungssysteme

- 1.1: Die Summe zweier Zahlen ist 17 und ihre Differenz 7. Bestimme die beiden Zahlen!

1.2: Die Differenz einer Zahl und dem Dreifachen einer zweiten Zahl ist 14. Bestimme die beiden Zahlen, falls die zweite Zahl ein Zehntel der ersten ist.

Serie 2: Geraden

- 2.1: Berechne den Schnittpunkt von $y = 3x + 1$ und $y = 3x - 7$.

2.2: Die Familie Meier fordert Offerten für eine Heizungsreparatur ein. Firma A berechnet für die Fahrtkosten Fr. 42.- und für jede Arbeitsstunde 76.-. Bei der Firma B sind die Fahrtkosten Fr. 35.- und jede Arbeitsstunde wird mit Fr. 80.- berechnet.

a) Welche Kosten entstehen für beide Firmen, wenn ein Monteur 3.5 Stunden für die Arbeit benötigt? Welche Firma ist in diesem Fall kostengünstiger?

b) Wie lauten die Gleichungen derjenigen zwei linearen Funktionen, die jeder Arbeitszeit x (in Stunden) die entstehenden Kosten y (in Franken) zuordnet?

c) Berechne, bei welcher Arbeitszeit die Kosten bei beiden Firmen gleich sind.

2 Lösungen

Serie 1: Gleichungen | Gleichungssysteme

- 1.1: 5 und 12

1.2: 20 und 2

Serie 2: Geraden

- 2.1: Es gibt keinen Schnittpunkt

2.2: a) Firma A: 308.- | Firma B: 315.-

b) A: $y = 76x + 42$ | B: $y = 80x + 35$

c) Bei $1\frac{3}{4}$ Stunden

Package: mathexam
Size: medium, 34 nonblank lines, 1704 chars
Tags: display_math, inline_math, lists
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/mathexam/sample.tex

p1

SAMPLE CLASS

SAMPLE EXAM

JULY 13, 2026

Please show **all** your work! Answers without supporting work will not be given credit.
Write answers in spaces provided. You have 1 hour and 50 minutes to complete this exam.

Name:_____

1. Calculate the following limits. If a limit is ∞ or $-\infty$, please say so. Make sure you show all your work and justify all your answers.

(a) $\lim_{x \rightarrow 1} \frac{\sqrt{x} - 1}{x - 3}$

Answer:_____

(b) $\lim_{k \rightarrow \infty} \frac{\sin(4x)}{8x}$

Answer:_____

2. Use the ϵ - δ definition of limit to prove that
 $\lim_{x \rightarrow 2} x^2 - 3x + 2 = 0$

p3

SAMPLE CLASS

SAMPLE EXAM

Page 3 of 3

5. Find the derivative of the function $f(x) = \int_0^x \frac{\cos(t)}{t} dt$.

Answer:_____

6. Set up, but do not evaluate, the integral for the volume of the solid obtained by rotating the area between the curves $y = x$ and $y = \sqrt{x}$ about the x -axis.

The End.

p2

SAMPLE CLASS

SAMPLE EXAM

Page 2 of 3

3. If $h(x) = \sqrt{x^2 + 2} - 1$, find a **non-trivial** decomposition of h into f and g such that $h = f \circ g$.

$f(x) \sim$ _____

$g(x) \sim$ _____

4. Find the first two derivatives of the function $f(x) = x^3 \cos(x)$. Simplify your answers as much as possible. Show all your work.

$f'(x) \sim$ _____

$f''(x) \sim$ _____

Cont.

Package: support

Size: medium, 93 nonblank lines, 4215 chars

Tags: color, simple_table, text_sectioning

Source: /usr/local/texlive/2026/texmf-dist/doc/support/latexdiff/doc/example-diff.tex

p1

latexdiff Example - ~~Draft~~Revised version

F Tilmann

July 13, 2026

Introduction

This is an extremely simple document that showcases some of the latexdiff features.
Type

```
latexdiff -t UNDERLINE example-draft.tex example-rev.tex > example-diff.tex
```

to create the difference file. You can inspect this file directly. Then run either

```
pdflatex example-diff.tex  
xpdf example-diff.pdf
```

or

```
latex example-diff.tex  
dvips -o example-diff.ps example-diff.dvi  
gv example-diff.ps
```

to display the markup.

~~Another~~Yet another section title

~~A paragraph with a line only in the draft document.~~ More things could be said were it not for the constraints of time and space.

A paragraph with a line only in the revised document. More things could be said were it not for the constraints of time and space.

And here is a ~~tip~~o~~typo~~.

Here is a table:

Name	Description
Gandalf	Grey <u>White</u>
Saruman	White <u>Evil</u>

And ~~sometimes a whole paragraph gets completely rewritten. In this case latexdiff marks up the whole paragraph even if some words in it are identical~~now for something completely different, with not a paragraph in sight. No change, no markup!

Package: flashcards
Size: medium, 91 nonblank lines, 4003 chars
Tags: display_math, inline_math, lists
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/flashcards/samplecards.tex

p1

DEFINITION

$$\|x\|$$

$$\|x+y\| \leq \|x\| + \|y\|$$

$$\|\alpha x\| = |\alpha| \|x\|$$

$$\|x\| = 0 \text{ if and only if } x = 0$$

Norm on a Linear Space

Normed Space

FUNCTIONAL ANALYSIS

DEFINITION

$$(x, y)$$

$$(x+y, z) = (x, z) + (y, z)$$

$$(\alpha x, y) = \alpha (x, y)$$

$$(x, y) = \overline{(y, x)}$$

$$(x, x) > 0 \text{ when } x \neq 0$$

Inner Product

FUNCTIONAL ANALYSIS

DEFINITION

$$L(\alpha x) = \alpha L(x)$$

$$L(x_1 + x_2) = L(x_1) + L(x_2)$$

Linear Transformation/Operator

FUNCTIONAL ANALYSIS

p2

A real-valued function $\|x\|$ defined on a linear space X , where $x \in X$, is said to be a *norm on X* if

Positivity $\|x\| \geq 0$,

Triangle Inequality $\|x+y\| \leq \|x\| + \|y\|$,

Homogeneity $\|\alpha x\| = |\alpha| \|x\|$, α an arbitrary scalar,

Positive Definiteness $\|x\| = 0$ if and only if $x = 0$,

where x and y are arbitrary points in X .

A linear/vector space with a norm is called a *normed space*.

Let X be a complex linear space. An *inner product* on X is a mapping that associates to each pair of vectors x, y a scalar, denoted (x, y) , that satisfies the following properties:

Additivity $(x+y, z) = (x, z) + (y, z)$,

Homogeneity $(\alpha x, y) = \alpha (x, y)$,

Symmetry $(x, y) = \overline{(y, x)}$,

Positive Definiteness $(x, x) > 0$, when $x \neq 0$.

A transformation L of (operator on) a linear space X into a linear space Y , where X and Y have the same scalar field, is said to be a *linear transformation (operator)* if

1. $L(\alpha x) = \alpha L(x)$, $\forall x \in X$ and $\forall$ scalars α , and

2. $L(x_1 + x_2) = L(x_1) + L(x_2)$ for all $x_1, x_2 \in X$.

Package: nomencl
Size: short, 18 nonblank lines, 565 chars
Tags: display_math, inline_math, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/nomencl/sample01.tex

p1

Main equations

$$a = \frac{N}{A} \tag{1}$$

The equation $\sigma = ma$ follows easily. , see equation (32)

Package: nomencl
Size: short, 34 nonblank lines, 1235 chars
Tags: crossrefs, display_math, inline_math, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/nomencl/sample02.tex

p1

Main equations

Here an equation

$$\dot{Q} = k \cdot A \cdot \Delta T \tag{1}$$

or another one

$$\frac{1}{k} = \left[\frac{1}{\alpha_1 r_1} + \sum_{j=1}^n \frac{1}{\lambda_j} \ln \frac{r_{a,j}}{r_{i,j}} + \frac{1}{\alpha_n r_n} \right] \cdot r_{\text{reference}} \tag{2}$$

Main equations

Here an equation

$$\dot{Q} = k \cdot A \cdot \Delta T \quad (1)$$

or another one

$$\frac{1}{k} = \left[\frac{1}{\alpha_i r_i} + \sum_{j=1}^n \frac{1}{\lambda_j} \ln \frac{r_{a,j}}{r_{i,j}} + \frac{1}{\alpha_a r_a} \right] \cdot r_{\text{reference}} \quad (2)$$

Package: nomenc1
Size: short, 21 nonblank lines, 656 chars
Tags: display_math, inline_math, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/nomenc1/sample04.tex

p1

Main equations

$$a = \frac{N}{A} \tag{1}$$

The equation $\sigma = ma$ follows easily.

1

Package: polski
 Size: medium, 99 nonblank lines, 4902 chars
 Tags: captions, crossrefs, display_math, figures_images, fonts_symbols, inline_math, text_sectioning
 Source: /usr/local/texlive/2026/texmf-dist/doc/latex/polski/sample-polski.tex

p1

Spis treści

1	Proste teksty	1
2	Nieco bardziej skomplikowane	1
3	Zakończenie	2

1 Proste teksty

Najpierw test polskich liter (iso8859-2): ąćęńóóźż ĄĆĘŁŃÓŚŻź
 Jak zobaczysz po przetworzeniu tego pliku, kolejny akapit zaczyna się wcięciem. Domyślnie ma ono wielkość 20 pt, ale, jak wszystko w $\text{\TeX}$ -u, może to być zmienione. Skład prostych tekstów jest bardzo łatwy; $\text{\TeX}$ automatycznie lamie akapity i numeruje strony. Pisząc tekst nie musisz się martwić o spacje, wcięcia itp., skupiasz się tylko na treści. Wiele spacji w pisanym tekście czy wiersz złamany w wygodnym dla nas miejscu da nam identyczny efekt w składzie. Zauważyłeś pewnie znaczek tyldy, który pojawia się w tekście źródłowym; służy on do zaznaczenia spacji, na których $\text{\TeX}$ nie powinien przełamać wiersza. Pojedyncze litery na końcu wiersza nie wyglądają zbyt ładnie, prawda? Ten akapit nie ma wcięcia. Tekst składany jest domyślnym fontem 10 pt o nazwie plr10. *To tekst kursywą*, a to **tekst pogrubiony**. I znów przywracamy krój prosty.
 Jedną z największych zalet systemu $\text{\TeX}$ jest elegancki skład wyrażeń matematycznych, nawet bardzo skomplikowanych, zarówno w ramach samego akapitu $\sum_{n \in A} \frac{1}{n}$, jak i wyeksponowanych w osi strony:

$$\sum_{n \in A} \frac{1}{n}$$
(1)

Czy widzisz różnicę w składzie takiego samego zapisu?


2 Nieco bardziej skomplikowane

$\text{\LaTeX}$ oferuje gotowe polecenia opisu struktury dokumentu. Zaczęliśmy właśnie nową część dokumentu i program sam ustalił kolejny numer części, krój pisma i jego wielkość dla wyróżnienia tytułu, wstawił pionowe odstępy itd.
 Pokażemy teraz mechanizm odsyłaczy do równań matematycznych (patrz równanie 2), jak i do rysunków (patrz rys. 1). Odsyłacze mogą wskazywać miejsca w dokumencie, nawet takie, które występują w dalszej jego części. Właśnie dla rozwiązania odesłań tekst niniejszy powinien być przetworzony dwukrotnie.
 A oto przykład bardziej skomplikowanego wyrażenia i fragment tekstu tematycznego:

$$e_{\min} = \frac{1}{t_I} \int_{t_1}^{t_2} |f(t)|^2 dt - \sum_{i=1}^n |c_i|^2 \frac{e_i}{t_I}.$$
(2)

p2

Rozpatrzmy trójwymiarową przestrzeń $\mathcal{V}$ rozpiętą na trzech wzajemnie prostopadłych wektorach $\mathbf{x}_1, \mathbf{x}_2, \mathbf{x}_3$ (rys. 1). Niech $\mathcal{W}$ będzie płaszczyzną (podprzestrzenią) w przestrzeni $\mathcal{V}$ rozpiętą na wektorach $\mathbf{x}_1$ i $\mathbf{x}_2$. Załóżmy, że istnieje wektor $\mathbf{y}$ należący do przestrzeni $\mathcal{V}$, ale nie należący do płaszczyzny $\mathcal{W}$



Rysunek 1: Trójwymiarowa przestrzeń $\mathcal{V}$

Rysunek 1 został utworzony przez program MetaPost i nie ma pewności, że zostanie prawidłowo wyświetlony przez program Windvi, YAP, czy Xdvi (programy te wyświetlają wynik składu – plik DVI i głównie przeznaczone są do oglądania tekstu). Jeśli intensywnie korzystasz z plików graficznych, warto wynik składu przetworzyć programem Dvips:

`dvips sample-polski -o sample-polski.ps`
 i oglądać `sample-polski.ps` (plik PostScript-owy) w przeglądarce GSview. Również użycie programu `pdflatex` i oglądanie wyniku składu w postaci PDF uchroni przed problemami z wyświetlaniem rysunków.

3 Zakończenie


Pokazane przykłady prezentują jedynie drobny fragment możliwości $\text{\LaTeX}$ -a. Więcej informacji znajdziesz np. w podręczniku „Nie za krótkie wprowadzenie do systemu $\text{\LaTeX}2\epsilon$ ”, dostępnym na:
 <http://www.gust.org.pl>

Package: xfor
Size: medium, 109 nonblank lines, 3222 chars
Tags: custom_macros, display_math, inline_math
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/xfor/sample.tex

p1

Unsorted list: 4,2,7,1,10,11,20,15.
Sorted list: 1,2,4,7,10,11,15,20.
Iterate through the list (next element in parentheses): 1(2); 2(4); 4(7); 7(10);
10(11); 11(15); 15(20); 20.

Package: datatool
Size: medium, 48 nonblank lines, 1803 chars
Tags: captions, custom_macros, diagram_nodes_edges, figures_images, tikz
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/datatool/samples/sample-barchart.tex




Package: datatool
Size: short, 28 nonblank lines, 857 chars
Tags: captions, figures_images
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/datatool/samples/sample-piechart.tex

p1

Table 1: Student Marks

First Name	Surname	Assignment 1	Assignment 2	Assignment 3	Average
Hillary	Rix	87	88	86	87
Jane	Brown	75	84	80	80
John	Smith, Jr	68	57	72	66
Zoe	Adams	52	48	57	52
Andy	Brown	42	52	54	49
Zack	Watts	32	43	49	41

Figure 1: Pie Chart



1 Smiths Road
Smithsville OXON
OX33 0HX

A bit about yourself - a mini 3 sentence summary that an employer can read to 'get to know you'. This can be useful so that they can read about you 'at a glance'. It is also a chance for you to sell yourself! If you leave out the line defining *recent history*, then this section will not appear.

Experience

2009 — Office Manager, ACME Inc.

- A very short line
- A very long line to show that wraps. Note that by using the `addtimelined-bullet` command, the indentation is also fixed.

2007 — CEO, San Antonio Spurs

- You can even use a list inside a *timeline*!

1. List item 1
2. List item 2

- Just make sure you throw in a *par* when you add an item after a list otherwise following *addtimelinebullets* will be indented strangely
- A little bit of care needs to be taken with the length of your timeline items, as as page breaks will **not** occur within a *timelineitem*

Skills

- Computers and stuff
- Basically you can build the rest of your document however you would like
- Just use the header styles to maintain formatting (the word formatting was formatted using the `addcallout` command).

Package: hrlatex
Size: medium, 54 nonblank lines, 2374 chars
Tags: custom_environments, lists
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/hrlatex/sample.fsbspit.tex

p1

PROBNI ISPIT

(2010-04-09)

1. Riješi nešto Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry’s standard dummy text ever since the 1500s, when an unknown printer took a galley of type

$$\oint_{\Gamma} z^2 - \bar{z} \, dz$$

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry’s standard dummy text ever since the 1500s, when an unknown printer took a galley of type

2. a) Prvo pitanje
b) Drugo pitanje

(5 bodova)

3. Riješi još nešto Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry’s standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

(20 bodova)

4. Riješi nešto Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry’s standard dummy text ever since the 1500s, when an unknown printer took a galley of type

$$\oint_{\Gamma} z^2 - \bar{z} \, dz$$

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry’s standard dummy text ever since the 1500s, when an unknown printer took a galley of type

(30 bodova)

.....

Rezultati ispita su sljedeći radni dan u 13:00 sati.

p2

Rješenja zadataka

3. Kratko rješenje

Package: properties
Size: short, 39 nonblank lines, 1277 chars
Tags: inline_math, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/properties/testprop.tex

p1

1 Paket properties.sty

Properties testprop.properties

crop = newlocal
nodef =
autor = Michael Niedermair
test = Dies ist ein Test!
Test auf crop = newlocal: JA
Test auf crop = local: NEIN

Properties xxx.properties

name = Michael Niedermair
Wert setzen:
new: name = Michael G. Niedermair

1

Package: datatool
Size: short, 49 nonblank lines, 1476 chars
Tags: captions, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/datatool/samples/sample-two-per-row.tex

p1

Table 1: Two database rows per tabular row					
First Name	Surname	Assignment 1 (%)	First Name	Surname	Assignment 1 (%)
Zoe	Adams	52	Andy	Brown	42
Jane	Brown	75	Hillary	Rix	87
John	Smith, Jr	68	Zack	Watts	32

Table 2: Two database rows per tabular row (column-wise)					
First Name	Surname	Assignment 1 (%)	First Name	Surname	Assignment 1 (%)
Zoe	Adams	52	Hillary	Rix	87
Andy	Brown	42	John	Smith, Jr	68
Jane	Brown	75	Zack	Watts	32

Package: libertinust1math
Size: medium, 58 nonblank lines, 2426 chars
Tags: custom_macros, display_math, inline_math, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/fonts/libertinust1math/sample10.tex

p1

Options=[ISO,mathsf, reuseMathAlphabets]

macro	symbol
<code>\mathbf{y}</code>	y
<code>\mathsf{x}</code>	x
<code>\mathsfbf{y}</code>	y
<code>\mathsfbf{z}</code>	z
<code>\mathsf{w}</code>	w

Package: libertinust1math
Size: medium, 58 nonblank lines, 2322 chars
Tags: custom_macros, display_math, inline_math, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/fonts/libertinust1math/sample1.tex

p1

Options=[]

macro	symbol
<code>\mathsf{x}</code>	x
<code>\mathsfbf{y}</code>	y
<code>\mathsfbfit{z}</code>	z
<code>\mathsfit{w}</code>	undefined

Package: libertinust1math
Size: medium, 58 nonblank lines, 2414 chars
Tags: custom_macros, display_math, inline_math, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/fonts/libertinust1math/sample3.tex

p1

Options=[mathsf{it}]

macro	symbol
<code>\mathsf{x}</code>	x
<code>\mathsfbf{y}</code>	y
<code>\mathsfbfit{z}</code>	z
<code>\mathsfit{w}</code>	w

Package: libertinust1math
Size: medium, 58 nonblank lines, 2422 chars
Tags: custom_macros, display_math, inline_math, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/fonts/libertinust1math/sample9.tex

p1

Options=[ISO,mathsf]

macro	symbol
<code>\mathsf{x}</code>	x
<code>\mathsfbf{y}</code>	y
<code>\mathsfbf{z}</code>	z
<code>\mathsf{w}</code>	w

Package: psnfss
Size: medium, 101 nonblank lines, 3163 chars
Tags: display_math, fonts_symbols, inline_math, simple_table
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/psnfss/test/mathtest.tex

p1

SEBASTIAN’S MATH TEST

The default math mode font is *Math Italic*. This should not be confused with ordinary *Text Italic* – notice the different spacing! `\mathbf` produces bold roman letters: **abcABC**. If you wish to embolden complete formulas, use the `\boldmath` command *before* going into math mode. This changes the default math fonts to bold.

normal $x = 2\pi \Rightarrow x \simeq 6.28$
mathbf $\mathbf{x} = 2\pi \Rightarrow \mathbf{x} \simeq 6.28$
boldmath $\mathbf{x} = 2\pi \Rightarrow x \simeq \mathbf{6.28}$

Greek is available in upper and lower case: $\alpha, \beta \dots \Omega$, and there are special symbols such as $\hbar$. The following letters should be upright: $\Gamma, \Delta \dots \Omega$. Digits in formulas 1, 2, 3 ... may differ from those in text: 4, 5, 6 ...

There is a calligraphic alphabet `\mathcal` for upper case letters $ABCDE\dots$, and there are letters for number sets: $\mathbb{A} \dots \mathbb{Z}$, which are produced using `\mathbb`.


$$\sigma(t) = \frac{1}{\sqrt{2\pi}} \int_0^t e^{-x^2/2} dx \tag{1}$$

$$\prod_{j \geq 0} \left(\sum_{k \geq 0} a_{jk} z^k \right) = \sum_{k \geq 0} z^n \left(\sum_{\substack{k_0 k_1 \dots \geq 0 \\ k_0 + k_1 + \dots = n}} a_0 k_0 a_1 k_1 \dots \right) \tag{2}$$

$$\pi(n) = \sum_{m=2}^n \left[\left(\sum_{k=1}^{m-1} \lfloor (m/k) / \lceil m/k \rceil \right)^{-1} \right] \tag{3}$$

$$\overbrace{\{a, \dots, a\}}^{k \text{ } a\text{'s}} \overbrace{\{b, \dots, b\}}^{l \text{ } b\text{'s}} \tag{4}$$

$k+l \text{ elements}$



$$\pm \frac{\left| \begin{array}{ccc} x_1 - x_2 & y_1 - y_2 & z_1 - z_2 \\ l_1 & m_1 & n_1 \\ l_2 & m_2 & n_2 \end{array} \right|}{\sqrt{\left| \begin{array}{cc} l_1 & m_1 \\ l_2 & m_2 \end{array} \right|^2 + \left| \begin{array}{cc} m_1 & n_1 \\ l_1 & l_2 \end{array} \right|^2 + \left| \begin{array}{cc} m_2 & n_2 \\ n_2 & l_2 \end{array} \right|^2}}$$

Mathematical accents:
acute= $\acute{a}$ grave= $\grave{a}$ ddot= $\ddot{a}$ tilde= $\tilde{a}$ bar= $\bar{a}$ breve= $\breve{a}$ check= $\check{a}$ hat= $\hat{a}$ vec= $\vec{a}$ dot= $\dot{a}$

Package: psnfss
Size: medium, 106 nonblank lines, 5287 chars
Tags: custom_macros, fonts_symbols, inline_math, simple_table, text_sectioning
Source: /usr/local/texlive/2026/texmf-dist/doc/latex/psnfss/test/test0.tex

p1

1 A simple test of PSNFSS2e in new and old encoding

1.1 T1 encoding

<code>\rm</code>	Roman	<code>\itshape</code>	<i>Italic</i>	<code>\scshape</code>	SMALL CAPS
<code>\em</code>	<i>Emphatic</i>	<code>\slshape</code>	<i>Slanted</i>	<code>\ttfamily</code>	Typewriter
<code>\bfseries</code>	Boldface	<code>\sffamily</code>	Sans Serif		

<code>\d</code>	<code>\'{}o</code>	<code>\d</code>	<code>\~{}o</code>	<code>\d</code>	<code>\v{}o</code>	<code>\d</code>	<code>\c{}o</code>	<code>\d</code>	<code>\'{}o</code>
<code>\o</code>	<code>\={}o</code>	<code>\o</code>	<code>\H{}o</code>	<code>\o</code>	<code>\d{}o</code>	<code>\o</code>	<code>\^{}o</code>	<code>\o</code>	<code>\.{}o</code>
<code>\oo</code>	<code>\t{}oo</code>	<code>\o</code>	<code>\b{}o</code>	<code>\o</code>	<code>\"{}o</code>	<code>\o</code>	<code>\u{}o</code>		

<code>\dag</code>	<code>\S</code>	<code>\copyright</code>	<code>\i</code>	<code>\i</code>
<code>\ddag</code>	<code>\P</code>	<code>\pounds</code>	<code>\j</code>	<code>\j</code>
<code>\oe</code>	<code>\OE</code>	<code>\ae</code>		
<code>\AE</code>	<code>\aa</code>	<code>\AA</code>		
<code>\o</code>	<code>\O</code>	<code>\l</code>		
<code>\L</code>	<code>\ss</code>	<code>\?</code>		
<code>\!</code>	<code>\ldots</code>	<code>\LaTeX</code>		

This costs ‘£’ 45 to do; this costs £45 to do; *this costs £45 in sans italic to do*; THIS COSTS “£” 45 TO DO; *this costs £45 to do this costs £45 to do for a fée. And so on.* The sūn has got his hât in, hip hip hip hooray! ¡THE DAZED BROWN FOX QUICKLY GAVE 12345–67890 JUMPS! — ¡But aren’t Kafka’s Schloß and Æsop’s Œuvres often naïve vis-à-vis the dæmonic phoenix’s official rôle in fluffy soufflés?

p2

1.2 OT1 encoding

Note: do *not* expect the pounds sign to be quite correct — it will always be in italic, and will be a dollar in the Helvetica fonts.

<code>\rm</code>	Roman	<code>\itshape</code>	<i>Italic</i>	<code>\scshape</code>	SMALL CAPS
<code>\em</code>	<i>Emphatic</i>	<code>\slshape</code>	<i>Slanted</i>	<code>\ttfamily</code>	Typewriter
<code>\bfseries</code>	Boldface	<code>\sffamily</code>	Sans Serif		

<code>\d</code>	<code>\'{}o</code>	<code>\d</code>	<code>\~{}o</code>	<code>\d</code>	<code>\v{}o</code>	<code>\d</code>	<code>\c{}o</code>	<code>\d</code>	<code>\'{}o</code>
<code>\o</code>	<code>\={}o</code>	<code>\o</code>	<code>\H{}o</code>	<code>\o</code>	<code>\d{}o</code>	<code>\o</code>	<code>\^{}o</code>	<code>\o</code>	<code>\.{}o</code>
<code>\oo</code>	<code>\t{}oo</code>	<code>\o</code>	<code>\b{}o</code>	<code>\o</code>	<code>\"{}o</code>	<code>\o</code>	<code>\u{}o</code>		

<code>\dag</code>	<code>\S</code>	<code>\copyright</code>	<code>\i</code>	<code>\i</code>
<code>\ddag</code>	<code>\P</code>	<code>\pounds</code>	<code>\j</code>	<code>\j</code>
<code>\oe</code>	<code>\OE</code>	<code>\ae</code>		
<code>\AE</code>	<code>\aa</code>	<code>\AA</code>		
<code>\o</code>	<code>\O</code>	<code>\l</code>		
<code>\L</code>	<code>\ss</code>	<code>\?</code>		
<code>\!</code>	<code>\ldots</code>	<code>\LaTeX</code>		

This costs ‘£’ 45 to do; this costs £45 to do; *this costs £45 in sans italic to do*; THIS COSTS “£” 45 TO DO; *this costs £45 to do this costs £45 to do for a fée. And so on.* Let’s try USD in italic, too: \$ 45. The sūn has got his hât in, hip hip hip hooray! ¡THE DAZED BROWN FOX QUICKLY GAVE 12345–67890 JUMPS! — ¡But aren’t Kafka’s Schloß and Æsop’s Œuvres often naïve vis-à-vis the dæmonic phoenix’s official rôle in fluffy soufflés?

2 Math alphabets used with Times

<code>1,2,3,sin,log</code>	<code>\$1, 2, 3, \sin, \log \$</code>
<code>c,v,f,\beta,\Gamma</code>	<code>\$c, v, f, \beta, \Gamma \$</code>
<code>\mathcal{A,B,C,F}</code>	<code>\$\mathcal{A, B, C, F} \$</code>