

Inline and Display Mathematics

Source-backed grouped formula sample

1 Expressions

Expression 1. The following expression is taken from a source-backed formula corpus.

$$\mathcal{I}_D(\delta) = \sup_{\pi \in \Pi(\mu_1, \mu_2)} \inf_{\lambda \in \mathbb{R}_+^2} \left[\langle \lambda, \delta \rangle + \int_{\mathcal{V}} g_{\lambda} d\pi \right] = \inf_{\lambda \in \mathbb{R}_+^2} \sup_{\pi \in \Pi(\mu_1, \mu_2)} \left[\langle \lambda, \delta \rangle + \int_{\mathcal{V}} g_{\lambda} d\pi \right].$$

Expression 2. The following expression is taken from a source-backed formula corpus.

$$\mathbf{R}_D(\lambda, \delta) = \langle \lambda, \delta \rangle + \sup_{x' \in \mathbb{R}^d} \left[\sum_{1 \leq \ell \leq 2} \varphi_{\ell}(x', \lambda_{\ell}) \right] \mathbf{R}_D(\lambda, \delta) = \langle \lambda, \delta \rangle + \sum_{1 \leq \ell \leq 2} \sup_{x' \in \mathbb{R}^d} \varphi_{\ell}(x', \lambda_{\ell}).$$

Expression 3. The following expression is taken from a source-backed formula corpus.

$$\left({}^c D_-^{\alpha, \alpha', \beta, \beta', \gamma} t^{-\rho} \right) (x) = \frac{\Gamma(\beta' + \rho + m) \Gamma(-\alpha - \alpha' + \gamma + \rho) \Gamma(-\alpha' - \beta + \gamma + \rho + m)}{\Gamma(\rho) \Gamma(-\alpha' + \beta' + \rho + m) \Gamma(-\alpha - \alpha' - \beta + \gamma + \rho + m)} x^{\alpha + \alpha' - \gamma - \rho}.$$

Expression 4. The following expression is taken from a source-backed formula corpus.

$$\mathcal{I}_D(\delta_1, 0) = \sup_{\pi \in \Pi(\mu_1, \mu_2)} \inf_{\lambda_1 \in \mathbb{R}_+} \left[\lambda_1 \delta_1 + \int g_{\lambda, 1} d\pi \right] = \sup_{\pi \in \Pi(\mu_1, \mu_2)} \inf_{\lambda \in \mathbb{R}_+^2} \left[\langle \lambda, (\delta_1, 0) \rangle + \int_{\mathcal{V}} g_{\lambda} d\pi \right].$$

Expression 5. The following expression is taken from a source-backed formula corpus.

$$\left[\bar{\gamma}^2 \bar{\gamma}^0 \bar{\gamma}^1 \partial_{\vartheta} + \frac{\bar{\gamma}^3 \bar{\gamma}^0 \bar{\gamma}^1}{\sin \vartheta} \partial_{\varphi} + \bar{\gamma}^2 \bar{\gamma}^0 \bar{\gamma}^1 S \partial_{\vartheta} S^{-1} + \frac{\bar{\gamma}^3 \bar{\gamma}^0 \bar{\gamma}^1}{\sin \vartheta} S \partial_{\varphi} S^{-1} \right] \tilde{\Phi} = -i \kappa \tilde{\Phi}$$