

Simple Tables

Source-backed grouped table sample

1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.02195_table_8

#	Word type	<i>f</i>
1.	<i>te</i> (‘at’, ‘to’, COMP)	1025
2.	<i>niet</i> (‘not’)	633
3.	<i>dat</i> (‘that’)	631
4.	<i>om</i> (‘to’)	451
5.	<i>geen</i> (‘no’)	304
6.	<i>de</i> (‘the’, MASC/FEM/PL)	292
7.	<i>er</i> (‘there’)	261
8.	<i>ieder</i> (‘every’, NEUT)	253
9.	<i>elk</i> (‘every’, NEUT)	237
10.	<i>iedere</i> (‘every’, MASC/FEM)	231
11.	<i>elke</i> (‘every’, MASC/FEM)	224
12.	<i>of</i> (‘or’, ‘whether’)	215
13.	<i>een</i> (‘a’, ‘one’)	203
14.	<i>alle</i> (‘all’)	200
15.	<i>massa’s</i> (‘masses’)	194
16.	<i>ik</i> (‘I’)	193
17.	<i>op</i> (‘on’)	178
18.	<i>aan</i> (‘to’, PREP)	173
19.	<i>deze</i> (‘this’, MASC/FEM)	172
20.	<i>het</i> (‘the’, NEUT:SG)	167
21.	<i>veel</i> (‘a lot of’)	162

Table 2: Source table 2: 2512.02195_table_3

#	Word type	<i>f</i>
1.	<i>te</i> (‘at’, ‘to’, COMP)	92
2.	<i>dat</i> (‘that’)	62
3.	<i>niet</i> (‘not’)	60
4.	<i>om</i> (‘to’)	49
5.	<i>geen</i> (‘no’)	33
6.	<i>er</i> (‘there’)	32
7.	<i>de</i> (‘the’, MASC/FEM/PL)	25
8.	<i>elke</i> (‘every’, MASC/FEM)	25
9.	<i>een</i> (‘a’, ‘one’)	24
10.	<i>het</i> (‘the’, NEUT:SG)	24
11.	<i>op</i> (‘on’)	23
12.	<i>ieder</i> (‘every’, NEUT)	21
13.	<i>ik</i> (‘I’)	21
14.	<i>die</i> (‘that’, MASC/FEM)	20
15.	<i>elk</i> (‘every’, NEUT)	20
16.	<i>iedere</i> (‘every’, MASC/FEM)	20
17.	<i>veel</i> (‘a lot of’)	20
18.	<i>alle</i> (‘all’)	19
19.	<i>daar</i> (‘there’)	18
20.	<i>deze</i> (‘this’, MASC ³ /FEM)	17
21.	<i>hier</i> (‘here’)	17