

Simple Tables

Source-backed grouped table sample

1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.02195_table_7

#	Word type	<i>f</i>
1.	<i>dat</i> (‘that’)	1999
2.	<i>te</i> (‘at’, ‘to’, COMP)	1779
3.	<i>er</i> (‘there’)	1370
4.	<i>niet</i> (‘not’)	969
5.	<i>ik</i> (‘I’)	729
6.	<i>hebben</i> (‘have’)	599
7.	<i>blijkt</i> (‘turns out’)	460
8.	<i>om</i> (‘to’)	434
9.	<i>alle</i> (‘all’)	409
10.	<i>zijn</i> (‘are’, ‘be’, ‘his’)	386
11.	<i>vergeten</i> (‘forgotten’)	385
12.	<i>elk</i> (‘every’, NEUT)	330
13.	<i>de</i> (‘the’, MASC/FEM/PL)	324
14.	<i>ieder</i> (‘every’, NEUT)	317
15.	<i>iedere</i> (‘every’, MASC/FEM)	317
16.	<i>door</i> (‘by’)	315
17.	<i>geen</i> (‘no’)	294
18.	<i>aan</i> (‘to’, PREP)	287
19.	<i>veel</i> (‘a lot of’)	281
20.	<i>elke</i> (‘every’, MASC/FEM)	280
21.	<i>hier</i> (‘here’)	280

Table 2: Source table 2: 2512.02195_table_9

#	Word type	<i>f</i>
1.	<i>dat</i> ('that')	1937
2.	<i>te</i> ('at', 'to', COMP)	1829
3.	<i>er</i> ('there')	1353
4.	<i>niet</i> ('not')	929
5.	<i>ik</i> ('I')	714
6.	<i>hebben</i> ('have')	570
7.	<i>om</i> ('to')	448
8.	<i>blijkt</i> ('turns out')	422
9.	<i>zijn</i> ('are', 'be', 'his')	396
10.	<i>vergeten</i> ('forgotten')	389
11.	<i>alle</i> ('all')	354
12.	<i>de</i> ('the', MASC/FEM/PL)	330
13.	<i>geen</i> ('no')	330
14.	<i>ieder</i> ('every', NEUT)	315
15.	<i>door</i> ('by')	304
16.	<i>elke</i> ('every', MASC/FEM)	301
17.	<i>u</i> ('you', FORM)	294
18.	<i>elk</i> ('every', NEUT)	293
19.	<i>aan</i> ('to', PREP)	278
20.	<i>hier</i> ('here') ³	276
21.	<i>ijj</i> ('you', INFORM)	272