

ITI COPA MySQL important Question

1. MySQL is freely available and is open source.

- a) True b) False c) Not sure d) Private

Ans. a

2. What represents a 'tuple' in a relational database?

- a) Table b) Row c) Column d) Object

Ans. b

3. How is communication established with MySQL?

- a) SQL
b) Network calls
c) A programming language like C++
d) APIs`

Ans. a

4. The MySQL server used in its client/server architecture is _____

- a) mysqla
b) mysqlb
c) mysqlc
d) mysqld

Ans. d

5. Which of the following clauses is used to display information that match a given pattern?

- a) LIKE
b) WHERE
c) IS
d) SAME

Answer: a

Explanation: The 'LIKE' clause filters information that match a given pattern. 'WHERE' clause selects information that is specified by a condition. 'IS' is used to match the exact condition specified.

6. What column names are displayed when this SQL command is executed?

SHOW COLUMNS FROM tbl_name **LIKE** '%name';

- a) suffixed with 'name'
b) prefixed with 'name'
c) suffixed with '%name'
d) prefixed with '%name'

Answer: a

Explanation: The wildcard '%' is used to indicate that any number of characters can replace it. All column names that end in 'name' are displayed. Additional information of columns like type and size are listed.

7. The special database that always exists after setting up MySQL in a computer is _____

- a) sampdb b) mysql c) information_schema d) readme_db

Ans. c

8. In the following SQL code, InnoDB is _____

```
CREATE TABLE student (  
    name CHAR(30),  
    student_id INT,  
    PRIMARY KEY (student_id)  
    ) ENGINE = InnoDB;
```

- a) database name
b) table name
c) reference engine
d) storage engine

Ans. d

9. Identify the table name in the following SQL statement.

```
INSERT INTO student VALUES('Kyle','M',NULL);
```

- a) Student
b) Values
c) Kyle
d) M

Answer: a

Explanation: The 'INSERT INTO' clause here inserts a row in the table named 'student'. The table has three fields. The first field or attribute value in the row/tuple is 'Kyle'. The second attribute value is 'M' and the last attribute is set to NULL.

10. What is 'xyz' in the following SQL statement?

```
SELECT abc FROM xyz;
```

- a) row name
b) column name
c) table name
d) database name

Answer: c

Explanation: The SELECT clause is used to retrieve information from some specified tables. It follows a specified format for information retrieval. Here, 'abc' can be a column name. It must be present in the table 'xyz'.

11. Which operator is used to perform integer divisions in MySQL?

- a) / b) \ c) DIV d) //

Answer: c

Explanation: The operator 'DIV' is used to perform integer divisions in MySQL. '/' is used in languages like Python to do the same. The operator '/' performs floating point divisions and '\' facilitates escape sequences.

12. The NULL value also means _____

- a) value equal to zero b) unknown value
- c) negative values d) a large value

Answer: b

Explanation: The NULL value in MySQL is a special value. It represents 'no value' or an 'unknown value'. A NULL value can't be compared like normal known values since it gives undesirable results.

13. What does comparing a known value with NULL result into?

- a) zero b) a positive value c) a negative value d) null

Ans. d

14. Which clause is used to sort query elements?

- a) GROUP
- b) GROUP BY
- c) ORDER
- d) ORDER BY

Ans. d

15. Which of the following options tells mysql to ask for entering the password?

- a) -e
- b) -p
- c) -u
- d) -h

Answer: b

Explanation: The command 'mysql -p' (alternative form: -password) prompts for the password. '-h' (alternative form: -host) specifies the host where the MySQL server is running. '-u' is for specifying the username.

16. What is 'tamp' in the following MySQL command?

mysql -h xyz.host.try.net -p -u tamp

- a) user name
- b) password
- c) host name
- d) table name

Ans. a

17. The query 'SELECT NOW()' shows the current _____

- a) table
- b) time only
- c) date only
- d) date and time

Answer: d

Explanation: SELECT NOW() is an SQL query. It shows both the current date and the current time. It is generally displayed in the format 'yyyy-mm-dd hh-mm-ss'. For example, 2009-04-21 11-51-36.

18. Suppose you want to select a database named 'sampledb' as the default database. Which of the following commands do you use?

- a) SELECT DATABASE()
- b) SELECT DATABASE sampledb
- c) USE DATABASE sampledb
- d) USE sampledb

Answer: d

Explanation: 'USE sampledb' selects sampledb as the default database. Initially, 'SELECT DATABASE();' command displays 'NULL', since no database is selected by default. The other two are not valid commands.

19. What does 'abc' & 'xyz' specify in the following SQL statement?

CREATE TABLE abc (xyz);

- a) table name and column specs
- b) column specs and table name
- c) table name and number of columns
- d) table name and number of rows

Ans. a

20. To see the table structure, which of the following SQL commands is issued?

- a) DESCRIBE tbl_name
- b) VIEW tbl_name
- c) SELECT TABLE tbl_name
- d) SELECT tbl_name

Ans. a

21. The command to move the cursor to the beginning of line in MySQL input editor is?

- a) Ctrl-A
- b) Ctrl-E
- c) Ctrl-D
- d) Esc-a

Answer: a

Explanation: Control-A moves the cursor to the beginning of the line. Ctrl-E moves the cursor to the end of the line. Control-D deletes the character under the cursor whereas Esc-a is not valid.

22. What does **Control-_** do in MySQL input editor?

- a) copies to clipboard
- b) pastes from clipboard
- c) undoes last change
- d) deletes the current line

Ans. c

23. On UNIX, statements entered in 'MySQL' are saved in which file?

- a) .mysql_queries b) .queries
- c) .mysql_history d) .history

Ans. c

24. MySQL can be used to execute script files.

- a) True b) False

Ans. a

25. Suppose run_me.sh is a script file. Which command is used to make it executable?

- a) chmod +e run_me.sh b) chmod +a run_me.sh
c) chmod +y run_me.sh d) chmod +x run_me.sh

Ans. d

26. Which option prints output in table-format when MySQL is run interactively?

- a) -t
b) -tf
c) -p
d) -pf

Ans. a

27. The clause that enables mapping a short command to a long command is _____

- a) map
b) direct
c) label
d) alias

Answer: d

Explanation: If the shell program permits an alias, a short command can be mapped to a long command. This reduces the time taken by typing long commands frequently. An alias is defined by the keyword 'alias' followed by the short and long commands.

28. In UNIX, the name of the option file is _____

- a) .my.cnf
b) .my.ini
c) .my.opt
d) .my.opc

Ans. a

29. In which language MySQL is written?

- a) Python
b) C/C+
c) Java
d) COBOL

Ans. b

30. To see the list of options provided by MYSQL which of the following command is used?

- a) HELP b) -HELP
c) - HELP d) ELP-

Ans. c

31. Is a semicolon necessary after every query?

- a) TRUE b) FALSE

Ans. a

32. To know your MYSQL version and current date which of the following command you should use?

- a) VERSION, CURRENT_DATE();
b) SELECT VERSION, CURRENTDATE();
c) SELECT VERSION(), CURRENT_DATE;
d) SELECT VERSION(),CURRENT_DATE();

Ans. c

33. In which form MYSQL query results are displayed?

- a) LIST b) TUPLE c) ROWS AND COLUMNS d) LIST AND TUPLES BOTH

Ans. c

34. In MYSQL, can we write keywords in any letter case?

- a) YES
b) NO

Ans. a

35. In MYSQL, can you write multiple statements in a single line?

- a) YES
b) NO

Ans. a

36. If you want to stop the processing query then which of the following command you should use?

- a) QUIT
b) STOP
c) /c
d) C and D both

Ans. c

37. To see all the databases which command is used?

- a) Show database;
b) Show databases;
c) Show database();
d) Show_all database;

Ans. b

38. In the following statement, what do you mean by the 'student'?

USE student;

- a) Database name b) Row name
c) Column name d) Table name

Ans. a

39. Which of the following command is used to delete a database?

- a) DELETE DATABASE_NAME;
- b) DROP DATABASE_NAME;
- c) DROP DATABASE DATABASE_NAME;
- d) DELETE DATABASE DATABASE_NAME;

Ans. c

40. ALTER command is a type of which SQL command?

- a) DML
- b) DDL
- c) DCL
- d) DQL

Ans. b

41. Which of the following is the correct syntax to add a field using alter command?

- a) ALTER TABLE table_name ADD field_name data type;
- b) ALTER TABLE table_name, field_name data type;
- c) ALTER TABLE field_name data type;
- d) None of these

Ans. a

42. If you are asked to delete the entire data of a table without disturbing the table definition then in such case which statement you will use?

- a) DELETE
- b) TRUNCATE
- c) DROP
- d) CLEAR

Ans. b

43. Which of the following is the correct syntax for using the TRUNCATE statement?

- a) TUNCATE TABLE-NAME;
- b) TRUNCATE TABLE-NAME DATABASE-NAME;
- c) TRUNCATE TABLE TABLE-NAME;
- d) TRUNCATE DATABASE-NAME TABLE-NAME;

Ans. c

44. Suppose you have 1000 records and you only want 100 records which of the following clause you will use?

- a) SET LIMIT
- b) LIMIT
- c) HAVING
- d) GROUP BY

Ans. b

45. Which key is commonly known as a subset of a super key?

- a) Candidate key b) Foreign key c) Primary key d) Unique key

Ans. a

46. Which operator checks whether the particular condition record exists in the table or not?

- a) Exists
- b) Is null
- c) Not null
- d) In

Ans. a

47. Which SQL command is used for granting or revoking the rights?

- a) DML (Data Manipulation language)
- b) DDL (Data definition language)
- c) DCL (Data control language)
- d) DQL (Data Query Language)

Ans. c

48. Which key helps us to establish the relationship between two tables?

- a) Candidate key
- b) Foreign key
- c) Primary key
- d) Unique key

Ans. b

49. SELECT is a type of which SQL command?

- a) DML
- b) DDL
- c) DCL
- d) DQL

Ans. d

50. Which SQL commands are used for manipulation/ modifying the data present in the table?

- a) DML
- b) DDL
- c) DCL
- d) DQL

Ans. a

51. If you want to add a row in a table then which command you will use?

- a) INSERT INTO b) ADD
- c) ALTER d) CREATE

Ans. a

52. Which of the following data type is used when it comes to store images in your database?

- a) BIG INT b) BLOB c) VARCHAR d) INT

Ans. b

53. "CREATE TABLE..." Command is used to create which type of table in MySQL?

- a) Permanent Table b) Virtual Table
- c) Temporary Table d) All of these

Ans. a

54. The father of MySQL is ____.

- a) Michael Widenius
- b) Bill Joy
- c) Bill Gates
- d) Stephanie Wall

Ans. a

55. To use MySQL on your computer, you'll need

- a) Perl, PHP or Java
- b) Some sort of client program to access the database
- c) A browser
- d) FTP and Telnet

Ans. b

56. MySQL comes with as standard with client libraries for:

- a) C only
- b) Java only
- c) Perl, PHP and C
- d) Java and C

Ans. a

57. Commands passed to the MySQL daemon are written in

- a) Your choice from Perl, PHP, Java or some other language
- b) English
- c) The structure Query language
- d) Swedish

Ans. c

58. MySQL runs on which operating systems?

- a) Unix and Linux only
- b) Linux and Mac OS-X only
- c) Unix, Linux, Windows and others
- d) Any operating system at all

Ans. c

59. MySQL Access security is controlled through

- a) MySQL login accounts, and privileges set for each account
- b) The ID that the user logged into the server through, and privileges set up for that account
- c) A table of valid IP addresses, and privileges set up for each IP address
- d) The normal login security is sufficient for MySQL, and it does not have any extra controls of its own

Ans. a

60. You are required to buy a license for MySQL if

- a) you use it for longer than 30 days
- b) You use MySQL in a live application and not just for evaluation
- c) You incorporate it into a product that you sell
- d) You use it on a publicly accessible site

Ans. c

61. If you want to undo a GRANT, you should use

- a) REVOKE b) UNDO c) UNGRANT d) DELETE

Ans. a

62. How many distinct, different values can you hold in an enum field?

- a) 255 b) 7
- c) 65535 d) 2

Ans. c

63. Which of the following is NOT available in MySQL?

- a) REVOKE
- b) FETCH
- c) LIKE
- d) JOIN

Ans. b

64. Which of these field types would be best to hold a film title?

- a) longblob
- b) tinytext
- c) mediumtext
- d) longtext

Ans. b

65. The program called MySQL is

- a) There isn't program just called MySQL
- b) A wrapper through which java clients must connect to the database
- c) A client program that lets you send SQL commands to the database engine
- d) The database engine

Ans. c

66. In a LIKE clause, you can ask for any 6 letters value by writing:

- a) LIKE _____ (That is six underscore characters)
- b) LIKE .{6}
- c) LIKE ??????
- d) LIKE

Ans. a

67. A user with RELOAD privileges can

- a) Can reset passwords for any mysql user account
- b) Perform certain "admin type" operations such as flush table and logs form memory to disc, but can't normally do anything "dangerous"
- c) Can repopulate the databases and tables from a backup
- d) Can restart the MySQL daemon in addition to any other privileges he might also have

Ans. b

68. Which of these is not a valid name for a column?

- a) To b) From c) Far d) Near

Ans. b

69. What is MySQL view?

- a) Virtual b) Static
- c) Real d) Temporary Table

Ans. a

70. Storing same data in many places is called.....

- a) Iteration
- b) Redundancy
- c) Enumeration
- d) Concurrency

Ans. b

71. Which level of abstraction describes what data are stored in the Database?

- a) View level
- b) Logical level
- c) Physical level
- d) Abstraction level

Ans. b

72. Which of the following is true of MySQL?

- a) It is license free for most applications
- b) It is written in C and C++ language
- c) It was owned and sponsored by the Swedish company MySQL LAB
- d) All of the above

Ans. d

73. Which of the following is not a SQL keyword?

- a) DELETE b) CREATE c) SELECT d) REMOVE

Ans. d

74. The privilege _____ can be granted to retrieve data.

- a) READ
- b) SELECT
- c) UPDATE
- d) RETRIEVE

Ans. b

75. Which of the following is not one of the standard NOSQL categories?

- a) chart databases
- b) graph databases
- c) document databases
- d) column-oriented databases

Ans. a

76. Databases are stored in _____ so that they are available when needed.

- a) data mines
- b) data matrices
- c) data sources
- d) data dashboards

Ans. b

77. MySQL is an example of the _____.

- a) Hierarchical model
- b) Relational data model
- c) File system data model
- d) XML data model

Ans. b

78. The relational data model was developed in the _____.

- a) 1970s
- b) 1979s
- c) 1980s
- d) 1960s

Ans. a

79. Which symbol denotes derived attributes in the ER Model?

- a) Double ellipse b) Dashed ellipse
- c) Squared ellipse d) Ellipse with attribute name underlined

Ans. b

80. ACID properties of a transactions are

- a) Atomicity, consistency, isolation, database
- b) Atomicity, consistency, isolation, durability
- c) Atomicity, consistency, integrity, durability
- d) Atomicity, consistency, integrity, database

Ans. b

81. Commit command is used for

- a) To restore the old values
- b) To save the current table
- c) To save the current transaction
- d) To recover the old table

Ans. c

82. The value of Primary key

- a) can be duplicated
- b) can be null
- c) cannot be null
- d) none of these

Ans. c

83. MVD is called as

- a) Many Value Dependency
- b) More Value Dependency
- c) Multi Value Dependency
- d) All of the Above

Ans. c

84. DCL is used to _____?

- a) Manage the changes made by DML statements
- b) Inserting, Deleting and Updating data
- c) Control access to data stored in a database
- d) None of these

Ans. b

85. TCL is used for _____?

- a) Manage the changes made by DML statements
- b) Defining database schema
- c) Control access to data stored in a database
- d) None of these

Ans. a

86. What is Granularity?

- a) The size of data items
- b) The size of database
- c) The size of record
- d) The size of file

Ans. b

87. The problem that occurs when one transaction updates a database item and then the transaction fails for some reason is _____.

- a) Dirty Read problem
- b) Temporary Modify Problem
- c) Temporary select problem
- d) None of these

Ans. a

88. Data warehouse provides

- a) Transaction Responsiveness
- b) Demand and Supply Responsiveness
- c) Storage, Functionality Responsiveness to queries
- d) None of these

Ans. c

89. _____ is process of extracting previously non known valid and actionable information from large data to make crucial business and strategic decisions.

- a) Data Management
- b) Database
- c) Data Mining
- d) Meta Data

Ans. c

90. BCNF stands for _____

- a) Binary Coded Normal Form
- b) Boyce – Codd Normal Form
- c) Bit Code Normal Form
- d) Boyce Codd Natural Form

Ans. b

91. The student marks should not be greater than 100. This is

- a) Integrity constraint
- b) Referential constraint
- c) Over-defined constraint
- d) Feasible constraint

Ans. a

92. The data type BLOB stands for:

- a) Binary Large Object
- b) Big List Object
- c) Binary List Object
- d) None of these

Ans. a

93. The data abstraction which allows conceptual representation of data in database management system is considered as

- a) Logical design model b) Data model c) Interface model d) User friendly model

Ans. b

94. Function which causes retrieval of any kind of data from database is considered as

- a) Interface or signature b) User friendly signature
- c) Conceptual signature d) Logical signature

Ans. b

95. What kind of replication is supported by the MySQL server?

- a) Multiple-master replication
- b) Master to slave replication
- c) Single file based clustering
- d) MySQL doesn't support replication

Ans. b

96. What is the full form of SQL?

- a) Structured Query List
- b) Structured Query Language
- c) Sample Query Language
- d) None of these

Ans. b

97. Which of the following is not a valid SQL type?

- a) FLOAT
- b) NUMERIC
- c) DECIMAL
- d) CHARACTER

Ans. c

98. Which of the following are TCL commands?

- a) COMMIT and ROLLBACK
- b) UPDATE and TRUNCATE
- c) SELECT and INSERT
- d) GRANT and REVOKE

Ans. a

99. How many Primary keys can have in a table?

- a) Only 1
- b) Only 2
- c) Depends on no of Columns
- d) Depends on DBA

Ans. a

100. Which datatype can store unstructured data in a column?

- a) CHAR b) RAW c) NUMERIC d) VARCHAR

Ans. b

101. Which of the following is not a valid aggregate function?

- a) COUNT b) COMPUTE c) SUM d) MAX

Ans. b

102. Which operator is used to compare a value to a specified list of values?

- a) ANY b) BETWEEN c) ALL d) IN

Ans. d

103. What operator tests column for absence of data

- a) NOT Operator b) Exists Operator
- c) IS NULL Operator d) None of these

Ans. c

104. In which of the following cases a DML statement is not executed?

- a) When existing rows are modified
- b) When a table is deleted
- c) When some rows are deleted
- d) All of these

Ans. b

105. _____ clause creates temporary relation for the query on which it is defined.

- a) WITH
- b) FROM
- c) WHERE
- d) SELECT

Ans. a

106. _____ command makes the updates performed by the transaction permanent in the database?

- a) ROLLBACK
- b) COMMIT
- c) TRUNCATE
- d) DELETE

Ans. b

107. A CASE SQL statement is _____?

- a) A way to establish a loop in SQL
- b) A way to establish an IF-THEN-ELSE in SQL
- c) A way to establish a data definition in SQL
- d) All of these

Ans. b

108. Which of the following is the basic approaches for joining tables?

- a) Union JOIN b) Natural JOIN c) Subqueries d) All of these

Ans. d

109. Why we need to create an index if the Primary key is already present in a table?

- a) Index improves the speed of data retrieval operations on a table
- b) Index are special lookup tables that will be used by the database search engine
- c) Indexes are synonyms of a column in a table
- d) All of these

Ans. a

110. Group of operations that form a single logical unit of work is known as

- a) View b) Network
- c) Unit d) Transaction

Ans. d

111. A sequence in SQL can generate a maximum number:

- a) 39 digits
- b) 38 digits
- c) 40 digits
- d) 37 digits

Ans. b

112. Which of the following is the correct order of a SQL statement?

- a) SELECT, GROUP BY, WHERE, HAVING
- b) SELECT, WHERE, GROUP BY, HAVING
- c) SELECT, HAVING, WHERE, GROUP BY
- d) SELECT, WHERE, HAVING, GROUP BY

Ans. b

113. What is the difference between a PRIMARY KEY and a UNIQUE KEY?

- a) Primary key can store null value, whereas a unique key cannot store null value
- b) We can have only one primary key in a table while we can have multiple unique keys
- c) Primary key cannot be a date variable whereas unique key can be
- d) None of these

Ans. b

114. When the wildcard in a WHERE clause is useful?

- a) When an exact match is required in a SELECT statement
- b) When an exact match is not possible in a SELECT statement
- c) When an exact match is required in a CREATE statement
- d) When an exact match is not possible in a CREATE statement

Ans. b

115. _____ is NOT a type of constraint in SQL language?

- a) FOREIGN KEY
- b) PRIMARY KEY
- c) UNIQUE
- d) ALTERNATE KEY

Ans. d

116. _____ is a program that perform some common action on database data and also stored in the database.

- a) Stored Procedure
- b) Trigger
- c) Stored Function
- d) None of these

Ans. a

117. What is the advantage of the clustered index?

- a) It is fast to update the records
- b) It does not need extra work for SQL queries
- c) It minimizes the page transfer and maximises the cache hits
- d) None of these

Ans. c

118. Which program copies the databases from one server to another?

- a) Mysqlcopydb
- b) Mysqldbcopy
- c) Mysqlflushdb
- d) Mysqldbflush

Ans. b

1. Which type of database management system is MySQL?

- a) Object-oriented
- b) Hierarchical
- c) Relational
- d) Network

2. What is data in a MySQL database organized into?

- a) Objects
- b) Tables
- c) Networks
- d) File systems

3. What represents an 'attribute' in a relational database?

- a) Table
- b) Row
- c) Column
- d) Object

4. What does 'name' represent in the following SQL code snippet?

```
CREATE TABLE student
```

```
(  
    name CHAR(30),  
    roll_num INT,  
    address CHAR(30),  
    phone CHAR(12)  
);
```

- a) A table b) A row c) A column d) An object

5. Which is the MySQL instance responsible for data processing?

- a) MySQL client b) MySQL server
c) SQL d) Server daemon program

6. In MySQL databases, the structure representing the organizational views of the entire databases is ____

- a) Schema b) View c) Instance d) Table

7. The number of attributes in the following SQL table is _____

```
CREATE TABLE employee (  
    emp_name CHAR(30),  
    emp_id INT  
);
```

- a) 30 b) 1 c) 2 d) 3

8. What is the host name in the following MySQL command?

```
mysql -h cobra.snake.net -p -u sampadam
```

- a) cobra.snake b) cobra.snake.net
c) sampadam d) cobra

9. What do you mean by HOST in MYSQL?

- a) HOST is the user name.
b) HOST is the representation of where the MYSQL server is running.
c) HOST is the administration's machine name.
d) None of these

10. Which MySQL function is used to get the current date and time?

- a) DATETIME() b) TODAY()
c) DATE() d) NOW()

[Click here for Answers](#)

[ITI COPA Theory \(Playlist\)](#)

Buy COPA MCQ E-Book in Just Rs.15/- [900 MCQ in English]

<https://imojo.in/1xtd24r>