

ITI COPA Python Most important Question

1. Is Python code compiled or interpreted?

- a) Python code is both compiled and interpreted
- b) Python code is neither compiled nor interpreted
- c) Python code is only compiled
- d) Python code is only interpreted

Ans. a

2. What does pip stand for python?

- a) Pip Installs Python
- b) Pip Installs Packages
- c) Preferred Installer Program
- d) All of the mentioned

Ans. c

3. What will be the output of the following Python function?

`min(max(False,-3,-4), 2,7)`

- a) -4
- b) -3
- c) 2
- d) False

Ans. d

4. What are the two main types of functions in Python?

- a) System function
- b) Custom function
- c) Built-in function & User defined function
- d) User function

Ans. c

5. Is Python case sensitive when dealing with identifiers?

- a) No
- b) Yes
- c) Machine dependent
- d) None of these

Ans. b

6. Which of the following functions can help us to find the version of python that we are currently working on?

- a) `sys.version(1)`
- b) `sys.version(0)`
- c) `sys.version()`
- d) `sys.version`

Ans. d

7. Python supports the creation of anonymous functions at runtime, using construct called ____

- a) pi b) anonymous c) lambda d) none of these

Ans. c

8. What is the order of precedence in python?

- a) Exponential, Parentheses, Multiplication, Division, Addition, Subtraction
- b) Exponential, Parentheses, Division, Multiplication, Addition, Subtraction
- c) Parentheses, Exponential, Multiplication, Division, Subtraction, Addition
- d) Parentheses, Exponential, Multiplication, Division, Addition, Subtraction

Ans. d

9. Which of the following is true for variable names in Python?

- a) underscore and ampersand are the only two special characters allowed
- b) unlimited length
- c) all private members must have leading and trailing underscores
- d) none of the mentioned

Ans. b

10. Which of the following is the use of id() function in python?

- a) Every object doesn't have a unique id
- b) Id returns the identity of the object
- c) All of the mentioned
- d) None of the mentioned

Ans. b

11. Which of the following is not a core data type in Python programming?

- a) Tuples
- b) Lists
- c) Class
- d) Dictionary

Ans. c

12. Which of these is the definition for packages in Python?

- a) A set of main modules
- b) A folder of python modules
- c) A number of files containing Python definitions and statements
- d) A set of programs making use of Python modules

Ans. b

13. What will be the output of the following Python function?

len(["hello",2, 4, 6])

- a) Error b) 6 c) 4 d) 3

Answer: c **Explanation:** The function len() returns the length of the number of elements in the iterable. Therefore the output of the function shown above is 4.

14. What is the order of namespaces in which Python looks for an identifier?

- a) Python first searches the built-in namespace, then the global namespace and finally the local namespace
- b) Python first searches the built-in namespace, then the local namespace and finally the global namespace
- c) Python first searches the local namespace, then the global namespace and finally the built-in namespace
- d) Python first searches the global namespace, then the local namespace and finally the built-in namespace

Ans. c

15. Which one of the following is not a keyword in Python language?

- a) pass
- b) eval
- c) assert
- d) nonlocal

Ans. b

16. Which module in the python standard library parses options received from the command line?

- a) getarg
- b) getopt
- c) main
- d) os

Ans. b

17. Which of the following statements is used to create an empty set in Python?

- a) ()
- b) []
- c) {}
- d) set()

Ans. d

18. To add a new element to a list we use which Python command?

- a) list1.addEnd(5)
- b) list1.addLast(5)
- c) list1.append(5)
- d) list1.add(5)

Ans. c

19. Which one of the following is the use of function in python?

- a) Functions don't provide better modularity for your application
- b) you can't also create your own functions
- c) Functions are reusable pieces of programs
- d) All of the mentioned

Ans. c

20. What will be the output of the following Python code?

```
x = 'abcd'
```

```
for i in range(len(x)):
```

```
    print(i)
```

- a) error
- b) 1 2 3 4
- c) a b c d
- d) 0 1 2 3

Ans. d

21. Which of the following is a Python tuple?

- a) {1, 2, 3}
- b) {}
- c) [1, 2, 3]
- d) (1, 2, 3)

Ans. d **Explanation:** Tuples are represented with round brackets.

22. What will be the output of the following Python expression?

round(4.576)

- a) 4 b) 4.6 c) 5 d) 4.5

Answer: c

Explanation: This is a built-in function which rounds a number to give precision in decimal digits. In the above case, since the number of decimal places has not been specified, the decimal number is rounded off to a whole number. Hence the output will be 5.

23. Which of the following is a feature of Python DocString?

- a) In Python all functions should have a docstring
- b) Docstrings can be accessed by the `__doc__` attribute on objects
- c) It provides a convenient way of associating documentation with Python modules, functions, classes, and methods
- d) All of the mentioned

Ans. d

24. What is output of `print(math.pow(3, 2))`?

- a) 9.0 b) None c) 9 d) None of the mentioned

Answer: a

Explanation: `math.pow()` returns a floating point number.

25. The process of pickling in Python includes _____

- a) conversion of a Python object hierarchy into byte stream
- b) conversion of a datatable into a list
- c) conversion of a byte stream into Python object hierarchy
- d) conversion of a list into a datatable

Answer: a

Explanation: Pickling is the process of serializing a Python object, that is, conversion of a Python object hierarchy into a byte stream. The reverse of this process is known as unpickling.

26. What is the maximum length of a Python identifier?

- a) 32
- b) 16
- c) 128
- d) No fixed length is specified

Ans. d

27. Which of the following concepts is not a part of Python?

- a) Pointers
- b) Loops
- c) Dynamic Typing
- d) All of these

Ans. a

28. Which of the following statements are used in Exception Handling in Python?

- a) try b) except c) finally d) All of these

Ans. d

29. Which of the following types of loops are not supported in Python?

- a) for b) while c) do-while d) None of these

Ans. c

30. Which of the following is the proper syntax to check if a particular element is present in a list?

- a) if ele in list
b) if not ele not in list
c) Both A and B
d) None of these

Ans. c

31. What will be the output of the following code snippet?

```
a = [1, 2]  
print(a * 3)
```

- a) Error
b) [1, 2]
c) [1, 2, 1, 2]
d) 1, 2, 1, 2, 1, 2]

Ans. d

32. What will be the output of the following code snippet?

```
example = ["Sunday", "Monday", "Tuesday", "Wednesday"]  
del example[2]  
print(example)
```

- a) ['Sunday', 'Monday', 'Tuesday', 'Wednesday']
b) ['Sunday', 'Monday', 'Wednesday']
c) ['Monday', 'Tuesday', 'Wednesday']
d) ['Sunday', 'Monday', 'Tuesday']

Ans. b

33. What will be the type of the variable sorted_numbers in the below code snippet?

```
numbers = (4, 7, 19, 2, 89, 45, 72, 22)  
sorted_numbers = sorted(numbers)  
print(sorted_numbers)
```

- a) List
b) Tuple
c) String
d) Int

Ans. a

Explanation: sorted() function returns a list that contains all the elements in parameters in sorted order.

34. What will be the output of the following code snippet?

```
s = {1, 2, 3, 3, 2, 4, 5, 5}
```

```
print(s)
```

- a) {1, 2, 3, 3, 2, 4, 5, 5}
- b) [1, 2, 3, 4, 5]
- c) {1, 5}
- d) None of these

Ans. b

Explanation: Sets in python store only unique elements within them, without any repetition.

35. Which of the following functions converts date to corresponding time in Python?

- a) strptime()
- b) strftime()
- c) Both A and B
- d) None of these

Ans. a

36. As what datatype are the *args stored, when passed into a function?

- a) List
- b) Tuple
- c) Dictionary
- d) None of these

Ans. b

37. As what datatype are the *kwargs stored, when passed into a function?

- a) Lists
- b) Tuples
- c) Dictionary
- d) None of these

Ans. c

38. Which of the following blocks will always be executed whether an exception is encountered or not in a program?

- a) try
- b) except
- c) finally
- d) None of these

Ans. c

39. What keyword is used in Python to raise exceptions?

- a) raise
- b) try
- c) goto
- d) except

Ans. a

40. Which of the following are valid escape sequences in Python?

- a) \n
- b) \t
- c) \\
- d) All of these

Ans. d

41. Which of the following are valid string manipulation functions in Python?

- a) count()
- b) upper()
- c) strip()
- d) All of these

Ans. d

42. Which of the following modules need to be imported to handle date time computations in Python?

- a) datetime
- b) date
- c) time
- d) timedate

Ans. a

43. In which language is Python written?

- a) C++
- b) C
- c) Java
- d) None of these

Ans. b

44. In which year was the Python language developed?

- a) 1995
- b) 1972
- c) 1981
- d) 1989

Ans. d

45. In which year was the Python 3.0 version developed?

- a) 2008
- b) 2000
- c) 2010
- d) 2005

Ans. a

46. Which of the following statements is correct regarding the object-oriented programming concept in Python?

- a) Class are real-world entities while objects are not real
- b) Objects are real-world entities while classes are not real
- c) Both objects and classes are real-world entities
- d) All of the above

Ans. b

47. What is the method inside the class in python language?

- a) Object
- b) Function
- c) Attribute
- d) Argument

Ans. b

48. Why does the name of local variables start with an underscore discouraged?

- a) To identify the variable
- b) It confuses the interpreter
- c) It indicates a private variable of a class
- d) None of these

Ans. c

49. Which of the following is not a keyword in Python language?

- a) val
- b) raise
- c) try
- d) with

Ans. a

50. Which one of the following has the same precedence level?

- a) Division, Power, Multiplication, Addition and Subtraction
- b) Division and Multiplication
- c) Subtraction and Division
- d) Power and Division

Ans. b

51. Which one of the following has the highest precedence in the expression?

- a) Division
- b) Subtraction
- c) Power
- d) Parentheses

Ans. d (PEMDAS similar to BODMAS)

52. Study the following function:

```
import math  
abs(math.sqrt(36))
```

- a) -6
- b) 6
- c) 6.0
- d) Error

Ans. c

53. Python is a _____ object-oriented programming language?

- a) Special purpose
- b) General purpose
- c) Medium level programming language
- d) All of the above

Ans. b

54. Which of the following is the application areas of Python programming language?

- a) Web Development
- b) Game Development
- c) Artificial Intelligence and Machine Learning
- d) All of these

Ans. d

55. Which of the following is the Numeric Data types?

- a) int b) float c) complex d) All of these

Ans. d

56. List, tuple and range are the _____ of Data types

- a) Sequence Types
- b) Binary types
- c) Boolean types
- d) None of these

Ans. a

57. Which of the following is the logical operators in Python?

- a) and
- b) or
- c) not
- d) All of these

Ans. d

58. What is the name of the operator ** in Python?

- a) Exponentiation
- b) Modulus
- c) Floor division
- d) None of these

Ans. a

59. The % operator returns the _____.

- a) Quotient
- b) Divisor
- c) Remainder
- d) None of these

Ans. c

60. Which of the following is the method of list?

- a) append() b) extend()
- c) insert() d) All of these

Ans. d

61. Python Dictionary is used to store the data in a _____ format.

- a) Key value pair b) Group value pair
- c) Select value pair d) None of these

Ans. a

62. Conditional statements are also known as _____ statements.

- a) Decision making b) Array
- c) List d) None of these

Ans. a

63. Which of the following is not used as conditional statement in Python?

- a) switch
- b) if else
- c) elif
- d) None of these

Ans. a

64. In a Python program, nested if statements denotes

- a) if statement inside another if statement
- b) if statement outside the another if statement
- c) Both A and B
- d) None of these

Ans. a

65. In Python, the break and continue statements, together are called _____ statement.

- a) Jump
- b) goto
- c) compound
- d) None of these

Ans. b

66. Loops are known as _____ in programming.

- a) Control flow statements
- b) Conditional statements
- c) Data structure statements
- d) None of these

Ans. a

67. Which of the following is true about the while loop?

- a) It continually executes the statements as long as the given condition is true
- b) It first checks the condition and then jumps into the instructions
- c) The loop stops running when the condition becomes fail, and control will move to the next line of code
- d) All of these

Ans. d

68. A function is a group of related statements which designed specifically to perform a ____.

- a) Write code
- b) Specific task
- c) Create executable file
- d) None of these

Ans. b

69. Among which of the following is a function which does not have any name?

- a) Del function
- b) Show function
- c) Lambda function
- d) None of these

Ans. c

70. Which of the following is the key function used for the file handling in Python?

- a) open() and close()
- b) read() and write()
- c) append()
- d) All of the mentioned above

Ans. d

71. Which of the following is needed to open an existing file?

- a) filename
- b) mode
- c) Both A and B
- d) None of these

Ans. c

72. The function file_object.close() is used to ____.

- a) To open the existing file
- b) To append in an opened file
- c) To close an opened file
- d) None of these

Ans. c

73. The seek() method is used to ____.

- a) Saves the file in secondary storage
- b) Position the file object at a particular position in a file
- c) Deletes the file from secondary storage
- d) None of these

Ans. b

74. Which of the following function is used to create a file and written data?

- a) append()
- b) open()
- c) close()
- d) None of these

Ans. b

75. The module Pickle is used to ____.

- a) Serializing Python object structure
- b) De-serializing Python object structure
- c) Both A and B
- d) None of these

Ans. c

76. A text file contains only textual information consisting of ____.

- a) Alphabets
- b) Numbers
- c) Special symbols
- d) All of these

Ans. d

77. Which of the following is the invalid variable?

- a. 1st_string
- b. my_string_1
- c. _
- d. foo

Ans. a

78. The command used to start Python from the command prompt is ____.

- a) execute python
- b) python
- c) py
- d) run python

Ans. b

79. Python is a/an ____.

- a) Programming language
- b) Web browser
- c) Malware
- d) Operating system

Ans. a

80. What does the name Python signify?

- a) It is a snake
- b) It is very difficult to use
- c) Named after the British comedy group Monty Python
- d) All of these

Ans. c

81. What are the people who specialize in Python called?

- a) Pythonic
- b) Unpythonic
- c) Monty Python
- d) Pythoniasts

Ans. d

82. All the keywords in Python are in ____

- a) Lower case
- b) Upper case
- c) Capitalized
- d) None of the above

Ans. d (Only True, False and None are capitalized and all the others in lower case.)

83. What is output of `33 == 33.0`

- a) False
- b) True
- c) 33
- d) None of these

Ans. b

84. What symbol do you use to assess equality between two elements?

- a) `&&`
- b) `=`
- c) `==`
- d) `||`

Ans. c

85. What happens when you use the built-in function `any()` on a list?

- a) The `any()` function will randomly return any item from the list
- b) The `any()` function returns True if any item in the list evaluates True. Otherwise, it returns False
- c) The `any()` function takes as arguments the list to check inside, and the item to check for. If "any" of the item in the list match the item to check for, the function returns True
- d) The `any()` function returns a Boolean value that answers the question "Are there any items in this list?"

Ans. b

1. Who developed Python Programming Language?

- a) Wick van Rossum
- b) Rasmus Lerdorf
- c) Guido van Rossum
- d) Niene Stom

2. Which of the following is the correct extension of the Python file?

- a) `.python`
- b) `.pl`
- c) `.py`
- d) `.p`

3. Which keyword is used for function in Python language?

- a) Function
- b) `def`
- c) Fun
- d) Define

4. Which of the following functions is a built-in function in python?

- a) `factorial()`
- b) `print()`
- c) `seed()`
- d) `sqrt()`

5. Which type of programming does Python support?
a) object-oriented programming b) structured programming
c) functional programming d) all of the above
6. Which of the following is used to define a block of code in Python language?
a) Indentation b) Key c) Brackets d) All of the above
7. Which of the following character is used to give single-line comments in Python?
a) // b) # c) ! d) /*
8. What arithmetic operators cannot be used with strings in Python?
a) * b) – c) + d) All of the mentioned
9. What will be the output of the following Python code?
print("abc. DEF".capitalize())
a) Abc. Def b) abc. Def c) Abc. Def d) ABC. DEF
10. What will be the output of the following Python program?
i = 0
while i < 5:
 print(i)
 i += 1
 if i == 3:
 break
else:
 print(0)
a) error
b) 0 1 2 0
c) 0 1 2
d) none of these

[Click here for Answers](#)

[ITI COPA Theory \(Playlist\)](#)

[Employability skills \(Playlist\)](#)

[COPA Practical \(Playlist\)](#)

[ITI COPA JAVA MCQ PDF \[130 Important Question\]](#)

Buy COPA MCQ E-Book in Just Rs.15/- [550 MCQ in English]

[https://imojo.in/1xtd24r`](https://imojo.in/1xtd24r)