

These Questions Prepared By: SONU (Heetson)

JavaScript Questions For COPA Trade Students of ITI

1. Which is a statement terminator in javascript?

- A ,
- B ;
- C :
- D . .

Ans. b

2. Which web server provides good customer support if it had any issues?

- A Apache
- B IIS
- C Lite speed
- D Nginx

Ans. b

3. Which web server has high performance stability simple configuration and low resource usage?

- A Apache
- B IIS
- C Lite speed
- D Nginx

Ans. d

4. Which brackets is used to write array in java script?

- A Curve bracket
- B Square bracket
- C Curly bracket
- D Corner bracket

Ans. b

5. Which bracket is used to write object in javascript?

- A Curve bracket
- B Square bracket
- C Curly bracket
- D Corner bracket

Ans. c

6. How many types of operation are there in javascript?

- A 3
- B 4
- C 6
- D 8

Ans. d

7. What is the purpose of the modulus (%) operator in javascript?

- | | |
|--------------------|------------------|
| A Percentage value | B Product value |
| C Remainder value | D Quotient value |

Ans. c

8. Which part in a loop evaluates the conditions?

- | | |
|-----------------------|-----------------------------|
| A Condition part | B Increment /Decrement part |
| C Initialisation part | D Looping part |

Ans. a

These Questions Prepared By: SONU (Heetson)

9. How many types of error are there in javascript programming?

- A** 3
- B** 4
- C** 6
- D** 8

Ans. a

10. How many different values can be returned by the error name property in javascript ?

- A** 3
- B** 4
- C** 5
- D** 6

Ans. d

11. Which is the parameter name separator in javascript?

- A** ,
- B** :
- C** -
- D** /

Ans. a

12. Which allows developers to bundle all functionality under a unique application -specific name?

- A** Class
- B** Name space
- C** Object
- D** Property

Ans. b

13. Which is a valid js code to sort element of an array trade?

- A** Trade.sort:
- B** Trade.sort();
- C** Sort.trade();
- D** Sort.(trade);

Ans. b

14. Which function in javaScript converts a number to a string?

- A** Num()
- B** Str()
- C** String()
- D** to string()

Ans. d

15. What is the full form of TOC?

- A** Text of content
- B** Time of calculation
- C** Table of content
- D** Terminator of content

Ans. c

16. What is the abbreviation of W3C in Dom?

- A** Word Wide Web Curriculum
- B** World Wide Web Consortium
- C** World Wide Web Centre
- D** World Wide Web Content

Ans. b

These Questions Prepared By: SONU (Heetson)

17. What is the main purpose of JavaScript?

- A** Client side validation
- B** Create web browsers
- C** Read and write files
- D** Store data in the server

Ans. a

18. Which one enables the hosting providers to manage multiple domains on a single server?

- A** Network server
- B** SQL server
- C** Web server
- D** Database server

Ans. a

19. Which operator is used to check both value and type in javascript?

- A** #
- B** =
- C** ==
- D** ===

Ans. d

20. Which assignment operator is equivalent to $a = a * 5$?

- A** $a = 5 * 9$
- B** $a = * 5$
- C** $a * = 5$
- D** $a = 5$

Ans. c

21. Which single character escape sequence represents "line feed" javascript?

- A** \b
- B** \f
- C** \n
- D** \t

Ans. c

22. What is the purpose of Initialisation part in 'for' loop?

- A** exit the loop
- B** evaluate the condition
- C** increase or decrease the initial variable
- D** Initiate the variable

Ans. d

23. Which statement is used to test a block of code for errors?

- A** Catch
- B** Finally
- C** Throe
- D** Try

Ans. d

24. Which statement is used to handle the error?

- A** Try
- B** Catch
- C** Throw
- D** Finally

Ans. b

These Questions Prepared By: SONU (Heetson)

25. Which statement is used create custom error in javascript?

- A** Catch
- B** Finally
- C** Throw
- D** Try

Ans. c

26. Which statement is used to execute code after try and catch?

- A** Finally
- B** Syntax error
- C** Throw
- D** Type error

Ans. a

27. Which error indicates that the numbers is outside the range of legal values?

- A** Range Error
- B** Reference Error
- C** Type Error
- D** URI Error

Ans. a

28. Which error indicates that the variable used is not declared?

- A** Eval Error
- B** Range Error
- C** Reference Error
- D** Syntax Error

Ans. c

29. Which error indicates that the value is outside the range of expected type?

- A** Eval Error
- B** Range Error
- C** Syntax Error
- D** Type Error

Ans. d

30. Which is used to access individual value in an array?

- A** Content Number
- B** Element Number
- C** Table Number
- D** Variable Number

Ans. b

31. Which method joins all array element into string with specified separator?

- A** Join()
- B** Pop()
- C** Push()
- D** To string()

Ans. a

32. Which method removes the last elements from an array?

- A** Join()
- B** Push()
- C** Pop()
- D** Shift()

Ans. c

These Questions Prepared By: SONU (Heetson)

33. Which method removes the first array element?

- A** Join()
- B** Pop()
- C** Push()
- D** Shift()

Ans. d

34. Which variable works as function argument in java script?

- A** Function variable
- B** Global variable
- C** Local variable
- D** Object variable

Ans. c

35. Which feature in Javascript has properties and methods?

- A** Array
- B** Function
- C** Object
- D** Controls

Ans. c

36. Which variable are deleted in JavaScript when the page is closed?

- A** Function variable
- B** Global variable
- C** Local variable
- D** Object variable

Ans. b

37. Which method is called at the moment of instention of an object?

- A** Constructor
- B** Inheritance
- C** Polymorphism
- D** Property

Ans. a

38. Which is an instance of class?

- A** Class
- B** Name space
- C** Object
- D** property

Ans. c

39. Which is window method is used to move the current window?

- A** Move()
- B** Move to()
- C** Window move()
- D** Window.move to()

Ans. d

40. Which is property returns the width of the visitor's screen in pixels?

- A** Width()
- B** Screen width()
- C** Screen.width()
- D** Width.screen()

Ans. c

These Questions Prepared By: SONU (Heetson)

41. How will javascript treat a number, when it is enclosed with double or single quotes?

- A** Error
- B** Number
- C** String
- D** Zero

Ans. c

1. What is the process of writing instruction to be get executed by the computer?

- A** Debugging
- B** Executing
- C** Presenting
- D** Programming

2. Who developed javascript?

- A** Brendan Eich
- B** Brendan Rich
- C** John Eckerl
- D** John Mauchy

3. Which programming language's syntax influences javascript syntex?

- A** C
- B** COBOL
- C** Java
- D** JDK

4. Which key is used to declare a variable in javascript?

- A** const
- B** dec
- C** dim
- D** var

5. Which is a variable separator if more than one variable declared in one statement?

- A** ,
- B** :
- C** -
- D** /

6. How many part are there in 'For' loop?

- A** 2
- B** 3
- C** 4
- D** 5

7. Which special variable holds more than one value at a time?

- A** Array
- B** Element
- C** Function
- D** Object

8. Which is the first phase of System Development Life Cycle?

- A** Testing
- B** Planning
- C** Developing
- D** Defining

These Questions Prepared By: SONU (Heetson)

9. What is the full form of BOM?

- A** Browser Object Method
- B** Browser Object Model
- C** Browser Oriented Method
- D** Browser Oriented Model

10. Which one is responsible of running javascript code?

- A** Browser
- B** Notepad++
- C** Sublime Text
- D** Visual studio code

11. Which sign an 'assignment' operator in javascript?

- A** =
- B** #
- C** = =
- D** < >

12. Which data type in javascript returns the value 'True' or 'False'?

- A** Boolean
- B** Dynamic
- C** Object
- D** String

13. Which keyword in switch case statement specifies the code to run if there is no case match?

- A** Break
- B** Case
- C** Default
- D** End

14. What is the purpose of length property in array?

- A** Returns number of array element
- B** Returns number of characters
- C** Returns number of fields in object array
- D** Returns number of highest array index

15. Which method is used to add new element to an array?

- A** Join()
- B** Push()
- C** Pop()
- D** Shift()

16. Which variable declared outside a function in Javascript?

- A** Function variable
- B** Global variable
- C** Local variable
- D** Object variable

17. Which open source software is used to upload from client to server or download from server to client?

- A** PHP
- B** Perl
- C** HTTP
- D** FILEZILLA

These Questions Prepared By: SONU (Heetson)

18. What will be the output for the following Javascript code?

```
var x = 13 + "03"
```

```
Alert(x);
```

A 16

B 133

C 1303

D 13 03

19. What will be the output, if the javascript code is executed

```
var x = 1324;
```

```
var y = new Number(1324);
```

```
if( x === y)
```

```
alert("Yes");
```

```
else
```

```
alert("No")
```

A Infinity

B Error

C No

D Yes

20. What is the output of the following javascript code?

```
var x = " ITI ";
```

```
var y = " GOVT ";
```

```
var o = y concat(x)
```

```
document.write(o);
```

A ITI GOVT

B ITIGOVT

C GOVTITI

D GOVT ITI

[Click here for Answers](#)

[COPA ITI Playlist \(All videos\)](#)

[COPA ITI Playlist Theory \(Hindi\)](#)

[Employability skills ITI Playlist \(All videos\)](#)



[Heetson](#)

← Don't Forget To SUBSCRIBE our Youtube Channel **HEETSON**



[GK EDITORIAL](#)

← Don't Forget To SUBSCRIBE our Youtube Channel **GK EDITORIAL**



[e-books](#)

← Our E-Book Store