Message-oriented Middleware (MOM)

In this lesson, we'll discuss message-oriented middleware in a bit more depth.

Microservices & MOMs

Microservices are decoupled by a MOM. A microservice sends a message to or receives it from the MOM. This means that **the sender and the recipient do not know each other**, only the communication channel. Service discovery is therefore not necessary. Sender and recipient find each other via the topic or queue through which they exchange messages.

Load balancing is also easy. If several recipients have registered for the same communication channel, a message can be processed by one of the recipients and the load can be distributed, thereby eliminating the need for a specific infrastructure for load balancing.

However, a MOM is **a complex software that handles all communication**. Therefore, the MOM must be highly available and has to offer a high throughput. MOMs are generally very mature products, but ensuring adequate performance under all conditions requires a lot of know-how, for example, concerning the configuration.

Variants of MOMs

In the area of MOMs, the following products are popular.

Java messaging service

JMS (Java Messaging Service) is a standardized API for the programming language Java and part of the Java EE standard.

Well known implementations are Apache ActiveMQ or IBM MQ, which was previously known as IBM MQSeries. However, many more JMS products are available. Java application servers that support the entire Java EE profile – not just the web profile – have to contain a JMS implementation, so that JMS is often anyway available.

Advanced message queuing protocol

AMQP (Advanced Message Queuing Protocol) does not standardize an API, but a network protocol at the level of TCP/IP. This allows for a simpler exchange of the implementation.

RabbitMQ, Apache ActiveMQ, and Apache Qpid are the best known implementations of the AMQP standard. There are also a lot more implementations.

ZeroMQ

In addition, there is ZeroMQ, which does not comply with any of the standards.

MQTT

Lastly, MQTT is a messaging protocol that plays a prominent role for the Internet of Things (IoT).

All of these MOM technologies can be used to build a microservices system. If a certain technology is already in use and knowledge about its use is readily available, a decision to use an already known technology can make a lot of sense. It takes a lot of effort to run a microservices system.

The **use of a well-known technology reduces risk and effort**. The requirements for availability and scalability of MOMs are high. A well-known MOM can help to meet these requirements in a simple way.

QUIZ

<table>
<tr><td>1</td><td>When a MOM is used with a microservices system, the microservices communicate with _____.</td></tr>
</table>

COMPLETED 0%

1 of 3   ‹   ›

In the next lesson, we'll discuss the architecture of Kafka.