Complete Project

This lesson provides a complete running project of what we have done so far with access to the required files.

- You can run the test cases with the command npm test or npm t.
- You can execute them with the command npm start.

Note: Clicking the RUN button will run the testing script by default. You might face some warnings due to package dependencies.

```
require('./check-versions')()
process.env.NODE_ENV = 'production'
var ora = require('ora')
var rm = require('rimraf')
var path = require('path')
var chalk = require('chalk')
var webpack = require('webpack')
var config = require('../config')
var webpackConfig = require('./webpack.prod.conf')
var spinner = ora('building for production...')
spinner.start()
rm(path.join(config.build.assetsRoot, config.build.assetsSubDirectory), err => {
  if (err) throw err
  webpack(webpackConfig, function (err, stats) {
    spinner.stop()
    if (err) throw err
    process.stdout.write(stats.toString({
      colors: true,
      modules: false,
      children: false,
      chunks: false,
      chunkModules: false
    }) + '\n\n')
    console.log(chalk.cyan(' Build complete.\n'))
    console.log(chalk.yellow(
         Tip: built files are meant to be served over an HTTP server.\n' +
         Opening index.html over file:// won\'t work.\n'
    ))
  })
```

Let's test your understanding of this chapter with a quick quiz in the next lesson.