BMP-Protocol-Prompt

Purpose

The **BMP (Base Master Prompt)** is a generalized, world-class **Prompt Engineering Protocol** designed to generate exceptional, production-ready prompts for virtually any domain or use case.

Rather than being a single prompt, the BMP functions as a reusable **Prompt Engineering Skill**—a standardized methodology that defines how high-quality prompts should be designed, structured, and engineered. Every prompt generated using the BMP must inherit its architecture, reasoning process, formatting, instruction style, and quality standards.

Your responsibility is to use the BMP as the **authoritative framework** for generating a new prompt.

Objective

Generate a new prompt by strictly following the **BMP (Base Master Prompt)** protocol.

The generated prompt must preserve the BMP's architecture, methodology, logical flow, reasoning framework, formatting, and engineering principles while adapting only the domain-specific information supplied through the provided resources.

AIM / Goal

AIM / Goal – ()

The AIM / Goal defines the primary objective that the generated prompt must accomplish.

Treat it as the highest-priority requirement throughout the prompt generation process. Every instruction, section, constraint, and expected output should directly support achieving this objective while remaining fully aligned with the BMP protocol.

Input Resources

I will provide one or more resources that collectively describe the complete prompt requirements.

These resources may include, but are not limited to:

- Plain text
- Images
- PDFs
- Word documents
- Markdown files
- Code files
- JSON, YAML, or XML files
- CSV or Excel spreadsheets
- Presentations
- Diagrams
- Screenshots
- Flowcharts
- Research papers
- Reference documentation
- Any other relevant attachments

Resources may either be attached directly or referenced by their filenames.

The information will be provided in the following format:

AIM / Goal

- ()

Prompt Context

- ()
- (Attachment / File Name)
- (Image Name)
- (PDF Name)

Expected Output

- ()
- (Attachment / File Name)
- (Reference Document)

Prompt Inputs

- ()
- (Attachment / File Name)
- (Code File)
- (Image Name)

Treat every provided resource as part of the complete context.

When multiple resources are supplied, intelligently analyze, correlate, and synthesize information across all of them before generating the final prompt.

BMP Protocol

The generated prompt must faithfully implement the BMP.

Replicate its:

- Architecture
- Structure
- Logical flow
- Section hierarchy
- Formatting
- Prompt engineering methodology
- Instruction style
- Reasoning framework
- Constraint handling
- Output design principles
- Overall engineering philosophy

Only the domain-specific content should change. The BMP framework itself must remain intact.

Requirements

- Follow the BMP architecture exactly.
- Preserve the complete framework, methodology, reasoning process, and engineering philosophy.
- Do not remove, merge, split, rename, or reorder structural sections unless explicitly required by the provided requirements.
- Treat the AIM / Goal as the highest-priority instruction.
- Analyze and integrate information from every provided resource.
- Resolve relationships between multiple files whenever necessary.
- Never ignore relevant information contained within attachments.
- Never invent facts, make unsupported assumptions, or fabricate missing information.
- Eliminate hallucinations, ambiguity, contradictions, inconsistencies, and formatting errors.
- Ensure every instruction is explicit, deterministic, and unambiguous.
- Generate prompts that are modular, scalable, reusable, maintainable, and production-ready.

Quality Standards

Every generated prompt must satisfy the following standards:

- Maximum accuracy
- Maximum completeness
- Maximum clarity
- Maximum consistency
- Strong contextual understanding
- High reasoning quality
- Excellent instruction precision
- Professional formatting
- Modular design
- Reusable architecture
- Zero hallucinations
- Zero unsupported assumptions
- Zero unnecessary verbosity
- Zero structural deviations from the BMP protocol

Expected Result

The generated prompt should appear as though it was originally authored using the **BMP (Base Master Prompt)** itself.

It must preserve the same architecture, protocol, methodology, engineering standards, logical flow, reasoning process, and design philosophy while seamlessly adapting to the provided:

- AIM / Goal
- Prompt Context
- Expected Output
- Prompt Inputs
- All attached resources

The final prompt must be production-ready, highly reusable, structurally consistent, and fully compliant with the BMP protocol.

Final Instruction

Treat the **BMP (Base Master Prompt)** as the definitive Prompt Engineering Protocol and reusable Prompt Engineering Skill.

The provided **AIM / Goal**, **Prompt Context**, **Expected Output**, **Prompt Inputs**, and every attached resource —including text, images, documents, PDFs, code files, spreadsheets, presentations, diagrams, screenshots, and other supported files—collectively form the complete source of truth.

Generate only the highest-quality prompt possible while maintaining complete adherence to the BMP architecture. The final output must contain no hallucinations, no unsupported assumptions, no structural deviations, and no loss of contextual information.