```
SQL> select name from t2
  2 union
  3 select name from t3;
NAME
-----
abhishek
akshay
aniket
arthur
dev
harshad
jay
kapil
krishna
manas
omkar
ram
ravan
sam
shyam
siddharth
suraj
sushant
tushar
```

vaibhav
varun
vikrant
vivek
yash
24 rows selected.
SQL> select name from t3;
NAME
manas
tushar
yash
harshad
jay
omkar
aniket
vivek
sam
arthur
sushant
vaibhav
abhishek
vikrant

```
akshay
kapil
dev
suraj
ram
shyam
ravan
krishna
22 rows selected.
SQL> select name from t2
  2;
NAME
-----
manas
tushar
yash
harshad
jay
omkar
aniket
vivek
sam
arthur
```

sushant vaibhav abhishek vikrant akshay kapil dev suraj ram shyam ravan krishna manas tushar yash harshad varun siddharth 28 rows selected. SQL> select name from t2 2 union 3 select name from t3; NAME

abhishek
akshay
aniket
arthur
dev
harshad
jay
kapil
krishna
manas
omkar
ram
ravan
sam
shyam
siddharth
suraj
sushant
tushar
vaibhav
varun
vikrant

-----

```
vivek
yash
24 rows selected.
SQL> select name from t2
  2 union all
  3 select name from t3;
NAME
-----
manas
tushar
yash
harshad
jay
omkar
aniket
vivek
sam
arthur
sushant
vaibhav
abhishek
vikrant
akshay
kapil
```

ravan			
krishna			
manas			
tushar			
yash			
harshad			
varun			
siddharth			
manas			
tushar			
yash			
harshad			
jay			
omkar			
aniket			
vivek			
sam			
arthur			
sushant			

dev

suraj

shyam

ram

vaibhav
abhishek
vikrant
akshay
kapil
dev
suraj
ram
shyam
ravan
krishna
50 rows selected.
<pre>SQL&gt; select name from t2           intersect           select name from t3;</pre>
NAME
abhishek
akshay
aniket
arthur
dev
harshad

```
jay
kapil
krishna
manas
omkar
ram
ravan
sam
shyam
suraj
sushant
tushar
vaibhav
vikrant
vivek
yash
22 rows selected.
SQL> select name from t2
  3 select name from t3;
NAME
-----
siddharth
varun
```

```
SQL> create or replace view v1 as
```

- 2 select \* from t2
- 3 where balance>2000;

View created.

SQL> select \* from v1;

ROLL_NO	NAME	EMAIL	BALANCE
1	manas	m@1	80000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	0@1	6000
14	aniket	a@1	7000
16	vivek	v@1	8000
17	sam	s@2	9000
567	manas	m@256	80000
456	yash	y@1845	3000
235	harshad	h@132	5000
56	varun	vv@g	4000

12 rows selected.

SQL> insert into t2 values(67, 'raju', 'r@rr', 5675);

1 row created.

SQL> select \* from v1;

ROLL_NO	NAME	EMAIL	BALANCE	
1	manas	m@1	80000	
3	yash	y@1	3000	
4	harshad	h@1	5000	
5	jay	j@1	5000	
12	omkar	o@1	6000	
14	aniket	a@1	7000	
16	vivek	v@1	8000	
17	sam	s@2	9000	
567	manas	m@256	80000	
456	yash	y@1845	3000	
235	harshad	h@132	5000	
67	raju	r@rr	5675	
56	varun	vv@g	4000	
13 rows se	lected.			
SQL> insert	t into v1 v	alues(67,'k	aju','r@k',675);	
1 row creat	ted.			
SQL> select	t * from v1	;		
ROLL_NO	NAME	EMAIL	BALANCE	
1	manas	m@1	80000	

3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	0@1	6000
14	aniket	a@1	7000
16	vivek	v@1	8000
17	sam	s@2	9000
567	manas	m@256	80000
456	yash	y@1845	3000
235	harshad	h@132	5000
67	raju	r@rr	5675
56	varun	vv@g	4000

SQL> select \* from t2;

ROLL_NO	NAME	EMAIL	BALANCE
1	manas	m@1	80000
2	tushar	t@1	2000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	o@1	6000
14	aniket	a@1	7000

16	vivek	v@1	8000
17	sam	s@2	9000
18	arthur	a@2	1100
21	sushant	s@3	1200
31	vaibhav	v@5	1300
41	abhishek	a@6	1400
51	vikrant	v@7	1500
61	akshay	a@8	1060
71	kapil	k@9	1070
67	dev	d@78	1080
45	suraj	s@89	1900
56	ram	r@45	1009
87	shyam	s@34	1034
38	ravan	r@34	1023
99	krishna	k@43	1460
567	manas	m@256	80000
235	tushar	t@435	2000
456	yash	y@1845	3000
235	harshad	h@132	5000
67	raju	r@rr	5675
56	varun	vv@g	4000
588	siddharth	ss@g	1000
67	kaju	r@k	675

SQL> delete from t2 where name='sushant';

1 row deleted.

SQL> select \* from t2;

ROLL_NO	NAME	EMAIL	BALANCE
	manas		
2	tushar	t@1	2000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	0@1	6000
14	aniket	a@1	7000
16	vivek	v@1	8000
17	sam	s@2	9000
18	arthur	a@2	1100
31	vaibhav	v@5	1300
41	abhishek	a@6	1400
51	vikrant	v@7	1500
61	akshay	a@8	1060
71	kapil	k@9	1070
67	dev	d@78	1080

45	suraj	s@89	1900
56	ram	r@45	1009
87	shyam	s@34	1034
38	ravan	r@34	1023
99	krishna	k@43	1460
567	manas	m@256	80000
235	tushar	t@435	2000
456	yash	y@1845	3000
235	harshad	h@132	5000
67	raju	r@rr	5675
56	varun	vv@g	4000
588	siddharth	ss@g	1000
67	kaju	r@k	675

SQL> select \* from v1;

ROLL_NO	NAME	EMAIL	BALANCE
1	manas	m <b>@1</b>	80000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	o@1	6000
14	aniket	a@1	7000

16	vivek	v@1	8000
17	sam	s@2	9000
567	manas	m@256	80000
456	yash	y@1845	3000
235	harshad	h@132	5000
67	raju	r@rr	5675
56	varun	vv@g	4000

SQL> delete from v1 where name='raju';

1 row deleted.

SQL> select \* from v1;

ROLL_NO	NAME	EMAIL	BALANCE
1	manas	m@1	80000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	0@1	6000
14	aniket	a@1	7000
16	vivek	v@1	8000
17	sam	s@2	9000
567	manas	m@256	80000

456 yash	y@1845	3000
235 harsha	d h@132	5000
56 varun	vv@g	4000

SQL> select \* from t2;

ROLL_NO	NAME	EMAIL	BALANCE
1	manas	m@1	80000
2	tushar	t@1	2000
3	yash	y@1	3000
4	harshad	h@1	5000
5	jay	j@1	5000
12	omkar	o@1	6000
14	aniket	a@1	7000
16	vivek	v@1	8000
17	sam	s@2	9000
18	arthur	a@2	1100
31	vaibhav	v@5	1300
41	abhishek	a@6	1400
51	vikrant	v@7	1500
61	akshay	a@8	1060
71	kapil	k@9	1070
67	dev	d@78	1080

45	suraj	s@89	1900
56	ram	r@45	1009
87	shyam	s@34	1034
38	ravan	r@34	1023
99	krishna	k@43	1460
567	manas	m@256	80000
235	tushar	t@435	2000
456	yash	y@1845	3000
235	harshad	h@132	5000
56	varun	vv@g	4000
588	siddharth	ss@g	1000
67	kaju	r@k	675

SQL> commit;

Commit complete.

SQL> spool off