



Data Science Intern at Data Glacier

Week 4: Deployment on Flask

Name: Yash Jayesh Doshi

Batch Code: LISUM19

Date: 28 March 2022

Submitted to: Data Glacier

Table of Contents:

Heading	Page number
Introduction	3
Data Information	3
Building a model in Jupyter notebook	4
Building a Flask Web Application	9
Checking the Flask Web Application	16

1. Introduction

In this project, I try to predict the sentiment of a movie review with the help of NLP and ML. The overall workflow of the project is shown in the figure below.




Figure 1.1: Application Workflow

2. Data Information

The data used for this project is IMDb movie reviews dataset ([Link](#))

Source credit:

```
@InProceedings{maas-EtAl:2011:ACL-HLT2011,
  author    = {Maas, Andrew L. and Daly, Raymond E. and Pham, Peter T. and Huang,
Dan and Ng, Andrew Y. and Potts, Christopher},
  title     = {Learning Word Vectors for Sentiment Analysis},
  booktitle = {Proceedings of the 49th Annual Meeting of the Association for
Computational Linguistics: Human Language Technologies},
  month     = {June},
  year      = {2011},
  address   = {Portland, Oregon, USA},
  publisher = {Association for Computational Linguistics},
  pages     = {142--150},
  url       = {http://www.aclweb.org/anthology/P11-1015}
}
```

This dataset contains movie reviews along with their associated binary sentiment polarity labels. It is intended to serve as a benchmark for sentiment classification.

The core dataset contains 50,000 reviews split evenly into 25,000 train and 25,000 test sets. The overall distribution of labels is balanced (25,000 pos and 25,000 neg). In the entire collection, no more than 30 reviews are allowed for any given movie because reviews for the same movie tend to have correlated ratings. Further, the train and test sets contain a disjoint set of movies, so no significant performance is obtained by memorizing movie-unique terms and their associated with observed labels. In the labeled

train/test sets, a negative review has a score ≤ 4 out of 10, and a positive review has a score ≥ 7 out of 10. Thus, reviews with more neutral ratings are not included in the train/test sets.

There are two top-level directories [train/, test/] corresponding to the training and test sets. Each contains [pos/, neg/] directories for the reviews with binary labels positive and negative. Within these directories, reviews are stored in text files named following the convention [[id]_[rating].txt] where [id] is a unique id and [rating] is the star rating for that review on a 1-10 scale. For example, the file [test/pos/200_8.txt] is the text for a positive-labeled test set example with unique id 200 and star rating 8/10 from IMDb.

3. Building a Model in Jupyter Notebook

3.1 Importing the Required Libraries and Dataset

```
import numpy as np
import pandas as pd
import warnings
import os
import pickle

from sklearn.model_selection import train_test_split
import re
import nltk
from nltk.corpus import stopwords
from nltk.stem import WordNetLemmatizer
from sklearn.feature_extraction.text import CountVectorizer, TfidfTransformer
from sklearn.metrics import accuracy_score, precision_score, recall_score, f1_score
from sklearn.pipeline import make_pipeline
from sklearn.naive_bayes import MultinomialNB
from sklearn.linear_model import LogisticRegression
from sklearn.svm import SVC
from sklearn.ensemble import RandomForestClassifier
from xgboost import XGBClassifier
from sklearn.metrics import classification_report

warnings.filterwarnings("ignore")
nltk.download('stopwords')
nltk.download('wordnet')
```

Figure 3.1: Importing the required libraries

Loading the data

```
# Load the reviews and labels
# 1 for positive reviews and 0 for negative reviews
reviews = []
labels = []
path="aclImdb/train"
for label_type in ["pos", "neg"]:
    dir_path = os.path.join(path, label_type)
    for filename in os.listdir(dir_path):
        if filename.endswith(".txt"):
            with open(os.path.join(dir_path, filename), "r", encoding="utf-8") as f:
                review = f.read()
                reviews.append(review)
                labels.append(1 if label_type == "pos" else 0)
```

Figure 3.2: Loading the data

3.2 Preprocessing the data

```
# Define a function to perform text preprocessing
def preprocess_text(text):
    # Remove HTML tags
    cleaned_text = re.sub('<[^>]*>', '', text)

    # Remove punctuation
    cleaned_text = re.sub(r'[\W\s]', '', cleaned_text)

    # Convert to lowercase
    cleaned_text = cleaned_text.lower()

    # Lemmatize and remove stopwords
    lemmatizer=WordNetLemmatizer()
    stop_words = set(stopwords.words('english'))
    cleaned_text=' '.join(lemmatizer.lemmatize(word) for word in cleaned_text.split()
                           if word not in stop_words)

    return cleaned_text

# Preprocess the movie reviews
cleaned_reviews = []
for review in reviews:
    cleaned_review = preprocess_text(review)
    cleaned_reviews.append(cleaned_review)
```

Figure 3.3: Preprocessing the reviews

3.3 Splitting the dataset into train, validation and test set

```
# Split the dataset into training, validation, and testing sets
train_reviews, test_reviews, train_labels, test_labels = train_test_split(cleaned_reviews, labels, test_size=0.15,
                                                                           random_state=42, shuffle=True, stratify=labels)
train_reviews, val_reviews, train_labels, val_labels = train_test_split(train_reviews, train_labels, test_size=0.15,
                                                                           random_state=42, shuffle=True, stratify=train_labels)
```

Figure 3.4: Splitting the dataset

3.4 Vectorizing the data and finding the best ML model

```
# Making a pipeline for vectorizing and transforming the reviews
pipeline = make_pipeline(CountVectorizer(),TfidfTransformer())

X_train = pipeline.fit_transform(train_reviews)
X_val = pipeline.transform(val_reviews)
X_test = pipeline.transform(test_reviews)
```

```
# Defining the models that will be tested for our analysis
models = {
    "MultinomialNB": MultinomialNB(),
    "Logistic Regression": LogisticRegression(),
    "SVM": SVC(kernel="linear"),
    "Random Forest": RandomForestClassifier(),
    "XGBoost Classifier": XGBClassifier()
}
```

Figure 3.5: Transforming the data and defining models dictionary

```

from sklearn.model_selection import GridSearchCV
import time

model_list=[]

# Define the parameter grid for each model
nb_param_grid = {'alpha': [0.1, 0.01, 0.001, 0.0001]}

lr_param_grid = {'C': [0.1, 1, 10, 100],
                  'penalty': ['l1', 'l2']}

svm_param_grid = {'C': [0.1, 1, 10, 100]}

rf_param_grid = {'n_estimators': [50, 100, 200, 300],
                  'max_depth': [None, 5, 10, 20],
                  'min_samples_split': [2, 5, 10]}

xgb_param_grid = {'n_estimators': [50, 100, 200, 300],
                  'max_depth': [3, 5, 10],
                  'learning_rate': [0.1, 0.01, 0.001]}

# Define the parameter grids for all models in a dictionary
param_grids = {'MultinomialNB': nb_param_grid,
                'Logistic Regression': lr_param_grid,
                'SVM': svm_param_grid,
                'Random Forest': rf_param_grid,
                'XGBoost Classifier': xgb_param_grid}

```

Figure 3.6: Importing required libraries and defining hyper-parameters dictionary

```
# Testing all the models and appending the statistics to model_list
for model_name,param in param_grids.items():

    start = time.time()
    algo = models[model_name]
    grid_search = GridSearchCV(estimator=algo,param_grid=param,cv=5,n_jobs=-1,scoring='accuracy')
    grid_search.fit(X_train,train_labels)
    best_para = grid_search.best_params_
    algo.set_params(**best_para)
    algo.fit(X_train,train_labels)
    y_pred = algo.predict(X_val)
    end = time.time()

    print(f"{model_name}")
    print(f"Time taken: {end-start}") #Time is in seconds
    model_list.append([model_name,accuracy_score(val_labels,y_pred),precision_score(val_labels,y_pred),
                      recall_score(val_labels,y_pred),f1_score(val_labels,y_pred),best_para])

    print("-----")
```

```
MultinomialNB
Time taken: 6.968690395355225
-----
Logistic Regression
Time taken: 20.587644577026367
-----
SVM
Time taken: 1976.6532769203186
-----
Random Forest
Time taken: 4465.19069314003
-----
XGBoost Classifier
Time taken: 5181.1491086483
-----
```

Figure 3.7: Finding the best model and best hyper-parameters

```
models_df = pd.DataFrame(data=model_list,columns=['Model name','Accuracy','Precision','Recall','f1-score','Best Parameters'])
models_df
```

	Model name	Accuracy	Precision	Recall	f1-score	Best Parameters
0	MultinomialNB	0.860100	0.865140	0.853199	0.859128	{'alpha': 0.1}
1	Logistic Regression	0.896801	0.888275	0.907779	0.897921	{'C': 10, 'penalty': 'l2'}
2	SVM	0.898996	0.890663	0.909661	0.900062	{'C': 1}
3	Random Forest	0.861669	0.868842	0.851945	0.860310	{'max_depth': None, 'min_samples_split': 5, 'n...
4	XGBoost Classifier	0.863237	0.856527	0.872647	0.864512	{'learning_rate': 0.1, 'max_depth': 10, 'n_est...

Figure 3.8: Viewing the results in a dataframe

3.5 Choosing the best model, training it and saving the model and pipeline

Choosing Logistic Regression for our analysis

```
model = LogisticRegression(C=10,penalty='l2')
model.fit(X_train,train_labels)
prediction = model.predict(X_test)
```

```
print(classification_report(prediction,test_labels))
```

	precision	recall	f1-score	support
0	0.86	0.89	0.88	1825
1	0.89	0.87	0.88	1925
accuracy			0.88	3750
macro avg	0.88	0.88	0.88	3750
weighted avg	0.88	0.88	0.88	3750

```
with open('ml_model.pickle', 'wb') as f:
    pickle.dump(model, f)
```

```
with open('preprocessor.pickle', 'wb') as f:
    pickle.dump(pipeline, f)
```

Figure 3.9: Fitting the data to the best model and saving the model

4. Building the Flask Web Application

Now that we have trained and saved the model in a pickle file, we will use it to predict the sentiment of a movie review entered by a user in our Web Application.

4.1 Building utils.py

We will define all the preprocessing operations in a function inside the file utils.py, which we can then use to preprocess the movie review that we get from the user of our application.


```

app.py > ...
1  from flask import Flask, render_template, request, Response, url_for, jsonify
2  import tensorflow as tf
3  import pickle
4
5  from utils import text_preprocessor
6
7  file_path = 'ml_model.pickle'
8  with open(file_path, 'rb') as f:
9      model = pickle.load(f)
10
11  app = Flask(__name__)
12
13  # Defining route for home page
14  @app.route('/')
15  def index():
16      return render_template("index.html")
17
18  # Defining route for api
19  @app.route('/predict_api', methods=['GET', 'POST'])
20  def predict_api():
21      if request.method == 'POST':
22
23          data = request.json['data']
24          preprocessed_data = text_preprocessor(data)
25          output = model.predict(preprocessed_data)[0][0]
26
27          return jsonify(output)
28

```

Figure 4.2: app.py (part-1)

```

@app.route('/predict', methods=['GET', 'POST'])
def predict():
    if request.method == 'POST':
        review = request.form['review']
        preprocessed_data = text_preprocessor(review)
        output = model.predict(preprocessed_data)
        if output > 0.5:
            sentiment = "Positive"
        else:
            sentiment = "Negative"
        predictions.append({'review': review, 'sentiment': sentiment})
        return render_template('predictions.html', predictions=predictions)
    return render_template("index.html")

@app.route('/predictions')
def predictions():
    # Render the predictions page with the list of predictions
    return render_template('predictions.html', predictions=predictions)

if __name__ == "__main__":
    predictions = []
    app.run()

```

Figure 4.3: app.py (part-2)

4.3 Building the HTML and CSS files for the application

Our model includes two HTML files, namely, index.html and predictions.html, and one CSS file to style the two HTML files, namely, style.css

The code for both the HTML files can be found below.

```
templates > index.html > html
1  <!DOCTYPE html>
2
3  <html>
4  <head>
5  <link rel="stylesheet" type="text/css" href="{{ url_for('static', filename='style.css') }}">
6  <title>Movie Review Sentiment Analysis</title>
7  </head>
8  <body>
9  <h1>Movie Review Sentiment Analysis</h1>
10 <form action="/predict" method="post">
11 <label for="review">Enter your movie review:</label>
12 <br>
13 <textarea id="review" name="review" rows="10" cols="50"></textarea>
14 <br>
15 <button type="submit">Submit</button>
16 </form>
17 </body>
18 </html>
```

Figure 4.4: index.html

```
templates > predictions.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <link rel="stylesheet" type="text/css" href="{{ url_for('static', filename='style.css') }}">
5  <title>Movie Review Sentiment Analysis Predictions</title>
6  </head>
7  <body>
8  <h1>Movie Review Sentiment Analysis Predictions</h1>
9  <table>
10 <thead>
11 <tr>
12 <th>Review</th>
13 <th>Sentiment</th>
14 </tr>
15 </thead>
16 <tbody>
17 {% for prediction in predictions %}
18 <tr>
19 <td>{{ prediction.review }}</td>
20 <td class="{{ 'positive' if prediction.sentiment=='Positive' else 'negative' }}">{{ prediction.sentiment }}</td>
21 </tr>
22 {% endfor %}
23 </tbody>
24 </table>
25 <a class="New_predictions" href="/">Make a new prediction</a>
26 </body>
27 </html>
```

Figure 4.5: predictions.html

The code for the CSS file can be found below.

```
1  /* Styles for the index page */
2  body {
3      background-color: #f9f9f9;
4      font-family: 'Helvetica Neue', sans-serif;
5      color: #333;
6  }
7
8  h1 {
9      text-align: center;
10     font-size: 3rem;
11     margin-top: 3rem;
12 }
13
14 form {
15     margin: 2rem auto;
16     max-width: 800px;
17     padding: 2rem;
18     background-color: #fff;
19     border-radius: 10px;
20     box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
21 }
22
23 label {
24     display: block;
25     font-size: 1.2rem;
26     font-weight: bold;
27     margin-bottom: 1rem;
28 }
29
```

Figure 4.6: style.css (part-1)

```

30  textarea {
31      display: block;
32      width: 100%;
33      font-size: 1.2rem;
34      padding: 0.5rem;
35      border-radius: 5px;
36      border: 1px solid #ccc;
37      resize: none;
38      height: 200px;
39  }
40
41  button {
42      display: block;
43      margin: 1rem auto;
44      padding: 0.5rem 1rem;
45      font-size: 1.2rem;
46      background-color: #007bff;
47      color: #fff;
48      border: none;
49      border-radius: 5px;
50      cursor: pointer;
51  }
52
53  /* Styles for the predictions page */
54  table {
55      margin: 2rem auto;
56      max-width: 1100px;
57      border-collapse: collapse;
58  }
59
60  thead {
61      background-color: #007bff;
62      color: #fff;
63  }
64

```

Figure 4.7: style.css (part-2)

```

65 th, td {
66     padding: 0.5rem;
67     text-align: center;
68     border: 1px solid #ccc;
69 }
70
71 th {
72     font-weight: bold;
73 }
74
75 td.review {
76     padding-top: 20px;
77     padding-bottom: 20px;
78     padding-right: 10px;
79     text-align: left;
80 }
81
82 tbody tr:nth-child(even) {
83     background-color: #f2f2f2;
84 }
85
86 a.New_predictions {
87     display: flex;
88     justify-content: center;
89     margin: 1rem auto;
90     padding: 0.5rem 1rem;
91     font-size: 1.2rem;
92     background-color: #007bff;
93     color: #fff;
94     border: none;
95     border-radius: 5px;
96     text-align: center;
97     text-decoration: none;
98     cursor: pointer;
99 }
100

```

Figure 4.8: style.css (part-3)

```


101 a.New_Predictions: hover {
102 | background-color: #0056b3;
103 | }
104
105 .positive {
106 | color: green;
107 | font-weight: bold;
108 | }
109
110 .negative {
111 | color: red;
112 | font-weight: bold;
113 | }
114

```

Figure 4.9: style.css (part-4)

5. Checking the Flask Web Application

The images below depict how the Web Application works.



Movie Review Sentiment Analysis

Enter your movie review:

The Matrix Resurrections is a captivating film that explores the philosophical concepts of reality and free will in a stunning visual landscape. The plot picks up years after the events of the original Matrix trilogy, and follows a grown-up Neo as he attempts to come to terms with his past and regain control of his destiny.

The film is packed with intense action sequences, mind-bending plot twists, and breathtaking special effects. The performances by Keanu Reeves, Carrie-Anne Moss, and Yahya Abdul-Mateen II are excellent, with

Submit

Figure 5.1: Entering movie review and submitting it




Figure 5.2: Displaying the input and output and clicking 'Make a New Prediction'




Figure 5.3: Entering second movie review




Figure 5.4: Displaying input and corresponding output for all the reviews