GLOBAL CYBER DEFENSE CORP

Prowler HTML Scan Audit Report

Technical Security Assessment, Compliance Audit & Actionable Remediations

TARGET SCOPE / ACCOUNT:	123456789012	AUDIT DATE:	2026-09-28 14:30:00 UTC
CLOUD PROVIDER:	AWS	AUDITING TOOL:	Security Scanner (HTML)
LEAD ASSESSOR:	Cloud Security Audit	OVERALL POSTURE:	**Needs Improvement** (C)

50.0%
SECURITY SCORE

Security Posture Rating: Needs Improvement (Grade C)

Evaluation completed across **8** automated security checks. Identified **4 failed checks** and **4 compliant checks**. Remediation prioritization should address critical and high findings first to minimize attack surface.

TOTAL CHECKS	PASSED CHECKS	FAILED CHECKS	CRITICAL / HIGH
8	4	4	3

FAILED SEVERITY SPREAD	Critical: 2	High: 1	Medium: 1	Low: 0

1. Security Visual Analytics & Breakdown

The charts below visualize the risk distribution across severity levels, overall status compliance ratios, and cloud services with the highest number of non-compliant configurations.

Failure Severity Distribution



Top Failing Services (Failure Count)



2. Compliance Framework Alignment

No standard compliance frameworks mapped in this scan dataset.

3. Executive Priority Remediation Guide

Severity	Service	Check & Finding Title	Urgent Remediation Action
CRITICAL	IAM	**Ensure MFA is enabled for the 'root' user account** root	Enable virtual or hardware MFA on root account via IAM console.
CRITICAL	S3	**Ensure S3 Buckets do not allow public read/write access** finance-data-vault	Enable S3 Block Public Access setting immediately.
HIGH	EC2	**Ensure no Security Groups allow ingress from 0.0.0.0/0 to port 22 (SSH)** sg-01928374	Restrict inbound SSH to known corporate IP addresses or use SSM Session Manager.

4. Detailed Technical Findings & Remediation

Displaying 4 evaluated checks (Filter: Failed Checks Only, Threshold: ALL).

[FAIL] [CRITICAL] **#1. Ensure MFA is enabled for the 'root' user account** `iam_root_mfa_enabled`

Resource:	`root`	**Service / Region:**	IAM / global
Details:	Root account does not have MFA enabled.		
Risk Impact:	Total administrative takeover of AWS account if credentials leak.		
Remediation:	Enable virtual or hardware MFA on root account via IAM console.		

[FAIL] [CRITICAL] **#2. Ensure S3 Buckets do not allow public read/write access** `s3_bucket_public_access`

Resource:	`finance-data-vault`	**Service / Region:**	S3 / us-east-1
Details:	Bucket finance-data-vault grants public READ access to anonymous users.		
Risk Impact:	Confidential corporate financial records exposed to the public Internet.		
Remediation:	Enable S3 Block Public Access setting immediately.		

[FAIL] [HIGH] **#3. Ensure no Security Groups allow ingress from 0.0.0.0/0 to port 22 (SSH)** `ec2_securitygroup_allow_ingress_from_internet_to_tcp_port_22`

Resource:	`sg-01928374`	**Service / Region:**	EC2 / us-west-2
Details:	Security group sg-01928374 allows SSH (port 22) open to 0.0.0.0/0.		
Risk Impact:	Vulnerability to SSH brute force and remote exploitation.		
Remediation:	Restrict inbound SSH to known corporate IP addresses or use SSM Session Manager.		

[FAIL] [MEDIUM] **#4. Ensure CloudTrail is enabled in all regions** `cloudtrail_multi_region_enabled`

Resource:	`cloudtrail-primary`	**Service / Region:**	CLOUDTRAIL / us-east-1
Details:	CloudTrail is only logging us-east-1, multi-region logging is disabled.		
Risk Impact:	Actions in other regions remain unmonitored during an attack.		
Remediation:	Enable multi-region trail logging in CloudTrail settings.		