

Heat Pump Water Heater System
V-Guard Industries Limited
Pune.



The advertisement features a large, white, cylindrical V-Guard water heater tank and a white outdoor heat pump unit with a fan grille. They are positioned in the foreground on a green lawn. In the background, a modern, two-story house is visible, set against a backdrop of rolling green hills and a bright sun with rays. The V-Guard logo is present in the top right corner of the image area. The text 'Less usage cost, more hot water.' is centered over the landscape. At the bottom right, the text 'With: V-GUARD HEAT PUMP WATER HEATERS' is displayed in bold.

Less usage cost, more hot water.

With: **V-GUARD**
HEAT PUMP WATER HEATERS

Ref: AVG/VHP/021/2026-27

Date: 23/05/2026

To,
Kind Attn : Mr. Sunpreet Bindra
Address : Indirangar Nashik
Project : Bungalow

Dear Sir,

Sub: Proposal for Heat Pump System

We would like to introduce ourselves as one of the leading organization involved in marketing of consumer durable items since 1977 under the brand name '**V-GUARD**'. Our product range consists of Electronic Voltage Stabilizers, Digital Voltage Stabilizers, UPS, Pump sets, Water Heaters, PVC Insulated Electrical Cables, Solar Water Heater, Heat Pump, Domestic Ceiling & Exhaust Fans and Induction Cook-tops. We enjoy a reasonably good brand equity and also a good customer pull for our products in this part of the country.

'**V-GUARD**' untiring commitment for performance, cutting – edge technology, innovative design and dependable service standards lead to unrivaled product quality and overwhelming brand equity. The principles that motivated our success remain unchanged. Through stringent quality measures, reliable products, talented people and a responsible approach to business and global citizenship, we steadily continue to capture the hearts of the people.

At **V-GUARD**, quality anchors the production process, which begins from the time of sourcing. The ingenuity of the R&D team plays a pivotal role in V-GUARD's persistent quest for innovation. A confluence of design and technological functions, the team relentlessly works towards creating cutting-edge products. The strength of V-Guard emanates from its dynamic R&D that painstakingly tests and refines product designs.


V-GUARD products are manufactured using the latest technology in up-to-the-minute manufacturing units, under stringent quality control measures, to ensure unmatched quality and performance.

The house of trust, has delivered the best quality and after-sales service to its 50 million customers for the past **41** years. It has an extensive network of over 9500 Retailers and 200 Distributors / Service Centers, in **26** States and Union Territories. V-Guard provides employment for more than **1800** people directly and 5500 people indirectly through its SHG initiatives.

FROM
Sushant Patil
9112225190
Avegatasta Solution

V-Guard Heat Pump Water Heating System:

The heat pump makes use of a refrigerant for its Operation. the low temperature refrigerant afterabsorbs free heat from the atmospheric air in the evaporator is compressed by a highly efficient electrical compressor to a high - temperature and high-pressure vapor refrigerant .this vapor is then passed through a heat exchanger (condenser) to transfer the heat to the water in the storage tank to produce hot water .the refrigerant then passes through an expansion valve and it goes back to the evaporator for absorbing the free heat from the atmospheric air again and the cycle is repeated.



Service helpline:

V-Guard will ensure the premium service with its trained technicians across pan India level. 1800 103 1300 is the toll free number to register the service request. This helpline is available from morning 9am to 6pm Monday to Saturday.

TECHNICAL SPECIFICATION _ HEAT PUMP.

Particular	V HP -150	V HP -200	V HP- 300	V HP - 500
Tank Capacity	160	210	320	500
Heating Capacity KW	3500 W	3500 W	3500 W	5800 W
Input Power KW	810 W	810 W	810 W	1320 W
Max Input Power	2400 W	2400 W	2400 W	2000W
COP	4.32	4.32	4.32	4.38
MAX Current	11 Amp	11 Amp	11 Amp	15.5 Amp
System Capacity (L/H)	70 Liter P/H	70 Liter P/H	70 Liter P/H	125 Liter P/H
Refrigerant	R410a	R410a	R410a	R410a
Power Supply	220V -240 V/1/50 Hz	220V -240 V/1/50 Hz	220V -240 V/1/50 Hz	220V -240 V/1/50 Hz
Rated Outlet Water Temp	55 digress C	55 digress C	55 digress C	55 digress C
Working temperature Range	-7 ~ 43 digress C	-7 ~ 43 digress C	-7 ~ 43 digress C	-7 ~ 43 digress C
Noise (DB)	48	48	48	49
Inner Tank	Enamel Coated Steel with MG Anode	Enamel Coated Steel with MG Anode	Enamel Coated Steel with MG Anode	Enamel Coated Steel with MG Anode
Tank Insulation	50 mm Puff	50 mm Puff	50 mm Puff	50 mm Puff
Anti-electric shock rate	I	I	I	I
Diameter Of Pipe	3/4"	3/4"	3/4"	3/4"
Space Required (L x W x H)	682 mm X 252 mm X 448 mm	682 mm X 252 mm X 448 mm	682 mm X 252 mm X 448 mm	838 mm X 300 mm X 545 mm
	440 x 1696 mm	500 x1716 mm	620 x 1621 mm	750mm x1769 mm

FINANCIAL OFFER FOR SUPPLY

Heat Pump System _ price

V Guard Make Heat Pump	V HP- 500
MRP	2,65,000.00
Special Discount Rate	1,86,720.00
Qty	1
Amount	1,86,720.00
GST 18 %	33,610.00
Final Amount	2,20,329.00

Commercial Terms & Conditions:

- **Fabrication Work and Plumbing Material with Plumber charges would be extra to your account.**
- GST @18% Included.

Heating cost comparison

Heating Load (Ltrs)	Amount	V HP -150	V HP -200	V HP- 300	V HP - 500
Heat Pump Water Heater (electricity)	Rs	12	16	24	41
Electric Gyser (electricity)	Rs	49	65	98	163
Boiler (Diesel)	Rs	68	91	137	228
Gas Gyser (LPG)	Rs	23	31	46	76

Terms & Conditions:

1. Designing appropriate system, transportation upto project site by V-Guard.
- 2. Lifting, Installation & commissioning of Heat Pump by customer.**
3. If any, internal plumbing within heat pump heating system will be done by DMA/customer.
4. V-Guard will perform project site pre-inspection, identification of shadow free area for SWH.
5. Warranty 3 Year On Heat Pump, 5 Year On Tank & Compressor. After sales support as per V-Guard company policy.
6. Buyer should supply cold storage OHT nearby flat roof of heat Pump installation.
7. Any modifications required are to be suggested by V-Guard to install heat Pump will be on buyer's scope.
- 8. Buyer should do necessary cold and hot water piping/ recirculation pipe plumbing**
9. Fabrication at customer scope.

Commercial terms & conditions:

Price Basis:	FOB Project site.
Payment terms:	100 % Advance.
Delivery schedule:	Within 3-4 weeks from advance & based on availability.
Transportation:	Included in the offer.
Packing, Forwarding, Transit Insurance:	Included in the offer.
Installation & commissioning:	Included in the offer.
Lifting, loading & unloading:	Extra buyer.
Hot & Cold water plumbing Material:	Extra to buyer.
GST	18 %
Offer Validity:	10 days from the date of offer.

Hope the above is in order and requests you to go through the same and if you required any further clarification, please feel free to contact us. Assuring you of our best services at all times.

Bank Details

Account Name: - AVEGA TASTA SOLUTION

A/C No: - 04750500009935

Branch: - NASHIK ROAD

IFSC CODE: - BARB0NASIKR

Thanking you,

Yours faithfully

For Avegatasta Solution

Sushant Patil

9112225190