

**ZERO B**

**BHARAT KA  
PAANI**

## Experience The Future Of Home Comfort With ZeroB **Smart Heat Pumps**



Efficient Sanitary Water Heating & Cooling for Home Comfort.




### Residential **Hot Water Heat Pump**




#### INTRODUCTION

This is an air-to-water heat pump, one of the most advanced and energy-efficient heating devices in the world. Operating on the principle of the Reverse Carnot Cycle, it utilizes a small amount of electricity to drive the compressor, absorbing up to four times the free heat energy from the air and releasing it into the water for heat exchange, providing efficient sanitary hot or cold water for the residence.



1 part of electrical power+4 parts of heat energy from the air=5 parts of heat energy  
In theory, Power World's air-to-water heat pumps have a heating efficiency of up to 500%.



Reg. Add: - Flat No.2, Suryaprakash Apt, Parijat Nagar, Near Shrimat Darbar Misal, Nashik-422222.

Mob: - +91-9689881369, Landline No: - 0253-4018239 E-Mail: - sales@avegatasta.com/[priyank@avegatasta.com](mailto:priyank@avegatasta.com)

Web: - [www.avegatasta.com](http://www.avegatasta.com) GST: - 27ABDFA2928B1ZW

## Built-in WIFI module App Control

No need for an extra Wi-Fi box—Simply download the 'SmartLife' App and directly connect to the internet to effortlessly control your hot water heat pump with your smartphone. Easily adjust water temperature, switch the unit ON/OFF, and more, anytime, anywhere! Experience convenient smart living whether you're at home or away.

### Intelligent Comprehensive Protection



- ✓ Heating/Cooling Mode selection
- ✓ Target hot water temp setting
- ✓ Time/Timing setting
- ✓ E-Heater control
- ✓ Intelligent defrost setting
- ✓ Parameter query checking
- ✓ Malfunction warning
- ✓ Troubleshooting checking

**Smart Life**  
Smart living

Available on the App Store and Google Play.



ZERO.B

| Model                                | HPZ-3.5/300                                  | HPZ-5/300   | HPZ-7/455    |
|--------------------------------------|----------------------------------------------|-------------|--------------|
| Heating capacity (kW)                | 3.5                                          | 5.0         | 7.0          |
| Input power (kW)                     | 0.96                                         | 1.30        | 1.79         |
| COP                                  | 3.65                                         | 3.86        | 3.92         |
| Rated current (A)                    | 4.39                                         | 5.93        | 8.17         |
| Max input power (kW)                 | 1.30                                         | 1.75        | 2.41         |
| Max current (A)                      | 5.95                                         | 8.01        | 11.03        |
| Rated outlet water temperature (°C)  | 55                                           | 55          | 55           |
| Highest outlet water temperature(°C) | 60                                           | 60          | 60           |
| Power supply                         | 220V/1ph/50Hz                                |             |              |
| Anti-electric shock rate             | I                                            | I           | I            |
| IP Grade (Level of protection)       | IPX4                                         | IPX4        | IPX4         |
| Refrigerant                          | R410A                                        |             |              |
| Operation Ambient temp (°C)          | -7~43°C                                      |             |              |
| Production capacity (L/H)            | 75                                           | 107         | 150          |
| Diameter of pipe (mm)                | DN20                                         | DN20        | DN20         |
| water circulation (m³/h)             | 0.60                                         | 0.86        | 1.20         |
| Water pressure drop (kPa)            | 20                                           | 25          | 30           |
| Noise (dB(A))                        | ≤50                                          | ≤50         | ≤52          |
| Net weight/Gross weight(kg)          | 48/56                                        | 52/60       | 60/70        |
| Body size(W*D*H)                     | 956×350×550                                  | 956×350×550 | 1006×350×600 |
| Loading quantity (20GP/40GP/40HQ)    | 90/192/192                                   | 90/192/192  | 90/192/192   |
| Condenser type                       | High efficiency tube in shell heat exchanger |             |              |
| Operating water temperature (°C)     | 55°C                                         |             |              |

Test condition: Inlet water temperature 15°C, Outlet water temperature 55°C, Dry bulb temperature 20°C, Wet bulb temperature 15°C.

To,  
Kind Attn : Mr. Sunpreet Bindra  
Address : Indirangar Nashik  
Project : Bunglow

Dear Sir,

**Sub: Proposal for Heat Pump**

**INANCIAL OFFER FOR SUPPLY**

**Heat Pump System \_ price**

| Zero B Make Heat Pump | HPZ-7/455          |
|-----------------------|--------------------|
| MRP                   | 3,13,95.00         |
| Special Discount Rate | 2,19,991.00        |
| Qty                   | 1                  |
| Amount                | 2,19,991.00        |
| GST 18 %              | 39,598.00          |
| <b>Final Amount</b>   | <b>2,59,589.00</b> |

**Terms & Conditions:**

1. Designing appropriate system, transportation upto project site.
- 2. Lifting, Installation & commissioning of Heat Pump by customer.**
3. If any, internal plumbing within heat pump heating system will be done by DMA/customer.
4. Warranty 1 Year On Heat Pump, 4 Year On Tank & Compressor.
5. Buyer should supply cold storage OHT nearby flat roof of heat Pump installation.
6. Any modifications required are to be suggested by Zero B to install heat Pump will be on buyer's scope.
- 7. Buyer should do necessary cold and hot water piping/ recirculation pipe plumbing**
8. Fabrication at customer scope.

**Commercial terms & conditions:**

|                                         |                                                        |
|-----------------------------------------|--------------------------------------------------------|
| Price Basis:                            | FOB Project site.                                      |
| Payment terms:                          | 100 % Advance.                                         |
| Delivery schedule:                      | Within 3-4 weeks from advance & based on availability. |
| Transportation:                         | Included in the offer.                                 |
| Packing, Forwarding, Transit Insurance: | Included in the offer.                                 |
| Installation & commissioning:           | Included in the offer.                                 |
| Lifting, loading & unloading:           | Extra buyer.                                           |
| Hot & Cold water plumbing Material:     | Extra to buyer.                                        |
| GST                                     | 18 %                                                   |
| Offer Validity:                         | 10 days from the date of offer.                        |

Hope the above is in order and requests you to go through the same and if you required any further clarification, please feel free to contact us. Assuring you of our best services at all times.

**Bank Details**

Account Name: - AVEGA TASTA SOLUTION  
A/C No: - 04750500009935  
Branch: - NASHIK ROAD  
IFSC CODE: - BARBONASIKR

Thanking you,

Yours faithfully

**For Avegatasta Solution**

**Sushant Patil**  
**9112225190**