

Project Report Of

BACHELOR OF COMPUTER APPLICATION (BCA)

On

College Transport Management System

To, Project Co-Ordinator (BCA)

INDIRA GANDHI NATIONAL OPEN UNIVERSITY
(SCHOOL OF COMPUTER AND INFORMATION SCIENCE (**SOCIS**),
(IST FLOOR, DEC BUILDING, **IGNOU**, MAIDAN GARHI, New Delhi - 110068.)

Submitted By: **YASHIKA BHATIA**

Enrollment No : **2400538503**

Under Guidance of: **HARSH BISHT**

Regional Centre Code: **29:DELHI 2**

Course Code: **BCSP-064**

IX CERTIFICATE OF ORIGINALITY

This is to certify that the project report entitled COLLEGE TRANSPORT MANAGEMENT SYSTEM submitted to **Indira Gandhi National Open University** in partial fulfilment of the requirements for the award of the degree of **BACHELOR OF COMPUTER APPLICATIONS (BCA),** is an original work carried out by Mr./ Ms. YASHIKA BHATIA Enrolment No.: 2400538503 under the guidance of Mr./ Ms. HARSH BISHT

The matter embodied in this project is a genuine work done by the student and has not been submitted whether to this University or to any other University / Institute for the fulfilment of the requirement of any course of study.

Yashika
Signature of the Student

Name and Address
of the student :
Yashika Bhatia
Krishna Nagar, Delhi-110051

Enrolment No.: 2400538503

H 13/6/24
Signature of the Guide

Name, Designation and
Address of the Guide
Harsh Bisht
Frontend Developer
Munirka Kunj, Delhi -110043

COLLEGE TRANSPORT MANAGEMENT SYSTEM

TABLE OF CONTENT

1. Introduction

2. Objectives of the Project

3. Project Category

3.1 Client-Server Architecture
3.2 Three-Tier Architecture
3.3 PHP and MySQL
3.4 Relational Database Management System (RDBMS)

4. Tools / Platform, Hardware and Software Requirement

5. Software Requirements Specification

5.1 Introduction
5.2 Purpose
5.3 Project Overview
5.4 Objectives
5.5 Intended Audience
5.6 Overall Description
5.7 Product Functions
5.8 User Classes and Characteristics
5.9 Operating Environment
5.10 Functional Requirements

5.11 Non-Functional Requirements
5.12 External Interface Requirements
5.13 Data Requirements
5.14 System Constraints and Assumptions
5.15 Acceptance Criteria
5.16 Future Enhancements

6. Design of Project

6.1 Data Flow Diagram
6.1.1 Context Level DFD
6.1.2 System DFD
6.1.3 Detailed DFD
6.2 Entity-Relationship Diagram
6.3 Data Structure

7. Number of Modules and Their Description

8. Validations to be Performed

9. Report Generation

10. Implementation and Input/Output Screens

10.1 Student Panel
10.2 Admin Panel
10.3 General Website Screens

11. Testing

11.1 Unit Testing
11.2 Integration Testing
11.3 System Testing
11.4 Test Cases
11.5 Test Results
11.6 Debugging and Code Improvements

12. Security

13. Conclusion

14. Limitation of the Project

15. Scope of the Project

16. Bibliography

Appendix A – Source Code

INTRODUCTION

Introduction

The **College Transport Management System** is a web-based application developed to manage and maintain the transportation facilities provided by a college. The system helps students register for college transportation and allows the administrator to manage transport-related information such as buses, drivers, routes, trips, student registrations, and payment records.

In a traditional transport management system, maintaining records manually can be time-consuming and may lead to errors, duplication of information, and difficulties in retrieving records. The proposed system provides a computerized solution to make these activities easier, faster, and more organised.

The system provides separate **interfaces** for **students** and **administrators**. Students can register, log in, view available routes and buses, apply for transport facilities, view their registration details, maintain payment records, print payment receipts, and change their passwords.

The **administrator** can manage **drivers**, **buses**, **routes**, trips, **transport registrations**, and **payment records**. The administrator can also view student details and access reports related to the transport system.

The application has been **developed** using **HTML**, **CSS**, and **JavaScript** for the user interface, **PHP** for server-side processing, and **MySQL** for database management. **XAMPP** is used as the local development environment.

The main purpose of this project is to provide a **simple**, **organised**, and **user-friendly** system for managing the transportation activities of a college.

OBJECTIVES OF THE PROJECT

The main **objective** of the **College Transport Management System** is to computerise and simplify the management of college transportation facilities.

The specific objectives of the project are:

- To provide a web-based system for managing college transportation activities.
- To allow students to register and log in securely.
- To enable students to view available buses and transport routes.
- To provide an online facility for students to register for college transport.
- To maintain student transport registration records in a centralised database.
- To maintain information about buses, drivers, routes, and trips.
- To record transport-related payment details and generate printable payment receipts.
- To provide administrators with facilities to manage transport information.
- To reduce paperwork and minimise errors associated with manual record-keeping.
- To provide easy access to transport information and reports.
- To protect student and administrative functions through authentication and access control.

To make transport-related information easier to store, update, retrieve, and maintain.

PROJECT CATEGORY

Client-Server Architecture

The proposed system **College Transport Management System** is based on the **Client-Server Architecture**, where the application is divided into two main components: the client side and the server side.

In this architecture, the **client (front-end)** interacts with the user and sends requests to the **server (back-end)**. The server processes these requests, performs necessary operations on the database, and sends back the response to the client.

The client side of this project is developed using **HTML, CSS, and JavaScript**, which provides the user interface for students and administrators. The server side is developed using **PHP**, which handles business logic and communicates with the **MySQL database**.

The communication between the client and server takes place over a network (local server using XAMPP). When a user performs any action such as registration, login, or data retrieval, the request is sent to the server. The server processes the request and fetches or updates data from the database, then sends the result back to the client for display.

Advantages of Client-Server Architecture:

- Centralized data management
- Better security and control
- Easy maintenance and scalability

- Multiple users can access the system simultaneously




Fig. 1: Client-Server architecture

Three-Tier Architecture

This project also follows a Three-Tier Architecture, which divides the application into three logical layers:

1. Presentation Layer (User Interface Layer)

This layer is responsible for interaction with the user. It includes web pages designed using:

- HTML
- CSS
- JavaScript

It displays forms, tables, and outputs such as student details, bus information, and reports.

2. Business Logic Layer (Application Layer)

This layer handles the core functionality of the system. It is developed using:

- PHP

It processes user requests such as:

- Student registration
- Student registration
- Student authentication
- Transport registration
- Data validation
- Payment record management
- Data validation

This layer acts as a bridge between the presentation layer and the data layer.

3. Data Layer (Database Layer)

This layer is responsible for storing and managing data using:

- MySQL Database

It includes tables such as:

- Student Table
- Bus Table

- Route Table
- Admin Table
- Student Table
- Driver Table
- Bus Table
- Route Table
- Trip Table
- Transport Registration Table
- Payment Table

All data operations such as **insert, update, delete** and **retrieval** are performed in this layer.




Fig. 2: Three-Tier architecture

Working of Three-Tier Architecture

- User enters data through the web interface (Presentation Layer)
- Request is sent to PHP (Business Layer)
- PHP processes the request and interacts with MySQL (Data Layer)
- Data is retrieved/updated and sent back to the user

Advantages of Three-Tier Architecture

- Better separation of concerns
- Improved security
- Easy to maintain and upgrade
- Scalable for large applications
- Efficient performance

Reasons for Using PHP and MySQL

PHP is a widely used **server-side scripting language** suitable for web application development. It is open-source, easy to learn, and supports strong database connectivity. PHP can be easily integrated with **HTML**, **CSS**, and **JavaScript**, helping developers create dynamic and interactive web pages efficiently.

MySQL is used as the backend database because it is fast, reliable, and easy to manage. It supports efficient storage, retrieval, modification, and management of data.
The database system provides facilities such as:

- Creation, deletion, and modification of records
- Fast retrieval of data using SQL queries
- Data sorting and report generation
- Maintaining data integrity and consistency
- Multi-user support and secure access control

HTML and CSS are used for **designing user-friendly web pages**, while JavaScript is used for client-side validation and interactivity. Together, these technologies provide an efficient platform for developing the **College Transport Management System.**

Relational Database Management System (RDBMS)

A **Relational Database Management System** (RDBMS) is a type of database management system that stores data in the form of tables consisting of rows and columns. Each table contains information about a particular entity, and relationships between tables help maintain consistency and organize the data efficiently.

The **College Transport Management System** uses MySQL as its Relational Database Management System. **MySQL** stores and manages the information required by the application, including student details, admin details, driver details, bus details, route details, trip details, transport registrations, and payment records.

The database consists of eight tables: **admin, student, driver, bus, route, trip, transport_registration,** and **payment**. Each table stores data related to a specific part of the system. Primary keys are used to uniquely identify records, while foreign keys establish relationships between related tables.

For example, the transport_registration table connects student, route, and bus information. The payment table is linked to transport registration, while the trip table stores information about buses assigned to routes on particular dates and times.

Using **MySQL** helps the system **store**, **retrieve**, **update**, and **manage** records systematically. It also helps maintain relationships between related data and reduces unnecessary duplication. The database is accessed by the **PHP** application to perform operations such as student registration, transport registration, bus and route management, payment record management, and report generation.

TOOLS/PLATFORM, HARDWARE AND SOFTWARE REQUIREMENT

The **College Transport Management System** is a web-based application developed to manage college transportation activities. The system uses web development technologies for its user interface, **PHP** for server-side processing, and **MySQL** for database management. The application is developed and tested in a local environment using **XAMPP**.

Development Technologies

HTML - HTML (HyperText Markup Language) is used to create the basic structure of the web pages. It defines the different elements of the application, such as headings, forms, tables, buttons, and input fields.

CSS - CSS (Cascading Style Sheets) is used to design and format the web pages. It controls the layout, colours, fonts, spacing, and overall appearance of the application.

JavaScript - JavaScript is used to provide client-side interactivity. It helps make web pages interactive and supports certain form-related operations.

PHP - PHP is a server-side scripting language used to develop the application logic. It processes user requests, handles form submissions, manages sessions, and communicates with the MySQL database.

MySQL - MySQL is a Relational Database Management System (RDBMS) used to store and manage the application data. It maintains

information related to students, administrators, drivers, buses, routes, trips, transport registrations, and payment records.

Development Environment

XAMPP - XAMPP is used as the local development environment. It provides the Apache web server, PHP support, and MySQL/MariaDB database services required to run and test the application locally.

Apache Web Server - Apache is used to serve the application's web pages and process requests through the local development environment.

phpMyAdmin - phpMyAdmin is used to access and manage the database through a web-based interface. It helps in creating tables, viewing records, and performing database-related operations.

Web Browser - A web browser is used to access and test the application. It displays the user interface and allows users to interact with the system.

Hardware Requirements

The following hardware configuration is suitable for developing and running the system in a local environment:

- **Processor:** A standard computer processor capable of running the operating system and XAMPP.
- **RAM:** Minimum 4 GB RAM.
- **Hard Disk:** Approximately 20 GB of available storage space for the development environment and project files.

- **Input Devices:** Keyboard and mouse.
- **Display:** A standard monitor or laptop display.

Software Requirements

The software required for the development and execution of the system is listed below:

- **Operating System:** Microsoft Windows.
- **Frontend Technologies:** HTML, CSS, and JavaScript.
- **Backend Technology:** PHP.
- **Database:** MySQL.
- **Local Server Environment:** XAMPP.
- **Web Server:** Apache.
- **Database Management Tool:** phpMyAdmin.
- **Web Browser:** Google Chrome or another compatible web browser.

System Configuration

The application is developed and tested on a local computer using **XAMPP**. The project files are stored in the local web server directory, and the application is accessed through a web browser using the localhost address.

The **MySQL database** stores the system's records, while **PHP** handles the application logic and database operations. **HTML**, **CSS**, and **JavaScript** are used to create the interface through which users interact with the system. This configuration provides the necessary environment for developing, running, and testing the **College Transport Management System**.

SOFTWARE REQUIREMENTS SPECIFICATION

Purpose

The purpose of this Software Requirements Specification (SRS) is to define the functional and non-functional requirements of the College Transport Management System. It describes the objectives, scope, users, system features, software and hardware requirements, constraints, assumptions, and expected behaviour of the proposed system.

The SRS acts as a reference for the analysis, design, development, testing, and maintenance of the system. It establishes the requirements that the developed application is intended to fulfil.

The College Transport Management System is a web-based application developed using HTML, CSS, JavaScript, PHP, and MySQL. It provides facilities for students to view transport information, submit transport registration requests, maintain their accounts, and access payment records. It also provides an administrative interface for managing transport-related information.

DEFINITIONS AND ABBREVIATIONS

Term	Meaning
SRS	Software Requirements Specification
CTMS	College Transport Management System
PHP	Hypertext Preprocessor
HTML	HyperText Markup Language

CSS	Cascading Style Sheets
JavaScript	Client-side scripting language
MySQL	Relational database management system
XAMPP	Local web-server development environment
DBMS	Database Management System
UI	User Interface
SQL	Structured Query Language
ER Diagram	Entity-Relationship Diagram
DFD	Data Flow Diagram
PK	Primary Key
FK	Foreign Key

OVERALL DESCRIPTION

The **College Transport Management System** is a database-driven web application that operates through a web browser and uses a PHP server-side application to communicate with a MySQL database.

The system is divided into two major functional areas:

- **Student Module:** Provides student registration, authentication, transport information, transport registration, payment records, receipts and password management.
- **Admin Module:** Provides administrative authentication, record management and transport-related reports.

The system uses a relational database containing eight tables: Admin, Student, Driver, Bus, Route, Trip, Transport Registration and Payment. Primary keys, unique constraints and foreign keys are used to maintain the integrity of related information.

USER CLASSES AND CHARACTERISTICS

Student

Students use the system to access transport services. A student should have basic computer knowledge and be able to use a web browser.

The student can:

- Create an account.
- Log in using student credentials.
- View the dashboard.
- View routes and available buses.
- Submit a transport registration request.
- View registration details.
- Enter payment details where applicable.
- View and print payment receipts.
- Change the account password.
- Log out.

Administrator

The **administrator** is responsible for maintaining transport-related records. The administrator should have basic knowledge of the application and its management functions.

The administrator can:

- Log in to the administrative interface.
- View student records.
- Add, update, view and delete driver records, subject to database constraints.
- Manage bus records.

- Manage route records.
- Manage trip records.
- Manage transport registration records.
- Manage payment records.
- Access the reports section.
- Log out.

FUNCTIONAL REQUIREMENTS

Student Registration

Requirement ID: FR-01

The system shall allow a new student to register by entering the required details.

The registration information includes:

- Full name.
- Email address.
- Mobile number.
- Course.
- Password.
- Address.

The system shall store valid student information in the student database table.

The system shall prevent duplicate email addresses through the database's unique constraint.

Student Login

Requirement ID: FR-02

The system shall allow registered students to log in using their student ID and password.

The system shall verify the submitted credentials against the stored student record.

If the credentials are valid, the system shall create a student session and redirect the student to the dashboard.

If the credentials are invalid, the system shall display an appropriate login error.

Student Dashboard

Requirement ID: FR-03

The system shall provide a dashboard after successful student authentication.

The dashboard shall provide navigation to:

- View Routes.
- View Buses.
- Transport Registration.
- Payment.
- Registration Details.
- Payment Receipt.
- Change Password.
- Logout.

View Routes

Requirement ID: FR-04

The system shall display active transport routes to students.

The displayed route information shall include relevant details such as route name, starting point, destination, stops, and distance where available.

Only routes satisfying the application's active-route condition shall be displayed.

View Buses

Requirement ID: FR-05

The system shall display available buses to students.

The displayed information shall include bus number, bus type, capacity, and associated driver details where available.

The system shall retrieve the information from the bus and driver tables.

Transport Registration

Requirement ID: FR-06

The system shall allow an authenticated student to submit a transport registration request.

The registration form shall collect:

- Route.
- Bus.
- Start date.
- End date.

The system shall associate the registration with the logged-in student's ID.

The system shall validate the required fields and ensure that the end date is not earlier than the start date.

On successful submission, the system shall save the registration record with the initial status of Pending.

The system shall display a confirmation message after successful submission.

View Registration Details

Requirement ID: FR-07

The system shall allow a student to view their transport registration records.

The system shall display relevant registration information, including:

- Registration ID.
- Route.
- Starting point.
- Destination.
- Bus number.
- Registration date.

- Start date.
- End date.
- Registration status.

The system shall restrict the displayed records to the currently logged-in student.

Payment Management

Requirement ID: FR-08

The system shall allow an authenticated student to enter payment information for an eligible transport registration.

The payment form shall include:

- Registration ID.
- Amount.
- Payment date.
- Payment method.
- Transaction ID, where applicable.

The system shall validate required payment fields and ensure that the amount is greater than zero.

For Online, UPI, and Card payment methods, the transaction ID shall be required.

The system shall verify that the selected registration belongs to the logged-in student and that a payment record does not already exist for that registration.

After successful validation, the system shall store the payment record.

Note: The current implementation records payment details in the database. It does not process transactions through an external payment gateway.

Payment Receipt

Requirement ID: FR-09

The system shall allow students to view their payment records.

The system shall display payment details associated with the logged-in student.

The system shall allow a student to view a specific payment receipt when a payment ID is supplied and authorized.

The receipt shall provide a print option.

Change Password

Requirement ID: FR-10

The system shall allow an authenticated student to change their password.

The student shall provide:

- Current password.
- New password.
- Confirmation of the new password.
- The system shall verify the current password.
- The system shall check that the new password and confirmation match.
- The system shall securely hash the new password before storing it in the database.
- The system shall display an appropriate success or error result.

Student Logout

Requirement ID: FR-11

The system shall allow a logged-in student to log out.

The system shall terminate the student's authenticated session and redirect the user to the login page.

Administrator Login

Requirement ID: FR-12

The system shall provide a separate administrator login interface.

The administrator shall enter a username and password.

The system shall verify the credentials against the administrator table.

After successful authentication, the system shall create an administrator session and redirect the administrator to the dashboard.

Invalid credentials shall not grant access to the administrative interface.

Admin Dashboard

Requirement ID: FR-13

The system shall provide an administrative dashboard after successful administrator authentication.

The dashboard shall provide navigation to the student, driver, bus, route, trip, registration, payment, and report modules.

Student Record Management

Requirement ID: FR-14

The system shall allow the administrator to view student records.

The displayed information shall include relevant student details stored in the database.

The current implementation provides student record listing. Adding, editing, or deleting student records through the admin interface is outside the implemented functionality.

Driver Management

Requirement ID: FR-15

The system shall allow the administrator to add, view, edit, and delete driver records.

The system shall maintain driver information such as name, mobile number, licence number, address, and status.

The system shall respect database constraints when modifying or deleting driver records.

Bus Management

Requirement ID: FR-16

The system shall allow the administrator to add, view, edit, and delete bus records.

The system shall maintain bus number, bus type, capacity, assigned driver, and bus status.

The system shall respect the foreign-key relationship between buses and drivers.

Route Management

Requirement ID: FR-17

The system shall allow the administrator to add, view, edit, and delete route records.

The system shall maintain route name, starting point, destination, stops, distance, and status.

The system shall prevent deletion of routes that are referenced by transport registrations or trips.

Trip Management

Requirement ID: FR-18

The system shall allow the administrator to add, view, edit, and delete trip records.

The system shall maintain the bus, route, trip date, departure time, arrival time, trip type, and trip status.

The system shall maintain valid references to the bus and route tables.

Transport Registration Management

Requirement ID: FR-19

The system shall allow the administrator to view and manage transport registration records.

The system shall provide access to relevant registration details and status information.

Administrative changes shall be stored in the transport registration table, subject to the implemented functions and database constraints.

Payment Management

Requirement ID: FR-20

The system shall allow the administrator to view and manage payment records.

The system shall display relevant information such as payment ID, registration ID, amount, payment date, payment method, transaction ID, and payment status.

The system shall maintain the relationship between payment records and transport registrations.

Reports

Requirement ID: FR-21

The system shall provide an administrative reports section.

The reports shall present relevant transport-related information retrieved from the database.

The reports module shall support the administrative review of records available in the system.

Session Protection

Requirement ID: FR-22

The system shall restrict protected student pages to authenticated students.

The system shall restrict protected administrative pages to authenticated administrators.

Unauthenticated users attempting to access protected pages shall be redirected to the appropriate login page.

NON - FUNCTIONAL REQUIREMENTS

Non-functional requirements describe the quality attributes and operational expectations of the system.

Performance

The system should retrieve and display records within a reasonable time under normal local operating conditions.

Database queries should retrieve only the records and fields required by the relevant page.

Performance may vary according to the number of records, server configuration, and available hardware resources.

Reliability

The system should perform database operations consistently and display appropriate messages when an operation succeeds or fails.

The application should avoid creating duplicate payment records for the same registration through its implemented validation.

The database should maintain referential integrity through its configured foreign-key constraints.

Security

The system shall provide separate authentication mechanisms for students and administrators.

The system shall use password hashing for stored account passwords.

The system shall use prepared statements for database operations where implemented.

The system shall use session-based access control for protected pages.

The system shall verify that student-specific registration and payment information belongs to the authenticated student.

The application should not expose stored passwords in plain text.

Usability

The system should provide clear navigation through the student and administrator dashboards.

Forms should use labels to identify the information required from users.

Success and error messages should communicate the result of important operations.

The interface should be understandable to users with basic computer knowledge.

Maintainability

The application should use logically separated files and modules for its major functions.

Database operations should follow a consistent connection and query pattern.

The source code should be properly indented and documented to support debugging and future modifications.

Data Integrity

The system shall maintain data integrity through primary keys, unique constraints, foreign keys, and required-field constraints.

The system shall validate important user inputs before inserting or updating records.

The system shall maintain valid relationships between students, routes, buses, trips, registrations, and payments.

Portability

The application uses commonly available web technologies and can be deployed in a compatible PHP and MySQL environment.

Moving the application to another server may require configuration changes, including database connection settings and server permissions.

Availability

The system shall be available when the web server and database server are running and the application is correctly configured.

In the current development environment, the application is accessed through the local server.

Backup and Recovery

The database should be backed up periodically to reduce the risk of data loss.

A database export in SQL format can be used to restore the database in a compatible MySQL environment.

The project source code and database backup should be stored separately from the working copy.

EXTERNAL INTERFACE REQUIREMENTS

User Interface

The system provides web pages for student and administrator operations.

The student interface includes registration, login, dashboard, route information, bus information, transport registration, registration details, payment, payment receipt, and password change pages.

The administrator interface includes login, dashboard, and management pages for students, drivers, buses, routes, trips, registrations, payments, and reports.

The interface uses HTML for page structure, CSS for presentation, and JavaScript for selected client-side interactions and validation.

Hardware Interface

The system does not require a specialized hardware interface.

The minimum hardware needed for the local development setup consists of:

- A desktop computer or laptop.
- A keyboard and pointing device.
- A display.
- Sufficient storage for the application and database.

Software Interface

The application interacts with:

- Apache web server.
- PHP runtime.
- MySQL database server.
- Web browser.
- XAMPP development environment.
- PHP communicates with MySQL through the MySQLi interface.

Communication Interface

In the current implementation, the browser communicates with the local Apache server using HTTP.

The PHP application communicates with the MySQL database through the configured database connection.

A public deployment should use HTTPS to protect information transmitted between the browser and server.

SYSTEM CONSTRAINTS AND ASSUMPTIONS

Constraints

1. The application requires a working PHP environment.
2. The application requires a MySQL database.
3. The application requires a compatible web browser.
4. The current project uses the database named transport_management.
5. The application depends on the configured database connection.
6. Student and administrator access depends on the implemented session controls.
7. Payment records are maintained within the application; actual payment settlement is not performed by a payment gateway.
8. The accuracy of route, bus, driver, and trip information depends on the records maintained in the database.

Assumptions

1. Students have access to a computer or other device capable of using a web browser.
2. The administrator has valid login credentials.
3. The database contains valid route and bus information.
4. Students provide accurate registration information.
5. The administrator maintains transport information correctly.
6. The web server and database are available when the application is used.
7. The project is initially operated in a local development environment.

ACCEPTANCE CRITERIA

The system shall be considered to meet its principal requirements when the following conditions are satisfied:

- A student can register successfully with valid details.
- Duplicate student email registration is rejected.
- A registered student can log in with valid credentials.
- Invalid student credentials do not grant access.
- The student dashboard displays the available modules.
- Active routes and available buses can be viewed.

- A student can submit a valid transport registration.
- Invalid registration date ranges are rejected.
- A student can view only their own registration details.
- A student can enter a valid payment record for an eligible registration.
- Duplicate payment records for a registration are prevented by the implemented application logic.
- A student can view and print their payment receipt.
- A student can change their password using the required verification steps.
- An administrator can log in successfully.
- The administrator can access the relevant management modules.
- Driver, bus, route, and trip records can be managed through the implemented interfaces.
- Registration and payment records can be viewed and managed by the administrator.
- The reports section displays the available transport-related information.
- Protected pages cannot be accessed through an unauthenticated session.
- The database maintains the configured foreign-key and uniqueness constraints.

ACCEPTANCE CRITERIA

1. The system may be enhanced in the future with the following features:
2. Integration with a secure online payment gateway.
3. Real-time GPS tracking of buses.
4. SMS and email notifications for registration and payment updates.
5. A mobile application for students and administrators.
6. Automated route planning and optimization.
7. QR-code-based student transport passes.
8. Automated trip attendance.
9. Advanced reports and graphical dashboards.
10. Integration with a college ERP or student information system.
11. Cloud deployment with secure remote access.
12. These enhancements are outside the scope of the current implementation.

DESIGN OF PROJECT

Data Flow Diagram

A **Data Flow Diagram** (DFD) represents the flow of information between external entities, processes and data stores in the **College Transport Management System**. It shows how data is **received** by the system, how it is **processed**, how information is **stored** in the **database**, and how the resulting information is provided to the users. The DFD is represented at different levels to provide both a high-level and detailed view of the system.

Context Level DFD (Level – 0)

The **Context Level DFD** represents the **College Transport Management System** as a single main process and shows its interaction with the external entities. The two main external entities are the **Student** and the **Administrator**. Students provide information such as registration details, login credentials, transport registration requests, payment details and password change requests and receive information such as route details, bus information, registration details and payment receipts. The administrator provides login credentials and transport-related management information and receives student, driver, bus, route, trip, registration, payment and report information. The diagram provides a high-level view of the data exchanged between the users and the system.




Fig. 3: Context Level DFD (Level - 0)

System DFD (Level – 1)

The **System DFD** provides a detailed representation of the major data flows within the **College Transport Management System**. The system consists of processes for student registration and authentication, transport information management, transport registration, payment record management, and administrative management and report generation. Student information is maintained in the Student data store, while driver, bus, route and trip information is maintained in their respective data stores. Transport registration information is stored in the Transport Registration data store and payment information is stored in the Payment data store. The administrator can manage the records maintained by the system and access the available reports. The System DFD shows how information moves between users, processes and the database.




Fig. 4: System DFD (Level - 1)

Detailed DFD – Transport Registration(Level-2)




Fig. 5: Detailed DFD (Level - 2)

Entity - Relationship Diagram

An **Entity-Relationship Diagram** (ERD) represents the **logical structure** of the **database** used in the **College Transport Management System**. It identifies the major entities, their attributes and the relationships between the entities. The ERD provides a graphical representation of how the tables in the database are related to each other through primary keys and foreign keys.

The **ER diagram** of the College Transport Management System contains eight main entities: **Admin**, **Student**, **Driver**, **Bus**, **Route**, **Trip**, **Transport Registration** and **Payment**. Each entity represents a corresponding database table and contains attributes that describe the information stored in that table. Primary keys uniquely identify records, while foreign keys establish relationships between related entities. A student can have multiple transport registration records, while routes and buses can be associated with multiple transport registrations. Drivers are associated with buses, and buses and routes are associated with trips. Transport Registration is associated with Payment records. The Admin entity is used for administrator authentication and does not have a direct foreign-key relationship with the other operational tables.




Fig. 6: ERD of the College Transport Management System

DATA STRUCTURE

The **data structure** of the **College Transport Management System** defines how information is organized and stored in the **MySQL database**. The database consists of eight main tables: **Admin**, **Student**, **Driver**, **Bus**, **Route**, **Trip**, **Transport Registration** and **Payment**. Each table contains fields with specific data types and constraints. Primary keys uniquely identify records, while foreign keys establish relationships between related tables. Unique constraints are applied to selected fields where duplicate values are not permitted. The following tables describe the structure of the database used in the system.

TABLE: ADMIN

Field Name	Data Type	Constraints	Description
admin_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the administrator
username	VARCHAR(50)	Unique, Not Null	Username used for administrator login
password	VARCHAR(255)	Not Null	Hashed password of the administrator
full_name	VARCHAR(100)	Nullable	Full name of the administrator
created_at	TIMESTAMP	Default Current Timestamp	Date and time when the administrator record was created

TABLE: STUDENT

Field Name	Data Type	Constraints	Description
student_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the student
full_name	VARCHAR(100)	Not Null	Full name of the student
email	VARCHAR(100)	Unique, Not Null	Student's email address
mobile	VARCHAR(15)	Not Null	Student's mobile number
course	VARCHAR(50)	Not Null	Course/programme of the student
password	VARCHAR(255)	Not Null	Hashed student login password
address	TEXT	Not Null	Address of the student

TABLE: TRANSPORT REGISTRATION

Field Name	Data Type	Constraints	Description
registration_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the transport registration
student_id	INT(11)	Foreign Key, Not Null	Student requesting transport
route_id	INT(11)	Foreign Key, Not Null	Route selected by the student
bus_id	INT(11)	Foreign Key, Nullable	Bus assigned to the registration
registration_date	DATE	Not Null	Date on which the registration was submitted
start_date	DATE	Nullable	Starting date of transport service
end_date	DATE	Nullable	Ending date of transport service
status	ENUM	Default Pending	Current status of the registration

TABLE: ROUTE

Field Name	Data Type	Constraints	Description
route_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the route
route_name	VARCHAR(100)	Not Null	Name of the transport route
starting_point	VARCHAR(100)	Not Null	Starting location of the route
destination	VARCHAR(100)	Not Null	Destination of the route
stops	TEXT	Nullable	Stops covered by the route
distance	DECIMAL(8,2)	Nullable	Distance covered by the route
status	ENUM	Default Active	Current status of the route
created_at	TIMESTAMP	Default Current Timestamp	Date and time when the route was created

TABLE: BUS

Field Name	Data Type	Constraints	Description
bus_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the bus
bus_number	VARCHAR(30)	Unique, Not Null	Unique number assigned to the bus
bus_type	VARCHAR(50)	Nullable	Type/category of the bus
capacity	INT(11)	Not Null	Maximum number of passengers the bus can accommodate
driver_id	INT(11)	Foreign Key	Driver assigned to the bus
status	ENUM	Default Available	Current availability/status of the bus
created_at	TIMESTAMP	Default Current Timestamp	Date and time when the bus record was created

TABLE: DRIVER

Field Name	Data Type	Constraints	Description
driver_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the driver
driver_name	VARCHAR(100)	Not Null	Name of the driver
mobile	VARCHAR(15)	Not Null	Driver's mobile number
license_number	VARCHAR(50)	Unique, Not Null	Driving licence number
address	TEXT	Nullable	Address of the driver
status	ENUM	Default Active	Current status of the driver
created_at	TIMESTAMP	Default Current Timestamp	Date and time when the driver record was created

TABLE: TRIP

Field Name	Data Type	Constraints	Description
trip_id	INT(11)	Primary Key, Auto Increment	Unique identification number of the trip
bus_id	INT(11)	Foreign Key, Not Null	Bus used for the trip
route_id	INT(11)	Foreign Key, Not Null	Route followed by the trip
trip_date	DATE	Not Null	Date on which the trip is scheduled
departure_time	TIME	Not Null	Scheduled departure time
arrival_time	TIME	Nullable	Scheduled arrival time
trip_type	ENUM	Default Morning	Type of trip
status	ENUM	Default Scheduled	Current status of the trip

TABLE: PAYMENT

Field Name	Data Type	Constraints	Description
payment_id	INT(11)	Primary Key	Unique identification number of the payment
registration_id	INT(11)	Foreign Key, Not Null	Transport registration associated with the payment
amount	DECIMAL(10,2)	Not Null	Amount paid by the student
payment_date	DATE	Not Null	Date of payment
payment_method	ENUM	Default Online	Method used for payment
transaction_id	VARCHAR(100)	Nullable	Transaction/reference number for applicable payment methods
payment_status	ENUM	Default Pending	Current status of the payment

DATABASE RELATIONSHIPS

Relationship	Description
STUDENT → TRANSPORT_REGISTRATION	A student can have transport registration records
ROUTE → TRANSPORT_REGISTRATION	A route can be associated with transport registrations
BUS → TRANSPORT_REGISTRATION	A bus can be assigned to transport registrations
DRIVER → BUS	A driver can be associated with buses
BUS → TRIP	A bus can be used for multiple trips
ROUTE → TRIP	A route can be used for multiple trips
TRANSPORT_REGISTRATION → PAYMENT	A transport registration can have a payment record

DATA INTEGRITY AND CONSTRAINTS

The **College Transport Management System** uses **database** constraints to maintain the **accuracy** and **consistency** of stored information. Primary keys are used to uniquely identify records in the tables. Foreign keys establish relationships between related tables. **Unique** constraints prevent duplicate values in selected fields such as student email, administrator username, bus number and driver licence number. **NOT NULL** constraints are applied to important fields that must contain values. **ENUM** constraints restrict selected fields to predefined values. Referential integrity helps ensure that related records refer to valid records in the database.

NUMBER OF MODULES AND THEIR DESCRIPTION

The **College Transport Management System** is divided into different **modules** to manage the transportation activities of the college efficiently. Each **module** performs a specific function, such as user authentication, student management, bus and route management, transport registration, payment management, and report generation.

The major modules of the system are:

1. **Secure Login and Authentication**
2. **Student Services**
3. **Student Management**
4. **Driver Management**
5. **Bus Management**
6. **Route Management**
7. **Trip Management**
8. **Transport Registration Management**
9. **Payment Management**
10. **Report Generation**

Secure Login and Authentication

This module provides secure access to the system for students and administrators. Students can register and log in using their credentials, while the administrator can log in through the admin login interface. The module verifies login credentials and restricts access to protected pages. It also supports logout and session management.

Student Services

This module provides students with access to the transport facilities available through the system. Students can view their dashboard, check available buses and active routes, submit transport registration requests, view their registration details, record payment information, view and print payment receipts, and change their account password.

Student Management

This module allows the administrator to view the records of registered students. It displays relevant student information stored in the database and helps the administration access student details required for transport-related activities.

Driver Management

This module is used to manage driver information. The administrator can add, view, update, and delete driver records. It maintains details such as the driver's name, contact number, licence number, and other available driver information.

Bus Management

This module manages the records of buses available for college transportation. The administrator can add, view, update, and delete bus records. It maintains information such as bus number, bus type, capacity, assigned driver, and bus status.

Route Management

This module manages the transportation routes provided by the college. The administrator can add, view, update, and delete route records. It maintains route information such as route name, starting point, destination, stops, distance, and status. The system also observes database constraints when a route is associated with other records.

Trip Management

This module manages scheduled trips associated with buses and routes. The administrator can add, view, update, and delete trip records. It maintains information such as the assigned bus, route, trip date, departure time, arrival time, trip type, and trip status.

Transport Registration Management

This module manages requests made by students for college transportation facilities. Students can submit transport registration details by selecting the required bus and route. The system stores the registration information, while the administrator can view and manage transport registration records.

Payment Management

This module maintains payment records related to transport registrations. Students can enter payment information where applicable and view or print the corresponding payment receipt. The administrator can view and manage payment records, including payment amount, date, method, transaction reference, and payment status. The system records payment information but does not use an integrated online payment gateway.

Report Generation

This module provides access to transport-related reports for administrative use. It presents relevant information retrieved from the system database and helps the administrator review records related to students, buses, routes, registrations, payments, and other available transport information.

VALIDATIONS TO BE PERFORMED

Validation is an important part of the **College Transport Management System**. It helps ensure that users enter valid information and that database operations are performed correctly. The system uses the following **validations** to maintain **data accuracy** and **prevent invalid operations**.

Student Registration Validation

The system checks the required student registration details before creating a new account. It also checks whether the email address is already registered and prevents registration with a duplicate email address.

Login Validation

The system verifies the credentials entered by the student or administrator. Access is granted only when the entered credentials are valid. Invalid login details do not allow access to protected pages.

Transport Registration Validation

The system checks that the required transport registration details have been entered before submitting a registration request. It also validates the date order to prevent an invalid date range.

Change Password Validation

The system verifies the student's current password before allowing a password change. It also checks that the new password and its confirmation match. The new password is stored in hashed form in the database.

Database Constraint Validation

The system uses database constraints to maintain the accuracy and consistency of records. Primary keys uniquely identify records, while foreign keys maintain relationships between related tables. Unique constraints prevent duplicate values in specified fields, such as student email, administrator username, bus number, and driver licence number.

Route Deletion Validation

The system checks whether a route is referenced by transport registrations or trips before deleting it. A route that is still referenced by related records cannot be deleted, thereby maintaining database consistency.

Session Validation

The system checks whether a user has an active authenticated session before allowing access to protected pages. This prevents unauthenticated users from accessing student or administrator functions directly.

Payment Record Validation

The system maintains payment information associated with transport registrations. Payment records are linked to the corresponding registration through the database relationship, helping ensure that payment information is associated with the correct registration.

These validations help improve the reliability, accuracy, and consistency of the College Transport Management System.

TYPES OF REPORT GENERATION

The **College Transport Management System** provides a report generation facility for the **administrator**. The **Reports** section presents transport-related information stored in the database and helps the administrator review and manage the records maintained by the system. The section provides dashboard summaries and detailed **Transport Registration**, **Payment** and **Trip reports**.

Dashboard Summary

The dashboard displays an overview of the system, including the total number of students, drivers, buses, routes, trips, transport registrations and payments. It also displays the total paid amount.

Transport Registration Summary

The Transport Registration Summary displays the total number of transport registrations according to their status. It provides a quick overview of the registrations recorded in the system.

Payment Summary

The Payment Summary displays the number of payment records according to their payment status. It helps the administrator view the overall payment status.

Transport Registration Report

The Transport Registration Report displays details of transport registrations, including Registration ID, Student, Route, Bus, Registration Date, Start Date, End Date and Status. It helps the administrator review the transport registration records.

Payment Report

The Payment Report displays payment-related information, including Payment ID, Registration ID, Student, Amount, Payment Date, Method, Transaction ID and Status. It helps the administrator review the payment records maintained in the system.

Trip Report

The Trip Report displays trip details, including Trip ID, Bus, Route, Date, Departure Time, Arrival Time, Type and Status. It helps the administrator view the scheduled trips recorded in the system.

These reports and summaries help the administrator review transport-related information in an organized manner.

IMPLEMENTATION AND INPUT/OUTPUT SCREENS

Implementation

The **College Transport Management System** is a web-based application developed to manage **college transportation-related information**. The system provides separate facilities for students and administrators.

The application is developed using **HTML**, **CSS**, **JavaScript**, **PHP** and **MySQL**. HTML is used to structure the web pages, CSS is used for styling, JavaScript is used for client-side interaction, PHP is used for server-side processing, and MySQL is used to store and manage the application data.

The system is developed and executed in a local environment using **XAMPP**. **Apache** is used as the web server, while MySQL is used as the database server. The application can be accessed through a web browser.

The implementation is divided into different modules, including **student services**, **student management**, **driver management**, **bus management**, **route management**, **trip management**, **transport registration management**, **payment management** and **report generation**.

Student Login Screen

The Student Login Screen allows registered students to enter their login credentials to access the student section of the College Transport Management System. Valid credentials are required to access the protected student features.




Figure 7.1: Student Login Screen

STUDENT PANEL

Student Registration Screen

The Student Registration Screen allows a new student to create an account by entering the required personal and academic details. The system checks the entered information before creating the student account.




Figure 7.2: Student Registration Screen

Student Registration Confirmation

After successful student registration, the system displays a confirmation message indicating that the student account has been created successfully.




Figure 7.3: Student Registration Confirmation

Student Dashboard

The Student Dashboard provides access to the main services available to a registered student. It allows the student to access transport routes, available buses, transport registration, payment information, registration details and other available student services.




Figure 7.4: Student Dashboard

Available Transport Routes

The Available Transport Routes screen displays the routes currently available in the college transport system. It provides information such as route name, starting point, destination, stops, distance and status.




Figure 7.5: Available Transport Routes

Available Buses

The Available Buses screen displays information about buses available for college transportation. The displayed information helps students identify the buses associated with the available transport services.




Figure 7.6: Available Buses

Transport Registration Screen

The Transport Registration Screen allows a student to apply for college transport by selecting a route and bus and entering the transport start and end dates. The system validates the required information before submitting the registration request.




Figure 7.7: Transport Registration Screen

Transport Registration Confirmation

After successful submission of the transport registration form, the system displays a confirmation message indicating that the request has been submitted. The registration remains available for administrative processing according to its status.




Figure 7.8: Transport Registration Confirmation

Student Transport Registration Details

The Transport Registration Details screen allows the student to view information related to their transport registration. The displayed information includes the selected route, bus, registration dates and registration status.




Figure 7.9: Student Transport Registration Details

Student Payment Screen

The Student Payment Screen allows the student to enter payment-related information for a transport registration. The payment information is recorded in the system and associated with the relevant transport registration.




Figure 7.10: Student Payment Screen

Payment Confirmation

After the payment information is successfully recorded, the system displays a confirmation message along with the payment details, including the payment ID, registration ID, amount, payment date, payment method, transaction ID and payment status.




Figure 7.11: Payment Confirmation Screen

Payment Receipts

The Payment Receipts screen displays the transport payment records associated with the student. It provides access to the recorded payment information and corresponding receipts.




Figure 7.12: Payment Receipts Screen

Transport Payment Receipt

The Transport Payment Receipt displays the details of a recorded transport payment in a printable format. It provides the student with a convenient record of the payment transaction.




Figure 7.13: Transport Payment Receipt

Change Password Screen

The Change Password Screen allows a student to update the account password. The system verifies the existing password before allowing the new password to be saved.




Figure 7.14: Student Change Password Screen

Password Change Confirmation

After successfully changing the password, the system displays a confirmation message indicating that the student account password has been updated.




Figure 7.15: Password Change Confirmation

ADMIN PANEL

Admin Login Screen

The Admin Login Screen allows the administrator to enter valid credentials to access the administrative section of the College Transport Management System.




Figure 7.16: Admin Login Screen

Admin Dashboard

The Admin Dashboard provides an overview of the college transport system. It displays summary information such as the total number of students, drivers, buses, routes, trips, transport registrations and payments.




Figure 7.17: Admin Dashboard

Student Management Screen

The Student Management Screen allows the administrator to view the records of registered students. The screen provides access to student information stored in the system for transport-related administrative purposes.




Figure 7.18: Student Management Screen

Driver Management Screen

The Driver Management Screen allows the administrator to add, view, update and delete driver records. The screen maintains driver information required for managing college transportation.




Figure 7.19: Driver Management Screen

Bus Management Screen

The Bus Management Screen allows the administrator to add, view, update and delete bus records. It maintains information such as bus number, bus type, capacity, assigned driver and bus status.




Figure 7.20: Bus Management Screen

Route Management Screen

The Route Management Screen allows the administrator to add, view, update and delete transport route records. It maintains information about route names, starting points, destinations, stops, distance and status.




Figure 7.21: Route Management Screen

Trip Management Screen

The Trip Management Screen allows the administrator to manage scheduled trips. It maintains information about the assigned bus, route, trip date, departure time, arrival time, trip type and trip status.




Figure 7.22: Trip Management Screen

Transport Registration Management Screen

The Transport Registration Management Screen allows the administrator to view and manage transport registration records submitted by students. It displays information related to the student, route, bus, registration dates and registration status.




Figure 7.23: Transport Registration Management Screen

Payment Management Screen

The Payment Management Screen allows the administrator to view and manage recorded transport payment information. It displays details such as registration, student, amount, payment date, payment method, transaction reference and payment status.




Figure 7.24: Payment Management Screen

Admin Reports — Summary

The Admin Reports section provides an overview of the transport system through summary information. It displays totals for students, drivers, buses, routes, trips, registrations and payments, along with transport registration and payment summaries. The detailed Reports section displays transport registration, payment and trip reports. These reports help the administrator review the records maintained by the system in an organized manner.




Figure 7.25.1: Admin Reports — Summary




Figure 7.25.2: Admin Reports — Summary

GENERAL WEBSITES SCREEN

Home Page

The Home Page provides the main entry point to the College Transport Management System. It provides navigation to student services, transport routes, transport buses, transport registration, administration and contact information.




Figure 7.26.1: College Transport Management System Home Page




Figure 7.26.2: College Transport Management System Home Page

About Us

The About Us page provides an overview of the College Transport Management System and describes the purpose and services provided by the application.




Figure 7.27: About Us Page

Contact Us

The Contact Us page provides contact information related to the College Transport Management System and helps users find the appropriate student service information.




Figure 7.28: Contact Us Page

Available Routes Page

The Available Routes page displays the transport routes provided by the College Transport Management System. It allows users to view the available routes and related transportation information from the main navigation menu. This page provides users with an easy way to access route information before using the transport registration facilities.




Figure 7.29: Available Routes Page

TESTING

Testing is an important phase in the development of the **College Transport Management System**. It is performed to check whether the system works according to the specified requirements and whether the different modules function correctly.

The system is tested by providing different inputs and checking the outputs. Testing helps identify **errors** and ensures that the main features, such as **login**, **student registration**, **transport registration**, **bus management**, **route management**, **payment records** and **report generation**, work as expected.

Objectives of Testing

The main objectives of testing are:

- To verify that the system functions according to the project requirements.
- To check the correctness of user inputs and system outputs.
- To verify that login and authentication work properly.
- To ensure that students can view the available transport information.
- To check that transport registration details are stored correctly.
- To verify that administrative modules perform their intended operations.
- To identify errors and improve the reliability of the system.

Types of Testing

Unit Testing

Unit testing is performed to check **individual modules** of the system separately. Each module is tested to verify that it performs its intended function.

In this project, individual modules such as login, student registration, bus management, route management, transport registration and payment management are checked separately.

Test ID	Module Tested	Test Performed	Expected Result	Actual Result	Status
UT01	Student Registration	Register with valid details	Student account should be created	Student account was created successfully	Pass
UT02	Student Registration	Register using existing email	Duplicate email should be rejected	Duplicate email was rejected	Pass
UT03	Student Login	Enter valid credentials	Student dashboard should open	Student dashboard opened successfully	Pass
UT04	Student Login	Enter incorrect credentials	Login should be rejected	Invalid login was rejected	Pass
UT05	Route Information	Open available routes	Active routes should be displayed	Active routes were displayed	Pass
UT06	Bus Information	Open available buses	Available buses should be displayed	Available buses were displayed	Pass
UT07	Transport Registration	Submit valid registration	Registration should be saved	Registration was submitted successfully	Pass

UT08	Transport Registration	Enter invalid date order	Invalid date should be rejected	Invalid date order was rejected	Pass
UT09	Payment	Enter valid payment details	Payment record should be saved	Payment record was saved successfully	Pass
UT10	Password Change	Enter correct old password and new password	Password should be changed	Password was changed successfully	Pass

Integration Testing

Integration testing is performed to verify that **different modules** work correctly when connected with one another.

In this project, the interaction between student records, transport registrations, buses, routes, trips and payment records is checked to ensure that the related information is handled correctly.

Test ID	Module Tested	Test Performed	Expected Result	Actual Result	Status
IT01	Student + Transport Registration	Submit transport registration as logged-in student	Registration should be linked to the correct student	Registration was linked correctly	Pass
IT02	Route + Bus + Transport Registration	Select route and bus during registration	Selected route and bus should be stored with registration	Route and bus were stored correctly	Pass
IT03	Registration + Payment	Record payment for a transport registration	Payment should be associated with the correct registration	Payment was associated correctly	Pass
IT04	Student + Registration Details	View registration after submission	Student should see their registration information	Registration details were displayed correctly	Pass

IT05	Bus + Driver	Assign driver to bus	Bus should display the associated driver	Driver association was displayed correctly	Pass
IT06	Trip + Bus + Route	Create a trip using a bus and route	Trip should store the selected bus and route	Trip was stored correctly	Pass
IT07	Registration + Payment + Receipt	View receipt after payment record	Correct payment information should be displayed	Payment receipt displayed correctly	Pass

System Testing

System testing is performed on the complete application to verify that all major **features work together** as expected.

The College Transport Management System is tested through its login pages, dashboards, management modules, registration functions and report-generation features.

Test ID	Module Tested	Test Performed	Expected Result	Actual Result	Status
ST01	Application Access	Open the application	Application should load successfully	Application loaded successfully	Pass
ST02	Student Workflow	Register, login and access dashboard	Student should complete the basic workflow	Workflow completed successfully	Pass
ST03	Transport Workflow	View routes/buses and submit registration	Transport registration should work correctly	Transport workflow worked correctly	Pass
ST04	Payment Workflow	Record payment and view receipt	Payment record and receipt should be available	Payment and receipt worked correctly	Pass

ST05	Password Security	Change password using verification	Password should update securely	Password changed successfully	Pass
ST06	Admin Authentication	Login to administrator panel	Admin dashboard should open	Admin dashboard opened successfully	Pass
ST07	Admin Management	Manage driver, bus, route and trip records	Records should be managed successfully	Records were managed successfully	Pass
ST08	Registration Management	View/manage student transport registrations	Registration records should be displayed and managed	Records were displayed and managed successfully	Pass
ST09	Payment Management	View payment records in admin panel	Payment records should be displayed	Payment records were displayed successfully	Pass
ST10	Reports	Open administrator Reports section	Reports and summaries should be displayed	Reports and summaries were displayed successfully	Pass
ST11	Logout	Logout from student/admin account	User should be logged out	User was logged out successfully	Pass
ST12	Protected Pages	Access protected page without valid session	Access should be restricted	Protected access was restricted	Pass

Test Results

Each **test case** is **executed** by providing the required **input** and comparing the actual **output** with the expected output.

The actual result and status of each test case are recorded after testing. If an error is found, it is corrected and the relevant test case is executed again.

DEBUGGING AND CODE IMPROVEMENTS

Debugging

Debugging was carried out during the development and testing of the College Transport Management System to identify and correct errors in program execution, database operations, input processing, authentication and navigation. The application was tested repeatedly after making changes so that the corrections did not affect other modules of the system.

The debugging process mainly involved checking PHP code, form processing, database queries, session handling, validation logic and the interaction between different modules. The application was executed in the local XAMPP environment using Apache and MySQL.

1. Input and Form Validation

Forms were checked to ensure that required information was entered before the data was submitted. Transport registration was also checked for valid date ordering so that an invalid end date could not be entered before the start date.

The student registration process was checked for duplicate email addresses. Database constraints were also used to prevent duplicate values in selected fields such as student email, administrator username, bus number and driver licence number.

2. Login and Authentication Debugging

Student and administrator login functionality was tested using both valid and invalid credentials. Invalid credentials were checked to ensure that unauthorized users could not access protected pages.

Session handling was also checked so that authenticated users could access the appropriate pages while unauthenticated users could not directly access protected student or administrator functions.

3. Database Operation Debugging

Database operations were checked during student registration, transport registration, driver management, bus management, route management, trip management and payment record management.

The database relationships were checked to ensure that records were associated with the correct related records. Foreign-key relationships were used to maintain consistency between students, routes, buses, trips, transport registrations and payments.

4. Transport Registration Debugging

The transport registration module was tested with valid and invalid inputs. Required fields were checked before submission and the registration date order was validated. The registration information was also checked after submission to ensure that the stored information could be retrieved correctly from the database.

5. Payment Module Debugging

The payment module was checked to ensure that payment information was correctly associated with the corresponding transport registration. The payment details were verified after recording the payment and the payment receipt was checked to ensure that the stored information was displayed correctly. The system records payment information but does not process the actual settlement through a third-party payment gateway.

6. Password Change Debugging

The change-password functionality was tested by entering the existing password and the new password. The system verifies the existing password before allowing the password to be changed. The new password and its confirmation are also checked, and the new password is stored in hashed form.

7. Administrative Module Debugging

The administrator modules were checked individually to verify that driver, bus, route, trip, transport registration and payment records could be managed correctly. Database constraints were also considered while testing update and deletion operations.

Route deletion was specifically checked because a route that is referenced by transport registrations or trips should not be deleted. This prevents broken relationships in the database.

8. Report Generation Debugging

The Reports section was checked to ensure that the displayed summary information and detailed reports were retrieved correctly from the database. Transport registration, payment and trip information were compared with the corresponding records maintained in the system.

Code Improvements

During development and debugging, several improvements were made to improve the reliability, security and maintainability of the application.

The following improvements were implemented:

- **Input validation:** Required fields and important user inputs are checked before processing.
- **Duplicate prevention:** Unique database constraints and application validation help prevent duplicate records in selected fields.
- **Authentication:** Separate authentication is provided for students and administrators.
- **Session protection:** Protected pages require an authenticated session.
- **Password security:** Passwords are stored using password hashing rather than plain text.
- **Database integrity:** Primary keys, unique constraints and foreign keys are used to maintain consistent records.
- **Relationship validation:** Related records are checked before operations such as route deletion.
- **Error handling:** Success and error messages are displayed for important operations.
- **Module separation:** Student and administrator functions are separated into different application modules.
- **Payment association:** Payment records are linked with the corresponding transport registration.

- **Repeated testing:** Functions were tested again after corrections to confirm that the changes worked correctly.

These debugging activities and code improvements helped make the College Transport Management System more reliable, consistent and suitable for its intended use.

Conclusion of Testing

The testing phase of the College Transport Management System was carried out to verify the correctness and reliability of the implemented modules. Unit testing was used to verify individual functions and modules, Integration Testing was used to check the interaction between related modules, and System Testing was used to verify the complete application as a whole.

The major functions tested included student registration, student login, administrator login, dashboard access, route and bus information, transport registration, registration details, payment record entry, payment receipt generation, password change, driver management, bus management, route management, trip management, transport registration management, payment management and report generation.

Both valid and invalid inputs were considered during testing. Validation, authentication, session protection, database relationships and important database constraints were also checked. The system was

tested repeatedly after debugging and code improvements were applied.

The final testing results showed that the implemented functions produced the expected results and the identified issues were corrected during development. Therefore, the College Transport Management System was found to be functioning satisfactorily under the tested local development environment.

SECURITY

Security is an important aspect of the **College Transport Management System**. The system includes basic **security measures** to protect user **accounts** and **restrict access** to administrative functions.

The following security features are included in the project:

Login Authentication

The system provides separate login facilities for students and administrators. Users must provide valid login credentials to access their respective sections.

Session Management

Sessions are used to maintain the login state of users. Login-protected pages require an authenticated session, and users can log out of the system when their work is complete.

Password Protection

The student password-changing facility verifies the user's existing password before allowing a change. Passwords are stored using password hashing rather than being stored as plain text.

Input Validation

The system checks certain user inputs before processing them. For example, required fields and the date order in transport registration are validated to reduce invalid data entry.

Database Constraints

The database uses constraints to help maintain data accuracy. Unique constraints are applied to selected fields, including student email, administrator username, bus number and driver license number.

Access Control

Student and administrator functions are separated. Students can access student-related features, while administrative operations are available through the admin section.

These security measures provide basic protection for the application. Additional security measures may be introduced in future versions to improve the overall security of the system.

CONCLUSION

The **College Transport Management System** has been developed to manage college transportation-related information through a **web-based application**. The system provides separate facilities for students and administrators.

Students can **register** and **log in**, **view available buses** and **routes**, **submit transport registration details**, view their registration information and access payment records and receipts. The administrator can manage driver, bus, route, trip, transport registration and payment information. The system also provides facilities for viewing student records and generating reports.

The project uses **HTML**, **CSS**, **JavaScript**, **PHP** and **MySQL**. The database stores the information required for the different modules of the system.

The development of this project provided practical experience in web application development, database management, form validation and the integration of different modules.

Although the system fulfils its basic objectives, it has certain limitations. Features such as GPS-based live bus tracking, online payment gateway integration and enhanced mobile support can be considered for future development.

Thus, the **College Transport Management System** provides a basic computerized solution for managing college transport information and can be extended with additional features in the future.

LIMITATION OF THE PROJECT

The College Transport Management System has the following limitations:

- **Local Environment:** The application is developed and tested in a local XAMPP environment. It requires suitable server and database configuration for deployment on a public server.
- **No GPS Tracking:** The system does not provide real-time GPS tracking of buses or live location updates.
- **Internet and Server Dependency:** The application requires the web server and database services to be running. If these services are unavailable, the system cannot be accessed.
- **Limited Mobile Support:** The project is developed as a web application and does not include a dedicated Android or iOS mobile application.
- **Limited Student Record Management:** The administrator can view student records, but adding, editing, and deleting student records through the admin interface are not available.

SCOPE OF THE PROJECT

The scope of the College Transport Management System covers the major activities involved in managing college transportation facilities.

The system includes student registration and login, viewing available buses and routes, transport registration, and viewing registration details. It also provides facilities for recording payment information and generating printable payment receipts.

The administrative section includes the management of drivers, buses, routes, trips, transport registrations, and payment records. It also allows the administrator to view student information and access reports.

The system maintains transport-related information in a MySQL database, making it easier to store and retrieve records.

The current version is designed as a local web application using XAMPP. Payment details are recorded within the application; the system does not integrate with an actual online payment gateway.

The project can be extended in the future by adding features such as online payment integration, SMS or email notifications, GPS-based bus tracking, and a mobile application.

BIBLIOGRAPHY

WEBSITE –

- www.google.com
- https://www.w3schools.com/
- https://www.php.net/
- https://dev.mysql.com/doc/
- https://www.geeksforgeeks.org/

Reference books (Web Technologies / PHP) –

- Luke Welling & Laura Thomson, PHP and MySQL Web Development, 5th Edition
- Jon Duckett, HTML and CSS: Design and Build Websites
- Robin Nixon, Learning PHP, MySQL & JavaScript, 5th Edition
- IGNOU Study Material

Reference books (Database – MySQL) –

- Paul DuBois, MySQL Cookbook, 2nd Edition
- Ben Forta, SQL in 10 Minutes a Day, 4th Edition
- IGNOU Blocks

APPENDIX A – SOURCE CODE

This appendix contains the source code of the College Transport Management System. The application has been developed using HTML, CSS, JavaScript, PHP and MySQL. The source code implements the student and administrator modules, authentication, transport registration, payment record management, database operations, report generation and other functions described in this project report.

A.1 Source Code File List

The source code is organized into different files according to the functions performed by the application. The following list identifies the major source files included in the project.

S. No.	File/Folder	Purpose
1	index.html	Main home page
2	log.php	Student login
3	reg.php	Student registration form
4	regis.php	Student registration processing
5	student.php	Student dashboard
6	strouteinfo.php	Student route information
7	businfo.php	Available bus information
8	buspass.php	Transport registration
9	registration_details.php	Student registration details
10	payment.php	Payment interface
11	paymentdb.php	Payment processing
12	paymentreceipt.php	Payment receipt
13	stchangepass.php	Change password

14	stchangepassdb.php	Change password processing
15	logout.php	Student logout
16	admin_login.php	Administrator login
17	admin.php	Administrator dashboard
18	admin_students.php	Student records
19	admin_drivers.php	Driver management
20	manage_buses.php	Bus management
21	manage_routes.php	Route management
22	manage_trips.php	Trip management
23	manage_registrations.php	Transport registration management
24	manage_payments.php	Payment management
25	admin_reports.php	Report generation
26	admin_logout.php	Administrator logout
27	checklog.php	Authentication/session checking
28	Database/transport_management.sql	Database structure and records

The functions listed here are consistent with the SRS's description of the student and administrator functions.

A.2 Student Module Source Code

A.2.1 index.html

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>College Transport Management System</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
            color: #333;
        }

        /* HEADER */

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }

        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
```

```
}

.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}

/* TOP INFORMATION */

.top-info {
    background-color: #222;
    color: white;
    padding: 8px 20px;
    text-align: right;
    font-size: 14px;
}

/* NAVIGATION */

.navbar {
    background-color: #990000;
    padding: 13px 20px;
    text-align: center;
}

.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}

.navbar a:hover {
    text-decoration: underline;
}

/* HERO */

.hero {
    background: linear-gradient(
        rgba(153, 0, 0, 0.92),
        rgba(120, 0, 0, 0.92)
```

```
        );

        color: white;
        text-align: center;
        padding: 75px 20px;
    }

    .hero h2 {
        margin: 0 0 18px 0;
        font-size: 40px;
    }

    .hero p {
        font-size: 19px;
        margin: 10px auto 25px auto;
        max-width: 750px;
        line-height: 1.6;
    }

    .hero-btn {
        display: inline-block;
        background-color: white;
        color: #990000;
        padding: 12px 25px;
        margin: 8px;
        border-radius: 5px;
        text-decoration: none;
        font-weight: bold;
    }

    .hero-btn:hover {
        background-color: #f2f2f2;
    }

    /* MAIN CONTAINER */

    .container {
        width: 95%;
        max-width: 1100px;
        margin: 35px auto;
    }

    /* INTRODUCTION */
```

```
.intro-box {
    background-color: white;
    padding: 30px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
    margin-bottom: 30px;
}

.intro-box h2 {
    color: #990000;
    margin-top: 0;
}

.intro-box p {
    line-height: 1.7;
    color: #555;
}

/* CARDS */

.section-title {
    text-align: center;
    color: #990000;
    margin-bottom: 25px;
    font-size: 28px;
}

.cards {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 22px;
}

.card {
    background-color: white;
    padding: 28px 22px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
}
```

```
        .card h3 {
            color: #990000;
            margin-top: 0;
        }

        .card p {
            color: #555;
            line-height: 1.6;
            min-height: 70px;
        }

        .card-btn {
            display: inline-block;
            background-color: #990000;
            color: white;
            padding: 10px 20px;
            border-radius: 5px;
            text-decoration: none;
        }

        .card-btn:hover {
            background-color: #770000;
        }

        /* FEATURES */

        .features {
            background-color: white;
            margin-top: 30px;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        }

        .features h2 {
            text-align: center;
            color: #990000;
            margin-top: 0;
        }

        .features ul {
            max-width: 750px;
            margin: auto;
```

```
        line-height: 2;
    }

    /* FOOTER */

    .footer {
        margin-top: 40px;
        background-color: #222;
        color: white;
        text-align: center;
        padding: 25px 20px;
    }

    .footer a {
        color: white;
        text-decoration: none;
        margin: 0 10px;
    }

    .footer a:hover {
        text-decoration: underline;
    }

    .copyright {
        margin-top: 15px;
        color: #ccc;
        font-size: 14px;
    }

    /* MOBILE */

    @media (max-width: 800px) {

        .cards {
            grid-template-columns: 1fr;
        }

        .hero h2 {
            font-size: 30px;
        }

        .hero p {
            font-size: 16px;
```

```
            }

        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }

            .header h2 {
                font-size: 19px;
            }

            .navbar a {
                display: inline-block;
                margin: 5px 8px;
            }

            .top-info {
                text-align: center;
            }

        }

    </style>

</head>

<body>


<!-- HEADER -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>
```

```
</div>


<!-- TOP INFORMATION -->

<div class="top-info">

    Email:
    <a href="mailto:ssc@ignou.ac.in"
       style="color:white; text-decoration:none;">
        ssc@ignou.ac.in
    </a>

      |  

    Phone:
    011-29572513, 011-29572514

</div>


<!-- NAVIGATION -->

<div class="navbar">

    <a href="index.html">Home</a>

    <a href="aboutus/Home.html">About Us</a>

    <a href="log.php">Student Login</a>

    <a href="regis.php">Student Registration</a>

    <a href="ad.php">Admin</a>

    <a href="strouteinfo.php">Routes</a>

    <a href="contactus/contect.html">Contact Us</a>

</div>


<!-- HERO -->
```

```
<section class="hero">

    <h2>
        Welcome to College Transport Management System
    </h2>

    <p>
        A centralized web-based system for managing
        student transportation, routes, buses, drivers,
        registrations, trips and payments.
    </p>

    <a href="regis.php" class="hero-btn">
        Student Registration
    </a>

    <a href="log.php" class="hero-btn">
        Student Login
    </a>

</section>


<!-- MAIN -->

<div class="container">


    <!-- INTRODUCTION -->

    <div class="intro-box">

        <h2>
            About the System
        </h2>

        <p>
            The College Transport Management System provides
            an organized platform for managing college
            transportation services. Students can view
            available routes and buses, register for transport,
            make payment records and view their transport
            information.
```

```
        </p>

        <p>
            Administrators can manage students, drivers,
            buses, routes, trips, transport registrations
            and payment records through a centralized system.
        </p>

    </div>


    <!-- SERVICES -->

    <h2 class="section-title">
        System Facilities
    </h2>


    <div class="cards">


        <div class="card">

            <h3>
                Student Services
            </h3>

            <p>
                Register as a student, login to your account
                and manage your transport information.
            </p>

            <a href="regis.php" class="card-btn">
                Student Registration
            </a>

        </div>


        <div class="card">

            <h3>
                Transport Routes
            </h3>
```

```
        <p>
            View the available transport routes and
            their starting points and destinations.
        </p>

        <a href="strouteinfo.php" class="card-btn">
            View Routes
        </a>

    </div>


    <div class="card">

        <h3>
            Transport Buses
        </h3>

        <p>
            View available buses along with bus and
            driver information.
        </p>

        <a href="businfo.php" class="card-btn">
            View Buses
        </a>

    </div>


    <div class="card">

        <h3>
            Transport Registration
        </h3>

        <p>
            Registered students can apply for
            college transport services.
        </p>

        <a href="log.php" class="card-btn">
            Student Login
```

```
            </a>

        </div>


        <div class="card">

            <h3>
                Administration
            </h3>

            <p>
                Administrators can manage students, buses,
                routes, drivers, trips and payments.
            </p>

            <a href="ad.php" class="card-btn">
                Admin Login
            </a>

        </div>


        <div class="card">

            <h3>
                Contact Us
            </h3>

            <p>
                Find the contact information and official
                Student Service Centre details.
            </p>

            <a href="contactus/contect.html" class="card-btn">
                Contact Us
            </a>

        </div>


    </div>
```

```
    <!-- FEATURES -->

    <div class="features">

        <h2>
            Major Features
        </h2>

        <ul>

            <li>Student Registration and Secure Login</li>

            <li>Route and Bus Information</li>

            <li>Transport Registration Management</li>

            <li>Transport Payment Records</li>

            <li>Driver and Bus Management</li>

            <li>Route and Trip Management</li>

            <li>Transport Registration Approval</li>

            <li>Administrative Reports</li>

        </ul>

    </div>


</div>


<!-- FOOTER -->

<div class="footer">

    <div>

        <a href="index.html">Home</a>

        <a href="aboutus/Home.html">About Us</a>
```

```
        <a href="strouteinfo.php">Routes</a>

        <a href="contactus/contect.html">Contact Us</a>

    </div>

    <div class="copyright">

        © 2026 College Transport Management System.
        All Rights Reserved.

    </div>

</div>


</body>

</html>
```

A.2.2 log.php

```php
<?php

session_start();

$error = "";

if (isset($_GET['error'])) {
    $error = "Invalid Student ID or Password.";
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Student Login - College Transport Management System</title>

    <style>

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
        }

        .header {
            text-align: center;
            background-color: white;
            padding: 30px 20px;
        }

        .header h1 {
            color: red;
            margin: 0 0 15px 0;
```

```
        font-size: 36px;
    }

    .header h2 {
        margin: 0;
        color: #222;
    }

    .login-container {
        width: 90%;
        max-width: 500px;
        margin: 50px auto;
    }

    .login-box {
        background-color: white;
        padding: 35px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.15);
    }

    .login-box h2 {
        text-align: center;
        color: #990000;
        margin-bottom: 30px;
    }

    .form-group {
        margin-bottom: 20px;
    }

    .form-group label {
        display: block;
        font-weight: bold;
        margin-bottom: 8px;
    }

    .form-group input {
        width: 100%;
        padding: 11px;
        border: 1px solid #ccc;
        border-radius: 4px;
        box-sizing: border-box;
```

```
            font-size: 15px;
        }

        .btn-login {
            width: 100%;
            padding: 12px;
            border: none;
            border-radius: 5px;
            background-color: #990000;
            color: white;
            font-size: 16px;
            cursor: pointer;
        }

        .btn-login:hover {
            background-color: #770000;
        }

        .error {
            background-color: #f8d7da;
            color: #842029;
            border: 1px solid #f5c2c7;
            padding: 12px;
            margin-bottom: 20px;
            border-radius: 5px;
            text-align: center;
        }

        .register-link {
            text-align: center;
            margin-top: 20px;
        }

        .register-link a {
            color: #990000;
            text-decoration: none;
            font-weight: bold;
        }

        .home-link {
            text-align: center;
            margin-top: 15px;
        }
```

```
        .home-link a {
            color: #333;
            text-decoration: none;
        }

    </style>

</head>

<body>

    <div class="header">

        <h1>
            INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
        </h1>

        <h2>
            COLLEGE TRANSPORT MANAGEMENT SYSTEM
        </h2>

    </div>


    <div class="login-container">

        <div class="login-box">

            <h2>Student Login</h2>


            <?php if ($error != "") { ?>

                <div class="error">
                    <?php echo $error; ?>
                </div>

            <?php } ?>


            <form action="checklog.php" method="POST">

                <div class="form-group">
```

```
            <label for="student_id">
                Student ID:
            </label>

            <input
                type="number"
                name="student_id"
                id="student_id"
                placeholder="Enter your Student ID"
                required
            >

        </div>


        <div class="form-group">

            <label for="password">
                Password:
            </label>

            <input
                type="password"
                name="password"
                id="password"
                placeholder="Enter your password"
                required
            >

        </div>


        <div class="form-group">

            <button
                type="submit"
                class="btn-login"
            >
                Login
            </button>

        </div>
```

```
            </form>


            <div class="register-link">

                Don't have an account?

                <a href="regis.php">
                    Student Registration
                </a>

            </div>


            <div class="home-link">

                <a href="index.html">
                    Back to Home
                </a>

            </div>

        </div>

    </div>

</body>

</html>
```

A.2.3 checklog.php

```php
<?php

session_start();


/* ========================================
   DATABASE CONNECTION
   ======================================== */

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {

    die("Database connection failed: " . mysqli_connect_error());

}


/* ========================================
   GET LOGIN DETAILS
   ======================================== */

$student_id = $_POST['student_id'] ?? '';
$password = $_POST['password'] ?? '';


/* ========================================
   BASIC VALIDATION
   ======================================== */

if (empty($student_id) || empty($password)) {

    mysqli_close($con);

    header("Location: log.php?error=1");
    exit;
```

```
}


/* ========================================
   FIND STUDENT
   ======================================== */

$sql = "SELECT student_id, full_name, password
        FROM student
        WHERE student_id = ?";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "i",
    $student_id
);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

$student = mysqli_fetch_assoc($result);


/* ========================================
   CHECK STUDENT AND PASSWORD
   ======================================== */

if (
    $student &&
    password_verify($password, $student['password'])
) {

    /* Login successful */

    $_SESSION['student_id'] = $student['student_id'];

    $_SESSION['student_name'] = $student['full_name'];

    mysqli_stmt_close($stmt);
```

```
    mysqli_close($con);

    header("Location: student.php");

    exit;

}


/* ========================================
   LOGIN FAILED
   ======================================== */

mysqli_stmt_close($stmt);

mysqli_close($con);

header("Location: log.php?error=1");

exit;

?>
```

A.2.4 regis.php

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Student Registration - College Transport Management System</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
            color: #333;
        }

        /* HEADER */

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }

        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
        }

        .header h2 {
```

```
        margin: 0;
        color: #222;
        font-size: 24px;
    }

    /* NAVIGATION */

    .navbar {
        background-color: #990000;
        padding: 12px 20px;
        text-align: center;
    }

    .navbar a {
        color: white;
        text-decoration: none;
        margin: 0 15px;
        font-size: 15px;
    }

    .navbar a:hover {
        text-decoration: underline;
    }

    /* CONTAINER */

    .container {
        width: 95%;
        max-width: 750px;
        margin: 35px auto;
    }

    /* TITLE */

    .title-box {
        background-color: white;
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        text-align: center;
        margin-bottom: 25px;
    }
```

```
        .title-box h2 {
            color: #990000;
            margin: 0 0 10px 0;
        }

        .title-box p {
            color: #555;
            margin: 0;
        }

        /* FORM */

        .form-container {
            background-color: white;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        }

        .form-group {
            margin-bottom: 20px;
        }

        label {
            display: block;
            font-weight: bold;
            color: #333;
            margin-bottom: 8px;
        }

        input[type="text"],
        input[type="email"],
        input[type="tel"],
        input[type="password"],
        select,
        textarea {

            width: 100%;

            padding: 12px;

            border: 1px solid #ccc;
```

```
            border-radius: 5px;

            font-size: 15px;

            font-family: Arial, sans-serif;

        }

        input:focus,
        select:focus,
        textarea:focus {

            border-color: #990000;

            outline: none;

        }

        textarea {
            resize: vertical;
        }

        .btn {

            width: 100%;

            padding: 12px;

            background-color: #990000;

            color: white;

            border: none;

            border-radius: 5px;

            font-size: 16px;

            font-weight: bold;

            cursor: pointer;

        }
```

```
.btn:hover {
    background-color: #770000;
}

/* LOGIN LINK */

.login-box {

    text-align: center;

    margin-top: 25px;

    padding-top: 20px;

    border-top: 1px solid #ddd;

}

.login-box a {

    color: #990000;

    font-weight: bold;

    text-decoration: none;

}

.login-box a:hover {
    text-decoration: underline;
}

/* BACK BUTTON */

.back-btn {

    display: inline-block;

    margin-top: 20px;

    padding: 11px 22px;
```

```
            background-color: #990000;

            color: white;

            text-decoration: none;

            border-radius: 5px;

        }

        .back-btn:hover {
            background-color: #770000;
        }

        /* FOOTER */

        .footer {

            margin-top: 40px;

            background-color: #222;

            color: white;

            text-align: center;

            padding: 20px;

        }

        /* MOBILE */

        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }

            .header h2 {
                font-size: 19px;
            }

            .navbar a {
```

```
                display: inline-block;

                margin: 5px 8px;

            }

            .form-container {
                padding: 20px;
            }

        }

    </style>

</head>

<body>


<!-- HEADER -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>


<!-- NAVIGATION -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="aboutus/Home.html">
```

```
        About Us
    </a>

    <a href="log.php">
        Student Login
    </a>

    <a href="strouteinfo.php">
        Routes
    </a>

    <a href="contactus/contect.html">
        Contact Us
    </a>

</div>


<!-- MAIN -->

<div class="container">


    <!-- TITLE -->

    <div class="title-box">

        <h2>
            Student Registration
        </h2>

        <p>
            Create your student account to access transport services.
        </p>

    </div>


    <!-- FORM -->

    <div class="form-container">

        <form action="rcon.php" method="POST">
```

```
            <div class="form-group">

                <label for="name">
                    Student Name
                </label>

                <input
                    type="text"
                    name="name"
                    id="name"
                    placeholder="Enter your full name"
                    required
                >

            </div>


            <div class="form-group">

                <label for="email">
                    Email Address
                </label>

                <input
                    type="email"
                    name="email"
                    id="email"
                    placeholder="Enter your email address"
                    required
                >

            </div>


            <div class="form-group">

                <label for="mobile">
                    Mobile Number
                </label>

                <input
                    type="tel"
                    name="mobile"
                    id="mobile"
```

```
                placeholder="Enter your 10-digit mobile number"
                pattern="[0-9]{10}"
                maxlength="10"
                required
            >

        </div>


        <div class="form-group">

            <label for="course">
                Course
            </label>

            <select
                name="course"
                id="course"
                required
            >

                <option value="">
                    -- Select Course --
                </option>

                <option value="BCA">
                    BCA
                </option>

                <option value="MCA">
                    MCA
                </option>

                <option value="BBA">
                    BBA
                </option>

                <option value="MBA">
                    MBA
                </option>

                <option value="PGDCA">
                    PGDCA
```

```
                </option>

            </select>

        </div>


        <div class="form-group">

            <label for="password">
                Password
            </label>

            <input
                type="password"
                name="password"
                id="password"
                placeholder="Create a password"
                required
            >

        </div>


        <div class="form-group">

            <label for="address">
                Address
            </label>

            <textarea
                name="address"
                id="address"
                rows="4"
                placeholder="Enter your address"
                required
            ></textarea>

        </div>


        <div class="form-group">

            <input
```

```
                    type="submit"
                    value="REGISTER"
                    class="btn"
                >

            </div>


        </form>


        <div class="login-box">

            Already registered?

            <a href="log.php">
                Student Login
            </a>

        </div>


        <a href="index.html" class="back-btn">
            Back to Home
        </a>


    </div>

</div>


<!-- FOOTER -->

<div class="footer">

    © 2026 College Transport Management System.
    All Rights Reserved.

</div>
</body>

</html>
```

A.2.5 rcon.php

```php
<?php

session_start();

/* ========================================
   DATABASE CONNECTION
   ======================================== */

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


/* ========================================
   GET FORM DATA
   ======================================== */

$name = trim($_POST['name'] ?? '');
$email = trim($_POST['email'] ?? '');
$mobile = trim($_POST['mobile'] ?? '');
$course = trim($_POST['course'] ?? '');
$password = $_POST['password'] ?? '';
$address = trim($_POST['address'] ?? '');


/* ========================================
   BASIC VALIDATION
   ======================================== */

if (
    empty($name) ||
    empty($email) ||
    empty($mobile) ||
    empty($course) ||
    empty($password) ||
    empty($address)
) {
    die("Please fill in all required fields.");
}
```

```
/* ========================================
   CHECK MOBILE NUMBER
   ======================================== */

if (!preg_match('/^[0-9]{10}$/', $mobile)) {
    die("Please enter a valid 10-digit mobile number.");
}


/* ========================================
   CHECK WHETHER EMAIL ALREADY EXISTS
   ======================================== */

$check = mysqli_prepare(
    $con,
    "SELECT student_id FROM student WHERE email = ?"
);

mysqli_stmt_bind_param($check, "s", $email);
mysqli_stmt_execute($check);
mysqli_stmt_store_result($check);

if (mysqli_stmt_num_rows($check) > 0) {
    mysqli_stmt_close($check);
    mysqli_close($con);

    die("This email address is already registered.");
}

mysqli_stmt_close($check);


/* ========================================
   HASH PASSWORD
   ======================================== */

$hashed_password = password_hash($password, PASSWORD_DEFAULT);


/* ========================================
   INSERT STUDENT
   ======================================== */
```

```
$sql = "INSERT INTO student
        (full_name, email, mobile, course, password, address)
        VALUES (?, ?, ?, ?, ?, ?)";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "ssssss",
    $name,
    $email,
    $mobile,
    $course,
    $hashed_password,
    $address
);


/* ========================================
   SAVE RECORD
   ======================================== */

if (mysqli_stmt_execute($stmt)) {

    $student_id = mysqli_insert_id($con);

    $_SESSION['student_id'] = $student_id;

    mysqli_stmt_close($stmt);
    mysqli_close($con);

    header("Location: reg.php");
    exit;

} else {

    echo "Registration failed. Please try again.";

    mysqli_stmt_close($stmt);
    mysqli_close($con);
}
?>
```

A.2.6 reg.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: regis.php");
    exit;
}

$student_id = $_SESSION['student_id'];

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$sql = "SELECT student_id, full_name, email, mobile, course
        FROM student
        WHERE student_id = ?";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param($stmt, "i", $student_id);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

$student = mysqli_fetch_assoc($result);

mysqli_stmt_close($stmt);
mysqli_close($con);

if (!$student) {
    die("Student registration details could not be found.");
}

?>

<!DOCTYPE html>
```

```
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Registration Successful - College Transport Management System</title>

    <style>

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
        }

        .header {
            text-align: center;
            background-color: white;
            padding: 30px 20px;
        }

        .header h1 {
            color: red;
            margin: 0 0 15px 0;
            font-size: 36px;
        }

        .header h2 {
            margin: 0;
            color: #222;
        }

        .success-container {
            width: 90%;
            max-width: 650px;
            margin: 40px auto;
        }

        .success-box {
```

```
            background-color: white;
            padding: 35px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0,0,0,0.15);
            text-align: center;
        }

        .success-box h2 {
            color: #198754;
            margin-bottom: 10px;
        }

        .success-box p {
            font-size: 16px;
        }

        .student-details {
            margin: 25px 0;
            text-align: left;
            border: 1px solid #ddd;
            border-radius: 5px;
            padding: 20px;
        }

        .student-details p {
            margin: 12px 0;
        }

        .student-id {
            background-color: #fff3cd;
            border: 1px solid #ffe69c;
            padding: 15px;
            margin: 20px 0;
            border-radius: 5px;
        }

        .student-id strong {
            font-size: 22px;
            color: #990000;
        }

        .btn {
            display: inline-block;
```

```
            padding: 12px 25px;
            margin: 8px;
            text-decoration: none;
            border-radius: 5px;
            color: white;
            background-color: #990000;
        }

        .btn:hover {
            background-color: #770000;
        }

        .btn-login {
            background-color: #198754;
        }

        .btn-login:hover {
            background-color: #146c43;
        }

    </style>

</head>

<body>

    <div class="header">

        <h1>
            INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
        </h1>

        <h2>
            COLLEGE TRANSPORT MANAGEMENT SYSTEM
        </h2>

    </div>


    <div class="success-container">

        <div class="success-box">
```

```
        <h2>Registration Successful!</h2>

        <p>
            Your student registration has been completed successfully.
        </p>


        <div class="student-id">

            <p>Your Student ID is:</p>

            <strong>
                <?php echo htmlspecialchars($student['student_id']); ?>
            </strong>

            <p>
                Please remember this ID for future reference.
            </p>

        </div>


        <div class="student-details">

            <p>
                <strong>Student Name:</strong>
                <?php echo htmlspecialchars($student['full_name']); ?>
            </p>

            <p>
                <strong>Email:</strong>
                <?php echo htmlspecialchars($student['email']); ?>
            </p>

            <p>
                <strong>Mobile:</strong>
                <?php echo htmlspecialchars($student['mobile']); ?>
            </p>

            <p>
                <strong>Course:</strong>
                <?php echo htmlspecialchars($student['course']); ?>
            </p>
```

```
            </div>


            <p>
                You can now log in to the Student Dashboard.
            </p>


            <a href="log.php" class="btn btn-login">
                Student Login
            </a>

            <a href="index.html" class="btn">
                Home
            </a>

        </div>

    </div>

</body>

</html>
```

A.2.7 student.php

```php
<?php

session_start();


/* ========================================
   CHECK WHETHER STUDENT IS LOGGED IN
   ======================================== */

if (!isset($_SESSION['student_id'])) {

    header("Location: log.php");

    exit;

}


/* ========================================
   GET STUDENT DETAILS
   ======================================== */

$student_id = $_SESSION['student_id'];

$student_name = $_SESSION['student_name'] ?? 'Student';

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Student Dashboard - College Transport Management System</title>


    <style>
```

```
* {
    box-sizing: border-box;
}

body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #f5f5f5;
}

/* ========================================
   HEADER
   ======================================== */
.header {
    background-color: white;
    text-align: center;
    padding: 25px 20px;
    border-bottom: 1px solid #ddd;
}

.header h1 {
    margin: 0 0 12px 0;
    color: red;
    font-size: 34px;
```

```
}

.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}

/* ========================================
   NAVIGATION
   ======================================== */
.navbar {
    background-color: #990000;
    padding: 12px 20px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    flex-wrap: wrap;
}

.navbar-title {
    color: white;
    font-size: 20px;
    font-weight: bold;
}
```

```
.navbar-links a {
    color: white;
    text-decoration: none;
    margin-left: 20px;
    font-size: 15px;
}

.navbar-links a:hover {
    text-decoration: underline;
}

/* ========================================
   MAIN CONTAINER
   ======================================== */
.dashboard-container {
    width: 90%;
    max-width: 1100px;
    margin: 35px auto;
}

/* ========================================
   WELCOME SECTION
   ======================================== */
.welcome-box {
    background-color: white;
```

```
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        margin-bottom: 30px;
    }

    .welcome-box h2 {
        margin-top: 0;
        color: #990000;
    }

    .welcome-box p {
        font-size: 16px;
        margin-bottom: 8px;
    }

    .student-id {
        font-weight: bold;
        color: #333;
    }

    /* ========================================
       DASHBOARD CARDS
       ======================================== */

    .dashboard-grid {
```

```
        display: grid;
        grid-template-columns: repeat(3, 1fr);
        gap: 20px;
    }

    .dashboard-card {
        background-color: white;
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        text-align: center;
        min-height: 190px;
        display: flex;
        flex-direction: column;
        justify-content: space-between;
    }

    .dashboard-card h3 {
        color: #990000;
        margin-top: 0;
    }

    .dashboard-card p {
```

```
            color: #555;
            line-height: 1.5;
        }

        .dashboard-btn {
            display: inline-block;
            padding: 10px 18px;
            background-color: #990000;
            color: white;
            text-decoration: none;
            border-radius: 5px;
            margin-top: 12px;
        }

        .dashboard-btn:hover {
            background-color: #770000;
        }

        /* ========================================
           FOOTER
           ======================================== */
        .footer {
            margin-top: 40px;
            background-color: #222;
            color: white;
```

```
        text-align: center;
        padding: 20px;
    }

    /* ========================================
       RESPONSIVE DESIGN
       ======================================== */
    @media (max-width: 900px) {
        .dashboard-grid {
            grid-template-columns: repeat(2, 1fr);
        }
    }

    @media (max-width: 600px) {
        .dashboard-grid {
            grid-template-columns: 1fr;
        }

        .header h1 {
            font-size: 25px;
        }

        .header h2 {
            font-size: 19px;
        }
```

```
            .navbar {
                flex-direction: column;
                gap: 10px;
            }

            .navbar-links a {
                margin: 0 8px;
            }
        }
    </style>
</head>

<body>

<!-- ========================================
     HEADER
     ======================================== -->
<div class="header">
    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>
    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>
</div>
```

```
<!-- ========================================
     NAVIGATION BAR
     ======================================== -->

<div class="navbar">

    <div class="navbar-title">
        Student Dashboard
    </div>


    <div class="navbar-links">

        <a href="index.html">
            Home
        </a>

        <a href="logout.php">
            Logout
        </a>

    </div>

</div>



<!-- ========================================
     DASHBOARD
     ======================================== -->

<div class="dashboard-container">


    <!-- WELCOME -->

    <div class="welcome-box">

        <h2>
            Welcome, <?php echo htmlspecialchars($student_name); ?>!
        </h2>

        <p>
            Welcome to the College Transport Management System.
```

```
        </p>

        <p class="student-id">

            Student ID:
            <?php echo htmlspecialchars($student_id); ?>

        </p>

        <p>
            Use the options below to manage and view your college transport
services.
        </p>

    </div>



    <!-- DASHBOARD OPTIONS -->

    <div class="dashboard-grid">


        <!-- VIEW ROUTES -->

        <div class="dashboard-card">

            <div>

                <h3>
                    View Routes
                </h3>

                <p>
                    View available transport routes and route details.
                </p>

            </div>

            <a href="strouteinfo.php" class="dashboard-btn">
                View Routes
            </a>

        </div>
```

```
<!-- VIEW BUSES -->

<div class="dashboard-card">

    <div>

        <h3>
            View Buses
        </h3>

        <p>
            View available buses and their transport information.
        </p>

    </div>

    <a href="businfo.php" class="dashboard-btn">
        View Buses
    </a>

</div>


<!-- TRANSPORT REGISTRATION -->

<div class="dashboard-card">

    <div>

        <h3>
            Transport Registration
        </h3>

        <p>
            Register for college transportation services.
        </p>

    </div>

    <a href="buspass.php" class="dashboard-btn">
```

```
            Register for Transport
        </a>

    </div>



    <!-- PAYMENT -->

    <div class="dashboard-card">

        <div>

            <h3>
                Payment
            </h3>

            <p>
                Make and manage your transport fee payments.
            </p>

        </div>

        <a href="payment.php" class="dashboard-btn">
            Payment
        </a>

    </div>



    <!-- REGISTRATION DETAILS -->

    <div class="dashboard-card">

        <div>

            <h3>
                Registration Details
            </h3>

            <p>
                View your transport registration details and status.
            </p>
```

```
        </div>

        <a href="registration_details.php" class="dashboard-btn">
            View Details
        </a>

    </div>



    <!-- PAYMENT RECEIPT -->

    <div class="dashboard-card">

        <div>

            <h3>
                Payment Receipt
            </h3>

            <p>
                View your transport payment receipt.
            </p>

        </div>

        <a href="paymentreceipt.php" class="dashboard-btn">
            View Receipt
        </a>

    </div>



    <!-- CHANGE PASSWORD -->

    <div class="dashboard-card">

        <div>

            <h3>
                Change Password
            </h3>
```

```
                <p>
                    Change your student account password.
                </p>

            </div>

            <a href="stchangepass.php" class="dashboard-btn">
                Change Password
            </a>

        </div>



        <!-- LOGOUT -->

        <div class="dashboard-card">

            <div>

                <h3>
                    Logout
                </h3>

                <p>
                    Securely log out of your student account.
                </p>

            </div>

            <a href="logout.php" class="dashboard-btn">
                Logout
            </a>

        </div>


    </div>

</div>
```

```
<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>
```

A.2.8 strouteinfo.php

```
<?php

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


$sql = "SELECT route_id, route_name, starting_point, destination, stops,
distance, status
        FROM route
        WHERE status = 'Active'
        ORDER BY route_name ASC";

$result = mysqli_query($con, $sql);

if (!$result) {
    die("Unable to load route information.");
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Transport Routes - College Transport Management System</title>


    <style>
```

```
* {
    box-sizing: border-box;
}


body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #f5f5f5;
}


/* ========================================
   HEADER
   ======================================== */

.header {
    background-color: white;
    text-align: center;
    padding: 25px 20px;
    border-bottom: 1px solid #ddd;
}


.header h1 {
    margin: 0 0 12px 0;
    color: red;
    font-size: 34px;
}


.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}


/* ========================================
   NAVIGATION
   ======================================== */
```

```
.navbar {
    background-color: #990000;
    padding: 12px 20px;
    text-align: center;
}


.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}


.navbar a:hover {
    text-decoration: underline;
}


/* ========================================
   MAIN CONTAINER
   ======================================== */

.container {
    width: 95%;
    max-width: 1200px;
    margin: 35px auto;
}


.title-box {
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
    margin-bottom: 25px;
}


.title-box h2 {
    color: #990000;
    margin: 0 0 10px 0;
```

```
}


.title-box p {
    color: #555;
}


/* ========================================
   ROUTE TABLE
   ======================================== */

.table-container {
    background-color: white;
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    overflow-x: auto;
}


table {
    width: 100%;
    border-collapse: collapse;
}


th {
    background-color: #990000;
    color: white;
    padding: 14px;
    text-align: center;
}


td {
    padding: 13px;
    border-bottom: 1px solid #ddd;
    text-align: center;
}


tr:hover {
    background-color: #f9f9f9;
```

```
}


.active {
    color: green;
    font-weight: bold;
}


.back-btn {
    display: inline-block;
    margin-top: 25px;
    padding: 11px 22px;
    background-color: #990000;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}


.back-btn:hover {
    background-color: #770000;
}


/* ========================================
   FOOTER
   ======================================== */

.footer {
    margin-top: 40px;
    background-color: #222;
    color: white;
    text-align: center;
    padding: 20px;
}


@media (max-width: 700px) {

    .header h1 {
        font-size: 25px;
    }
```

```
            .header h2 {
                font-size: 19px;
            }


            th,
            td {
                padding: 9px;
                font-size: 13px;
            }

        }

    </style>

</head>


<body>


<!-- ========================================
     HEADER
     ======================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>



<!-- ========================================
     NAVIGATION
     ======================================== -->

<div class="navbar">
```

```
    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="contactus\contect.html">
        Contact
    </a>

</div>



<!-- ========================================
     MAIN CONTENT
     ======================================== -->

<div class="container">


    <div class="title-box">

        <h2>
            Available Transport Routes
        </h2>

        <p>
            View the routes currently available in the college transport system.
        </p>

    </div>



    <div class="table-container">

        <table>

            <thead>
```

```
            <tr>

                <th>
                    Route ID
                </th>

                <th>
                    Route Name
                </th>

                <th>
                    Starting Point
                </th>

                <th>
                    Destination
                </th>

                <th>
                    Stops
                </th>

                <th>
                    Distance
                </th>

                <th>
                    Status
                </th>

            </tr>

        </thead>


        <tbody>

        <?php

        if (mysqli_num_rows($result) > 0) {

            while ($row = mysqli_fetch_assoc($result)) {
```

```
            ?>

                <tr>

                    <td>
                        <?php echo htmlspecialchars($row['route_id']); ?>
                    </td>

                    <td>
                        <?php echo htmlspecialchars($row['route_name']); ?>
                    </td>

                    <td>
                        <?php echo htmlspecialchars($row['starting_point']); ?>
                    </td>

                    <td>
                        <?php echo htmlspecialchars($row['destination']); ?>
                    </td>

                    <td>
                        <?php echo htmlspecialchars($row['stops']); ?>
                    </td>

                    <td>

                        <?php

                        if ($row['distance'] !== null) {

                            echo htmlspecialchars($row['distance']) . " km";

                        } else {

                            echo "Not specified";

                        }

                        ?>

                    </td>

                    <td class="active">
```

```
                    <?php echo htmlspecialchars($row['status']); ?>

                </td>

            </tr>

        <?php

            }

        } else {

        ?>

            <tr>

                <td colspan="7">
                    No active routes are currently available.
                </td>

            </tr>

        <?php

        }

        ?>

        </tbody>

    </table>

</div>



<a href="student.php" class="back-btn">
    Back to Student Dashboard
</a>


</div>
```

```
<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.2.9 businfo.php

```php
<?php

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


/* ========================================
   GET AVAILABLE BUSES
   ======================================== */

$sql = "SELECT
            b.bus_id,
            b.bus_number,
            b.bus_type,
            b.capacity,
            b.status,
            d.driver_name,
            d.mobile
        FROM bus b
        LEFT JOIN driver d
            ON b.driver_id = d.driver_id
        WHERE b.status = 'Available'
        ORDER BY b.bus_number ASC";

$result = mysqli_query($con, $sql);

if (!$result) {
    die("Unable to load bus information.");
}

?>

<!DOCTYPE html>
```

```
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Available Buses - College Transport Management System</title>


    <style>

        * {
            box-sizing: border-box;
        }


        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
        }


        /* ========================================
           HEADER
           ======================================== */

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }


        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
        }
```

```
.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}


/* ========================================
   NAVIGATION
   ======================================== */

.navbar {
    background-color: #990000;
    padding: 12px 20px;
    text-align: center;
}


.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}


.navbar a:hover {
    text-decoration: underline;
}


/* ========================================
   MAIN CONTAINER
   ======================================== */

.container {
    width: 95%;
    max-width: 1200px;
    margin: 35px auto;
}


.title-box {
    background-color: white;
```

```
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        text-align: center;
        margin-bottom: 25px;
    }


    .title-box h2 {
        color: #990000;
        margin: 0 0 10px 0;
    }


    .title-box p {
        color: #555;
    }


    /* ========================================
       BUS TABLE
       ======================================== */

    .table-container {
        background-color: white;
        padding: 20px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        overflow-x: auto;
    }


    table {
        width: 100%;
        border-collapse: collapse;
    }


    th {
        background-color: #990000;
        color: white;
        padding: 14px;
        text-align: center;
    }
```

```
td {
    padding: 13px;
    border-bottom: 1px solid #ddd;
    text-align: center;
}


tr:hover {
    background-color: #f9f9f9;
}


.available {
    color: green;
    font-weight: bold;
}


.back-btn {
    display: inline-block;
    margin-top: 25px;
    padding: 11px 22px;
    background-color: #990000;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}


.back-btn:hover {
    background-color: #770000;
}


/* ========================================
   FOOTER
   ======================================== */

.footer {
    margin-top: 40px;
    background-color: #222;
    color: white;
```

```
            text-align: center;
            padding: 20px;
        }


        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }


            .header h2 {
                font-size: 19px;
            }


            th,
            td {
                padding: 9px;
                font-size: 13px;
            }

        }

    </style>

</head>


<body>


<!-- ========================================
     HEADER
     ======================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
```

```
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>



<!-- ========================================
     NAVIGATION
     ======================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="strouteinfo.php">
        Routes
    </a>

</div>



<!-- ========================================
     MAIN CONTENT
     ======================================== -->

<div class="container">


    <div class="title-box">

        <h2>
            Available Buses
        </h2>

        <p>
            View buses currently available in the college transport system.
```

```
        </p>

    </div>



    <div class="table-container">

        <table>

            <thead>

                <tr>

                    <th>
                        Bus ID
                    </th>

                    <th>
                        Bus Number
                    </th>

                    <th>
                        Bus Type
                    </th>

                    <th>
                        Capacity
                    </th>

                    <th>
                        Driver Name
                    </th>

                    <th>
                        Driver Mobile
                    </th>

                    <th>
                        Status
                    </th>

                </tr>
```

```
        </thead>

        <tbody>

        <?php

        if (mysqli_num_rows($result) > 0) {

            while ($row = mysqli_fetch_assoc($result)) {

        ?>

            <tr>

                <td>
                    <?php echo htmlspecialchars($row['bus_id']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($row['bus_number']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($row['bus_type']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($row['capacity']); ?>
                </td>

                <td>
                    <?php

                    echo htmlspecialchars(
                        $row['driver_name'] ?? 'Not Assigned'
                    );

                    ?>
                </td>

                <td>
```

```
                    <?php

                    echo htmlspecialchars(
                        $row['mobile'] ?? 'Not Available'
                    );

                    ?>
                </td>

                <td class="available">

                    <?php echo htmlspecialchars($row['status']); ?>

                </td>

            </tr>

        <?php

            }

        } else {

        ?>

            <tr>

                <td colspan="7">
                    No available buses are currently listed.
                </td>

            </tr>

        <?php

        }

        ?>

        </tbody>

    </table>
```

```
    </div>



    <a href="student.php" class="back-btn">
        Back to Student Dashboard
    </a>


</div>



<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.2.10 buspass.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$student_id = $_SESSION['student_id'];
$message = "";


/* ========================================
   SUBMIT TRANSPORT REGISTRATION
   ======================================== */

   if (isset($_POST['register_transport'])) {

    $route_id = $_POST['route_id'] ?? '';
    $bus_id = $_POST['bus_id'] ?? '';
    $start_date = $_POST['start_date'] ?? '';
    $end_date = $_POST['end_date'] ?? '';

    if (
        empty($route_id) ||
        empty($bus_id) ||
        empty($start_date) ||
        empty($end_date)
    ) {
```

```
        $message = "Please fill in all required fields.";
    } elseif ($end_date < $start_date) {
        $message = "End date cannot be earlier than start date.";
    } else {

        $registration_date = date("Y-m-d");

        $sql = "INSERT INTO transport_registration
                (student_id, route_id, bus_id, registration_date,
                 start_date, end_date, status)
                VALUES (?, ?, ?, ?, ?, ?, 'Pending')";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "iiisss",
            $student_id,
            $route_id,
            $bus_id,
            $registration_date,
            $start_date,
            $end_date
        );

        if (mysqli_stmt_execute($stmt)) {

            $message =
                "Transport registration submitted successfully. Your request is
pending approval.";

        } else {

            $message =
                "Unable to submit transport registration.";

        }

        mysqli_stmt_close($stmt);
    }
}

?>
```

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"
          content="width=device-width, initial-scale=1.0">

    <title>
        Transport Registration - College Transport Management System
    </title>


    <style>

        * {
            box-sizing: border-box;
        }


        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
        }


        /* ========================================
           HEADER
           ======================================== */

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }


        .header h1 {
```

```
        margin: 0 0 12px 0;
        color: red;
        font-size: 34px;
    }


    .header h2 {
        margin: 0;
        color: #222;
        font-size: 24px;
    }


    /* ========================================
       NAVIGATION
       ======================================== */

    .navbar {
        background-color: #990000;
        padding: 12px 20px;
        text-align: center;
    }


    .navbar a {
        color: white;
        text-decoration: none;
        margin: 0 15px;
        font-size: 15px;
    }


    .navbar a:hover {
        text-decoration: underline;
    }


    /* ========================================
       MAIN CONTAINER
       ======================================== */

    .container {
        width: 95%;
        max-width: 900px;
```

```
        margin: 35px auto;
    }


    .title-box {
        background-color: white;
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        text-align: center;
        margin-bottom: 25px;
    }


    .title-box h2 {
        color: #990000;
        margin: 0 0 10px 0;
    }


    .title-box p {
        color: #555;
        margin: 0;
    }


    /* ========================================
       REGISTRATION FORM
       ======================================== */

    .form-container {
        background-color: white;
        padding: 30px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    }


    .form-group {
        margin-bottom: 20px;
    }


    label {
```

```
            display: block;
            font-weight: bold;
            margin-bottom: 8px;
            color: #333;
        }


        select,
        input[type="date"] {
            width: 100%;
            padding: 12px;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-size: 15px;
            background-color: white;
        }


        select:focus,
        input[type="date"]:focus {
            outline: none;
            border-color: #990000;
        }


        .submit-btn {
            display: inline-block;
            width: 100%;
            padding: 12px;
            background-color: #990000;
            color: white;
            border: none;
            border-radius: 5px;
            font-size: 16px;
            cursor: pointer;
        }


        .submit-btn:hover {
            background-color: #770000;
        }


        /* ========================================
```

```
   MESSAGE
   ========================================== */

.success-message {
    background-color: #e8f5e9;
    border: 1px solid #a5d6a7;
    color: #2e7d32;
    padding: 14px;
    border-radius: 5px;
    margin-bottom: 20px;
    font-weight: bold;
}


/* ==========================================
   BACK BUTTON
   ========================================== */

.back-btn {
    display: inline-block;
    margin-top: 25px;
    padding: 11px 22px;
    background-color: #990000;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}


.back-btn:hover {
    background-color: #770000;
}


/* ==========================================
   FOOTER
   ========================================== */

.footer {
    margin-top: 40px;
    background-color: #222;
    color: white;
    text-align: center;
    padding: 20px;
```

```
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }


            .header h2 {
                font-size: 19px;
            }


            .form-container {
                padding: 20px;
            }

        }

    </style>

</head>


<body>


<!-- ========================================
     HEADER
     ======================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>
```

```
<!-- ========================================
     NAVIGATION
     ======================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="strouteinfo.php">
        Routes
    </a>

    <a href="businfo.php">
        Buses
    </a>

</div>


<!-- ========================================
     MAIN CONTENT
     ======================================== -->

<div class="container">


    <div class="title-box">

        <h2>
            Transport Registration
        </h2>

        <p>
            Apply for college transport by selecting your route, bus and
            transport period.
        </p>
```

```
</div>

<div class="form-container">

    <?php
    if ($message != "") {
        echo "<div class='success-message'>" .
             htmlspecialchars($message) .
             "</div>";
    }
    ?>

    <form method="POST">

        <div class="form-group">
            <label for="route_id">
                Select Route
            </label>

            <select
                name="route_id"
                id="route_id"
                required
            >
                <option value="">
                    -- Select Route --
                </option>

                <?php
                $routes = mysqli_query(
```

```
                    $con,
                    "SELECT route_id, route_name,
                            starting_point, destination
                     FROM route
                     WHERE status = 'Active'
                     ORDER BY route_name"
                );


                while ($route = mysqli_fetch_assoc($routes)) {

                    echo "<option value='" .
                         htmlspecialchars($route['route_id']) .
                         "'>" .
                         htmlspecialchars(
                             $route['route_name'] .
                             " - " .
                             $route['starting_point'] .
                             " to " .
                             $route['destination']
                         ) .
                         "</option>";

                }

                ?>

            </select>

        </div>


        <div class="form-group">

            <label for="bus_id">
                Select Bus
            </label>


            <select
                name="bus_id"
                id="bus_id"
                required
            >
```

```
                <option value="">
                    -- Select Bus --
                </option>


                <?php

                $buses = mysqli_query(
                    $con,
                    "SELECT bus_id, bus_number,
                            bus_type, capacity
                     FROM bus
                     WHERE status = 'Available'
                     ORDER BY bus_number"
                );


                while ($bus = mysqli_fetch_assoc($buses)) {

                    echo "<option value='" .
                         htmlspecialchars($bus['bus_id']) .
                         "'>" .
                         htmlspecialchars(
                             $bus['bus_number'] .
                             " - " .
                             $bus['bus_type'] .
                             " - Capacity: " .
                             $bus['capacity']
                         ) .
                         "</option>";

                }

                ?>

            </select>

        </div>


        <div class="form-group">

            <label for="start_date">
```

```
                Transport Start Date
            </label>

            <input
                type="date"
                name="start_date"
                id="start_date"
                required
            >

        </div>


        <div class="form-group">

            <label for="end_date">
                Transport End Date
            </label>

            <input
                type="date"
                name="end_date"
                id="end_date"
                required
            >

        </div>


        <button
            type="submit"
            name="register_transport"
            class="submit-btn"
        >
            SUBMIT REGISTRATION
        </button>


    </form>


</div>
```

```
    <a href="student.php" class="back-btn">
        Back to Student Dashboard
    </a>


</div>


<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.2.11 buspassdb.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

/* Get logged-in student */
$student_id = $_SESSION['student_id'];

/* Get form values */
$route_id = $_POST['route_id'] ?? '';
$bus_id = $_POST['bus_id'] ?? '';
$start_date = $_POST['start_date'] ?? '';
$end_date = $_POST['end_date'] ?? '';

/* Check required fields */

if (
```

```
    empty($route_id) ||
    empty($bus_id) ||
    empty($start_date) ||
    empty($end_date)
) {

    mysqli_close($con);

    header("Location: buspass.php?error=1");
    exit;
}

/* Check date order */
if ($end_date < $start_date) {

    mysqli_close($con);

    header("Location: buspass.php?error=1");
    exit;
}

/* Check that route is active */
$route_sql = "SELECT route_id
              FROM route
              WHERE route_id = ?
              AND status = 'Active'";
```

```
$route_stmt = mysqli_prepare($con, $route_sql);

mysqli_stmt_bind_param($route_stmt, "i", $route_id);

mysqli_stmt_execute($route_stmt);

$route_result = mysqli_stmt_get_result($route_stmt);

$route = mysqli_fetch_assoc($route_result);

mysqli_stmt_close($route_stmt);

if (!$route) {

    mysqli_close($con);

    header("Location: buspass.php?error=1");
    exit;
}

/* Check that bus is available */

$bus_sql = "SELECT bus_id
            FROM bus
            WHERE bus_id = ?
            AND status = 'Available'";
```

```
$bus_stmt = mysqli_prepare($con, $bus_sql);

mysqli_stmt_bind_param($bus_stmt, "i", $bus_id);

mysqli_stmt_execute($bus_stmt);

$bus_result = mysqli_stmt_get_result($bus_stmt);

$bus = mysqli_fetch_assoc($bus_result);

mysqli_stmt_close($bus_stmt);

if (!$bus) {

    mysqli_close($con);

    header("Location: buspass.php?error=1");
    exit;
}

/* Insert transport registration */

$registration_date = date("Y-m-d");

$insert_sql = "INSERT INTO transport_registration
               (student_id, route_id, bus_id, registration_date, start_date,
end_date, status)
               VALUES (?, ?, ?, ?, ?, ?, 'Pending')";
```

```
$insert_stmt = mysqli_prepare($con, $insert_sql);


mysqli_stmt_bind_param(
    $insert_stmt,
    "iiisss",
    $student_id,
    $route_id,
    $bus_id,
    $registration_date,
    $start_date,
    $end_date
);


if (mysqli_stmt_execute($insert_stmt)) {

    $registration_id = mysqli_insert_id($con);


    mysqli_stmt_close($insert_stmt);
    mysqli_close($con);


?>


<!DOCTYPE html>
<html lang="en">


<head>


    <meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Transport Registration Successful</title>

<style>

    body {
        margin: 0;
        font-family: Arial, sans-serif;
        background: #f4f6f9;
    }

    .header {
        background: #222;
        color: white;
        text-align: center;
        padding: 20px;
    }

    .header h1 {
        margin: 0;
        font-size: 25px;
    }

    .box {
        width: 60%;
        margin: 60px auto;
```

```
            background: white;
            padding: 35px;
            text-align: center;
            border-radius: 8px;
            box-shadow: 0 2px 10px rgba(0,0,0,0.1);
        }

        .success {
            font-size: 24px;
            font-weight: bold;
            margin-bottom: 25px;
        }

        .details {
            text-align: left;
            background: #f1f1f1;
            padding: 20px;
            border-radius: 5px;
            line-height: 1.8;
        }

        .btn {
            display: inline-block;
            margin-top: 25px;
            padding: 12px 25px;
            background: #222;
            color: white;
            text-decoration: none;
```

```
            border-radius: 4px;
        }

    </style>

</head>

<body>

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <p>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </p>

</div>

<div class="box">

    <div class="success">
        Transport Registration Submitted Successfully
    </div>

    <div class="details">
```

```
        <strong>Registration ID:</strong>
        <?php echo htmlspecialchars($registration_id); ?>

        <br>

        <strong>Student ID:</strong>
        <?php echo htmlspecialchars($student_id); ?>

        <br>

        <strong>Start Date:</strong>
        <?php echo htmlspecialchars($start_date); ?>

        <br>

        <strong>End Date:</strong>
        <?php echo htmlspecialchars($end_date); ?>

        <br>

        <strong>Status:</strong>
        Pending

    </div>

    <p>
        Your transport registration has been submitted.
```

```
        The administrator can review and approve it.
    </p>

    <a href="student.php" class="btn">
        Back to Student Dashboard
    </a>

</div>

</body>

</html>

<?php

} else {

    mysqli_stmt_close($insert_stmt);
    mysqli_close($con);

    header("Location: buspass.php?error=1");
    exit;
}

?>
```

A.2.12 registration_details.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$student_id = $_SESSION['student_id'];


/* ========================================
   GET STUDENT REGISTRATION DETAILS
   ======================================== */

$sql = "SELECT
            tr.registration_id,
            tr.registration_date,
            tr.start_date,
            tr.end_date,
            tr.status,

            r.route_name,
            r.starting_point,
            r.destination,

            b.bus_number,
            b.bus_type
```

```
        FROM transport_registration tr

        INNER JOIN route r
            ON tr.route_id = r.route_id

        LEFT JOIN bus b
            ON tr.bus_id = b.bus_id

        WHERE tr.student_id = ?

        ORDER BY tr.registration_id DESC";


$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "i",
    $student_id
);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"
          content="width=device-width, initial-scale=1.0">

    <title>
        Registration Details - College Transport Management System
    </title>


    <style>
```

```
* {
    box-sizing: border-box;
}


body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #f5f5f5;
}


/* ========================================
   HEADER
   ======================================== */

.header {
    background-color: white;
    text-align: center;
    padding: 25px 20px;
    border-bottom: 1px solid #ddd;
}


.header h1 {
    margin: 0 0 12px 0;
    color: red;
    font-size: 34px;
}


.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}


/* ========================================
   NAVIGATION
   ======================================== */

.navbar {
```

```
        background-color: #990000;
        padding: 12px 20px;
        text-align: center;
    }


    .navbar a {
        color: white;
        text-decoration: none;
        margin: 0 15px;
        font-size: 15px;
    }


    .navbar a:hover {
        text-decoration: underline;
    }


    /* ========================================
       MAIN CONTAINER
       ======================================== */

    .container {
        width: 95%;
        max-width: 1250px;
        margin: 35px auto;
    }


    .title-box {
        background-color: white;
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        text-align: center;
        margin-bottom: 25px;
    }


    .title-box h2 {
        color: #990000;
        margin: 0 0 10px 0;
    }
```

```
.title-box p {
    color: #555;
    margin: 0;
}


/* ========================================
   REGISTRATION TABLE
   ======================================== */

.table-container {
    background-color: white;
    padding: 20px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    overflow-x: auto;
}


table {
    width: 100%;
    border-collapse: collapse;
    min-width: 900px;
}


th {
    background-color: #990000;
    color: white;
    padding: 14px;
    text-align: center;
}


td {
    padding: 13px;
    border-bottom: 1px solid #ddd;
    text-align: center;
}


tr:hover {
```

```
        background-color: #f9f9f9;
    }


    /* ========================================
       STATUS
       ======================================== */

    .pending {
        color: #d68910;
        font-weight: bold;
    }


    .approved {
        color: green;
        font-weight: bold;
    }


    .active {
        color: green;
        font-weight: bold;
    }


    .rejected {
        color: #c62828;
        font-weight: bold;
    }


    .expired {
        color: #666;
        font-weight: bold;
    }


    /* ========================================
       BACK BUTTON
       ======================================== */

    .back-btn {
        display: inline-block;
```

```
        margin-top: 25px;
        padding: 11px 22px;
        background-color: #990000;
        color: white;
        text-decoration: none;
        border-radius: 5px;
    }


    .back-btn:hover {
        background-color: #770000;
    }


    /* ========================================
       FOOTER
       ======================================== */

    .footer {
        margin-top: 40px;
        background-color: #222;
        color: white;
        text-align: center;
        padding: 20px;
    }


    @media (max-width: 700px) {

        .header h1 {
            font-size: 25px;
        }


        .header h2 {
            font-size: 19px;
        }


        th,
        td {
            padding: 9px;
            font-size: 13px;
        }
```

```
        }

    </style>

</head>


<body>


<!-- ========================================
     HEADER
     ======================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>


<!-- ========================================
     NAVIGATION
     ======================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="strouteinfo.php">
        Routes
```

```
    </a>

    <a href="businfo.php">
        Buses
    </a>

</div>


<!-- ========================================
     MAIN CONTENT
     ======================================== -->

<div class="container">


    <div class="title-box">

        <h2>
            My Registration Details
        </h2>

        <p>
            View your college transport registration information and status.
        </p>

    </div>


    <div class="table-container">

        <table>

            <thead>

                <tr>

                    <th>
                        Registration ID
                    </th>

                    <th>
                        Route
                    </th>
```

```
                <th>
                    Starting Point
                </th>

                <th>
                    Destination
                </th>

                <th>
                    Bus
                </th>

                <th>
                    Registration Date
                </th>

                <th>
                    Start Date
                </th>

                <th>
                    End Date
                </th>

                <th>
                    Status
                </th>

            </tr>

        </thead>


        <tbody>

        <?php

        if (mysqli_num_rows($result) > 0) {

            while ($row = mysqli_fetch_assoc($result)) {

                $status_class = strtolower(
```

```
                    $row['status']
                );

            ?>

                <tr>

                    <td>
                        <?php
                        echo htmlspecialchars(
                            $row['registration_id']
                        );
                        ?>
                    </td>


                    <td>
                        <?php
                        echo htmlspecialchars(
                            $row['route_name']
                        );
                        ?>
                    </td>


                    <td>
                        <?php
                        echo htmlspecialchars(
                            $row['starting_point']
                        );
                        ?>
                    </td>


                    <td>
                        <?php
                        echo htmlspecialchars(
                            $row['destination']
                        );
                        ?>
                    </td>


                    <td>
```

```
                    <?php
                    echo htmlspecialchars(
                        $row['bus_number'] ??
                        'Not Assigned'
                    );
                    ?>
                </td>


                <td>
                    <?php
                    echo htmlspecialchars(
                        $row['registration_date']
                    );
                    ?>
                </td>


                <td>
                    <?php
                    echo htmlspecialchars(
                        $row['start_date'] ?? ''
                    );
                    ?>
                </td>


                <td>
                    <?php
                    echo htmlspecialchars(
                        $row['end_date'] ?? ''
                    );
                    ?>
                </td>


                <td class="<?php echo htmlspecialchars($status_class); ?>">

                    <?php
                    echo htmlspecialchars(
                        $row['status']
                    );
                    ?>
```

```
                    </td>

                </tr>

            <?php

                }

            } else {

            ?>

                <tr>

                    <td colspan="9">
                        No transport registration found.
                    </td>

                </tr>

            <?php

            }

            ?>

            </tbody>

        </table>

    </div>


    <a href="student.php" class="back-btn">
        Back to Student Dashboard
    </a>


</div>


<!-- ========================================
     FOOTER
     ======================================== -->
```

```
<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>


<?php

mysqli_stmt_close($stmt);

mysqli_close($con);

?>
```

A.2.13 payment.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$student_id = $_SESSION['student_id'];


/* ========================================
   GET UNPAID TRANSPORT REGISTRATIONS
   ======================================== */

$sql = "SELECT
            tr.registration_id,
            tr.registration_date,
            tr.start_date,
            tr.end_date,
            tr.status,

            r.route_name,
            r.starting_point,
            r.destination,

            b.bus_number

        FROM transport_registration tr
```

```
        INNER JOIN route r
            ON tr.route_id = r.route_id

        LEFT JOIN bus b
            ON tr.bus_id = b.bus_id

        LEFT JOIN payment p
            ON tr.registration_id = p.registration_id

        WHERE tr.student_id = ?
        AND p.payment_id IS NULL

        ORDER BY tr.registration_id DESC";


$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "i",
    $student_id
);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

mysqli_stmt_close($stmt);

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport"
          content="width=device-width, initial-scale=1.0">

    <title>
```

```
        Payment - College Transport Management System
    </title>


    <style>

        * {
            box-sizing: border-box;
        }


        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
        }


        /* ========================================
           HEADER
           ======================================== */

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }


        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
        }


        .header h2 {
            margin: 0;
            color: #222;
            font-size: 24px;
        }
```

```
/* ========================================
   NAVIGATION
   ======================================== */

.navbar {
    background-color: #990000;
    padding: 12px 20px;
    text-align: center;
}


.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}


.navbar a:hover {
    text-decoration: underline;
}


/* ========================================
   MAIN CONTAINER
   ======================================== */

.container {
    width: 95%;
    max-width: 900px;
    margin: 35px auto;
}


.title-box {
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
    margin-bottom: 25px;
}
```

```
        .title-box h2 {
            color: #990000;
            margin: 0 0 10px 0;
        }


        .title-box p {
            color: #555;
            margin: 0;
        }


        /* ========================================
           PAYMENT FORM
           ======================================== */

        .form-container {
            background-color: white;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0,0,0,0.12);
        }


        .student-info {
            background-color: #f9f9f9;
            border-left: 4px solid #990000;
            padding: 15px;
            margin-bottom: 25px;
            line-height: 1.8;
        }


        .note {
            background-color: #f9f9f9;
            padding: 15px;
            margin-bottom: 25px;
            border-radius: 5px;
            line-height: 1.6;
            color: #555;
        }


        .form-group {
```

```
        margin-bottom: 20px;
    }


    label {
        display: block;
        font-weight: bold;
        margin-bottom: 8px;
        color: #333;
    }


    select,
    input[type="number"],
    input[type="text"],
    input[type="date"] {
        width: 100%;
        padding: 12px;
        border: 1px solid #ccc;
        border-radius: 5px;
        font-size: 15px;
        background-color: white;
    }


    select:focus,
    input:focus {
        outline: none;
        border-color: #990000;
    }


    .submit-btn {
        width: 100%;
        padding: 12px;
        background-color: #990000;
        color: white;
        border: none;
        border-radius: 5px;
        cursor: pointer;
        font-size: 16px;
    }
```

```
.submit-btn:hover {
    background-color: #770000;
}


/* ========================================
   MESSAGE
   ======================================== */

.message {
    padding: 14px;
    margin-bottom: 20px;
    background-color: #fff3cd;
    border: 1px solid #ffeeba;
    color: #856404;
    border-radius: 5px;
}


/* ========================================
   TRANSACTION FIELD
   ======================================== */

#transaction_group {
    display: none;
}


/* ========================================
   BACK BUTTON
   ======================================== */

.back-btn {
    display: inline-block;
    margin-top: 25px;
    padding: 11px 22px;
    background-color: #990000;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}


.back-btn:hover {
```

```
            background-color: #770000;
        }


        /* ========================================
           FOOTER
           ======================================== */

        .footer {
            margin-top: 40px;
            background-color: #222;
            color: white;
            text-align: center;
            padding: 20px;
        }


        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }


            .header h2 {
                font-size: 19px;
            }


            .form-container {
                padding: 20px;
            }

        }

    </style>

</head>


<body>


<!-- ========================================
```

```
     HEADER
     ========================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>


<!-- ==========================================
     NAVIGATION
     ========================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="strouteinfo.php">
        Routes
    </a>

    <a href="businfo.php">
        Buses
    </a>

</div>


<!-- ==========================================
     MAIN CONTENT
     ========================================== -->
```

```
<div class="container">

    <div class="title-box">

        <h2>
            Transport Payment
        </h2>

        <p>
            Make payment for your registered college transport service.
        </p>

    </div>

    <div class="form-container">

        <div class="student-info">

            <strong>Student Name:</strong>

            <?php
            echo htmlspecialchars($_SESSION['student_name']);
            ?>

            <br>

            <strong>Student ID:</strong>

            <?php
            echo htmlspecialchars($_SESSION['student_id']);
            ?>

        </div>

        <div class="note">

            <strong>Payment Information</strong>

            <br><br>
```

```
        Select your transport registration and enter the required
        payment details.

        For Online, UPI or Card payments, enter the transaction
        or reference number provided by the payment service.

    </div>


    <?php

    if (isset($_GET['error'])) {

        echo "
        <div class='message'>
            Please check all payment details and try again.
        </div>
        ";

    }

    ?>


    <?php

    if ($result && mysqli_num_rows($result) > 0) {

    ?>


    <form
        action="paymentdb.php"
        method="POST"
    >


        <div class="form-group">

            <label for="registration_id">
                Select Transport Registration
            </label>
```

```
                <select
                    name="registration_id"
                    id="registration_id"
                    required
                >

                    <option value="">
                        -- Select Registration --
                    </option>


                    <?php

                    while ($row = mysqli_fetch_assoc($result)) {

                    ?>

                    <option
                        value="<?php echo
htmlspecialchars($row['registration_id']); ?>"
                    >

                        <?php

                        echo htmlspecialchars(
                            "Registration ID: " .
                            $row['registration_id'] .
                            " | Route: " .
                            $row['route_name'] .
                            " | Bus: " .
                            ($row['bus_number'] ?? 'Not Assigned')
                        );

                        ?>

                    </option>

                    <?php

                    }

                    ?>
```

```
            </select>

        </div>


        <div class="form-group">

            <label for="amount">
                Payment Amount
            </label>

            <input
                type="number"
                name="amount"
                id="amount"
                min="1"
                step="0.01"
                placeholder="Enter payment amount"
                required
            >

        </div>


        <div class="form-group">

            <label for="payment_date">
                Payment Date
            </label>

            <input
                type="date"
                name="payment_date"
                id="payment_date"
                value="<?php echo date('Y-m-d'); ?>"
                required
            >

        </div>


        <div class="form-group">

            <label for="payment_method">
```

```
            Payment Method
        </label>


        <select
            name="payment_method"
            id="payment_method"
            required
        >

            <option value="">
                -- Select Payment Method --
            </option>

            <option value="Cash">
                Cash
            </option>

            <option value="Online">
                Online
            </option>

            <option value="UPI">
                UPI
            </option>

            <option value="Card">
                Card
            </option>

            <option value="Other">
                Other
            </option>

        </select>

    </div>


    <div
        class="form-group"
        id="transaction_group"
    >
```

```
            <label for="transaction_id">
                Transaction ID / Reference Number
            </label>

            <input
                type="text"
                name="transaction_id"
                id="transaction_id"
                maxlength="100"
                placeholder="Enter transaction/reference ID"
            >

        </div>


        <div class="form-group">

            <input
                type="submit"
                value="SUBMIT PAYMENT"
                class="submit-btn"
            >

        </div>


    </form>


    <?php

    } else {

    ?>

        <div class="message">

            No unpaid transport registration is available.

            <br><br>

            If you have already made a payment, you can view your
            payment details from the Student Dashboard.
```

```
            </div>

        <?php

        }

        ?>


    </div>


    <a href="student.php" class="back-btn">
        Back to Student Dashboard
    </a>


</div>


<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


<script>

    const paymentMethod =
        document.getElementById("payment_method");

    const transactionGroup =
        document.getElementById("transaction_group");

    const transactionId =
        document.getElementById("transaction_id");


    if (paymentMethod) {
```

```
        paymentMethod.addEventListener(
            "change",
            function() {

                if (
                    this.value === "Online" ||
                    this.value === "UPI" ||
                    this.value === "Card"
                ) {

                    transactionGroup.style.display = "block";

                    transactionId.required = true;

                } else {

                    transactionGroup.style.display = "none";

                    transactionId.required = false;

                    transactionId.value = "";

                }

            }
        );

    }

</script>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.2.14 paymentdb.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


$student_id = $_SESSION['student_id'];

$registration_id = $_POST['registration_id'] ?? '';
$amount = $_POST['amount'] ?? '';
$payment_date = $_POST['payment_date'] ?? '';
$payment_method = $_POST['payment_method'] ?? '';
$transaction_id = $_POST['transaction_id'] ?? '';


/* Check required fields */

if (
    empty($registration_id) ||
    empty($amount) ||
    empty($payment_date) ||
    empty($payment_method)
) {

    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}
```

```php
/* Check amount */

if (!is_numeric($amount) || $amount <= 0) {

    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}


/* Check payment method */

$allowed_methods = array(
    'Cash',
    'Online',
    'UPI',
    'Card',
    'Other'
);

if (!in_array($payment_method, $allowed_methods)) {

    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}


/*
   Transaction ID is required for Online, UPI and Card.
*/

if (
    ($payment_method === 'Online' ||
     $payment_method === 'UPI' ||
     $payment_method === 'Card')
    &&
    empty($transaction_id)
) {

    mysqli_close($con);
```

```
    header("Location: payment.php?error=1");
    exit;
}


/*
   Check that the selected registration belongs
   to the logged-in student.
*/

$registration_sql = "SELECT registration_id
                     FROM transport_registration
                     WHERE registration_id = ?
                     AND student_id = ?";

$registration_stmt =
    mysqli_prepare($con, $registration_sql);

mysqli_stmt_bind_param(
    $registration_stmt,
    "ii",
    $registration_id,
    $student_id
);

mysqli_stmt_execute($registration_stmt);

$registration_result =
    mysqli_stmt_get_result($registration_stmt);

$registration =
    mysqli_fetch_assoc($registration_result);

mysqli_stmt_close($registration_stmt);


if (!$registration) {

    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}
```

```
/*
   Check whether this registration already has
   a payment record.
*/

$existing_sql = "SELECT payment_id
                 FROM payment
                 WHERE registration_id = ?
                 LIMIT 1";

$existing_stmt =
    mysqli_prepare($con, $existing_sql);

mysqli_stmt_bind_param(
    $existing_stmt,
    "i",
    $registration_id
);

mysqli_stmt_execute($existing_stmt);

$existing_result =
    mysqli_stmt_get_result($existing_stmt);

$existing_payment =
    mysqli_fetch_assoc($existing_result);

mysqli_stmt_close($existing_stmt);


if ($existing_payment) {

    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}


/*
   For this project demonstration, a successfully
   submitted payment is recorded as Paid.

   This is NOT a real online payment gateway.
```

```
*/

$payment_status = "Paid";


$insert_sql = "INSERT INTO payment
               (
                   registration_id,
                   amount,
                   payment_date,
                   payment_method,
                   transaction_id,
                   payment_status
               )
               VALUES (?, ?, ?, ?, ?, ?)";


$insert_stmt =
    mysqli_prepare($con, $insert_sql);


mysqli_stmt_bind_param(
    $insert_stmt,
    "idssss",
    $registration_id,
    $amount,
    $payment_date,
    $payment_method,
    $transaction_id,
    $payment_status
);


if (mysqli_stmt_execute($insert_stmt)) {

    $payment_id = mysqli_insert_id($con);

    mysqli_stmt_close($insert_stmt);
    mysqli_close($con);

?>

<!DOCTYPE html>
```

```
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta
        name="viewport"
        content="width=device-width, initial-scale=1.0"
    >

    <title>
        Payment Successful - College Transport Management System
    </title>


    <style>

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f4f6f9;
        }

        .header {
            background: #222;
            color: white;
            text-align: center;
            padding: 20px;
        }

        .header h1 {
            margin: 0;
            font-size: 25px;
        }

        .box {
            width: 60%;
            margin: 60px auto;
            background: white;
            padding: 35px;
            text-align: center;
            border-radius: 8px;
```

```
            box-shadow: 0 2px 10px rgba(0,0,0,0.1);
        }

        .success {
            font-size: 24px;
            font-weight: bold;
            margin-bottom: 25px;
        }

        .details {
            text-align: left;
            background: #f1f1f1;
            padding: 20px;
            border-radius: 5px;
            line-height: 1.9;
        }

        .btn {
            display: inline-block;
            margin-top: 25px;
            padding: 12px 25px;
            background: #222;
            color: white;
            text-decoration: none;
            border-radius: 4px;
            margin-right: 10px;
        }

    </style>

</head>


<body>


<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <p>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
```

```
    </p>

</div>


<div class="box">

    <div class="success">
        Payment Submitted Successfully
    </div>


    <div class="details">

        <strong>Payment ID:</strong>

        <?php
        echo htmlspecialchars($payment_id);
        ?>

        <br>


        <strong>Registration ID:</strong>

        <?php
        echo htmlspecialchars($registration_id);
        ?>

        <br>


        <strong>Amount:</strong>

        ₹<?php
        echo htmlspecialchars(number_format((float)$amount, 2));
        ?>

        <br>


        <strong>Payment Date:</strong>

        <?php
```

```
        echo htmlspecialchars($payment_date);
        ?>

        <br>


        <strong>Payment Method:</strong>

        <?php
        echo htmlspecialchars($payment_method);
        ?>

        <br>


        <strong>Transaction ID:</strong>

        <?php

        if (!empty($transaction_id)) {

            echo htmlspecialchars($transaction_id);

        } else {

            echo "Not Applicable";

        }

        ?>

        <br>


        <strong>Payment Status:</strong>

        Paid

    </div>


    <p>

        Your payment has been recorded successfully
```

```
        in the transport management system.

    </p>


    <a href="student.php" class="btn">
        Back to Student Dashboard
    </a>


</div>


</body>

</html>

<?php

} else {

    mysqli_stmt_close($insert_stmt);
    mysqli_close($con);

    header("Location: payment.php?error=1");
    exit;
}

?>
```

A.2.15 paymentreceipt.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$student_id = $_SESSION['student_id'];

$payment_id = $_GET['payment_id'] ?? '';

$payment = null;
$payments_result = null;


/* ========================================
   IF PAYMENT ID IS PROVIDED
   SHOW ONE DETAILED RECEIPT
   ======================================== */

if ($payment_id != "") {

    $sql = "SELECT
                p.payment_id,
                p.registration_id,
                p.amount,
                p.payment_date,
                p.payment_method,
```

```
            p.transaction_id,
            p.payment_status,

            s.student_id,
            s.full_name,
            s.email,
            s.mobile,

            tr.registration_date,
            tr.start_date,
            tr.end_date,

            r.route_name,
            r.starting_point,
            r.destination,

            b.bus_number

        FROM payment p

        INNER JOIN transport_registration tr
            ON p.registration_id = tr.registration_id

        INNER JOIN student s
            ON tr.student_id = s.student_id

        INNER JOIN route r
            ON tr.route_id = r.route_id

        LEFT JOIN bus b
            ON tr.bus_id = b.bus_id

        WHERE p.payment_id = ?
        AND tr.student_id = ?";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "ii",
    $payment_id,
    $student_id
);
```

```
    mysqli_stmt_execute($stmt);

    $result = mysqli_stmt_get_result($stmt);

    $payment = mysqli_fetch_assoc($result);

    mysqli_stmt_close($stmt);

}


/* ========================================
   IF NO PAYMENT ID IS PROVIDED
   SHOW ALL PAYMENTS OF LOGGED-IN STUDENT
   ======================================== */

else {

    $sql = "SELECT
                p.payment_id,
                p.registration_id,
                p.amount,
                p.payment_date,
                p.payment_method,
                p.transaction_id,
                p.payment_status,

                r.route_name,
                r.starting_point,
                r.destination,

                b.bus_number

            FROM payment p

            INNER JOIN transport_registration tr
                ON p.registration_id = tr.registration_id

            INNER JOIN route r
                ON tr.route_id = r.route_id

            LEFT JOIN bus b
```

```
                ON tr.bus_id = b.bus_id

            WHERE tr.student_id = ?

            ORDER BY p.payment_id DESC";

    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param(
        $stmt,
        "i",
        $student_id
    );

    mysqli_stmt_execute($stmt);

    $payments_result = mysqli_stmt_get_result($stmt);

    mysqli_stmt_close($stmt);

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta
    name="viewport"
    content="width=device-width, initial-scale=1.0"
>

<title>
    Payment Receipt - College Transport Management System
</title>


<style>
```

```
* {
    box-sizing: border-box;
}


body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #f5f5f5;
}


/* ========================================
   HEADER
   ======================================== */

.header {
    background-color: white;
    text-align: center;
    padding: 25px 20px;
    border-bottom: 1px solid #ddd;
}


.header h1 {
    margin: 0 0 12px 0;
    color: red;
    font-size: 34px;
}


.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}


/* ========================================
   NAVIGATION
   ======================================== */
```

```
.navbar {
    background-color: #990000;
    padding: 12px 20px;
    text-align: center;
}


.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}


.navbar a:hover {
    text-decoration: underline;
}


/* ========================================
   MAIN CONTAINER
   ======================================== */

.container {
    width: 95%;
    max-width: 1100px;
    margin: 35px auto;
}


/* ========================================
   TITLE BOX
   ======================================== */

.title-box {
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
    margin-bottom: 25px;
}
```

```
.title-box h2 {
    color: #990000;
    margin: 0 0 10px 0;
}


.title-box p {
    color: #555;
    margin: 0;
}


/* ========================================
   PAYMENT LIST
   ======================================== */

.list-container {
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    overflow-x: auto;
}


.list-container h3 {
    color: #990000;
    margin-top: 0;
    margin-bottom: 20px;
}


.payment-table {
    width: 100%;
    border-collapse: collapse;
}


.payment-table th {
    background-color: #990000;
    color: white;
    padding: 12px;
    text-align: center;
}
```

```
.payment-table td {
    padding: 11px;
    border: 1px solid #ddd;
    text-align: center;
}


.payment-table tr:hover {
    background-color: #f9f9f9;
}


/* ========================================
   STATUS
   ======================================== */

.paid {
    color: green;
    font-weight: bold;
}


.pending {
    color: #d68910;
    font-weight: bold;
}


.failed {
    color: #c62828;
    font-weight: bold;
}


/* ========================================
   VIEW RECEIPT BUTTON
   ======================================== */

.view-btn {
    display: inline-block;
    padding: 8px 14px;
    background-color: #990000;
```

```
    color: white;
    text-decoration: none;
    border-radius: 5px;
    font-size: 14px;
}


.view-btn:hover {
    background-color: #770000;
}


/* ========================================
   RECEIPT
   ======================================== */

.receipt {
    background-color: white;
    padding: 35px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
}


.receipt-title {
    text-align: center;
    border-bottom: 2px solid #990000;
    padding-bottom: 20px;
    margin-bottom: 25px;
}


.receipt-title h2 {
    color: #990000;
    margin: 0 0 8px 0;
}


.receipt-title p {
    color: #555;
    margin: 0;
}
```

```
/* ========================================
   RECEIPT DETAILS
   ======================================== */

.section-title {
    background-color: #990000;
    color: white;
    padding: 10px 12px;
    margin-top: 20px;
    margin-bottom: 0;
    font-size: 17px;
}


.details-table {
    width: 100%;
    border-collapse: collapse;
}


.details-table td {
    padding: 12px;
    border: 1px solid #ddd;
}


.details-table td:first-child {
    width: 35%;
    font-weight: bold;
    background-color: #f9f9f9;
}


/* ========================================
   BUTTONS
   ======================================== */

.button-area {
    text-align: center;
    margin-top: 30px;
}


.back-btn,
```

```
.print-btn {
    display: inline-block;
    padding: 11px 22px;
    margin: 5px;
    border-radius: 5px;
    text-decoration: none;
    border: none;
    cursor: pointer;
    font-size: 15px;
}


.back-btn {
    background-color: #990000;
    color: white;
}


.back-btn:hover {
    background-color: #770000;
}


.print-btn {
    background-color: #222;
    color: white;
}


.print-btn:hover {
    background-color: #444;
}


/* ========================================
   NO DATA / ERROR MESSAGE
   ======================================== */

.message {
    background-color: #fff3cd;
    border: 1px solid #ffeeba;
    color: #856404;
    padding: 15px;
    border-radius: 5px;
```

```
    text-align: center;
}


/* ========================================
   FOOTER
   ======================================== */

.footer {
    margin-top: 40px;
    background-color: #222;
    color: white;
    text-align: center;
    padding: 20px;
}


/* ========================================
   PRINT
   ======================================== */

@media print {

    .navbar,
    .button-area,
    .footer {
        display: none;
    }

    body {
        background-color: white;
    }

    .container {
        width: 100%;
        margin: 0;
    }

    .receipt {
        box-shadow: none;
    }

}
```

```
/* ========================================
   MOBILE
   ======================================== */

@media (max-width: 700px) {

    .header h1 {
        font-size: 25px;
    }


    .header h2 {
        font-size: 19px;
    }


    .list-container,
    .receipt {
        padding: 20px;
    }


    .payment-table {
        font-size: 13px;
    }


    .payment-table th,
    .payment-table td {
        padding: 8px;
    }


    .details-table td {
        padding: 9px;
        font-size: 13px;
    }

}

</style>

</head>
```

```
<body>


<!-- ========================================
     HEADER
     ======================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>


<!-- ========================================
     NAVIGATION
     ======================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="payment.php">
        Payment Details
    </a>

</div>


<div class="container">
```

```php
<?php

/* ================================================
   PART 1
   SHOW ALL PAYMENTS
   ================================================ */

if ($payment_id == "") {

?>


<div class="title-box">

    <h2>
        Payment Receipts
    </h2>

    <p>
        View all transport payments made by you.
    </p>

</div>


<div class="list-container">

    <h3>
        My Payment History
    </h3>


    <?php

    if (
        $payments_result &&
        mysqli_num_rows($payments_result) > 0
    ) {

    ?>


    <table class="payment-table">
```

```
        <tr>

            <th>
                Payment ID
            </th>

            <th>
                Registration ID
            </th>

            <th>
                Route
            </th>

            <th>
                Bus
            </th>

            <th>
                Amount
            </th>

            <th>
                Payment Date
            </th>

            <th>
                Payment Method
            </th>

            <th>
                Status
            </th>

            <th>
                Action
            </th>

        </tr>


        <?php
```

```
        while ($row = mysqli_fetch_assoc($payments_result)) {

        ?>


        <tr>

            <td>
                <?php
                echo htmlspecialchars(
                    $row['payment_id']
                );
                ?>
            </td>


            <td>
                <?php
                echo htmlspecialchars(
                    $row['registration_id']
                );
                ?>
            </td>


            <td>
                <?php
                echo htmlspecialchars(
                    $row['route_name']
                );
                ?>
            </td>


            <td>
                <?php
                echo htmlspecialchars(
                    $row['bus_number'] ??
                    'Not Assigned'
                );
                ?>
            </td>
```

```
            <td>
                ₹<?php
                echo htmlspecialchars(
                    number_format(
                        (float)$row['amount'],
                        2
                    )
                );
                ?>
            </td>


            <td>
                <?php
                echo htmlspecialchars(
                    $row['payment_date']
                );
                ?>
            </td>


            <td>
                <?php
                echo htmlspecialchars(
                    $row['payment_method']
                );
                ?>
            </td>


            <td
                class="<?php
                    echo strtolower(
                        $row['payment_status']
                    );
                ?>"
            >

                <?php
                echo htmlspecialchars(
                    $row['payment_status']
                );
                ?>
```

```
            </td>

            <td>

                <a
                    href="paymentreceipt.php?payment_id=<?php
                        echo urlencode(
                            $row['payment_id']
                        );
                    ?>"
                    class="view-btn"
                >
                    View Receipt
                </a>

            </td>

        </tr>

        <?php

        }

        ?>

    </table>

    <?php

    } else {

    ?>

    <div class="message">

        No payment records found for your account.

        <br><br>
```

```
        Once you make a transport payment,
        it will appear here.

    </div>


    <?php

    }

    ?>


</div>


<div style="text-align:center;">

    <a
        href="student.php"
        class="back-btn"
    >
        Back to Student Dashboard
    </a>

</div>


<?php

}


/* ================================================
   PART 2
   SHOW INDIVIDUAL RECEIPT
   ================================================ */

else {

?>


<?php
```

```
if ($payment) {

?>


<div class="receipt">


    <div class="receipt-title">

        <h2>
            Transport Payment Receipt
        </h2>

        <p>
            College Transport Management System
        </p>

    </div>


    <!-- ========================================
         STUDENT DETAILS
         ======================================== -->

    <div class="section-title">
        Student Details
    </div>


    <table class="details-table">

        <tr>

            <td>
                Student ID
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['student_id']
                );
```

```
            ?>
        </td>

    </tr>


    <tr>

        <td>
            Student Name
        </td>

        <td>
            <?php
            echo htmlspecialchars(
                $payment['full_name']
            );
            ?>
        </td>

    </tr>


    <tr>

        <td>
            Email
        </td>

        <td>
            <?php
            echo htmlspecialchars(
                $payment['email']
            );
            ?>
        </td>

    </tr>


    <tr>

        <td>
            Mobile
```

```
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['mobile']
                );
                ?>
            </td>

        </tr>

    </table>


    <!-- ========================================
         TRANSPORT DETAILS
         ======================================== -->

    <div class="section-title">
        Transport Details
    </div>


    <table class="details-table">

        <tr>

            <td>
                Registration ID
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['registration_id']
                );
                ?>
            </td>

        </tr>


        <tr>
```

```
            <td>
                Route
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['route_name']
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Starting Point
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['starting_point']
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Destination
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['destination']
                );
```

```
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Bus Number
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['bus_number'] ??
                    'Not Assigned'
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Transport Start Date
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['start_date'] ??
                    ''
                );
                ?>
            </td>

        </tr>


        <tr>
```

```
            <td>
                Transport End Date
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['end_date'] ??
                    ''
                );
                ?>
            </td>

        </tr>

    </table>


    <!-- ========================================
         PAYMENT DETAILS
         ======================================== -->

    <div class="section-title">
        Payment Details
    </div>


    <table class="details-table">

        <tr>

            <td>
                Payment ID
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['payment_id']
                );
                ?>
            </td>

        </tr>
```

```
        <tr>

            <td>
                Amount
            </td>

            <td>
                ₹<?php
                echo htmlspecialchars(
                    number_format(
                        (float)$payment['amount'],
                        2
                    )
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Payment Date
            </td>

            <td>
                <?php
                echo htmlspecialchars(
                    $payment['payment_date']
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Payment Method
            </td>
```

```
            <td>
                <?php
                echo htmlspecialchars(
                    $payment['payment_method']
                );
                ?>
            </td>

        </tr>


        <tr>

            <td>
                Transaction ID
            </td>

            <td>
                <?php

                if (
                    !empty(
                        $payment['transaction_id']
                    )
                ) {

                    echo htmlspecialchars(
                        $payment['transaction_id']
                    );

                } else {

                    echo "Not Applicable";

                }

                ?>
            </td>

        </tr>


        <tr>
```

```
            <td>
                Payment Status
            </td>

            <td class="<?php
                echo strtolower(
                    $payment['payment_status']
                );
            ?>">

                <?php
                echo htmlspecialchars(
                    $payment['payment_status']
                );
                ?>

            </td>

        </tr>

    </table>


    <div class="button-area">

        <button
            onclick="window.print()"
            class="print-btn"
        >
            Print Receipt
        </button>


        <a
            href="paymentreceipt.php"
            class="back-btn"
        >
            Back to Payment History
        </a>


        <a
            href="student.php"
```

```
            class="back-btn"
        >
            Back to Student Dashboard
        </a>

    </div>


</div>


<?php

} else {

?>


<div class="receipt">

    <div class="message">

        Payment receipt could not be found.

        <br><br>

        The selected payment may not belong to your account.

    </div>


    <div class="button-area">

        <a
            href="paymentreceipt.php"
            class="back-btn"
        >
            Back to Payment History
        </a>


        <a
            href="student.php"
            class="back-btn"
```

```
        >
            Back to Student Dashboard
        </a>

    </div>

</div>

<?php

}

}

?>


</div>

<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.2.16 stchangepass.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$message = "";
$error = "";

if (isset($_GET['success'])) {
    $message = "Password changed successfully.";
}

if (isset($_GET['error'])) {
    $error = "Old password is incorrect or the passwords do not match.";
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Change Password - College Transport Management System</title>


    <style>

        * {
            box-sizing: border-box;
        }
```

```
body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #f5f5f5;
}


/* ========================================
   HEADER
   ======================================== */

.header {
    background-color: white;
    text-align: center;
    padding: 25px 20px;
    border-bottom: 1px solid #ddd;
}


.header h1 {
    margin: 0 0 12px 0;
    color: red;
    font-size: 34px;
}


.header h2 {
    margin: 0;
    color: #222;
    font-size: 24px;
}


/* ========================================
   NAVIGATION
   ======================================== */

.navbar {
    background-color: #990000;
    padding: 12px 20px;
    text-align: center;
}
```

```
.navbar a {
    color: white;
    text-decoration: none;
    margin: 0 15px;
    font-size: 15px;
}


.navbar a:hover {
    text-decoration: underline;
}


/* ========================================
   MAIN CONTAINER
   ======================================== */

.container {
    width: 95%;
    max-width: 700px;
    margin: 35px auto;
}


/* ========================================
   TITLE BOX
   ======================================== */

.title-box {
    background-color: white;
    padding: 25px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
    text-align: center;
    margin-bottom: 25px;
}


.title-box h2 {
    color: #990000;
    margin: 0 0 10px 0;
}
```

```
.title-box p {
    color: #555;
    margin: 0;
}


/* ========================================
   FORM BOX
   ======================================== */

.form-container {
    background-color: white;
    padding: 30px;
    border-radius: 8px;
    box-shadow: 0 3px 12px rgba(0,0,0,0.12);
}


.form-group {
    margin-bottom: 20px;
}


label {
    display: block;
    font-weight: bold;
    margin-bottom: 8px;
    color: #333;
}


input[type="password"] {
    width: 100%;
    padding: 12px;
    border: 1px solid #ccc;
    border-radius: 5px;
    font-size: 15px;
}


input[type="password"]:focus {
    border-color: #990000;
    outline: none;
}
```

```
.btn {
    width: 100%;
    padding: 12px;
    background-color: #990000;
    color: white;
    border: none;
    border-radius: 5px;
    font-size: 16px;
    cursor: pointer;
}


.btn:hover {
    background-color: #770000;
}


/* ========================================
   MESSAGES
   ======================================== */

.success {
    background-color: #e8f5e9;
    color: green;
    border: 1px solid #b7dfb9;
    padding: 12px;
    border-radius: 5px;
    margin-bottom: 20px;
    font-weight: bold;
    text-align: center;
}


.error {
    background-color: #fdeaea;
    color: #b00000;
    border: 1px solid #e0aaaa;
    padding: 12px;
    border-radius: 5px;
    margin-bottom: 20px;
    font-weight: bold;
    text-align: center;
```

```
}


.back-btn {
    display: inline-block;
    margin-top: 25px;
    padding: 11px 22px;
    background-color: #990000;
    color: white;
    text-decoration: none;
    border-radius: 5px;
}


.back-btn:hover {
    background-color: #770000;
}


/* ========================================
   FOOTER
   ======================================== */

.footer {
    margin-top: 40px;
    background-color: #222;
    color: white;
    text-align: center;
    padding: 20px;
}


/* ========================================
   MOBILE
   ======================================== */

@media (max-width: 700px) {

    .header h1 {
        font-size: 25px;
    }


    .header h2 {
```

```
                font-size: 19px;
            }


            .navbar a {
                display: inline-block;
                margin: 5px 8px;
            }


            .form-container {
                padding: 20px;
            }

        }

    </style>

</head>


<body>


<!-- ==========================================
     HEADER
     ========================================== -->

<div class="header">

    <h1>
        INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)
    </h1>

    <h2>
        COLLEGE TRANSPORT MANAGEMENT SYSTEM
    </h2>

</div>



<!-- ==========================================
     NAVIGATION
```

```
     ========================================== -->

<div class="navbar">

    <a href="index.html">
        Home
    </a>

    <a href="student.php">
        Student Dashboard
    </a>

    <a href="strouteinfo.php">
        Routes
    </a>

    <a href="businfo.php">
        Buses
    </a>

</div>



<!-- ==========================================
     MAIN CONTENT
     ========================================== -->

<div class="container">


    <div class="title-box">

        <h2>
            Change Password
        </h2>

        <p>
            Update your student account password securely.
        </p>

    </div>
```

```
    <div class="form-container">


        <?php

        if ($message != "") {

            echo "<div class='success'>" .
                 htmlspecialchars($message) .
                 "</div>";

        }


        if ($error != "") {

            echo "<div class='error'>" .
                 htmlspecialchars($error) .
                 "</div>";

        }

        ?>


        <form action="stchangepassdb.php" method="POST">


            <div class="form-group">

                <label for="old_password">
                    Old Password
                </label>

                <input
                    type="password"
                    id="old_password"
                    name="old_password"
                    placeholder="Enter your old password"
                    required
                >

            </div>
```

```
<div class="form-group">

    <label for="new_password">
        New Password
    </label>

    <input
        type="password"
        id="new_password"
        name="new_password"
        placeholder="Enter your new password"
        required
    >

</div>



<div class="form-group">

    <label for="confirm_password">
        Confirm New Password
    </label>

    <input
        type="password"
        id="confirm_password"
        name="confirm_password"
        placeholder="Re-enter your new password"
        required
    >

</div>



<div class="form-group">

    <input
        type="submit"
        value="UPDATE PASSWORD"
```

```
                    class="btn"
                >

            </div>


        </form>


        <a href="student.php" class="back-btn">
            Back to Student Dashboard
        </a>


    </div>

</div>



<!-- ========================================
     FOOTER
     ======================================== -->

<div class="footer">

    © 2026 College Transport Management System. All Rights Reserved.

</div>


</body>

</html>
```

A.2.17 stchangepassdb.php

```php
<?php

session_start();

if (!isset($_SESSION['student_id'])) {
    header("Location: log.php");
    exit;
}

$con = mysqli_connect(
    "localhost",
    "root",
    "",
    "transport_management"
);

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$student_id = $_SESSION['student_id'];

$old_password = $_POST['old_password'] ?? '';
$new_password = $_POST['new_password'] ?? '';
$confirm_password = $_POST['confirm_password'] ?? '';


/* Check required fields */

if (
    empty($old_password) ||
    empty($new_password) ||
    empty($confirm_password)
) {
    mysqli_close($con);
    header("Location: stchangepass.php?error=1");
    exit;
}


/* Check whether new passwords match */
```

```php
if ($new_password !== $confirm_password) {
    mysqli_close($con);
    header("Location: stchangepass.php?error=1");
    exit;
}


/* Get current password */

$sql = "SELECT password
        FROM student
        WHERE student_id = ?";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param(
    $stmt,
    "i",
    $student_id
);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

$student = mysqli_fetch_assoc($result);

mysqli_stmt_close($stmt);


if (!$student) {
    mysqli_close($con);
    header("Location: stchangepass.php?error=1");
    exit;
}


/* Verify old password */

if (!password_verify($old_password, $student['password'])) {
    mysqli_close($con);
    header("Location: stchangepass.php?error=1");
    exit;
```

```
}


/* Hash new password */

$new_hashed_password =
    password_hash($new_password, PASSWORD_DEFAULT);


/* Update password */

$update_sql = "UPDATE student
               SET password = ?
               WHERE student_id = ?";

$update_stmt =
    mysqli_prepare($con, $update_sql);

mysqli_stmt_bind_param(
    $update_stmt,
    "si",
    $new_hashed_password,
    $student_id
);


if (mysqli_stmt_execute($update_stmt)) {

    mysqli_stmt_close($update_stmt);
    mysqli_close($con);

    header("Location: stchangepass.php?success=1");
    exit;

}


mysqli_stmt_close($update_stmt);
mysqli_close($con);

header("Location: stchangepass.php?error=1");
exit;

?>
```

A.2.18 logout.php

```php
<?php
session_start();
header("location:log.php");
session_destroy();
?>
```

A.3 Administrator Module Source Code

A.3.1 ad.php

```php
<?php
session_start();

if (isset($_SESSION['admin_id'])) {
    header("Location: admin.php");
    exit;
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Admin Login - College Transport Management System</title>

    <style>
        body {
            margin: 0;
            font-family: Arial, sans-serif;
```

```
        background: #f2f4f7;
    }

    .container {
        width: 400px;
        margin: 100px auto;
        background: white;
        padding: 30px;
        border-radius: 10px;
        box-shadow: 0 0 10px rgba(0,0,0,0.15);
    }

    h2 {
        text-align: center;
        color: #222;
    }

    h3 {
        text-align: center;
        color: #555;
        font-weight: normal;
    }

    label {
        display: block;
        margin-top: 15px;
        margin-bottom: 5px;
        font-weight: bold;
```

```
        }

        input[type="text"],
        input[type="password"] {
            width: 100%;
            padding: 11px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
        }

        input[type="submit"] {
            width: 100%;
            margin-top: 20px;
            padding: 12px;
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
            font-size: 16px;
        }

        input[type="submit"]:hover {
            background: #555;
        }

        .error {
```

```
            background: #ffe0e0;
            color: #c00000;
            padding: 10px;
            margin-top: 15px;
            text-align: center;
            border-radius: 5px;
        }

        .back {
            display: block;
            text-align: center;
            margin-top: 20px;
            text-decoration: none;
            color: #333;
        }
    </style>
</head>

<body>

<div class="container">

    <h2>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h2>

    <h3>College Transport Management System</h3>

    <h3>Admin Login</h3>
```

```php
<?php
if (isset($_GET['error'])) {
    echo '<div class="error">Invalid username or password.</div>';
}
?>

<form action="admin_login.php" method="POST">

    <label for="username">Username</label>

    <input
        type="text"
        id="username"
        name="username"
        placeholder="Enter username"
        required
    >

    <label for="password">Password</label>

    <input
        type="password"
        id="password"
        name="password"
        placeholder="Enter password"
        required
    >
```

```
        <input type="submit" value="LOGIN">

    </form>

    <a href="index.html" class="back">← Back to Home</a>

</div>

</body>
</html>
```

A.3.2 admin_login.php

```php
<?php

session_start();

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$username = $_POST['username'] ?? '';
$password = $_POST['password'] ?? '';

if (empty($username) || empty($password)) {
    mysqli_close($con);
    header("Location: ad.php?error=1");
    exit;
}

$sql = "SELECT admin_id, username, password, full_name
        FROM admin
        WHERE username = ?";

$stmt = mysqli_prepare($con, $sql);

mysqli_stmt_bind_param($stmt, "s", $username);

mysqli_stmt_execute($stmt);

$result = mysqli_stmt_get_result($stmt);

$admin = mysqli_fetch_assoc($result);

if ($admin && password_verify($password, $admin['password'])) {

    $_SESSION['admin_id'] = $admin['admin_id'];
    $_SESSION['admin_username'] = $admin['username'];
    $_SESSION['admin_name'] = $admin['full_name'];

    mysqli_stmt_close($stmt);
    mysqli_close($con);
```

```
    header("Location: admin.php");
    exit;
}

mysqli_stmt_close($stmt);
mysqli_close($con);

header("Location: ad.php?error=1");
exit;

?>
```

A.3.3 admin.php

```php
<?php

session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$admin_name = $_SESSION['admin_name'];

?>

<!DOCTYPE html>
<html>
<head>

    <title>Admin Dashboard - College Transport Management System</title>

    <style>

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
        }

        .header h1 {
            margin: 0;
            font-size: 25px;
        }

        .header p {
            margin: 8px 0 0;
```

```
        }

        .nav {
            background: #444;
            padding: 12px;
            text-align: center;
        }

        .nav a {
            color: white;
            text-decoration: none;
            margin: 0 15px;
        }

        .container {
            width: 90%;
            max-width: 1100px;
            margin: 30px auto;
        }

        .welcome {
            background: white;
            padding: 20px;
            border-radius: 8px;
            margin-bottom: 25px;
        }

        .cards {
            display: grid;
            grid-template-columns: repeat(3, 1fr);
            gap: 20px;
        }

        .card {
            background: white;
            padding: 25px;
            border-radius: 8px;
            text-align: center;
            box-shadow: 0 2px 8px rgba(0,0,0,0.1);
        }

        .card h3 {
            margin-top: 0;
```

```
        }

        .card a {
            display: inline-block;
            margin-top: 10px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .card a:hover {
            background: #555;
        }

        .footer {
            margin-top: 40px;
            padding: 20px;
            background: #222;
            color: white;
            text-align: center;
        }

        @media(max-width: 800px) {
            .cards {
                grid-template-columns: 1fr;
            }
        }

    </style>

</head>

<body>

<div class="header">

    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>

    <p>College Transport Management System</p>

</div>
```

```
<div class="nav">

    <a href="index.html">Home</a>

    <a href="admin.php">Dashboard</a>

    <a href="admin_logout.php">Logout</a>

</div>

<div class="container">

    <div class="welcome">

        <h2>Admin Dashboard</h2>

        <p>
            Welcome, <strong>
            <?php echo htmlspecialchars($admin_name); ?>
            </strong>
        </p>

        <p>
            Use the options below to manage the college transport system.
        </p>

    </div>

    <div class="cards">

        <div class="card">

            <h3>Students</h3>

            <p>View registered students.</p>

            <a href="admin_students.php">
                Manage Students
            </a>

        </div>
```

```
        <div class="card">

            <h3>Drivers</h3>

            <p>Manage transport drivers.</p>

            <a href="admin_drivers.php">
                Manage Drivers
            </a>

        </div>


        <div class="card">

            <h3>Buses</h3>

            <p>Manage college buses.</p>

            <a href="manage_buses.php">
                Manage Buses
            </a>

        </div>


        <div class="card">

            <h3>Routes</h3>

            <p>Manage transport routes.</p>

            <a href="manage_routes.php">
                Manage Routes
            </a>

        </div>


        <div class="card">

            <h3>Trips</h3>

            <p>Manage scheduled trips.</p>
```

```
        <a href="manage_trips.php">
            Manage Trips
        </a>

    </div>


    <div class="card">

        <h3>Transport Registrations</h3>

        <p>View student transport registrations.</p>

        <a href="manage_registrations.php">
            View Registrations
        </a>

    </div>


    <div class="card">

        <h3>Payments</h3>

        <p>View transport payments.</p>

        <a href="manage_payments.php">
            View Payments
        </a>

    </div>


    <div class="card">

        <h3>Reports</h3>

        <p>View system reports.</p>

        <a href="admin_reports.php">
            View Reports
        </a>
```

```
        </div>

    </div>

</div>

<div class="footer">

    © 2026 College Transport Management System

</div>

</body>
</html>
```

A.3.4 admin_students.php

```php
<?php

session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$sql = "SELECT
            student_id,
            full_name,
            email,
            mobile,
            course,
            address,
            created_at
        FROM student
        ORDER BY student_id DESC";

$result = mysqli_query($con, $sql);

?>

<!DOCTYPE html>
<html>
<head>

    <title>Manage Students</title>

    <style>

        body {
            margin: 0;
            font-family: Arial, sans-serif;
```

```
        background: #f2f4f7;
    }

    .header {
        background: #222;
        color: white;
        padding: 20px;
        text-align: center;
    }

    .container {
        width: 95%;
        margin: 30px auto;
        background: white;
        padding: 20px;
        border-radius: 8px;
        overflow-x: auto;
    }

    h2 {
        text-align: center;
    }

    table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

    th,
    td {
        border: 1px solid #ccc;
        padding: 10px;
        text-align: left;
    }

    th {
        background: #333;
        color: white;
    }

    tr:nth-child(even) {
        background: #f5f5f5;
```

```
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

    </style>

</head>

<body>

<div class="header">

    <h1>College Transport Management System</h1>

    <p>Student Management</p>

</div>

<div class="container">

    <h2>Registered Students</h2>

    <table>

        <tr>

            <th>Student ID</th>
            <th>Full Name</th>
            <th>Email</th>
            <th>Mobile</th>
            <th>Course</th>
            <th>Address</th>
            <th>Registered On</th>

        </tr>
```

```
<?php

if (mysqli_num_rows($result) > 0) {

    while ($student = mysqli_fetch_assoc($result)) {

?>

<tr>

    <td>
        <?php echo htmlspecialchars($student['student_id']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['full_name']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['email']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['mobile']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['course']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['address']); ?>
    </td>

    <td>
        <?php echo htmlspecialchars($student['created_at']); ?>
    </td>

</tr>

<?php
```

```
            }

        } else {

            echo '
            <tr>
                <td colspan="7" style="text-align:center;">
                    No students registered yet.
                </td>
            </tr>';

        }

        ?>

    </table>

    <a href="admin.php" class="back">
        ← Back to Dashboard
    </a>

</div>

</body>
</html>

<?php

mysqli_close($con);

?>
```

A.3.5 admin_drivers.php

```php
<?php

session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

/* DELETE DRIVER */

if (isset($_GET['delete'])) {

    $driver_id = (int) $_GET['delete'];

    $delete_sql = "DELETE FROM driver WHERE driver_id = ?";

    $stmt = mysqli_prepare($con, $delete_sql);

    mysqli_stmt_bind_param($stmt, "i", $driver_id);

    mysqli_stmt_execute($stmt);

    mysqli_stmt_close($stmt);

    header("Location: admin_drivers.php");

    exit;
}


/* ADD DRIVER */

if ($_SERVER['REQUEST_METHOD'] === 'POST' &&
    isset($_POST['add_driver'])) {
```

```
    $driver_name = trim($_POST['driver_name']);
    $mobile = trim($_POST['mobile']);
    $license_number = trim($_POST['license_number']);
    $address = trim($_POST['address']);
    $status = $_POST['status'];

    $sql = "INSERT INTO driver
            (driver_name, mobile, license_number, address, status)
            VALUES (?, ?, ?, ?, ?)";

    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param(
        $stmt,
        "sssss",
        $driver_name,
        $mobile,
        $license_number,
        $address,
        $status
    );

    mysqli_stmt_execute($stmt);

    mysqli_stmt_close($stmt);

    header("Location: admin_drivers.php");

    exit;
}


/* UPDATE DRIVER */

if ($_SERVER['REQUEST_METHOD'] === 'POST' &&
    isset($_POST['update_driver'])) {

    $driver_id = (int) $_POST['driver_id'];

    $driver_name = trim($_POST['driver_name']);
    $mobile = trim($_POST['mobile']);
    $license_number = trim($_POST['license_number']);
```

```
    $address = trim($_POST['address']);
    $status = $_POST['status'];

    $sql = "UPDATE driver
            SET
                driver_name = ?,
                mobile = ?,
                license_number = ?,
                address = ?,
                status = ?
            WHERE driver_id = ?";

    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param(
        $stmt,
        "ssssssi",
        $driver_name,
        $mobile,
        $license_number,
        $address,
        $status,
        $driver_id
    );

    mysqli_stmt_execute($stmt);

    mysqli_stmt_close($stmt);

    header("Location: admin_drivers.php");

    exit;
}


/* GET DRIVER FOR EDIT */

$edit_driver = null;

if (isset($_GET['edit'])) {

    $driver_id = (int) $_GET['edit'];
```

```
    $sql = "SELECT *
            FROM driver
            WHERE driver_id = ?";

    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param($stmt, "i", $driver_id);

    mysqli_stmt_execute($stmt);

    $result_edit = mysqli_stmt_get_result($stmt);

    $edit_driver = mysqli_fetch_assoc($result_edit);

    mysqli_stmt_close($stmt);
}


/* GET ALL DRIVERS */

$result = mysqli_query(
    $con,
    "SELECT *
     FROM driver
     ORDER BY driver_id DESC"
);

?>

<!DOCTYPE html>
<html>
<head>

    <title>Manage Drivers</title>

    <style>

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
        }
```

```
        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
        }

        .container {
            width: 95%;
            margin: 30px auto;
        }

        .box {
            background: white;
            padding: 20px;
            margin-bottom: 25px;
            border-radius: 8px;
        }

        h2 {
            margin-top: 0;
        }

        label {
            display: block;
            margin-top: 12px;
            margin-bottom: 5px;
            font-weight: bold;
        }

        input,
        textarea,
        select {
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
```

```
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        .cancel {
            display: inline-block;
            margin-top: 15px;
            padding: 10px 20px;
            background: #777;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            overflow-x: auto;
        }

        th,
        td {
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }

        th {
            background: #333;
            color: white;
        }

        tr:nth-child(even) {
            background: #f5f5f5;
        }
```

```
        .action {
            display: inline-block;
            padding: 6px 10px;
            margin: 2px;
            color: white;
            text-decoration: none;
            border-radius: 4px;
            background: #444;
        }

        .delete {
            background: #a00000;
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

    </style>

</head>

<body>

<div class="header">

    <h1>College Transport Management System</h1>

    <p>Driver Management</p>

</div>

<div class="container">


    <!-- ADD / EDIT DRIVER -->
```

```
    <div class="box">

        <?php if ($edit_driver): ?>

            <h2>Edit Driver</h2>

            <form method="POST" action="admin_drivers.php">

                <input
                    type="hidden"
                    name="driver_id"
                    value="<?php echo $edit_driver['driver_id']; ?>"
                >

                <label>Driver Name</label>

                <input
                    type="text"
                    name="driver_name"
                    value="<?php echo
htmlspecialchars($edit_driver['driver_name']); ?>"
                    required
                >

                <label>Mobile</label>

                <input
                    type="text"
                    name="mobile"
                    value="<?php echo htmlspecialchars($edit_driver['mobile']);
?>"
                    required
                >

                <label>License Number</label>

                <input
                    type="text"
                    name="license_number"
                    value="<?php echo
htmlspecialchars($edit_driver['license_number']); ?>"
                    required
```

```
                >

                <label>Address</label>

                <textarea
                    name="address"
                    rows="3"
                ><?php echo htmlspecialchars($edit_driver['address'] ?? '');
?></textarea>

                <label>Status</label>

                <select name="status">

                    <option value="Active"
                        <?php
                        if ($edit_driver['status'] == 'Active') {
                            echo 'selected';
                        }
                        ?>
                    >
                        Active
                    </option>

                    <option value="Inactive"
                        <?php
                        if ($edit_driver['status'] == 'Inactive') {
                            echo 'selected';
                        }
                        ?>
                    >
                        Inactive
                    </option>

                </select>

                <button type="submit" name="update_driver">
                    Update Driver
                </button>

                <a href="admin_drivers.php" class="cancel">
                    Cancel
                </a>
```

```
        </form>

    <?php else: ?>

        <h2>Add New Driver</h2>

        <form method="POST" action="admin_drivers.php">

            <label>Driver Name</label>

            <input
                type="text"
                name="driver_name"
                placeholder="Enter driver name"
                required
            >

            <label>Mobile</label>

            <input
                type="text"
                name="mobile"
                placeholder="Enter mobile number"
                required
            >

            <label>License Number</label>

            <input
                type="text"
                name="license_number"
                placeholder="Enter license number"
                required
            >

            <label>Address</label>

            <textarea
                name="address"
                rows="3"
                placeholder="Enter address"
            ></textarea>
```

```
            <label>Status</label>

            <select name="status">

                <option value="Active">Active</option>

                <option value="Inactive">Inactive</option>

            </select>

            <button type="submit" name="add_driver">
                Add Driver
            </button>

        </form>

    <?php endif; ?>

</div>


<!-- DRIVER LIST -->

<div class="box">

    <h2>Driver List</h2>

    <table>

        <tr>

            <th>ID</th>
            <th>Name</th>
            <th>Mobile</th>
            <th>License Number</th>
            <th>Address</th>
            <th>Status</th>
            <th>Created At</th>
            <th>Actions</th>

        </tr>
```

```
            <?php

            if (mysqli_num_rows($result) > 0) {

                while ($driver = mysqli_fetch_assoc($result)) {

            ?>

            <tr>

                <td>
                    <?php echo htmlspecialchars($driver['driver_id']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['driver_name']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['mobile']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['license_number']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['address'] ?? ''); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['status']); ?>
                </td>

                <td>
                    <?php echo htmlspecialchars($driver['created_at']); ?>
                </td>

                <td>

                    <a
                        href="admin_drivers.php?edit=<?php echo
$driver['driver_id']; ?>"
```

```
                        class="action"
                    >
                        Edit
                    </a>

                    <a
                        href="admin_drivers.php?delete=<?php echo
$driver['driver_id']; ?>"
                        class="action delete"
                        onclick="return confirm('Are you sure you want to delete
this driver?');"
                    >
                        Delete
                    </a>

                </td>

            </tr>

            <?php

                }

            } else {

                echo '
                <tr>
                    <td colspan="8" style="text-align:center;">
                        No drivers found.
                    </td>
                </tr>';

            }

            ?>

        </table>

    </div>


    <a href="admin.php" class="back">
        ← Back to Dashboard
```

```
    </a>

</div>

</body>
</html>

<?php

mysqli_close($con);

?>
```

A.3.6 manage_buses.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$message = "";


/* ============================================================
   ADD BUS
   ============================================================ */

if (isset($_POST['add_bus'])) {

    $bus_number = trim($_POST['bus_number']);
    $bus_type = trim($_POST['bus_type']);
    $capacity = $_POST['capacity'];
    $driver_id = $_POST['driver_id'];
    $status = $_POST['status'];

    if (
        empty($bus_number) ||
        empty($bus_type) ||
        empty($capacity) ||
        empty($driver_id)
    ) {

        $message = "Please fill in all required fields.";

    } else {

        $sql = "INSERT INTO bus
```

```
                (bus_number, bus_type, capacity, driver_id, status)
                VALUES (?, ?, ?, ?, ?)";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "ssiis",
            $bus_number,
            $bus_type,
            $capacity,
            $driver_id,
            $status
        );

        if (mysqli_stmt_execute($stmt)) {

            $message = "Bus added successfully.";

        } else {

            if (mysqli_errno($con) == 1062) {
                $message = "Bus number already exists.";
            } else {
                $message = "Error: " . mysqli_error($con);
            }
        }

        mysqli_stmt_close($stmt);
    }
}


/* ============================================================
   DELETE BUS
   ============================================================ */

if (isset($_GET['delete'])) {

    $bus_id = (int) $_GET['delete'];

    /*
       First check whether this bus is being used
```

```
       in a transport registration or trip.
    */

    $check_registration = mysqli_prepare(
        $con,
        "SELECT COUNT(*) AS total
         FROM transport_registration
         WHERE bus_id = ?"
    );

    mysqli_stmt_bind_param(
        $check_registration,
        "i",
        $bus_id
    );

    mysqli_stmt_execute($check_registration);

    $registration_result =
        mysqli_stmt_get_result($check_registration);

    $registration_data =
        mysqli_fetch_assoc($registration_result);

    mysqli_stmt_close($check_registration);


    $check_trip = mysqli_prepare(
        $con,
        "SELECT COUNT(*) AS total
         FROM trip
         WHERE bus_id = ?"
    );

    mysqli_stmt_bind_param(
        $check_trip,
        "i",
        $bus_id
    );

    mysqli_stmt_execute($check_trip);

    $trip_result =
```

```
        mysqli_stmt_get_result($check_trip);

    $trip_data =
        mysqli_fetch_assoc($trip_result);

    mysqli_stmt_close($check_trip);


    if (
        $registration_data['total'] > 0 ||
        $trip_data['total'] > 0
    ) {

        $message =
            "This bus cannot be deleted because it is already used in a transport
registration or trip.";

    } else {

        $delete_sql =
            "DELETE FROM bus
             WHERE bus_id = ?";

        $delete_stmt =
            mysqli_prepare($con, $delete_sql);

        mysqli_stmt_bind_param(
            $delete_stmt,
            "i",
            $bus_id
        );

        if (mysqli_stmt_execute($delete_stmt)) {

            $message = "Bus deleted successfully.";

        } else {

            $message =
                "Unable to delete this bus.";

        }
```

```
        mysqli_stmt_close($delete_stmt);
    }
}


/* ============================================================
   UPDATE BUS
   ============================================================ */

if (isset($_POST['update_bus'])) {

    $bus_id = $_POST['bus_id'];
    $bus_number = trim($_POST['bus_number']);
    $bus_type = trim($_POST['bus_type']);
    $capacity = $_POST['capacity'];
    $driver_id = $_POST['driver_id'];
    $status = $_POST['status'];

    if (
        empty($bus_id) ||
        empty($bus_number) ||
        empty($bus_type) ||
        empty($capacity) ||
        empty($driver_id)
    ) {

        $message = "Please fill in all required fields.";

    } else {

        $sql = "UPDATE bus
                SET bus_number = ?,
                    bus_type = ?,
                    capacity = ?,
                    driver_id = ?,
                    status = ?
                WHERE bus_id = ?";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "ssiisi",
```

```
            $bus_number,
            $bus_type,
            $capacity,
            $driver_id,
            $status,
            $bus_id
        );

        if (mysqli_stmt_execute($stmt)) {

            $message = "Bus updated successfully.";

        } else {

            if (mysqli_errno($con) == 1062) {
                $message = "Bus number already exists.";
            } else {
                $message = "Error: " . mysqli_error($con);
            }
        }

        mysqli_stmt_close($stmt);
    }
}


/* ============================================================
   GET BUS FOR EDIT
   ============================================================ */

$edit_bus = null;

if (isset($_GET['edit'])) {

    $edit_id = (int) $_GET['edit'];

    $edit_sql = "SELECT
                    bus_id,
                    bus_number,
                    bus_type,
                    capacity,
                    driver_id,
                    status
```

```
                FROM bus
                WHERE bus_id = ?";

    $edit_stmt =
        mysqli_prepare($con, $edit_sql);

    mysqli_stmt_bind_param(
        $edit_stmt,
        "i",
        $edit_id
    );

    mysqli_stmt_execute($edit_stmt);

    $edit_result =
        mysqli_stmt_get_result($edit_stmt);

    $edit_bus =
        mysqli_fetch_assoc($edit_result);

    mysqli_stmt_close($edit_stmt);
}

?>

<!DOCTYPE html>
<html>

<head>

    <title>Manage Buses</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
            color: #333;
```

```
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
        }

        .header h1 {
            margin: 0 0 8px 0;
            font-size: 30px;
        }

        .header h2 {
            margin: 0;
            font-size: 22px;
        }

        .header p {
            margin: 8px 0 0 0;
        }

        .container {
            width: 95%;
            margin: 30px auto;
        }

        .box {
            background: white;
            padding: 20px;
            margin-bottom: 25px;
            border-radius: 8px;
            overflow-x: auto;
        }

        h2 {
            margin-top: 0;
        }

        label {
            display: block;
            margin-top: 12px;
```

```
            margin-bottom: 5px;
            font-weight: bold;
        }

        input,
        textarea,
        select {
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-family: Arial, sans-serif;
        }

        input:focus,
        textarea:focus,
        select:focus {
            outline: none;
            border-color: #333;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            min-width: 800px;
        }
```

```
        th,
        td {
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }

        th {
            background: #333;
            color: white;
        }

        tr:nth-child(even) {
            background: #f5f5f5;
        }

        tr:hover {
            background: #eeeeee;
        }

        .action {
            display: inline-block;
            padding: 6px 10px;
            margin: 2px;
            color: white;
            text-decoration: none;
            border-radius: 4px;
            background: #444;
        }

        .action:hover {
            background: #222;
        }

        .delete {
            background: #a00000;
        }

        .delete:hover {
            background: #770000;
        }

        .cancel {
```

```
            display: inline-block;
            margin-top: 15px;
            padding: 10px 20px;
            background: #777;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .cancel:hover {
            background: #555;
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .back:hover {
            background: #555;
        }

        .message {
            color: green;
            font-weight: bold;
        }

        .error {
            color: #a00000;
            font-weight: bold;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 24px;
            }
```

```
            .header h2 {
                font-size: 19px;
            }

            .container {
                width: 95%;
            }

            .box {
                padding: 15px;
            }

        }

    </style>

</head>

<body>


<div class="header">

    <h1>College Transport Management System</h1>

    <h2>Manage Buses</h2>

</div>


<div class="container">


    <!-- ====================================================
         MESSAGE
         ==================================================== -->

    <?php

    if ($message != "") {

        echo "<div class='box'>";

        /*
```

```
           Messages containing these words are treated
           as error messages.
        */

        if (
            strpos($message, "cannot") !== false ||
            strpos($message, "Error") !== false ||
            strpos($message, "Unable") !== false ||
            strpos($message, "already exists") !== false
        ) {

            echo "<p class='error'>"
                . htmlspecialchars($message)
                . "</p>";

        } else {

            echo "<p class='message'>"
                . htmlspecialchars($message)
                . "</p>";
        }

        echo "</div>";
    }

    ?>


    <!-- ======================================================
         ADD / EDIT BUS FORM
         ====================================================== -->

    <div class="box">

        <?php if ($edit_bus) { ?>

            <h2>Edit Bus</h2>

            <form method="POST">

                <input
                    type="hidden"
                    name="bus_id"
```

```
                    value="<?php echo $edit_bus['bus_id']; ?>"
                >

                <label>Bus Number</label>

                <input
                    type="text"
                    name="bus_number"
                    value="<?php echo htmlspecialchars($edit_bus['bus_number']);
?>"
                    required
                >


                <label>Bus Type</label>

                <input
                    type="text"
                    name="bus_type"
                    value="<?php echo htmlspecialchars($edit_bus['bus_type']);
?>"
                    required
                >


                <label>Capacity</label>

                <input
                    type="number"
                    name="capacity"
                    min="1"
                    value="<?php echo $edit_bus['capacity']; ?>"
                    required
                >


                <label>Driver</label>

                <select name="driver_id" required>

                    <option value="">
                        -- Select Driver --
                    </option>
```

```php
<?php

/*
   Show all drivers while editing.
   This allows an already-assigned bus to
   keep its current driver even if that
   driver's status is not Active.
*/

$drivers = mysqli_query(
    $con,
    "SELECT driver_id, driver_name, status
     FROM driver
     ORDER BY driver_name"
);

while ($driver = mysqli_fetch_assoc($drivers)) {

    $selected = "";

    if (
        $driver['driver_id']
        == $edit_bus['driver_id']
    ) {

        $selected = "selected";
    }

    echo "<option value='"
        . $driver['driver_id']
        . "' "
        . $selected
        . ">";

    echo htmlspecialchars(
        $driver['driver_name']
    );

    if ($driver['status'] != 'Active') {
        echo " ("
            . htmlspecialchars($driver['status'])
            . ")";
    }
```

```
                echo "</option>";
            }

            ?>

        </select>


        <label>Status</label>

        <select name="status">

            <option
                value="Available"
                <?php
                if ($edit_bus['status'] == 'Available') {
                    echo "selected";
                }
                ?>
            >
                Available
            </option>

            <option
                value="Maintenance"
                <?php
                if ($edit_bus['status'] == 'Maintenance') {
                    echo "selected";
                }
                ?>
            >
                Maintenance
            </option>

            <option
                value="Inactive"
                <?php
                if ($edit_bus['status'] == 'Inactive') {
                    echo "selected";
                }
                ?>
            >
```

```
                    Inactive
                </option>

            </select>


            <button
                type="submit"
                name="update_bus"
            >
                Update Bus
            </button>


            <a
                href="manage_buses.php"
                class="cancel"
            >
                Cancel
            </a>

        </form>


    <?php } else { ?>


        <h2>Add New Bus</h2>

        <form method="POST">

            <label>Bus Number</label>

            <input
                type="text"
                name="bus_number"
                required
            >


            <label>Bus Type</label>

            <input
                type="text"
```

```
        name="bus_type"
        placeholder="College Bus"
        required
    >


    <label>Capacity</label>

    <input
        type="number"
        name="capacity"
        min="1"
        required
    >


    <label>Driver</label>

    <select
        name="driver_id"
        required
    >

        <option value="">
            -- Select Driver --
        </option>

        <?php

        /*
           Only Active drivers are available
           when adding a new bus.
        */

        $drivers = mysqli_query(
            $con,
            "SELECT driver_id, driver_name
             FROM driver
             WHERE status = 'Active'
             ORDER BY driver_name"
        );

        while ($driver = mysqli_fetch_assoc($drivers)) {
```

```
                    echo "<option value='"
                        . $driver['driver_id']
                        . "'>"
                        . htmlspecialchars($driver['driver_name'])
                        . "</option>";
                }

                ?>

            </select>


            <label>Status</label>

            <select name="status">

                <option value="Available">
                    Available
                </option>

                <option value="Maintenance">
                    Maintenance
                </option>

                <option value="Inactive">
                    Inactive
                </option>

            </select>


            <button
                type="submit"
                name="add_bus"
            >
                Add Bus
            </button>

        </form>


    <?php } ?>

</div>
```

```
<!-- ======================================================
     BUS LIST
     ====================================================== -->

<div class="box">

    <h2>Bus List</h2>

    <table>

        <tr>

            <th>ID</th>

            <th>Bus Number</th>

            <th>Type</th>

            <th>Capacity</th>

            <th>Driver</th>

            <th>Status</th>

            <th>Action</th>

        </tr>


        <?php

        $buses = mysqli_query(
            $con,
            "SELECT
                b.bus_id,
                b.bus_number,
                b.bus_type,
                b.capacity,
                d.driver_name,
                b.status
             FROM bus b
             LEFT JOIN driver d
```

```
                ON b.driver_id = d.driver_id
                ORDER BY b.bus_id DESC"
            );


            while ($bus = mysqli_fetch_assoc($buses)) {

                echo "<tr>";


                echo "<td>"
                    . $bus['bus_id']
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars($bus['bus_number'])
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars($bus['bus_type'])
                    . "</td>";


                echo "<td>"
                    . $bus['capacity']
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars(
                        $bus['driver_name']
                        ?? 'Not Assigned'
                    )
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars($bus['status'])
                    . "</td>";


                echo "<td>";
```

```
                /*
                   EDIT BUTTON
                */

                echo "<a
                        href='manage_buses.php?edit="
                        . $bus['bus_id']
                        . "'
                        class='action'
                      >
                        Edit
                      </a>";


                /*
                   DELETE BUTTON
                */

                echo "<a
                        href='manage_buses.php?delete="
                        . $bus['bus_id']
                        . "'
                        class='action delete'
                        onclick=\"return confirm('Are you sure you want to delete
this bus?');\"
                      >
                        Delete
                      </a>";


                echo "</td>";


                echo "</tr>";
            }

            ?>

        </table>

    </div>
```

```
    <a
        href="admin.php"
        class="back"
    >
        ← Back to Admin Dashboard
    </a>


</div>


</body>

</html>


<?php

mysqli_close($con);

?>
```

A.3.7 manage_routes.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$message = "";


/* ============================================================
   ADD ROUTE
   ============================================================ */

if (isset($_POST['add_route'])) {

    $route_name = trim($_POST['route_name']);
    $starting_point = trim($_POST['starting_point']);
    $destination = trim($_POST['destination']);
    $stops = trim($_POST['stops']);
    $distance = $_POST['distance'];
    $status = $_POST['status'];

    if (
        empty($route_name) ||
        empty($starting_point) ||
        empty($destination)
    ) {

        $message = "Please fill in all required fields.";

    } else {

        $sql = "INSERT INTO route
```

```
                (route_name, starting_point, destination, stops, distance,
status)
                VALUES (?, ?, ?, ?, ?, ?)";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "ssssds",
            $route_name,
            $starting_point,
            $destination,
            $stops,
            $distance,
            $status
        );

        if (mysqli_stmt_execute($stmt)) {

            $message = "Route added successfully.";

        } else {

            $message = "Error: " . mysqli_error($con);
        }

        mysqli_stmt_close($stmt);
    }
}


/* ============================================================
   DELETE ROUTE
   ============================================================ */

if (isset($_GET['delete'])) {

    $route_id = (int) $_GET['delete'];


    /* Check if route is used in transport registration */

    $check_registration = mysqli_prepare(
        $con,
```

```
        "SELECT COUNT(*) AS total
         FROM transport_registration
         WHERE route_id = ?"
    );

    mysqli_stmt_bind_param(
        $check_registration,
        "i",
        $route_id
    );

    mysqli_stmt_execute($check_registration);

    $registration_result =
        mysqli_stmt_get_result($check_registration);

    $registration_data =
        mysqli_fetch_assoc($registration_result);

    mysqli_stmt_close($check_registration);


    /* Check if route is used in trip */

    $check_trip = mysqli_prepare(
        $con,
        "SELECT COUNT(*) AS total
         FROM trip
         WHERE route_id = ?"
    );

    mysqli_stmt_bind_param(
        $check_trip,
        "i",
        $route_id
    );

    mysqli_stmt_execute($check_trip);

    $trip_result =
        mysqli_stmt_get_result($check_trip);

    $trip_data =
```

```
        mysqli_fetch_assoc($trip_result);

    mysqli_stmt_close($check_trip);


    if (
        $registration_data['total'] > 0 ||
        $trip_data['total'] > 0
    ) {

        $message =
            "This route cannot be deleted because it is already used in a
transport registration or trip.";

    } else {

        $delete_sql =
            "DELETE FROM route
             WHERE route_id = ?";

        $delete_stmt =
            mysqli_prepare($con, $delete_sql);

        mysqli_stmt_bind_param(
            $delete_stmt,
            "i",
            $route_id
        );

        if (mysqli_stmt_execute($delete_stmt)) {

            $message = "Route deleted successfully.";

        } else {

            $message = "Unable to delete this route.";
        }

        mysqli_stmt_close($delete_stmt);
    }
}


/* ========================================================
```

```
   UPDATE ROUTE
   ========================================================== */

if (isset($_POST['update_route'])) {

    $route_id = $_POST['route_id'];
    $route_name = trim($_POST['route_name']);
    $starting_point = trim($_POST['starting_point']);
    $destination = trim($_POST['destination']);
    $stops = trim($_POST['stops']);
    $distance = $_POST['distance'];
    $status = $_POST['status'];

    if (
        empty($route_id) ||
        empty($route_name) ||
        empty($starting_point) ||
        empty($destination)
    ) {

        $message = "Please fill in all required fields.";

    } else {

        $sql = "UPDATE route
                SET route_name = ?,
                    starting_point = ?,
                    destination = ?,
                    stops = ?,
                    distance = ?,
                    status = ?
                WHERE route_id = ?";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "ssssdsi",
            $route_name,
            $starting_point,
            $destination,
            $stops,
            $distance,
```

```
            $status,
            $route_id
        );

        if (mysqli_stmt_execute($stmt)) {

            $message = "Route updated successfully.";

        } else {

            $message = "Error: " . mysqli_error($con);
        }

        mysqli_stmt_close($stmt);
    }
}


/* ============================================================
   GET ROUTE FOR EDIT
   ============================================================ */

$edit_route = null;

if (isset($_GET['edit'])) {

    $edit_id = (int) $_GET['edit'];

    $edit_sql = "SELECT
                    route_id,
                    route_name,
                    starting_point,
                    destination,
                    stops,
                    distance,
                    status
                FROM route
                WHERE route_id = ?";

    $edit_stmt =
        mysqli_prepare($con, $edit_sql);

    mysqli_stmt_bind_param(
```

```
        $edit_stmt,
        "i",
        $edit_id
    );

    mysqli_stmt_execute($edit_stmt);

    $edit_result =
        mysqli_stmt_get_result($edit_stmt);

    $edit_route =
        mysqli_fetch_assoc($edit_result);

    mysqli_stmt_close($edit_stmt);
}

?>

<!DOCTYPE html>
<html>

<head>

    <title>Manage Routes</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
            color: #333;
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
```

```
        }

        .header h1 {
            margin: 0 0 8px 0;
            font-size: 30px;
        }

        .header h2 {
            margin: 0;
            font-size: 22px;
        }

        .header h3 {
            margin: 8px 0 0 0;
            font-size: 18px;
        }

        .container {
            width: 95%;
            margin: 30px auto;
        }

        .box {
            background: white;
            padding: 20px;
            margin-bottom: 25px;
            border-radius: 8px;
            overflow-x: auto;
        }

        h2 {
            margin-top: 0;
        }

        label {
            display: block;
            margin-top: 12px;
            margin-bottom: 5px;
            font-weight: bold;
        }

        input,
        textarea,
```

```
        select {
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-family: Arial, sans-serif;
        }

        input:focus,
        textarea:focus,
        select:focus {
            outline: none;
            border-color: #333;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            min-width: 850px;
        }

        th,
        td {
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }
```

```
th {
    background: #333;
    color: white;
}

tr:nth-child(even) {
    background: #f5f5f5;
}

tr:hover {
    background: #eeeeee;
}

.action {
    display: inline-block;
    padding: 6px 10px;
    margin: 2px;
    color: white;
    text-decoration: none;
    border-radius: 4px;
    background: #444;
}

.action:hover {
    background: #222;
}

.delete {
    background: #a00000;
}

.delete:hover {
    background: #770000;
}

.cancel {
    display: inline-block;
    margin-top: 15px;
    padding: 10px 20px;
    background: #777;
    color: white;
    text-decoration: none;
```

```
        border-radius: 5px;
    }

    .cancel:hover {
        background: #555;
    }

    .back {
        display: inline-block;
        margin-top: 20px;
        padding: 10px 18px;
        background: #333;
        color: white;
        text-decoration: none;
        border-radius: 5px;
    }

    .back:hover {
        background: #555;
    }

    .message {
        color: green;
        font-weight: bold;
    }

    .error {
        color: #a00000;
        font-weight: bold;
    }

    @media (max-width: 700px) {

        .header h1 {
            font-size: 24px;
        }

        .header h2 {
            font-size: 19px;
        }

        .container {
            width: 95%;
```

```
            }

            .box {
                padding: 15px;
            }
        }

    </style>

</head>

<body>


<div class="header">

    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>

    <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>

    <h3>Admin - Manage Routes</h3>

</div>


<div class="container">


    <!-- ====================================================
         MESSAGE
         ==================================================== -->

    <?php

    if ($message != "") {

        echo "<div class='box'>";

        if (
            strpos($message, "cannot") !== false ||
            strpos($message, "Error") !== false ||
            strpos($message, "Unable") !== false
        ) {
```

```
            echo "<p class='error'>"
                . htmlspecialchars($message)
                . "</p>";

        } else {

            echo "<p class='message'>"
                . htmlspecialchars($message)
                . "</p>";
        }

        echo "</div>";
    }

    ?>


    <!-- ======================================================
         ADD / EDIT ROUTE FORM
         ====================================================== -->

    <div class="box">

        <?php if ($edit_route) { ?>

            <h2>Edit Route</h2>

            <form method="POST">

                <input
                    type="hidden"
                    name="route_id"
                    value="<?php echo $edit_route['route_id']; ?>"
                >


                <label>Route Name</label>

                <input
                    type="text"
                    name="route_name"
                    value="<?php echo
htmlspecialchars($edit_route['route_name']); ?>"
                    required
```

```
                >


                <label>Starting Point</label>

                <input
                    type="text"
                    name="starting_point"
                    value="<?php echo
htmlspecialchars($edit_route['starting_point']); ?>"
                    required
                >


                <label>Destination</label>

                <input
                    type="text"
                    name="destination"
                    value="<?php echo
htmlspecialchars($edit_route['destination']); ?>"
                    required
                >


                <label>Stops</label>

                <textarea
                    name="stops"
                    rows="3"
                ><?php echo htmlspecialchars($edit_route['stops'] ?? '');
?></textarea>


                <label>Distance (KM)</label>

                <input
                    type="number"
                    name="distance"
                    step="0.01"
                    min="0"
                    value="<?php echo htmlspecialchars($edit_route['distance'] ??
''); ?>"
                >
```

```
            <label>Status</label>

            <select name="status">

                <option
                    value="Active"
                    <?php
                    if ($edit_route['status'] == 'Active') {
                        echo "selected";
                    }
                    ?>
                >
                    Active
                </option>

                <option
                    value="Inactive"
                    <?php
                    if ($edit_route['status'] == 'Inactive') {
                        echo "selected";
                    }
                    ?>
                >
                    Inactive
                </option>

            </select>


            <button
                type="submit"
                name="update_route"
            >
                Update Route
            </button>


            <a
                href="manage_routes.php"
                class="cancel"
            >
                Cancel
```

```
                </a>

            </form>


        <?php } else { ?>


            <h2>Add New Route</h2>

            <form method="POST">

                <label>Route Name</label>

                <input
                    type="text"
                    name="route_name"
                    required
                >


                <label>Starting Point</label>

                <input
                    type="text"
                    name="starting_point"
                    required
                >


                <label>Destination</label>

                <input
                    type="text"
                    name="destination"
                    required
                >


                <label>Stops</label>

                <textarea
                    name="stops"
                    rows="3"
```

```
                ></textarea>

                <label>Distance (KM)</label>

                <input
                    type="number"
                    name="distance"
                    step="0.01"
                    min="0"
                >

                <label>Status</label>

                <select name="status">

                    <option value="Active">
                        Active
                    </option>

                    <option value="Inactive">
                        Inactive
                    </option>

                </select>

                <button
                    type="submit"
                    name="add_route"
                >
                    Add Route
                </button>

            </form>

        <?php } ?>

    </div>

    <!-- ========================================================
```

```
        ROUTE LIST
        ========================================================== -->

    <div class="box">

        <h2>Route List</h2>

        <table>

            <tr>

                <th>ID</th>

                <th>Route Name</th>

                <th>Starting Point</th>

                <th>Destination</th>

                <th>Stops</th>

                <th>Distance</th>

                <th>Status</th>

                <th>Action</th>

            </tr>


            <?php

            $routes = mysqli_query(
                $con,
                "SELECT
                    route_id,
                    route_name,
                    starting_point,
                    destination,
                    stops,
                    distance,
                    status
                 FROM route
```

```
            ORDER BY route_id DESC"
        );


        while ($route = mysqli_fetch_assoc($routes)) {

            echo "<tr>";


            echo "<td>"
                . $route['route_id']
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['route_name'])
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['starting_point'])
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['destination'])
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['stops'] ?? '')
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['distance'] ?? '')
                . "</td>";


            echo "<td>"
                . htmlspecialchars($route['status'])
                . "</td>";


            echo "<td>";
```

```
                /* EDIT */

                echo "<a
                        href='manage_routes.php?edit="
                        . $route['route_id']
                        . "'
                        class='action'
                      >
                        Edit
                      </a>";


                /* DELETE */

                echo "<a
                        href='manage_routes.php?delete="
                        . $route['route_id']
                        . "'
                        class='action delete'
                        onclick=\"return confirm('Are you sure you want to delete
this route?');\"
                      >
                        Delete
                      </a>";


                echo "</td>";


                echo "</tr>";
            }

            ?>

        </table>

    </div>


    <a
        href="admin.php"
        class="back"
```

```
    >
        ← Back to Admin Dashboard
    </a>


</div>

</body>

</html>


<?php

mysqli_close($con);

?>
```

A.3.8 manage_trips.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$message = "";


/* ============================================================
   ADD TRIP
   ============================================================ */

if (isset($_POST['add_trip'])) {

    $bus_id = $_POST['bus_id'];
    $route_id = $_POST['route_id'];
    $trip_date = $_POST['trip_date'];
    $departure_time = $_POST['departure_time'];
    $arrival_time =
        !empty($_POST['arrival_time'])
        ? $_POST['arrival_time']
        : NULL;

    $trip_type = $_POST['trip_type'];
    $status = $_POST['status'];


    $sql = "INSERT INTO trip
            (bus_id, route_id, trip_date, departure_time,
             arrival_time, trip_type, status)
            VALUES (?, ?, ?, ?, ?, ?, ?)";
```

```
    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param(
        $stmt,
        "iisssss",
        $bus_id,
        $route_id,
        $trip_date,
        $departure_time,
        $arrival_time,
        $trip_type,
        $status
    );


    if (mysqli_stmt_execute($stmt)) {

        $message = "Trip added successfully.";

    } else {

        $message = "Error: " . mysqli_error($con);
    }

    mysqli_stmt_close($stmt);
}


/* ============================================================
   DELETE TRIP
   ============================================================ */

if (isset($_GET['delete'])) {

    $trip_id = (int) $_GET['delete'];


    $delete_sql =
        "DELETE FROM trip
         WHERE trip_id = ?";

    $delete_stmt =
        mysqli_prepare($con, $delete_sql);
```

```
    mysqli_stmt_bind_param(
        $delete_stmt,
        "i",
        $trip_id
    );


    if (mysqli_stmt_execute($delete_stmt)) {

        $message = "Trip deleted successfully.";

    } else {

        $message = "Unable to delete this trip.";
    }

    mysqli_stmt_close($delete_stmt);
}


/* ============================================================
   UPDATE TRIP
   ============================================================ */

if (isset($_POST['update_trip'])) {

    $trip_id = $_POST['trip_id'];
    $bus_id = $_POST['bus_id'];
    $route_id = $_POST['route_id'];
    $trip_date = $_POST['trip_date'];
    $departure_time = $_POST['departure_time'];

    $arrival_time =
        !empty($_POST['arrival_time'])
        ? $_POST['arrival_time']
        : NULL;

    $trip_type = $_POST['trip_type'];
    $status = $_POST['status'];


    if (
        empty($trip_id) ||
        empty($bus_id) ||
```

```
        empty($route_id) ||
        empty($trip_date) ||
        empty($departure_time) ||
        empty($trip_type) ||
        empty($status)
    ) {

        $message = "Please fill in all required fields.";

    } else {

        $sql = "UPDATE trip
                SET bus_id = ?,
                    route_id = ?,
                    trip_date = ?,
                    departure_time = ?,
                    arrival_time = ?,
                    trip_type = ?,
                    status = ?
                WHERE trip_id = ?";

        $stmt = mysqli_prepare($con, $sql);

        mysqli_stmt_bind_param(
            $stmt,
            "iissssi",
            $bus_id,
            $route_id,
            $trip_date,
            $departure_time,
            $arrival_time,
            $trip_type,
            $status,
            $trip_id
        );


        if (mysqli_stmt_execute($stmt)) {

            $message = "Trip updated successfully.";

        } else {
```

```
            $message = "Error: " . mysqli_error($con);
        }

        mysqli_stmt_close($stmt);
    }
}


/* ============================================================
   GET TRIP FOR EDIT
   ============================================================ */

$edit_trip = null;

if (isset($_GET['edit'])) {

    $edit_id = (int) $_GET['edit'];


    $edit_sql = "SELECT
                    trip_id,
                    bus_id,
                    route_id,
                    trip_date,
                    departure_time,
                    arrival_time,
                    trip_type,
                    status
                FROM trip
                WHERE trip_id = ?";


    $edit_stmt =
        mysqli_prepare($con, $edit_sql);

    mysqli_stmt_bind_param(
        $edit_stmt,
        "i",
        $edit_id
    );

    mysqli_stmt_execute($edit_stmt);

    $edit_result =
```

```
        mysqli_stmt_get_result($edit_stmt);

    $edit_trip =
        mysqli_fetch_assoc($edit_result);

    mysqli_stmt_close($edit_stmt);
}


/* ============================================================
   GET BUSES
   ============================================================ */

/*
   When adding a trip:
   only Available buses are shown.

   When editing:
   the currently assigned bus is also shown even if
   its status is not Available.
*/

if ($edit_trip) {

    $bus_sql = "SELECT
                    bus_id,
                    bus_number,
                    status
                FROM bus
                WHERE status = 'Available'
                   OR bus_id = ?
                ORDER BY bus_number ASC";

    $bus_stmt =
        mysqli_prepare($con, $bus_sql);

    mysqli_stmt_bind_param(
        $bus_stmt,
        "i",
        $edit_trip['bus_id']
    );

    mysqli_stmt_execute($bus_stmt);
```

```
    $bus_result =
        mysqli_stmt_get_result($bus_stmt);

} else {

    $bus_sql = "SELECT
                    bus_id,
                    bus_number,
                    status
                FROM bus
                WHERE status = 'Available'
                ORDER BY bus_number ASC";

    $bus_result =
        mysqli_query($con, $bus_sql);
}


/* ============================================================
   GET ROUTES
   ============================================================ */

/*
   When adding a trip:
   only Active routes are shown.

   When editing:
   the currently assigned route is also shown even if
   its status is Inactive.
*/

if ($edit_trip) {

    $route_sql = "SELECT
                    route_id,
                    route_name,
                    starting_point,
                    destination,
                    status
                FROM route
                WHERE status = 'Active'
                   OR route_id = ?
```

```
                ORDER BY route_name ASC";

    $route_stmt =
        mysqli_prepare($con, $route_sql);

    mysqli_stmt_bind_param(
        $route_stmt,
        "i",
        $edit_trip['route_id']
    );

    mysqli_stmt_execute($route_stmt);

    $route_result =
        mysqli_stmt_get_result($route_stmt);

} else {

    $route_sql = "SELECT
                    route_id,
                    route_name,
                    starting_point,
                    destination
                  FROM route
                  WHERE status = 'Active'
                  ORDER BY route_name ASC";

    $route_result =
        mysqli_query($con, $route_sql);
}


/* ============================================================
   GET ALL TRIPS
   ============================================================ */

$trip_sql = "SELECT
                t.trip_id,
                t.trip_date,
                t.departure_time,
                t.arrival_time,
                t.trip_type,
                t.status,
```

```
                b.bus_number,
                r.route_name,
                r.starting_point,
                r.destination
            FROM trip t

            INNER JOIN bus b
                ON t.bus_id = b.bus_id

            INNER JOIN route r
                ON t.route_id = r.route_id

            ORDER BY
                t.trip_date DESC,
                t.departure_time ASC";


$trip_result =
    mysqli_query($con, $trip_sql);

?>

<!DOCTYPE html>
<html>

<head>

    <title>Manage Trips - College Transport Management System</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
            color: #333;
        }

        .header {
```

```
        background: #222;
        color: white;
        padding: 20px;
        text-align: center;
    }

    .header h1 {
        margin: 0 0 8px 0;
        font-size: 30px;
    }

    .header h2 {
        margin: 0;
        font-size: 22px;
    }

    .header h3 {
        margin: 8px 0 0 0;
        font-size: 18px;
    }

    .container {
        width: 95%;
        margin: 30px auto;
    }

    .box {
        background: white;
        padding: 20px;
        margin-bottom: 25px;
        border-radius: 8px;
        overflow-x: auto;
    }

    h2 {
        margin-top: 0;
    }

    label {
        display: block;
        margin-top: 12px;
        margin-bottom: 5px;
        font-weight: bold;
```

```
        }

        input,
        textarea,
        select {
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-family: Arial, sans-serif;
        }

        input:focus,
        textarea:focus,
        select:focus {
            outline: none;
            border-color: #333;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            min-width: 1000px;
        }

        th,
        td {
```

```
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }

        th {
            background: #333;
            color: white;
        }

        tr:nth-child(even) {
            background: #f5f5f5;
        }

        tr:hover {
            background: #eeeeee;
        }

        .action {
            display: inline-block;
            padding: 6px 10px;
            margin: 2px;
            color: white;
            text-decoration: none;
            border-radius: 4px;
            background: #444;
        }

        .action:hover {
            background: #222;
        }

        .delete {
            background: #a00000;
        }

        .delete:hover {
            background: #770000;
        }

        .cancel {
            display: inline-block;
            margin-top: 15px;
```

```
            padding: 10px 20px;
            background: #777;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .cancel:hover {
            background: #555;
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .back:hover {
            background: #555;
        }

        .message {
            color: green;
            font-weight: bold;
        }

        .error {
            color: #a00000;
            font-weight: bold;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 24px;
            }

            .header h2 {
                font-size: 19px;
```

```
            }

            .container {
                width: 95%;
            }

            .box {
                padding: 15px;
            }
        }

    </style>

</head>

<body>


<div class="header">

    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>

    <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>

    <h3>Admin - Manage Trips</h3>

</div>


<div class="container">


    <!-- ======================================================
         MESSAGE
         ====================================================== -->

    <?php

    if ($message != "") {

        echo "<div class='box'>";

        if (
            strpos($message, "Error") !== false ||
```

```
            strpos($message, "Unable") !== false ||
            strpos($message, "cannot") !== false
        ) {

            echo "<p class='error'>"
                . htmlspecialchars($message)
                . "</p>";

        } else {

            echo "<p class='message'>"
                . htmlspecialchars($message)
                . "</p>";
        }

        echo "</div>";
    }

    ?>


    <!-- ======================================================
         ADD / EDIT TRIP
         ====================================================== -->

    <div class="box">


        <?php if ($edit_trip) { ?>

            <h2>Edit Trip</h2>


            <form method="POST">


                <input
                    type="hidden"
                    name="trip_id"
                    value="<?php echo $edit_trip['trip_id']; ?>"
                >


                <label>Bus:</label>
```

```
<select
    name="bus_id"
    required
>

    <option value="">
        -- Select Bus --
    </option>


    <?php

    while ($bus = mysqli_fetch_assoc($bus_result)) {

        $selected = "";

        if (
            $bus['bus_id']
            == $edit_trip['bus_id']
        ) {

            $selected = "selected";
        }

        echo '<option value="'
            . $bus['bus_id']
            . '" '
            . $selected
            . '>';

        echo htmlspecialchars(
            $bus['bus_number']
        );

        if ($bus['status'] != 'Available') {

            echo " ("
                . htmlspecialchars($bus['status'])
                . ")";
        }

        echo '</option>';
```

```
        }

        ?>

    </select>


    <label>Route:</label>

    <select
        name="route_id"
        required
    >

        <option value="">
            -- Select Route --
        </option>


        <?php

        while ($route = mysqli_fetch_assoc($route_result)) {

            $selected = "";

            if (
                $route['route_id']
                == $edit_trip['route_id']
            ) {

                $selected = "selected";
            }

            echo '<option value="'
                . $route['route_id']
                . '" '
                . $selected
                . '>';

            echo htmlspecialchars(
                $route['route_name']
                . ' - '
                . $route['starting_point']
                . ' to '
```

```
                            . $route['destination']
                        );

                        if (
                            isset($route['status']) &&
                            $route['status'] != 'Active'
                        ) {

                            echo " ("
                                . htmlspecialchars($route['status'])
                                . ")";
                        }

                        echo '</option>';
                    }

                    ?>

                </select>


                <label>Trip Date:</label>

                <input
                    type="date"
                    name="trip_date"
                    value="<?php echo htmlspecialchars($edit_trip['trip_date']);
?>"
                    required
                >


                <label>Departure Time:</label>

                <input
                    type="time"
                    name="departure_time"
                    value="<?php echo
htmlspecialchars($edit_trip['departure_time']); ?>"
                    required
                >


                <label>Arrival Time:</label>
```

```
                <input
                    type="time"
                    name="arrival_time"
                    value="<?php echo htmlspecialchars($edit_trip['arrival_time']
?? ''); ?>"
                >


                <label>Trip Type:</label>

                <select
                    name="trip_type"
                    required
                >

                    <option
                        value="Morning"
                        <?php
                        if ($edit_trip['trip_type'] == 'Morning') {
                            echo "selected";
                        }
                        ?>
                    >
                        Morning
                    </option>

                    <option
                        value="Evening"
                        <?php
                        if ($edit_trip['trip_type'] == 'Evening') {
                            echo "selected";
                        }
                        ?>
                    >
                        Evening
                    </option>

                    <option
                        value="Other"
                        <?php
                        if ($edit_trip['trip_type'] == 'Other') {
                            echo "selected";
```

```
                }
                ?>
            >
                Other
            </option>

        </select>


        <label>Status:</label>

        <select
            name="status"
            required
        >

            <option
                value="Scheduled"
                <?php
                if ($edit_trip['status'] == 'Scheduled') {
                    echo "selected";
                }
                ?>
            >
                Scheduled
            </option>

            <option
                value="Completed"
                <?php
                if ($edit_trip['status'] == 'Completed') {
                    echo "selected";
                }
                ?>
            >
                Completed
            </option>

            <option
                value="Cancelled"
                <?php
                if ($edit_trip['status'] == 'Cancelled') {
                    echo "selected";
```

```
                    }
                    ?>
                >
                    Cancelled
                </option>

            </select>


            <button
                type="submit"
                name="update_trip"
            >
                Update Trip
            </button>


            <a
                href="manage_trips.php"
                class="cancel"
            >
                Cancel
            </a>


        </form>


    <?php } else { ?>


        <h2>Add New Trip</h2>


        <form method="POST">


            <label>Bus:</label>

            <select
                name="bus_id"
                required
            >
```

```
                <option value="">
                    -- Select Bus --
                </option>


                <?php

                while ($bus = mysqli_fetch_assoc($bus_result)) {

                    echo '<option value="'
                        . $bus['bus_id']
                        . '">'

                        . htmlspecialchars(
                            $bus['bus_number']
                        )

                        . '</option>';
                }

                ?>

            </select>


            <label>Route:</label>

            <select
                name="route_id"
                required
            >

                <option value="">
                    -- Select Route --
                </option>


                <?php

                while ($route = mysqli_fetch_assoc($route_result)) {

                    echo '<option value="'
                        . $route['route_id']
                        . '">'
```

```
                . htmlspecialchars(
                    $route['route_name']
                    . ' - '
                    . $route['starting_point']
                    . ' to '
                    . $route['destination']
                )

                . '</option>';
        }

        ?>

    </select>


    <label>Trip Date:</label>

    <input
        type="date"
        name="trip_date"
        required
    >


    <label>Departure Time:</label>

    <input
        type="time"
        name="departure_time"
        required
    >


    <label>Arrival Time:</label>

    <input
        type="time"
        name="arrival_time"
    >


    <label>Trip Type:</label>
```

```
<select
    name="trip_type"
    required
>

    <option value="Morning">
        Morning
    </option>

    <option value="Evening">
        Evening
    </option>

    <option value="Other">
        Other
    </option>

</select>


<label>Status:</label>

<select
    name="status"
    required
>

    <option value="Scheduled">
        Scheduled
    </option>

    <option value="Completed">
        Completed
    </option>

    <option value="Cancelled">
        Cancelled
    </option>

</select>


<button
```

```
                type="submit"
                name="add_trip"
            >
                ADD TRIP
            </button>


        </form>


    <?php } ?>


</div>


<!-- ========================================================
     TRIP LIST
     ======================================================== -->

<div class="box">

    <h2>All Trips</h2>


    <table>

        <tr>

            <th>ID</th>

            <th>Bus</th>

            <th>Route</th>

            <th>Date</th>

            <th>Departure</th>

            <th>Arrival</th>

            <th>Type</th>

            <th>Status</th>
```

```
            <th>Action</th>

        </tr>


        <?php

        if (mysqli_num_rows($trip_result) > 0) {

            while ($trip = mysqli_fetch_assoc($trip_result)) {

                echo "<tr>";


                echo "<td>"
                    . $trip['trip_id']
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars(
                        $trip['bus_number']
                    )
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars(
                        $trip['route_name']
                        . ' - '
                        . $trip['starting_point']
                        . ' to '
                        . $trip['destination']
                    )
                    . "</td>";


                echo "<td>"
                    . htmlspecialchars(
                        $trip['trip_date']
                    )
                    . "</td>";
```

```
                    echo "<td>"
                        . htmlspecialchars(
                            $trip['departure_time']
                        )
                        . "</td>";


                    echo "<td>"
                        . htmlspecialchars(
                            $trip['arrival_time'] ?? '-'
                        )
                        . "</td>";


                    echo "<td>"
                        . htmlspecialchars(
                            $trip['trip_type']
                        )
                        . "</td>";


                    echo "<td>"
                        . htmlspecialchars(
                            $trip['status']
                        )
                        . "</td>";


                    echo "<td>";


                    echo "<a
                            href='manage_trips.php?edit="
                            . $trip['trip_id']
                            . "'
                            class='action'
                          >
                            Edit
                          </a>";


                    echo "<a
                            href='manage_trips.php?delete="
                            . $trip['trip_id']
```

```
                            . "'
                            class='action delete'
                            onclick=\"return confirm('Are you sure you want to
delete this trip?');\"
                        >
                            Delete
                        </a>";

                    echo "</td>";

                    echo "</tr>";
                }

            } else {

                echo '<tr>

                        <td colspan="9">
                            No trips found.
                        </td>

                    </tr>';
            }

            ?>

        </table>

    </div>


    <a
        href="admin.php"
        class="back"
    >
        ← Back to Admin Dashboard
    </a>


</div>

</body>
```

```
</html>

<?php

mysqli_close($con);

?>
```

A.3.9 manage_registrations.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}

$message = "";

/* Approve Registration */
if (isset($_POST['approve'])) {

    $registration_id = $_POST['registration_id'];

    $sql = "UPDATE transport_registration
            SET status = 'Approved'
            WHERE registration_id = ?";

    $stmt = mysqli_prepare($con, $sql);
    mysqli_stmt_bind_param($stmt, "i", $registration_id);

    if (mysqli_stmt_execute($stmt)) {
        $message = "Registration approved successfully.";
    } else {
        $message = "Error: " . mysqli_error($con);
    }

    mysqli_stmt_close($stmt);
}

/* Reject Registration */
if (isset($_POST['reject'])) {

    $registration_id = $_POST['registration_id'];
```

```
    $sql = "UPDATE transport_registration
            SET status = 'Rejected'
            WHERE registration_id = ?";

    $stmt = mysqli_prepare($con, $sql);
    mysqli_stmt_bind_param($stmt, "i", $registration_id);

    if (mysqli_stmt_execute($stmt)) {
        $message = "Registration rejected.";
    } else {
        $message = "Error: " . mysqli_error($con);
    }

    mysqli_stmt_close($stmt);
}
?>

<!DOCTYPE html>
<html>

<head>

    <title>Manage Transport Registrations</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
            color: #333;
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
```

```
        }

        .header h1 {
            margin: 0 0 8px 0;
            font-size: 30px;
        }

        .header h2 {
            margin: 0;
            font-size: 22px;
        }

        .header p {
            margin: 8px 0 0 0;
        }

        .container {
            width: 95%;
            margin: 30px auto;
        }

        .box {
            background: white;
            padding: 20px;
            margin-bottom: 25px;
            border-radius: 8px;
            overflow-x: auto;
        }

        h2 {
            margin-top: 0;
        }

        label {
            display: block;
            margin-top: 12px;
            margin-bottom: 5px;
            font-weight: bold;
        }

        input,
        textarea,
        select {
```

```
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-family: Arial, sans-serif;
        }

        input:focus,
        textarea:focus,
        select:focus {
            outline: none;
            border-color: #333;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
            background: #333;
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            min-width: 650px;
        }

        th,
        td {
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }
```

```
        th {
            background: #333;
            color: white;
        }

        tr:nth-child(even) {
            background: #f5f5f5;
        }

        tr:hover {
            background: #eeeeee;
        }

        .action {
            display: inline-block;
            padding: 6px 10px;
            margin: 2px;
            color: white;
            text-decoration: none;
            border-radius: 4px;
            background: #444;
        }

        .action:hover {
            background: #222;
        }

        .delete {
            background: #a00000;
        }

        .delete:hover {
            background: #770000;
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
```

```
        }

        .back:hover {
            background: #555;
        }

        .message {
            color: green;
            font-weight: bold;
        }

        .success {
            color: green;
            font-weight: bold;
        }

        .amount {
            font-weight: bold;
        }

        .summary-table {
            min-width: 0;
        }

        a {
            color: #333;
            text-decoration: none;
        }

        a:hover {
            text-decoration: underline;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 24px;
            }

            .header h2 {
                font-size: 19px;
            }
```

```
            .container {
                width: 95%;
            }

            .box {
                padding: 15px;
            }
        }

    </style>

</head>

<body>

<div class="header">

    <h1>College Transport Management System</h1>
    <h2>Manage Transport Registrations</h2>

</div>

<div class="container">
<div class="box">

        <?php
        if ($message != "") {
            echo "<p class='message'>" .
                 htmlspecialchars($message) .
                 "</p>";
        }
        ?>

        <table>

            <tr>
                <th>Registration ID</th>
                <th>Student</th>
                <th>Route</th>
                <th>Bus</th>
                <th>Registration Date</th>
                <th>Start Date</th>
                <th>End Date</th>
```

```
            <th>Status</th>
            <th>Action</th>
        </tr>

        <?php

        $sql = "SELECT
                    tr.registration_id,
                    s.full_name,
                    s.email,
                    r.route_name,
                    b.bus_number,
                    tr.registration_date,
                    tr.start_date,
                    tr.end_date,
                    tr.status

                FROM transport_registration tr

                INNER JOIN student s
                    ON tr.student_id = s.student_id

                INNER JOIN route r
                    ON tr.route_id = r.route_id

                LEFT JOIN bus b
                    ON tr.bus_id = b.bus_id

                ORDER BY tr.registration_id DESC";

        $result = mysqli_query($con, $sql);

        while ($row = mysqli_fetch_assoc($result)) {

            echo "<tr>";

            echo "<td>" .
                 $row['registration_id'] .
                 "</td>";

            echo "<td>" .
                 htmlspecialchars($row['full_name']) .
                 "<br>" .
```

```
                htmlspecialchars($row['email']) .
                "</td>";

            echo "<td>" .
                htmlspecialchars($row['route_name']) .
                "</td>";

            echo "<td>" .
                htmlspecialchars(
                    $row['bus_number'] ?? 'Not Assigned'
                ) .
                "</td>";

            echo "<td>" .
                htmlspecialchars($row['registration_date']) .
                "</td>";

            echo "<td>" .
                htmlspecialchars($row['start_date'] ?? '') .
                "</td>";

            echo "<td>" .
                htmlspecialchars($row['end_date'] ?? '') .
                "</td>";

            echo "<td>" .
                htmlspecialchars($row['status']) .
                "</td>";

            echo "<td>";

            if ($row['status'] == 'Pending') {

                echo "
                <form method='POST' style='display:inline;'>
                    <input type='hidden'
                           name='registration_id'
                           value='" . $row['registration_id'] . "'>

                    <button type='submit'
                            name='approve'
                            class='approve'>
                        Approve
```

```
                        </button>
                    </form>

                    <form method='POST' style='display:inline;'>
                        <input type='hidden'
                               name='registration_id'
                               value='" . $row['registration_id'] . "'>

                        <button type='submit'
                                name='reject'
                                class='reject'>
                            Reject
                        </button>
                    </form>
                    ";

                } else {

                    echo "No Action";

                }

                echo "</td>";

                echo "</tr>";
            }

            ?>

        </table>

    </div>

    <a href="admin.php" class="back">← Back to Admin Dashboard</a>

</div>

</body>
</html>

<?php
mysqli_close($con);
?>
```

A.3.10 manage_payments.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


/* UPDATE PAYMENT STATUS */

if (isset($_POST['update_payment'])) {

    $payment_id = $_POST['payment_id'];
    $payment_status = $_POST['payment_status'];

    $sql = "UPDATE payment
            SET payment_status = ?
            WHERE payment_id = ?";

    $stmt = mysqli_prepare($con, $sql);

    mysqli_stmt_bind_param(
        $stmt,
        "si",
        $payment_status,
        $payment_id
    );

    mysqli_stmt_execute($stmt);
    mysqli_stmt_close($stmt);

    header("Location: manage_payments.php?updated=1");
    exit;
}
```

```
/* GET ALL PAYMENTS */

$sql = "SELECT
            p.payment_id,
            p.registration_id,
            p.amount,
            p.payment_date,
            p.payment_method,
            p.transaction_id,
            p.payment_status,

            s.student_id,
            s.full_name,

            r.route_name,
            r.starting_point,
            r.destination,

            b.bus_number

        FROM payment p

        INNER JOIN transport_registration tr
            ON p.registration_id = tr.registration_id

        INNER JOIN student s
            ON tr.student_id = s.student_id

        INNER JOIN route r
            ON tr.route_id = r.route_id

        LEFT JOIN bus b
            ON tr.bus_id = b.bus_id

        ORDER BY p.payment_date DESC, p.payment_id DESC";

$result = mysqli_query($con, $sql);

?>

<!DOCTYPE html>
```

```
<html>

<head>

    <title>Manage Payments - College Transport Management System</title>

    <style>

        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f2f4f7;
            color: #333;
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
        }

        .header h1 {
            margin: 0 0 8px 0;
            font-size: 30px;
        }

        .header h2 {
            margin: 0;
            font-size: 22px;
        }

        .header p {
            margin: 8px 0 0 0;
        }

        .container {
            width: 95%;
            margin: 30px auto;
```

```
        }

        .box {
            background: white;
            padding: 20px;
            margin-bottom: 25px;
            border-radius: 8px;
            overflow-x: auto;
        }

        h2 {
            margin-top: 0;
        }

        label {
            display: block;
            margin-top: 12px;
            margin-bottom: 5px;
            font-weight: bold;
        }

        input,
        textarea,
        select {
            width: 100%;
            padding: 10px;
            box-sizing: border-box;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-family: Arial, sans-serif;
        }

        input:focus,
        textarea:focus,
        select:focus {
            outline: none;
            border-color: #333;
        }

        button {
            margin-top: 15px;
            padding: 10px 20px;
            background: #333;
```

```
            color: white;
            border: none;
            border-radius: 5px;
            cursor: pointer;
        }

        button:hover {
            background: #555;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
            min-width: 650px;
        }

        th,
        td {
            border: 1px solid #ccc;
            padding: 10px;
            text-align: left;
        }

        th {
            background: #333;
            color: white;
        }

        tr:nth-child(even) {
            background: #f5f5f5;
        }

        tr:hover {
            background: #eeeeee;
        }

        .action {
            display: inline-block;
            padding: 6px 10px;
            margin: 2px;
            color: white;
            text-decoration: none;
```

```
            border-radius: 4px;
            background: #444;
        }

        .action:hover {
            background: #222;
        }

        .delete {
            background: #a00000;
        }

        .delete:hover {
            background: #770000;
        }

        .back {
            display: inline-block;
            margin-top: 20px;
            padding: 10px 18px;
            background: #333;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .back:hover {
            background: #555;
        }

        .message {
            color: green;
            font-weight: bold;
        }

        .success {
            color: green;
            font-weight: bold;
        }

        .amount {
            font-weight: bold;
        }
```

```
        .summary-table {
            min-width: 0;
        }

        a {
            color: #333;
            text-decoration: none;
        }

        a:hover {
            text-decoration: underline;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 24px;
            }

            .header h2 {
                font-size: 19px;
            }

            .container {
                width: 95%;
            }

            .box {
                padding: 15px;
            }
        }

    </style>

</head>

<body>

<div class="header">

    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>
```

```
    <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>

    <h3>Admin - Manage Payments</h3>

</div>


<div class="container">
<?php

    if (isset($_GET['updated'])) {

        echo '<div class="success">
                Payment status updated successfully.
              </div>';
    }

    ?>


    <div class="box">

        <h2>Payment Records</h2>

        <table>

            <tr>

                <th>Payment ID</th>

                <th>Registration ID</th>

                <th>Student</th>

                <th>Route</th>

                <th>Bus</th>

                <th>Amount</th>

                <th>Payment Date</th>

                <th>Method</th>
```

```
            <th>Transaction ID</th>

            <th>Status</th>

            <th>Action</th>

        </tr>


        <?php

        if (mysqli_num_rows($result) > 0) {

            while ($payment = mysqli_fetch_assoc($result)) {

                echo "<tr>";

                echo "<td>"
                    . htmlspecialchars($payment['payment_id'])
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars($payment['registration_id'])
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $payment['student_id']
                        . ' - '
                        . $payment['full_name']
                    )
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $payment['route_name']
                        . ' - '
                        . $payment['starting_point']
                        . ' to '
                        . $payment['destination']
                    )
                    . "</td>";
```

```
                    echo "<td>"
                        . htmlspecialchars(
                            $payment['bus_number'] ?? '-'
                        )
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($payment['amount'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($payment['payment_date'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($payment['payment_method'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars(
                            $payment['transaction_id'] ?? '-'
                        )
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($payment['payment_status'])
                        . "</td>";


                    echo "<td>";

                    echo '<form method="post">';

                    echo '<input type="hidden"
                                 name="payment_id"
                                 value="'
                         . htmlspecialchars($payment['payment_id'])
                         . '">';

                    echo '<select name="payment_status">';

                    $statuses = ['Pending', 'Paid', 'Failed'];
```

```
                foreach ($statuses as $status) {

                    $selected =
                        ($payment['payment_status'] === $status)
                        ? 'selected'
                        : '';

                    echo '<option value="'
                         . $status
                         . '" '
                         . $selected
                         . '>'
                         . $status
                         . '</option>';
                }

                echo '</select>';

                echo '<br>';

                echo '<button
                        type="submit"
                        name="update_payment"
                        class="btn">
                        Update
                      </button>';

                echo '</form>';

                echo "</td>";

                echo "</tr>";
            }

        } else {

            echo '<tr>
                    <td colspan="11">
                        No payment records found.
                    </td>
                  </tr>';
        }
```

```
            ?>

        </table>

    </div>

    <a href="admin.php" class="back">← Back to Admin Dashboard</a>

</div>

</body>

</html>

<?php
mysqli_close($con);
?>
```

A.3.11 admin_reports.php

```php
<?php
session_start();

if (!isset($_SESSION['admin_id'])) {
    header("Location: ad.php");
    exit;
}

$con = mysqli_connect("localhost", "root", "", "transport_management");

if (!$con) {
    die("Database connection failed: " . mysqli_connect_error());
}


/* =========================
   SUMMARY COUNTS
   ========================= */

$student_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM student")
)['total'];

$driver_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM driver")
)['total'];

$bus_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM bus")
)['total'];

$route_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM route")
)['total'];

$trip_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM trip")
)['total'];

$registration_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM transport_registration")
```

```
)['total'];

$payment_count = mysqli_fetch_assoc(
    mysqli_query($con, "SELECT COUNT(*) AS total FROM payment")
)['total'];


/* =========================
   REGISTRATION STATUS
   ========================= */

$registration_status_sql = "
    SELECT status, COUNT(*) AS total
    FROM transport_registration
    GROUP BY status
    ORDER BY status
";

$registration_status_result =
    mysqli_query($con, $registration_status_sql);


/* =========================
   PAYMENT STATUS
   ========================= */

$payment_status_sql = "
    SELECT payment_status, COUNT(*) AS total
    FROM payment
    GROUP BY payment_status
    ORDER BY payment_status
";

$payment_status_result =
    mysqli_query($con, $payment_status_sql);


/* =========================
   TOTAL PAID AMOUNT
   ========================= */

$paid_amount_sql = "
    SELECT COALESCE(SUM(amount), 0) AS total
    FROM payment
```

```
    WHERE payment_status = 'Paid'
";

$paid_amount =
    mysqli_fetch_assoc(
        mysqli_query($con, $paid_amount_sql)
    )['total'];


/* ========================
   REGISTRATION REPORT
   ======================== */

$registration_report_sql = "
    SELECT
        tr.registration_id,
        s.student_id,
        s.full_name,
        r.route_name,
        r.starting_point,
        r.destination,
        b.bus_number,
        tr.registration_date,
        tr.start_date,
        tr.end_date,
        tr.status
    FROM transport_registration tr

    INNER JOIN student s
        ON tr.student_id = s.student_id

    INNER JOIN route r
        ON tr.route_id = r.route_id

    LEFT JOIN bus b
        ON tr.bus_id = b.bus_id

    ORDER BY tr.registration_id DESC
";

$registration_report =
    mysqli_query($con, $registration_report_sql);
```

```
/* ========================
   PAYMENT REPORT
   ======================== */

$payment_report_sql = "
    SELECT
        p.payment_id,
        p.registration_id,
        s.student_id,
        s.full_name,
        p.amount,
        p.payment_date,
        p.payment_method,
        p.transaction_id,
        p.payment_status
    FROM payment p

    INNER JOIN transport_registration tr
        ON p.registration_id = tr.registration_id

    INNER JOIN student s
        ON tr.student_id = s.student_id

    ORDER BY p.payment_id DESC
";

$payment_report =
    mysqli_query($con, $payment_report_sql);


/* ========================
   TRIP REPORT
   ======================== */

$trip_report_sql = "
    SELECT
        t.trip_id,
        b.bus_number,
        r.route_name,
        r.starting_point,
        r.destination,
        t.trip_date,
        t.departure_time,
```

```
        t.arrival_time,
        t.trip_type,
        t.status
    FROM trip t

    INNER JOIN bus b
        ON t.bus_id = b.bus_id

    INNER JOIN route r
        ON t.route_id = r.route_id

    ORDER BY t.trip_date DESC, t.departure_time ASC
";

$trip_report =
    mysqli_query($con, $trip_report_sql);

?>

<!DOCTYPE html>
<html>

<head>

    <title>Admin Reports - College Transport Management System</title>

    <style>

        body {
            font-family: Arial, sans-serif;
            background: #f2f2f2;
            margin: 0;
            padding: 0;
        }

        .header {
            background: #222;
            color: white;
            padding: 20px;
            text-align: center;
        }

        .container {
```

```
        width: 97%;
        margin: 25px auto;
    }

    .box {
        background: white;
        padding: 25px;
        margin-bottom: 25px;
        border-radius: 8px;
        box-shadow: 0 2px 8px rgba(0,0,0,0.15);
    }

    h2 {
        margin-top: 0;
    }

    .cards {
        display: grid;
        grid-template-columns: repeat(4, 1fr);
        gap: 15px;
        margin-bottom: 25px;
    }

    .card {
        background: white;
        padding: 20px;
        text-align: center;
        border-radius: 8px;
        box-shadow: 0 2px 8px rgba(0,0,0,0.15);
    }

    .card h3 {
        margin: 5px 0;
        font-size: 30px;
    }

    .card p {
        margin: 0;
        font-weight: bold;
    }

    table {
        width: 100%;
```

```
        border-collapse: collapse;
        margin-top: 15px;
    }

    th,
    td {
        border: 1px solid #ccc;
        padding: 9px;
        text-align: center;
    }

    th {
        background: #222;
        color: white;
    }

    .summary-table {
        width: 50%;
    }

    .amount {
        font-weight: bold;
    }

    /* DASHBOARD BUTTON */

    .back {
        display: inline-block;
        margin-top: 20px;
        padding: 10px 15px;
        background: #333;
        color: white;
        text-decoration: none;
        border-radius: 5px;
        font-size: 14px;
    }

    .back:hover {
        background: #222;
    }

    @media screen and (max-width: 900px) {
```

```
            .cards {
                grid-template-columns: repeat(2, 1fr);
            }

            table {
                font-size: 12px;
            }

            .summary-table {
                width: 100%;
            }

        }

    </style>

</head>

<body>


<div class="header">

    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>

    <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>

    <h3>ADMIN REPORTS</h3>

</div>


<div class="container">


    <!-- ========================
         SUMMARY
         ======================== -->

    <div class="cards">

        <div class="card">
            <p>Total Students</p>
            <h3><?php echo $student_count; ?></h3>
```

```
        </div>

        <div class="card">
            <p>Total Drivers</p>
            <h3><?php echo $driver_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Buses</p>
            <h3><?php echo $bus_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Routes</p>
            <h3><?php echo $route_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Trips</p>
            <h3><?php echo $trip_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Registrations</p>
            <h3><?php echo $registration_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Payments</p>
            <h3><?php echo $payment_count; ?></h3>
        </div>

        <div class="card">
            <p>Total Paid Amount</p>
            <h3>₹<?php echo number_format($paid_amount, 2); ?></h3>
        </div>

    </div>


    <!-- ========================
         REGISTRATION STATUS
         ======================== -->
```

```
<div class="box">

    <h2>Transport Registration Summary</h2>

    <table class="summary-table">

        <tr>
            <th>Status</th>
            <th>Total</th>
        </tr>

        <?php

        if (mysqli_num_rows($registration_status_result) > 0) {

            while ($row =
                mysqli_fetch_assoc($registration_status_result)) {

                echo "<tr>";

                echo "<td>"
                    . htmlspecialchars($row['status'])
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars($row['total'])
                    . "</td>";

                echo "</tr>";
            }

        } else {

            echo "<tr>
                    <td colspan='2'>No registration data.</td>
                  </tr>";
        }

        ?>

    </table>
```

```
    </div>


    <!-- ========================
         PAYMENT STATUS
         ======================== -->

    <div class="box">

        <h2>Payment Summary</h2>

        <table class="summary-table">

            <tr>
                <th>Payment Status</th>
                <th>Total</th>
            </tr>

            <?php

            if (mysqli_num_rows($payment_status_result) > 0) {

                while ($row =
                    mysqli_fetch_assoc($payment_status_result)) {

                    echo "<tr>";

                    echo "<td>"
                        . htmlspecialchars($row['payment_status'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($row['total'])
                        . "</td>";

                    echo "</tr>";
                }

            } else {

                echo "<tr>
                        <td colspan='2'>No payment data.</td>
                      </tr>";
```

```
        }

        ?>

    </table>

</div>


<!-- ========================
     REGISTRATION REPORT
     ======================== -->

<div class="box">

    <h2>Transport Registration Report</h2>

    <table>

        <tr>

            <th>Registration ID</th>
            <th>Student</th>
            <th>Route</th>
            <th>Bus</th>
            <th>Registration Date</th>
            <th>Start Date</th>
            <th>End Date</th>
            <th>Status</th>

        </tr>

        <?php

        if (mysqli_num_rows($registration_report) > 0) {

            while ($row =
                mysqli_fetch_assoc($registration_report)) {

                echo "<tr>";

                echo "<td>"
                    . htmlspecialchars($row['registration_id'])
```

```
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['student_id']
                . " - "
                . $row['full_name']
            )
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['route_name']
                . " - "
                . $row['starting_point']
                . " to "
                . $row['destination']
            )
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['bus_number'] ?? '-'
            )
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['registration_date']
            )
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['start_date'] ?? '-'
            )
            . "</td>";

        echo "<td>"
            . htmlspecialchars(
                $row['end_date'] ?? '-'
            )
            . "</td>";
```

```
                echo "<td>"
                    . htmlspecialchars($row['status'])
                    . "</td>";

                echo "</tr>";
            }

        } else {

            echo "<tr>
                    <td colspan='8'>
                        No registration records found.
                    </td>
                  </tr>";
        }

        ?>

    </table>

</div>


<!-- ========================
     PAYMENT REPORT
     ======================== -->

<div class="box">

    <h2>Payment Report</h2>

    <table>

        <tr>

            <th>Payment ID</th>
            <th>Registration ID</th>
            <th>Student</th>
            <th>Amount</th>
            <th>Payment Date</th>
            <th>Method</th>
            <th>Transaction ID</th>
```

```
            <th>Status</th>

        </tr>

        <?php

        if (mysqli_num_rows($payment_report) > 0) {

            while ($row =
                mysqli_fetch_assoc($payment_report)) {

                echo "<tr>";

                echo "<td>"
                    . htmlspecialchars($row['payment_id'])
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $row['registration_id']
                    )
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $row['student_id']
                        . " - "
                        . $row['full_name']
                    )
                    . "</td>";

                echo "<td class='amount'>₹"
                    . htmlspecialchars($row['amount'])
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $row['payment_date']
                    )
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
```

```
                        $row['payment_method']
                    )
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $row['transaction_id'] ?? '-'
                    )
                    . "</td>";

                echo "<td>"
                    . htmlspecialchars(
                        $row['payment_status']
                    )
                    . "</td>";

                echo "</tr>";
            }

        } else {

            echo "<tr>
                    <td colspan='8'>
                        No payment records found.
                    </td>
                  </tr>";
        }

        ?>

    </table>

</div>


<!-- ========================
     TRIP REPORT
     ======================== -->

<div class="box">

    <h2>Trip Report</h2>
```

```
        <table>

            <tr>

                <th>Trip ID</th>
                <th>Bus</th>
                <th>Route</th>
                <th>Date</th>
                <th>Departure</th>
                <th>Arrival</th>
                <th>Type</th>
                <th>Status</th>

            </tr>

            <?php

            if (mysqli_num_rows($trip_report) > 0) {

                while ($row =
                    mysqli_fetch_assoc($trip_report)) {

                    echo "<tr>";

                    echo "<td>"
                        . htmlspecialchars($row['trip_id'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($row['bus_number'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars(
                            $row['route_name']
                            . " - "
                            . $row['starting_point']
                            . " to "
                            . $row['destination']
                        )
                        . "</td>";

                    echo "<td>"
```

```
                        . htmlspecialchars($row['trip_date'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars(
                            $row['departure_time']
                        )
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars(
                            $row['arrival_time'] ?? '-'
                        )
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($row['trip_type'])
                        . "</td>";

                    echo "<td>"
                        . htmlspecialchars($row['status'])
                        . "</td>";

                    echo "</tr>";
                }

            } else {

                echo "<tr>
                        <td colspan='8'>
                            No trip records found.
                        </td>
                      </tr>";
            }

            ?>

        </table>

    </div>


    <!-- DASHBOARD BUTTON AT THE BOTTOM -->
```

```
    <a href="admin.php" class="back">
        ← Back to Admin Dashboard
    </a>


</div>

</body>

</html>

<?php
mysqli_close($con);
?>
```

A.3.12 admin_logout.php

```
<?php

session_start();

session_unset();
session_destroy();

header("Location: ad.php");
exit;

?>
```

A.4 General Website Source Code

A.4.1 aboutus/Home.html

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>About Us - College Transport Management System</title>

    <style>
        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
            color: #333;
        }

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }

        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
        }

        .header h2 {
            margin: 0;
            color: #222;
```

```
        font-size: 24px;
    }

    .navbar {
        background-color: #990000;
        padding: 12px 20px;
        text-align: center;
    }

    .navbar a {
        color: white;
        text-decoration: none;
        margin: 0 15px;
        font-size: 15px;
    }

    .navbar a:hover {
        text-decoration: underline;
    }

    .container {
        width: 95%;
        max-width: 1000px;
        margin: 35px auto;
    }

    .title-box {
        background-color: white;
        padding: 25px;
        border-radius: 8px;
        box-shadow: 0 3px 12px rgba(0, 0, 0, 0.12);
        text-align: center;
        margin-bottom: 25px;
    }

    .title-box h2 {
        color: #990000;
        margin: 0 0 10px 0;
    }

    .title-box p {
        color: #555;
        margin: 0;
```

```
        }

        .content-box {
            background-color: white;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0, 0, 0, 0.12);
            line-height: 1.7;
        }

        .content-box h3 {
            color: #990000;
            margin-top: 0;
            margin-bottom: 12px;
            font-size: 21px;
        }

        .content-box h4 {
            color: #990000;
            margin-top: 25px;
            margin-bottom: 8px;
            font-size: 18px;
        }

        .content-box p {
            color: #444;
            margin-bottom: 15px;
            text-align: justify;
        }

        .feature-list {
            margin-top: 10px;
            padding-left: 25px;
        }

        .feature-list li {
            margin-bottom: 10px;
            color: #444;
        }

        .back-btn {
            display: inline-block;
            margin-top: 15px;
```

```
            padding: 11px 22px;
            background-color: #990000;
            color: white;
            text-decoration: none;
            border-radius: 5px;
        }

        .back-btn:hover {
            background-color: #770000;
        }

        .footer {
            margin-top: 40px;
            background-color: #222;
            color: white;
            text-align: center;
            padding: 20px;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }

            .header h2 {
                font-size: 19px;
            }

            .navbar a {
                display: inline-block;
                margin: 5px 8px;
            }

            .content-box {
                padding: 20px;
            }
        }
    </style>
</head>

<body>
```

```
<div class="header">
    <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>
    <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>
</div>

<div class="navbar">
    <a href="../index.html">Home</a>
    <a href="Home.html">About Us</a>
    <a href="../strouteinfo.php">Routes</a>
    <a href="../student.php">Student Dashboard</a>
    <a href="../contactus/contect.html">Contact Us</a>
</div>

<div class="container">

    <div class="title-box">
        <h2>About College Transport Management System</h2>
        <p>About the project and its major facilities</p>
    </div>

    <div class="content-box">

        <h3>About the System</h3>

        <p>
            The College Transport Management System is a web-based
            application developed to manage student transportation
            services. The system provides facilities for students
            to view available routes and buses, register for transport
            services, make payment records and view their registration
            details.
        </p>

        <p>
            Administrators can manage students, drivers, buses,
            routes, trips, transport registrations and payments
            through a centralized system.
        </p>

        <h4>Student Facilities</h4>

        <ul class="feature-list">
            <li>Student registration and login</li>
```

```
                <li>View available transport routes</li>
                <li>View available buses and driver information</li>
                <li>Register for transport services</li>
                <li>Make transport payment records</li>
                <li>View transport registration details</li>
                <li>View payment receipts</li>
                <li>Change student account password</li>
            </ul>

            <h4>Administrator Facilities</h4>

            <ul class="feature-list">
                <li>Manage student records</li>
                <li>Manage driver records</li>
                <li>Manage buses</li>
                <li>Manage transport routes</li>
                <li>Manage trips</li>
                <li>Manage transport registrations</li>
                <li>Manage payment records</li>
                <li>View transport-related information and reports</li>
            </ul>

            <h4>Purpose of the System</h4>

            <p>
                The main purpose of the system is to provide a centralized
                platform for managing college transportation services.
                It helps organize student transport registrations,
                routes, buses, drivers, trips and payment information
                in a structured manner.
            </p>

            <a href="../index.html" class="back-btn">Back to Home</a>

        </div>

    </div>

    <div class="footer">
        © 2026 College Transport Management System. All Rights Reserved.
    </div>

</body></html>
```

A.4.2 contactus/contect.html

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Contact Us - College Transport Management System</title>

    <style>
        * {
            box-sizing: border-box;
        }

        body {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
            background-color: #f5f5f5;
            color: #333;
        }

        .header {
            background-color: white;
            text-align: center;
            padding: 25px 20px;
            border-bottom: 1px solid #ddd;
        }

        .header h1 {
            margin: 0 0 12px 0;
            color: red;
            font-size: 34px;
        }

        .header h2 {
            margin: 0;
            color: #222;
            font-size: 24px;
        }
```

```
        .navbar {
            background-color: #990000;
            padding: 12px 20px;
            text-align: center;
        }

        .navbar a {
            color: white;
            text-decoration: none;
            margin: 0 15px;
            font-size: 15px;
        }

        .navbar a:hover {
            text-decoration: underline;
        }

        .container {
            width: 95%;
            max-width: 1000px;
            margin: 35px auto;
        }

        .title-box {
            background-color: white;
            padding: 25px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0, 0, 0, 0.12);
            text-align: center;
            margin-bottom: 25px;
        }

        .title-box h2 {
            color: #990000;
            margin: 0 0 10px 0;
        }

        .title-box p {
            color: #555;
            margin: 0;
        }

        .contact-box {
```

```
            background-color: white;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 3px 12px rgba(0, 0, 0, 0.12);
            line-height: 1.7;
        }

        .contact-section {
            margin-bottom: 25px;
        }

        .contact-section h3 {
            color: #990000;
            margin-bottom: 8px;
            font-size: 20px;
        }

        .contact-section p {
            margin: 5px 0;
            color: #444;
        }

        .contact-label {
            font-weight: bold;
            color: #990000;
        }

        .contact-box a {
            color: #990000;
            text-decoration: none;
        }

        .contact-box a:hover {
            text-decoration: underline;
        }

        .back-btn {
            display: inline-block;
            margin-top: 10px;
            padding: 11px 22px;
            background-color: #990000;
            color: white !important;
            text-decoration: none !important;
```

```
            border-radius: 5px;
        }

        .back-btn:hover {
            background-color: #770000;
        }

        .footer {
            margin-top: 40px;
            background-color: #222;
            color: white;
            text-align: center;
            padding: 20px;
        }

        @media (max-width: 700px) {

            .header h1 {
                font-size: 25px;
            }

            .header h2 {
                font-size: 19px;
            }

            .navbar a {
                display: inline-block;
                margin: 5px 8px;
            }

            .contact-box {
                padding: 20px;
            }
        }
    </style>
</head>

<body>

    <div class="header">
        <h1>INDIRA GANDHI NATIONAL OPEN UNIVERSITY (IGNOU)</h1>
        <h2>COLLEGE TRANSPORT MANAGEMENT SYSTEM</h2>
    </div>
```

```
    <div class="navbar">
        <a href="../index.html">Home</a>
        <a href="../aboutus/Home.html">About Us</a>
        <a href="../strouteinfo.php">Routes</a>
        <a href="../student.php">Student Dashboard</a>
    </div>

    <div class="container">

        <div class="title-box">
            <h2>Contact Us</h2>
            <p>Contact information for the College Transport Management
System</p>
        </div>

        <div class="contact-box">

            <div class="contact-section">
                <h3>College Transport Management System</h3>

                <p>
                    <span class="contact-label">Location:</span>
                    Maidan Garhi, New Delhi - 110068, India
                </p>

                <p>
                    <span class="contact-label">Phone:</span>
                    011-29572513, 011-29572514
                </p>

                <p>
                    <span class="contact-label">Email:</span>
                    <a href="mailto:ssc@ignou.ac.in">
                        ssc@ignou.ac.in
                    </a>
                </p>
            </div>

            <div class="contact-section">
                <h3>Student Service Centre</h3>

                <p>
```

```
                    <span class="contact-label">Address:</span>
                    Maidan Garhi, New Delhi - 110068, India
                </p>

                <p>
                    <span class="contact-label">Phone:</span>
                    011-29572513, 011-29572514
                </p>

                <p>
                    <span class="contact-label">Email:</span>
                    <a href="mailto:ssc@ignou.ac.in">
                        ssc@ignou.ac.in
                    </a>
                </p>
            </div>

            <div class="contact-section">
                <h3>Head Office</h3>

                <p>
                    <span class="contact-label">Address:</span>
                    Maidan Garhi, New Delhi - 110068, India
                </p>

                <p>
                    <span class="contact-label">Phone:</span>
                    011-29571002
                </p>
            </div>

            <a href="../index.html" class="back-btn">Back to Home</a>

        </div>

    </div>

    <div class="footer">
        © 2026 College Transport Management System. All Rights Reserved.
    </div>

</body>
</html>
```

A.5 Database Source Code

A.5.1 transport_management.sql

```
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Sep 25, 2026 at 05:51 AM
-- Server version: 10.4.32-MariaDB
-- PHP Version: 8.0.30

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";


/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `transport_management`
--

-- --------------------------------------------------------

--
-- Table structure for table `admin`
--

CREATE TABLE `admin` (
  `admin_id` int(11) NOT NULL,
  `username` varchar(50) NOT NULL,
  `password` varchar(255) NOT NULL,
  `full_name` varchar(100) DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
```

```
-- Dumping data for table `admin`
--

INSERT INTO `admin` (`admin_id`, `username`, `password`, `full_name`,
`created_at`) VALUES
(1, 'admin', '$2y$12$GS/IHhrUVKdKGXiME9jtQu/ZDIlt.oKgulN5gnmxlCcjeVf8mZUwW',
'Transport Administrator', '2026-09-18 06:11:23');

-- --------------------------------------------------------

--
-- Table structure for table `bus`
--

CREATE TABLE `bus` (
  `bus_id` int(11) NOT NULL,
  `bus_number` varchar(30) NOT NULL,
  `bus_type` varchar(50) DEFAULT NULL,
  `capacity` int(11) NOT NULL,
  `driver_id` int(11) DEFAULT NULL,
  `status` enum('Available','Maintenance','Inactive') DEFAULT 'Available',
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `bus`
--

INSERT INTO `bus` (`bus_id`, `bus_number`, `bus_type`, `capacity`, `driver_id`,
`status`, `created_at`) VALUES
(1, 'IGNOU-BUS-01', 'College Bus', 40, 1, 'Available', '2026-09-18 11:25:44'),
(2, 'IGNOU-BUS-02', 'College Bus', 40, 2, 'Available', '2026-09-18 11:25:44'),
(3, 'IGNOU-BUS-03', 'College Bus', 35, 3, 'Available', '2026-09-18 11:25:44'),
(4, 'IGNOU-BUS-04', 'College Bus', 40, 1, 'Available', '2026-09-21 03:42:15'),
(5, 'IGNOU-BUS-05', 'College Bus', 20, 4, 'Available', '2026-09-23 05:22:18'),
(6, 'VIVA-TEST-01', 'College Bus', 50, 4, 'Available', '2026-09-24 05:56:23');

-- --------------------------------------------------------

--
-- Table structure for table `driver`
--
```

```
CREATE TABLE `driver` (
  `driver_id` int(11) NOT NULL,
  `driver_name` varchar(100) NOT NULL,
  `mobile` varchar(15) NOT NULL,
  `license_number` varchar(50) NOT NULL,
  `address` text DEFAULT NULL,
  `status` enum('Active','Inactive') DEFAULT 'Active',
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `driver`
--

INSERT INTO `driver` (`driver_id`, `driver_name`, `mobile`, `license_number`,
`address`, `status`, `created_at`) VALUES
(1, 'Rakesh Kumar', '9876500001', 'DL-01-2024-0001', 'Delhi', 'Active', '2026-09-
18 11:25:19'),
(2, 'Amit Sharma', '9876500002', 'DL-01-2024-0002', 'Delhi', 'Active', '2026-09-
18 11:25:19'),
(3, 'Suresh Singh', '9876500003', 'DL-01-2024-0003', 'Delhi', 'Active', '2026-09-
18 11:25:19'),
(4, 'Test Driver', '8178034660', 'DL-TEST-003', 'noida', 'Active', '2026-09-23
05:22:00');

-- --------------------------------------------------------

--
-- Table structure for table `payment`
--

CREATE TABLE `payment` (
  `payment_id` int(11) NOT NULL,
  `registration_id` int(11) NOT NULL,
  `amount` decimal(10,2) NOT NULL,
  `payment_date` date NOT NULL,
  `payment_method` enum('Cash','Online','UPI','Card','Other') DEFAULT 'Online',
  `transaction_id` varchar(100) DEFAULT NULL,
  `payment_status` enum('Pending','Paid','Failed') DEFAULT 'Pending'
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `payment`
```

```
--

INSERT INTO `payment` (`payment_id`, `registration_id`, `amount`, `payment_date`,
`payment_method`, `transaction_id`, `payment_status`) VALUES
(1, 1, 1000.00, '2026-09-23', 'UPI', 'TESTUPI001', 'Paid'),
(2, 4, 1000.00, '2026-09-24', 'UPI', 'TESTUPI004', 'Paid'),
(3, 2, 2000.00, '2026-09-24', 'Cash', '', 'Paid');

-- --------------------------------------------------------

--
-- Table structure for table `route`
--

CREATE TABLE `route` (
  `route_id` int(11) NOT NULL,
  `route_name` varchar(100) NOT NULL,
  `starting_point` varchar(100) NOT NULL,
  `destination` varchar(100) NOT NULL,
  `stops` text DEFAULT NULL,
  `distance` decimal(8,2) DEFAULT NULL,
  `status` enum('Active','Inactive') DEFAULT 'Active',
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `route`
--

INSERT INTO `route` (`route_id`, `route_name`, `starting_point`, `destination`,
`stops`, `distance`, `status`, `created_at`) VALUES
(1, 'BADAUN', 'BADAUN', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-09-18
11:19:45'),
(2, 'C.B.GANJ', 'C.B.GANJ', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-
09-18 11:19:45'),
(3, 'CITY', 'CITY', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-09-18
11:19:45'),
(4, 'KOHARAPEER', 'KOHARAPEER', 'IGNOU Campus', 'Main route', NULL, 'Active',
'2026-09-18 11:19:45'),
(5, 'DHOBI CHAURAHA', 'DHOBI CHAURAHA', 'IGNOU Campus', 'Main route', NULL,
'Active', '2026-09-18 11:19:45'),
(6, 'PILIBHIT', 'PILIBHIT', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-
09-18 11:19:45'),
```

```
(7, 'SANJAY NAGAR', 'SANJAY NAGAR', 'IGNOU Campus', 'Main route', NULL, 'Active',
'2026-09-18 11:19:45'),
(8, 'KARGAINA', 'KARGAINA', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-
09-18 11:19:45'),
(9, 'JUNCTION', 'JUNCTION', 'IGNOU Campus', 'Main route', NULL, 'Active', '2026-
09-18 11:19:45'),
(10, 'TEST ROUTE', 'Delhi', 'IGNOU Campus', 'Test Stop', 10.00, 'Active', '2026-
09-24 05:58:44');

-- --------------------------------------------------------

--
-- Table structure for table `student`
--

CREATE TABLE `student` (
  `student_id` int(11) NOT NULL,
  `full_name` varchar(100) NOT NULL,
  `email` varchar(100) NOT NULL,
  `mobile` varchar(15) NOT NULL,
  `course` varchar(50) NOT NULL,
  `password` varchar(255) NOT NULL,
  `address` text NOT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `student`
--

INSERT INTO `student` (`student_id`, `full_name`, `email`, `mobile`, `course`,
`password`, `address`, `created_at`) VALUES
(1, 'Test Student', 'teststudent@example.com', '9876543210', 'BCA',
'$2y$10$IzGSU5Eu.7/ic6a34CBXJ.55jyMXITw7cgfiepezltrQdz6mn1KBm', 'New Delhi',
'2026-09-18 06:15:30'),
(2, 'Rahul Sharma', 'rahultest@example.com', '9876543211', 'BCA',
'$2y$10$ktFJLaCaLpZvIj9Nfsldiu7LnkVDuXqjJCQKXLSA.GJrDjS7rEQ/i', 'New Delhi',
'2026-09-18 06:21:49'),
(3, 'Test Final Student', 'finaltest@example.com', '9999999999', 'BCA',
'$2y$10$XWTG68s9v9FCdkmVCPZwleJXMlFlmNPx7cOIAI3vqnNk9xk6Wd4km', 'New Delhi',
'2026-09-23 05:06:45'),
```

```
(4, 'Test Phase 2 Student', 'phase2test2026@example.com', '9876543210', 'MBA',
'$2y$10$XE19vUg5RNPsJo4Ddy0C1OYlmAff4N6vok9IVtCjp350O9Jb2eWpO', 'Delhi', '2026-
09-24 05:27:07');

-- --------------------------------------------------------

--
-- Table structure for table `transport_registration`
--

CREATE TABLE `transport_registration` (
  `registration_id` int(11) NOT NULL,
  `student_id` int(11) NOT NULL,
  `route_id` int(11) NOT NULL,
  `bus_id` int(11) DEFAULT NULL,
  `registration_date` date NOT NULL,
  `start_date` date DEFAULT NULL,
  `end_date` date DEFAULT NULL,
  `status` enum('Pending','Approved','Rejected','Active','Expired') DEFAULT
'Pending'
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `transport_registration`
--

INSERT INTO `transport_registration` (`registration_id`, `student_id`,
`route_id`, `bus_id`, `registration_date`, `start_date`, `end_date`, `status`)
VALUES
(1, 3, 3, 1, '2026-09-23', '2026-09-23', '2026-10-23', 'Approved'),
(2, 4, 1, 1, '2026-09-24', '2026-10-01', '2026-10-31', 'Approved'),
(4, 4, 2, 3, '2026-09-24', '2026-09-24', '2026-09-24', 'Approved');

-- --------------------------------------------------------
--
-- Table structure for table `trip`
--

CREATE TABLE `trip` (
  `trip_id` int(11) NOT NULL,
  `bus_id` int(11) NOT NULL,
  `route_id` int(11) NOT NULL,
  `trip_date` date NOT NULL,
```

```
  `departure_time` time NOT NULL,
  `arrival_time` time DEFAULT NULL,
  `trip_type` enum('Morning','Evening','Other') DEFAULT 'Morning',
  `status` enum('Scheduled','Completed','Cancelled') DEFAULT 'Scheduled'
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `trip`
--

INSERT INTO `trip` (`trip_id`, `bus_id`, `route_id`, `trip_date`,
`departure_time`, `arrival_time`, `trip_type`, `status`) VALUES
(1, 1, 1, '2026-09-22', '08:00:00', '09:00:00', 'Morning', 'Scheduled'),
(2, 6, 10, '2026-09-26', '11:00:00', '13:29:00', 'Morning', 'Scheduled');

--
-- Indexes for dumped tables
--

--
-- Indexes for table `admin`
--
ALTER TABLE `admin`
  ADD PRIMARY KEY (`admin_id`),
  ADD UNIQUE KEY `username` (`username`);

--
-- Indexes for table `bus`
--
ALTER TABLE `bus`
  ADD PRIMARY KEY (`bus_id`),
  ADD UNIQUE KEY `bus_number` (`bus_number`),
  ADD KEY `driver_id` (`driver_id`);

--
-- Indexes for table `driver`
--
ALTER TABLE `driver`
  ADD PRIMARY KEY (`driver_id`),
  ADD UNIQUE KEY `license_number` (`license_number`);

--
-- Indexes for table `payment`
```

```
--
ALTER TABLE `payment`
  ADD PRIMARY KEY (`payment_id`),
  ADD KEY `registration_id` (`registration_id`);

--
-- Indexes for table `route`
--
ALTER TABLE `route`
  ADD PRIMARY KEY (`route_id`);

--
-- Indexes for table `student`
--
ALTER TABLE `student`
  ADD PRIMARY KEY (`student_id`),
  ADD UNIQUE KEY `email` (`email`);

--
-- Indexes for table `transport_registration`
--
ALTER TABLE `transport_registration`
  ADD PRIMARY KEY (`registration_id`),
  ADD KEY `student_id` (`student_id`),
  ADD KEY `route_id` (`route_id`),
  ADD KEY `bus_id` (`bus_id`);

--
-- Indexes for table `trip`
--
ALTER TABLE `trip`
  ADD PRIMARY KEY (`trip_id`),
  ADD KEY `bus_id` (`bus_id`),
  ADD KEY `route_id` (`route_id`);

--
-- AUTO_INCREMENT for dumped tables
--


--
-- AUTO_INCREMENT for table `admin`
--
ALTER TABLE `admin`
```

```
  MODIFY `admin_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;

--
-- AUTO_INCREMENT for table `bus`
--
ALTER TABLE `bus`
  MODIFY `bus_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;

--
-- AUTO_INCREMENT for table `driver`
--
ALTER TABLE `driver`
  MODIFY `driver_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=6;

--
-- AUTO_INCREMENT for table `payment`
--
ALTER TABLE `payment`
  MODIFY `payment_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;

--
-- AUTO_INCREMENT for table `route`
--
ALTER TABLE `route`
  MODIFY `route_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=11;

--
-- AUTO_INCREMENT for table `student`
--
ALTER TABLE `student`
  MODIFY `student_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;

--
-- AUTO_INCREMENT for table `transport_registration`
--
ALTER TABLE `transport_registration`
  MODIFY `registration_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;

--
-- AUTO_INCREMENT for table `trip`
--
ALTER TABLE `trip`
  MODIFY `trip_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=3;
```

```
--
-- Constraints for dumped tables
--

--
-- Constraints for table `bus`
--
ALTER TABLE `bus`
  ADD CONSTRAINT `bus_ibfk_1` FOREIGN KEY (`driver_id`) REFERENCES `driver`
(`driver_id`) ON DELETE SET NULL ON UPDATE CASCADE;

--
-- Constraints for table `payment`
--
ALTER TABLE `payment`
  ADD CONSTRAINT `payment_ibfk_1` FOREIGN KEY (`registration_id`) REFERENCES
`transport_registration` (`registration_id`) ON DELETE CASCADE ON UPDATE CASCADE;

--
-- Constraints for table `transport_registration`
--
ALTER TABLE `transport_registration`
  ADD CONSTRAINT `transport_registration_ibfk_1` FOREIGN KEY (`student_id`)
REFERENCES `student` (`student_id`) ON DELETE CASCADE ON UPDATE CASCADE,
  ADD CONSTRAINT `transport_registration_ibfk_2` FOREIGN KEY (`route_id`)
REFERENCES `route` (`route_id`) ON DELETE CASCADE ON UPDATE CASCADE,
  ADD CONSTRAINT `transport_registration_ibfk_3` FOREIGN KEY (`bus_id`)
REFERENCES `bus` (`bus_id`) ON DELETE SET NULL ON UPDATE CASCADE;

--
-- Constraints for table `trip`
--
ALTER TABLE `trip`
  ADD CONSTRAINT `trip_ibfk_1` FOREIGN KEY (`bus_id`) REFERENCES `bus` (`bus_id`)
ON DELETE CASCADE ON UPDATE CASCADE,
  ADD CONSTRAINT `trip_ibfk_2` FOREIGN KEY (`route_id`) REFERENCES `route`
(`route_id`) ON DELETE CASCADE ON UPDATE CASCADE;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

A.6 Appendix Note

The source code included in this appendix represents the implementation of the College Transport Management System developed for the BCA project. The code includes the user interface, application logic, database interaction, authentication, validation, administrative functions and database structure used by the system.