

```
create table students(admissionno varchar(8) not null,firstname varchar(30) not null,lastname
varchar(30) not null,age number,city varchar(40));
create table students(admissionno varchar(8) not null,firstname varchar(30) not null,lastname
varchar(30) not null,age number,city varchar(40))
```

*

ERROR at line 1:
ORA-00955: name is already used by an existing object

```
SQL> create table students01(admissionno varchar(8) not null,firstname varchar(30) not
null,lastname varchar(30) not null,age number,city varchar(40));
```

Table created.

```
SQL> create table fee01(admissionno varchar(8) not null,courses varchar(30) not
null,amountpaid number);
```

Table created.

```
SQL> insert into students01 values('3301','lusa','evansa',13,'texas');
```

1 row created.

```
SQL> insert into students01 values('2315','paul','ward',15,'alaska');
```

1 row created.

```
SQL> insert into students01 values('4321','peter','bennett',14,'newyork');
```

1 row created.

```
SQL> insert into students01 values('5112','rose','huges',16,'florida');
```

1 row created.

```
SQL> insert into students01 values('6312','marielia','simmons',15,'arizona');
```

1 row created.

```
SQL> insert into students01 values('7555','antony','buttler',14,'newyork');
```

1 row created.

```
SQL> insert into students01 values('8931','diego','cox',13,'california');
```

1 row created.

```
SQL> insert into fee01 values('3301','java',20000);
```

1 row created.

```
SQL> insert into fee01 values('7555','android',220000);
```

1 row created.

```
SQL> insert into fee01 values('4321','python',180000);
```

1 row created.

```
SQL> insert into fee01 values('8931','sql',150000);
```

1 row created.

```
SQL> insert into fee01 values('5112','machinelanguage',300000);
```

1 row created.

```
SQL> select
students01.admissionno,students01.firstname,students01.lastname,fee01.course,fee01.amount
paid from students01 inner join fee01 on students01.admissionno=fee01.admissionno;
select
students01.admissionno,students01.firstname,students01.lastname,fee01.course,fee01.amount
paid from students01 inner join fee01 on students01.admissionno=fee01.admissionno
```

*

ERROR at line 1:

ORA-00904: "FEE01"."COURSE": invalid identifier

```
SQL> select
students01.admissionno,students01.firstname,students01.lastname,fee01.courses,fee01.amoun
tpaid from students01 inner join fee01 on students01.admissionno=fee01.admissionno;
```

ADMISSIO	FIRSTNAME	LASTNAME
COURSES	AMOUNTPAID	
3301	lusa	evansa
java	20000	

4321	peter	bennett
python		180000

5112	rose	huges
machinelanguage		300000

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

7555	antony	buttler
android		220000

8931	diego	cox
sql		150000

SQL> select

students01.admissionno,students01.firstname,students01.lastname,fee01.courses,fee01.amoun
tpaid from students01 cross join fee01 where students01.admissionno=fee01.admissionno;

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

3301	lusa	evansa
java		20000

4321	peter	bennett
python		180000

5112	rose	huges
machinelanguage		300000

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

7555	antony	buttler
android		220000

8931 diego cox
sql 150000

SQL> select
students01.admissionno,students01.firstname,students01.lastname,fee01.courses,fee01.amoun
tpaid from students01 left outer join fee01 on students01.admissionno=fee01.admissionno;

ADMISSIO	FIRSTNAME	LASTNAME
COURSES		AMOUNTPAID
3301 lusa		evansa
java		20000
7555 antony		buttler
android		220000
4321 peter		bennett
python		180000

ADMISSIO	FIRSTNAME	LASTNAME
COURSES		AMOUNTPAID
8931 diego		cox
sql		150000
5112 rose		huges
machinelanguage		300000
6312 marielia		simmons

ADMISSIO	FIRSTNAME	LASTNAME
COURSES		AMOUNTPAID
2315 paul		ward

7 rows selected.

```
SQL> select
students01.admissionno,students01.firstname,students01.lastname,fee01.courses,fee01.amoun
tpaid from students01 right outer join fee01 on students01.admissionno=fee01.admissionno;
```

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

3301	lusa	evansa
java		20000
4321	peter	bennett
python		180000
5112	rose	huges
machinelanguage		300000

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

7555	antony	buttler
android		220000
8931	diego	cox
sql		150000

```
SQL> select
students01.admissionno,students01.firstname,students01.lastname,fee01.courses,fee01.amoun
tpaid from students01 full outer join fee01 on students01.admissionno=fee01.admissionno;
```

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

3301	lusa	evansa
java		20000
2315	paul	ward

4321	peter	bennett
python		180000

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

5112	rose	huges
machinelanguage		300000

6312	marielia	simmons
------	----------	---------

7555	antony	buttler
android		220000

ADMISSIO	FIRSTNAME	LASTNAME
----------	-----------	----------

COURSES	AMOUNTPAID
---------	------------

8931	diego	cox
sql		150000

7 rows selected.

SQL>