
REPO LINK: https://github.com/yashikasbca25/DBMS.git


LAB 4




```
DROP TABLE IF EXISTS STUDENT;
CREATE TABLE STUDENT (
    ID INT,
    NAME VARCHAR(30),
    MARKS INT,
    DOB DATE
);
INSERT INTO STUDENT VALUES
(1, 'Rahul', 85, '2005-05-10'),
(2, 'Ananya', 92, '2004-08-15'),
(3, 'Rohan', 76, '2005-01-20');
SELECT
    ID,
    NAME,
    MARKS,
    DOB,
    CAST(MARKS AS CHAR) AS Marks_Text,
    CONVERT(MARKS, CHAR) AS Convert_Text,
    CAST(DOB AS CHAR) AS DOB_Text,
    CURRENT_DATE AS Today_Date,
    CURRENT_TIMESTAMP AS Current_Date_Time,
    YEAR(DOB) AS Birth_Year,
    MONTH(DOB) AS Birth_Month,
    DAY(DOB) AS Birth_Day,
    DATE_ADD(DOB, INTERVAL 1 YEAR) AS Date_After_1_Year,
```


ID	NAME	MARKS	DOB	Marks_Text	Convert_Text	DOB_Text	Today_Date	Current_Date_Time	Birth_Year	Birth_Month	Birth_Day	Date_After_1_Year	Days_Difference
1	Rahul	85	2005-05-10	85	85	2005-05-10	2026-10-02	2026-10-02 18:00:56	2005	5	10	2006-05-10	7815
2	Ananya	92	2004-08-15	92	92	2004-08-15	2026-10-02	2026-10-02 18:00:56	2004	8	15	2005-08-15	8083
3	Rohan	76	2005-01-20	76	76	2005-01-20	2026-10-02	2026-10-02 18:00:56	2005	1	20	2006-01-20	7925

LAB 5


LAB-4*
LAB-5
Limit to 1000 rows
DOB DATE
);
INSERT INTO STUDENT VALUES
(1, 'Rahul', 85, '2005-05-10'),
(2, 'Ananya', 92, '2004-08-15'),
(3, 'Rohan', 76, '2005-01-20'),
(4, 'Priya', 88, '2004-12-05'),
(5, 'Karan', 65, '2005-07-25');
SELECT
ID,
NAME,
MARKS,
MARKS + 5 AS Addition,
MARKS - 5 AS Subtraction,
MARKS * 2 AS Multiplication,
MARKS / 2 AS Division,
MOD(MARKS, 10) AS Remainder,
MARKS = 85 AS Equal_85,
MARKS <> 85 AS Not_Equal_85,
MARKS > 80 AS Greater_Than_80,
MARKS < 80 AS Less_Than_80,
MARKS >= 85 AS Greater_Equal_85,
MARKS <= 85 AS Less_Equal_85,
(MARKS > 80 AND MARKS < 95) AS AND_Example,
(MARKS > 90 OR MARKS < 80) AS OR_Example,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ID NAME MARKS Addition Subtraction Multiplication Division Remainder Equal_85 Not_Equal_85 Greater_Than_80 Less_Than_80 Greater_Equal_85 Less_Equal_85 AND_Example OR_Example NOT_Example
1 Rahul 85 90 80 170 42.5000 5 1 0 1 0 1 1 1 0 0
2 Ananya 92 97 87 184 46.0000 2 0 1 1 0 1 0 1 1 1
3 Rohan 76 81 71 152 38.0000 6 0 1 0 1 0 1 0 1 1
4 Priya 88 93 83 176 44.0000 8 0 1 1 0 1 0 1 0 1
5 Karan 65 70 60 130 32.5000 5 0 1 0 1 0 1 0 1 1
Result Grid
Form Editor
Result 1
Read Only
Output

LAB 6


LAB-4*
LAB-5
LAB-6
Limit to 1000 rows
USE dbmslab;
DROP TABLE IF EXISTS STUDENT;
CREATE TABLE STUDENT (
ID INT,
NAME VARCHAR(30),
MARKS INT,
DOB DATE
);
INSERT INTO STUDENT VALUES
(1, 'Rahul', 85, '2005-05-10'),
(2, 'Ananya', 92, '2004-08-15'),
(3, 'Rohan', 76, '2005-01-20'),
(4, 'Priya', 88, '2004-12-05'),
(5, 'Karan', 65, '2005-07-25');
SELECT
ID,
NAME,
MARKS,
MARKS BETWEEN 80 AND 90 AS Between_80_90,
MARKS IN (76, 85, 92) AS In_Example,
MARKS NOT IN (76, 85) AS Not_In_Example,
NAME LIKE 'R%' AS Like_Example,
DOB IS NULL AS Is_Null,
DOB IS NOT NULL AS Is_Not_Null
FROM STUDENT;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ID NAME MARKS Between_80_90 In_Example Not_In_Example Like_Example Is_Null Is_Not_Null
1 Rahul 85 1 1 0 1 0 1
2 Ananya 92 0 1 1 0 0 1
3 Rohan 76 0 1 0 1 0 1
4 Priya 88 1 0 1 0 0 1
5 Karan 65 0 0 1 0 0 1
Result Grid
Form Editor
STUDENT 1
Read Only
Output


LAB-4*
LAB-5
LAB-6
LAB6
Limit to 1000 rows
1 USE dbmslab;
2 DROP TABLE IF EXISTS STUDENT_A;
3 DROP TABLE IF EXISTS STUDENT_B;
4 CREATE TABLE STUDENT_A (
5 ID INT,
6 NAME VARCHAR(30)
7);
8 CREATE TABLE STUDENT_B (
9 ID INT,
10 NAME VARCHAR(30)
11);
12 INSERT INTO STUDENT_A VALUES
13 (1, 'Rahul'),
14 (2, 'Ananya'),
15 (3, 'Rohan');
16 INSERT INTO STUDENT_B VALUES
17 (4, 'Priya'),
18 (5, 'Karan'),
19 (6, 'Sneha');
20 SELECT ID, NAME
21 FROM STUDENT_A
22 UNION
23 SELECT ID, NAME
24 FROM STUDENT_B;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
ID NAME
1 Rahul
2 Ananya
3 Rohan
4 Priya
5 Karan
6 Sneha
Result Grid
Form Editor
Result 1
Read Only
Output