```sql
/* 1. Write a query to display the names (first_name, last_name) using alias name "First Name", "Last Name"*/
SELECT FIRST_NAME AS 'FIRST NAME',LAST_NAME AS'LAST NAME'FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

FIRST NAME	LAST NAME
RAHUL	GUPTA
SIMRAN	GOYAL
SHIVANI	SINGH
VISHAL	YADAV
PRAGYA	SHARMA
SHELLY	DUBEY
SHIVAM	PATEL
REENU	RATHORE
WILLIAM	ANDREWS
CHANDLER	BING
JOEY	GELLER
EMMA	GREENS

```sql
/*2. Write a query to get unique department ID from employee table.'
SELECT DISTINCT DEPARTMENT_ID,FIRST_NAME,LAST_NAME
FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

DEPARTMENT_ID	FIRST_NAME	LAST_NAME
10	RAHUL	GUPTA
40	SIMRAN	GOYAL
10	SHIVANI	SINGH
20	VISHAL	YADAV
50	PRAGYA	SHARMA
30	SHELLY	DUBEY
20	SHIVAM	PATEL
30	REENU	RATHORE
40	WILLIAM	ANDREWS
50	CHANDLER	BING
60	JOEY	GELLER
NULL	EMMA	GREENS

```sql
/*3. Write a query to get all employee details from the employee table order by first name, descending.*/
SELECT * FROM EMPLOYEES order by FIRST_NAME DESC;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	job_id	salary	DEPARTMENT_ID
109	WILLIAM	ANDREWS	001	23500.00	40
104	VISHAL	YADAV	001	25000.00	20
102	SIMRAN	GOYAL	009	7000.00	40
103	SHIVANI	SINGH	001	14000.00	10
107	SHIVAM	PATEL	009	20000.00	20
106	SHELLY	DUBEY	009	20000.00	30
108	REENU	RATHORE	001	24500.00	30
101	RAHUL	GUPTA	009	25000.00	10
105	PRAGYA	SHARMA	009	25000.00	50
111	JOEY	GELLER	001	23000.00	60
112	EMMA	GREENS	NULL	NULL	NULL
110	CHANDLER	BING	001	24000.00	50
NULL	NULL	NULL	NULL	NULL	NULL

```sql
/*4. Write a query to get the names (first_name, last_name), salary, PF of all the employees (PF is calculated as 15% of salary).*/
SELECT FIRST_NAME,LAST_NAME,SALARY,(15/100)*(SALARY) AS PF FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

FIRST_NAME	LAST_NAME	SALARY	PF
RAHUL	GUPTA	25000.00	3750.000000
SIMRAN	GOYAL	7000.00	1050.000000
SHIVANI	SINGH	14000.00	2100.000000
VISHAL	YADAV	25000.00	3750.000000
PRAGYA	SHARMA	25000.00	3750.000000
SHELLY	DUBEY	20000.00	3000.000000
SHIVAM	PATEL	20000.00	3000.000000
REENU	RATHORE	24500.00	3675.000000
WILLIAM	ANDREWS	23500.00	3525.000000
CHANDLER	BING	24000.00	3600.000000
JOEY	GELLER	23000.00	3450.000000
EMMA	GREENS	NULL	NULL

```sql
/*5. Write a query to get the employee ID, names (first_name, last_name), salary in ascending order of salary.*/
SELECT EMPLOYEE_ID,FIRST_NAME,LAST_NAME,SALARY
FROM EMPLOYEES order by SALARY ASC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
112	EMMA	GREENS	NULL
102	SIMRAN	GOYAL	7000.00
103	SHIVANI	SINGH	14000.00
106	SHELLY	DUBEY	20000.00
107	SHIVAM	PATEL	20000.00
111	JOEY	GELLER	23000.00
109	WILLIAM	ANDREWS	23500.00
110	CHANDLER	BING	24000.00
108	REENU	RATHORE	24500.00
101	RAHUL	GUPTA	25000.00
104	VISHAL	YADAV	25000.00
105	PRAGYA	SHARMA	25000.00

```sql
/*6. Write a query to get the total salaries payable to employees.*/
SELECT SUM(SALARY) AS 'TOTAL SALARY' FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

TOTAL SALARY
231000.00

```sql
/*7. Write a query to get the maximum and minimum salary from employees table.*/
SELECT MAX(SALARY) AS 'MAXIMUM SALARY',MIN(SALARY) AS'MINIMUM SALARY'
FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

MAXIMUM SALARY	MINIMUM SALARY
25000.00	7000.00

```sql
/*8. Write a query to get the average salary and number of employees in the employees table.*/
SELECT AVG(SALARY) AS 'AVERAGE SALARY',COUNT(*) AS 'TOTAL EMPLOYEES'
FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

AVERAGE SALARY	TOTAL EMPLOYEES
21000.000000	12

```sql
/*9. Write a query to get the number of employees working with the company.*/
SELECT COUNT(*) FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

COUNT(*)
12

```sql
/*10. Write a query to get the number of jobs available in the employees table.*/
SELECT COUNT(DISTINCT JOB_ID) AS 'JOBS' FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

JOBS
2

```sql
/*11. Write a query get all first name from employees table in upper case.*/
SELECT UPPER(FIRST_NAME) AS'NAME'
FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

NAME
RAHUL
SIMRAN
SHIVANI
VISHAL
PRAGYA
SHELLY
SHIVAM
REENU
WILLIAM
CHANDLER
JOEY
EMMA

```sql
/*12. Write a query to get the first 3 characters of first name from employees table.*/
SELECT substr(FIRST_NAME,1,3)
FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

substr(FIRST_NAME,1,3)
RAH
SIM
SHI
VIS
PRA
SHE
SHI
REE
WIL
CHA
JOE
EMM

```sql
/*13. Write a query to calculate 171*214+625.*/
SELECT 171*214+625 AS 'ANSWER';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

ANSWER
37219

```sql
/*14. Write a query to get the names (for example Ellen Abel, Sundar Ande etc.) of all the employees from employees table.*/
SELECT CONCAT(first_name, ' ', last_name) AS 'names'
FROM employees;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

names
RAHUL GUPTA
SIMRAN GOYAL
SHIVANI SINGH
VISHAL YADAV
PRAGYA SHARMA
SHELLY DUBEY
SHIVAM PATEL
REENU RATHORE
WILLIAM ANDREWS
CHANDLER BING
JOEY GELLER
EMMA GREENS

```sql
/*15. Write a query to get first name from employees table after removing white spaces from both side.*/
SELECT TRIM(first_name) AS first_name
FROM employees;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

first_name
RAHUL
SIMRAN
SHIVANI
VISHAL
PRAGYA
SHELLY
SHIVAM
REENU
WILLIAM
CHANDLER
JOEY
EMMA

```sql
/*16. Write a query to get the length of the employee names (first_name, last_name) from employees table.*/
SELECT
    first_name,
    last_name,
    LENGTH(first_name) AS first_name_length,
    LENGTH(last_name) AS last_name_length
FROM employees;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

first_name	last_name	first_name_length	last_name_length
RAHUL	GUPTA	5	5
SIMRAN	GOYAL	6	5
SHIVANI	SINGH	7	5
VISHAL	YADAV	6	5
PRAGYA	SHARMA	6	6
SHELLY	DUBEY	6	5
SHIVAM	PATEL	6	5
REENU	RATHORE	5	7
WILLIAM	ANDREWS	7	7
CHANDLER	BING	8	4
JOEY	GELLER	4	6
EMMA	GREENS	4	6

```sql
/*17. Write a query to check if the first_name fields of the employees table contains numbers.*/
SELECT *
FROM employees
WHERE first_name REGEXP '[0-9]';
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

employee_id	first_name	last_name	job_id	salary	DEPARTMENT_ID
NULL	NULL	NULL	NULL	NULL	NULL

```sql
/*18. Write a query to select first 10 records from a table.*/
SELECT * FROM EMPLOYEES LIMIT 10;
```

Result Grid | Filter Rows: | Edit: | Export/Import:

employee_id	first_name	last_name	job_id	salary	DEPARTMENT_ID
101	RAHUL	GUPTA	009	25000.00	10
102	SIMRAN	GOYAL	009	7000.00	40
103	SHIVANI	SINGH	001	14000.00	10
104	VISHAL	YADAV	001	25000.00	20
105	PRAGYA	SHARMA	009	25000.00	50
106	SHELLY	DUBEY	009	20000.00	30
107	SHIVAM	PATEL	009	20000.00	20
108	REENU	RATHORE	001	24500.00	30
109	WILLIAM	ANDREWS	001	23500.00	40
110	CHANDLER	BING	001	24000.00	50
NULL	NULL	NULL	NULL	NULL	NULL

```sql
/*19. Write a query to get monthly salary (round 2 decimal places) of each and every employee
Note : Assume the salary field provides the 'annual salary' information.*/
SELECT FIRST_NAME,LAST_NAME,
round(SALARY/12,2)AS 'MONTLY SALARY' FROM EMPLOYEES;
```

sult Grid | Filter Rows: | Export: | Wrap Cell Content:

FIRST_NAME	LAST_NAME	MONTLY SALARY
RAHUL	GUPTA	2083.33
SIMRAN	GOYAL	583.33
SHIVANI	SINGH	1166.67
VISHAL	YADAV	2083.33
PRAGYA	SHARMA	2083.33
SHELLY	DUBEY	1666.67
SHIVAM	PATEL	1666.67
REENU	RATHORE	2041.67
WILLIAM	ANDREWS	1958.33
CHANDLER	BING	2000.00
JOEY	GELLER	1916.67
EMMA	GREENS	NULL