```sql
/*1. Write a query to display the name (first_name, last_name) and salary for all employees whose salary is not in the range $10,000 through $15,000.*/
SELECT FIRST_NAME,LAST_NAME,SALARY
FROM EMPLOYEES
WHERE SALARY NOT BETWEEN '10000' AND '15000';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

FIRST_NAME	LAST_NAME	SALARY
RAHUL	GUPTA	25000.00
SIMRAN	GOYAL	7000.00
VISHAL	YADAV	25000.00
PRAGYA	SHARMA	25000.00
SHELLY	DUBEY	20000.00
SHIVAM	PATEL	20000.00
REENU	RATHORE	24500.00
WILLIAM	ANDREWS	23500.00
CHANDLER	BING	24000.00
JOEY	GELLER	23000.00

```sql
/*2. Write a query to display the name (first_name, last_name) and
department ID of all employees in departments 30 or 100 in ascending order.*/
SELECT CONCAT(FIRST_NAME, ' ', LAST_NAME) AS'NAME',DEPARTMENT_ID
FROM EMPLOYEES
WHERE DEPARTMENT_ID IN('30','10') ORDER BY DEPARTMENT_ID ASC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

NAME	DEPARTMENT_ID
RAHUL GUPTA	10
SHIVANI SINGH	10
SHELLY DUBEY	30
REENU RATHORE	30

```sql
/*3. Write a query to display the name (first_name, last_name) and salary
for all employees whose salary is not in the range $10,000 through $15,000 and are in department 30 or 100.*/
SELECT CONCAT(FIRST_NAME, ' ', LAST_NAME) AS'NAME',SALARY
FROM EMPLOYEES
WHERE SALARY NOT BETWEEN '10000' AND '15000'
AND DEPARTMENT_ID IN ('10','30');
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

NAME	SALARY
RAHUL GUPTA	25000.00
SHELLY DUBEY	20000.00
REENU RATHORE	24500.00

```sql
/*5. Write a query to display the first_name of all employees who have both "b" and "c" in their first name.*/
SELECT FIRST_NAME FROM EMPLOYEES
WHERE FIRST_NAME LIKE '%b%'
AND FIRST_NAME LIKE '%C%';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

FIRST_NAME

```sql
/*6. Write a query to display the last name, job, and salary for all employees whose job is that of a
Programmer or a Shipping Clerk, and whose salary is not equal to $4,500, $10,000, or $15,000.*/
SELECT E.LAST_NAME,J.JOB_TITLE FROM EMPLOYEES E
JOIN JOBS J ON (E.JOB_ID = J.JOB_ID)
WHERE J.JOB_TITLE IN ('PROGRAMMER' ,'SHIPPING CLERK')
AND E.SALARY NOT IN('4500','10,000','15000');
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

LAST_NAME	JOB_TITLE
GREENS	PROGRAMMER

```sql
/*7. Write a query to display the last name of employees whose names have exactly 6 characters.*/
SELECT LAST_NAME FROM EMPLOYEES
WHERE LENGTH(LAST_NAME)=6;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

LAST_NAME
SHARMA
GELLER
GREENS

```sql
/*8. Write a query to display the last name of employees having 'e' as the third character..*/
SELECT LAST_NAME FROM EMPLOYEES
WHERE LAST_NAME LIKE  '__E%';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

LAST_NAME
GREENS

```sql
/*9. Write a query to display the jobs/designations available in the employees table.*/
SELECT E.JOB_ID,J.JOB_TITLE FROM EMPLOYEES E
JOIN JOBS J ON E.JOB_ID=J.JOB_ID
GROUP BY E.JOB_ID;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

JOB_ID	JOB_TITLE
001	MANAGER
002	PROGRAMMER
009	EMPLOYEE

```sql
/*10. Write a query to display the name (first_name, last_name),
 salary and PF (15% of salary) of all employees.*/
SELECT CONCAT(FIRST_NAME,' ',LAST_NAME)AS 'NAME',SALARY,
(15/100)*SALARY AS 'PF' FROM EMPLOYEES;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

NAME	SALARY	PF
RAHUL GUPTA	25000.00	3750.000000
SIMRAN GOYAL	7000.00	1050.000000
SHIVANI SINGH	14000.00	2100.000000
VISHAL YADAV	25000.00	3750.000000
PRAGYA SHARMA	25000.00	3750.000000
SHELLY DUBEY	20000.00	3000.000000
SHIVAM PATEL	20000.00	3000.000000
REENU RATHORE	24500.00	3675.000000
WILLIAM ANDREWS	23500.00	3525.000000
CHANDLER BING	24000.00	3600.000000
JOEY GELLER	23000.00	3450.000000
EMMA GREENS	35000.00	5250.000000

```sql
/*11. Write a query to select all record from employees where
last name in 'BLAKE', 'SCOTT', 'KING' and 'FORD'.*/
SELECT * FROM EMPLOYEES
WHERE LAST_NAME IN('BLAKE','SCOTT','KING','FROD');
```

