Phase 1

Execution Environment

Host nameyashkabra - localhostLocal OSMac OS X 64bit

Katalon version 10.2.0.0

Browser Chrome 136.0.7103.114

Device name

Summary

ID Test Suites/Phase 1

Description

Total 3

Passed0Failed3Error0Incomplete0

Skipped 0

Start 16-05-2025 21:04:18 **End** 16-05-2025 21:04:35

Elapsed 17.006s

#	ID	Description	Status
1	Test Cases/Login_and_SignUp/Standard_Login_TC		FAILED
2	Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_ PWD_TC		FAILED
3	Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC		FAILED

Information

ID Test Cases/Login_and_SignUp/Standard_Login_TC

Description

Tag

Start 16-05-2025 21:04:18 **End** 16-05-2025 21:04:26

Elapsed 8.145s

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.013s	PASSED
2	openBrowser("") Browser is opened with url: "	2.990s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/")	4.973s	PASSED

Navigate to 'https://dev-portal.quantumtrades.com/' successfully

#	Description	Elapsed	Status
4	click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"))	0.093s	FAILED
	Unable to click on object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:75)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696)		
	at Standard_Login_TC.run(Standard_Login_TC:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:486)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:322) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)		
	at TempTestSuite1747409655197.run(TempTestSuite1747409655197. groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
	Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java. version: '17.0.14'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Command: [b74abf393a21cb0e2023ad66165459a3, findElements {value=//*[@id = 'signInTextEmailOrPhone'], using=xpath}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019, userDataDir: /var/folders/11/4_3zc61x455}, fedcm:accounts: true, goog:		
	chromeOptions: {debuggerAddress: localhost:50088}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws: //localhost:50088/devtoo, se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
	30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost: 14969/sessio, webauthn:extension:credBlob: true, webauthn:extension:largeBlob:		

Elapsed

Status

Description true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b74abf393a21cb0e2023ad66165459a3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openga.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at org.openga.selenium.remote.RemoteWebDriver\$ByteBuddy\$jlmliOnL. findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUlKeywordMain.groovy:35)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click

#	Description	Elapsed	Status
	(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1747286951341.run(Script1747286951341.groovy:24) 15 more)		
5	Start listener action : sampleAfterTestCase	0.031s	PASSED

Browser is closed

Login_With_Valid_Email_Invalid_PWD_TC

Information

Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_PWD_TC

Description

Tag

Start 16-05-2025 21:04:26 **End** 16-05-2025 21:04:31

Elapsed 4.549s

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.008s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/")	3.403s	PASSED

Navigate to 'https://dev-portal.quantumtrades.com/' successfully

$Login_With_Valid_Email_Invalid_PWD_TC$

#	Description	Elapsed	Status
4	setText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com")	0.065s	FAILED
	Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUlKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1056) at Login_With_Valid_Email_Invalid_PWD_TC.run		
	(Login_With_Valid_Email_Invalid_PWD_TC:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:486)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:477)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:322)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:186)		
	at TempTestSuite1747409655197.run(TempTestSuite1747409655197. groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.		
	version: '17.0.14' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Command: [a8071f6122865b3032f1f86025ed341d, findElements {value=//*[@id = 'signInTextEmailOrPhone'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019, userDataDir: /var/folders/11/4_3zc61x455}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:50116}, networkConnectionEnabled:		
	false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws: //localhost:50116/devtoo, se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		

Login_With_Valid_Email_Invalid_PWD_TC

Elapsed

Status

Description 30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost: 2932/session.... webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a8071f6122865b3032f1f86025ed341d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstanceO(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) $at\ org. open qa. selenium. remote. service. Driver Command Executor.$ invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545) at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements$ (RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openga.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) $at\ org. open qa. selenium. remote. Remote Web Driver \$Byte Buddy \$zd Ap 5RG8.$ findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53)

at com.kms.katalon.core.webui.keyword.builtin.

$Login_With_Valid_Email_Invalid_PWD_TC$

#	Description	Elapsed	Status
	SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398947402.run(Script1747398947402.groovy:24) 15 more)		
5	Start listener action : sampleAfterTestCase	0.032s	PASSED

Browser is closed

Login_With_Invalid_Email_TC

Information

Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC

Description

Tag

Start 16-05-2025 21:04:31 **End** 16-05-2025 21:04:35

Elapsed 3.997s

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	openBrowser("") Browser is opened with url: "	1.608s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/")	2.257s	PASSED

Navigate to 'https://dev-portal.quantumtrades.com/' successfully

${\bf Login_With_Invalid_Email_TC}$

#	Description	Elapsed	Status
4	setText(findTestObject("Object	0.067s	FAILED
+	Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "test@test.com")	0.0075	TAILLD
	Unable to set text 'test@test.com' of object 'Object		
	Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone		
	number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'test@test.com' of object 'Object		
	Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone		
	number'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:117)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:86)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:39)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1056) at Login_With_Invalid_Email_TC.run(Login_With_Invalid_Email_TC:24)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:486)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:456)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:322)		
	at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:186)		
	at TempTestSuite1747409655197.run(TempTestSuite1747409655197. groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
	Build info: version: '4.28.1', revision: '73f5ad48a2'		
	System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.		
	version: '17.0.14'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Command: [d5eddfc030fd696025c3b51c4843d74b, findElements {value=//*[@id =		
	'signInTextEmailOrPhone'], using=xpath}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019,		
	userDataDir: /var/folders/11/4_3zc61x455}, fedcm:accounts: true, goog:		
	chromeOptions: {debuggerAddress: localhost:50141}, networkConnectionEnabled:		
	false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws:		
	//localhost:50141/devtoo, se:cdpVersion: 136.0.7103.114, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
	30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost:		

Login_With_Invalid_Email_TC

Elapsed

Status

Description 11483/sessio..., webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d5eddfc030fd696025c3b51c4843d74b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openga.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) $at\ org. open qa. selenium. support. decorators. Web Driver Decorator.$ lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at org.openga.selenium.remote.RemoteWebDriver\$ByteBuddy\$okD0sHkl. findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$ setText_closure1.call(SetTextKeyword.groovy)

Login_With_Invalid_Email_TC

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398375068.run(Script1747398375068.groovy:24) 15 more)		
5	Start listener action : sampleAfterTestCase	0.019s	PASSED

Browser is closed