

# Phase 1

## Execution Environment

Host name	yashkabra - localhost
Local OS	Mac OS X 64bit
Katalon version	10.2.0.0
Browser	Chrome 136.0.7103.114
Device name	

## Summary

ID	Test Suites/Phase 1		
Description			
Total	3		
Passed	0	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	16-05-2025 21:12:31	End	16-05-2025 21:12:43
Elapsed	12.520s		

#	ID	Description	Status
1	Test Cases/Login_and_SignUp/Standard_Login_TC		FAILED
2	Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_PWD_TC		FAILED
3	Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC		FAILED

# Standard\_Login\_TC

## Information

ID	Test Cases/Login_and_SignUp/Standard_Login_TC		
Description			
Tag			
Start	16-05-2025 21:12:31	End	16-05-2025 21:12:36
Elapsed	5.165s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.010s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.424s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/")  Navigate to 'https://dev-portal.quantumtrades.com/' successfully	2.571s	PASSED

# Standard\_Login\_TC

#	Description	Elapsed	Status
4	<p>click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"))</p> <p>Unable to click on object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:696)</p> <p>at Standard_Login_TC.run(Standard_Login_TC:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747410148496.run(TempTestSuite1747410148496.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id</p> <p>Build info: version: '4.28.1', revision: '73f5ad48a2'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14'</p> <p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Command: [a2d2c98ac3c8dc914a7a9b1d943912a7, findElements {using=xpath, value=//*[@id = 'signInTextEmailOrPhone']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019..., userDataDir: /var/folders/11/4_3zc61x455...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:51178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51178/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost:4520/session..., webauthn:extension:credBlob: true, webauthn:extension:largeBlob:</p>	0.091s	FAILED

# Standard\_Login\_TC

#	Description	Elapsed	Status
	<pre>true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a2d2c98ac3c8dc914a7a9b1d943912a7   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)   at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182)   at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103)   at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)   at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)   at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)   at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)   at org.openqa.selenium.remote.RemoteWebDriver\$ByteBuddy\$ZpZAFtSr. findElements(Unknown Source)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759)   at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447)   at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)   at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:66)   at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35)   at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click</pre>		

# Standard\_Login\_TC

#	Description	Elapsed	Status
	(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1747286951341.run(Script1747286951341.groovy:24) ... 15 more )		
5	Start listener action : sampleAfterTestCase  Browser is closed	0.025s	PASSED

# Login\_With\_Valid\_Email\_Invalid\_PWD\_TC

## Information

ID	Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_PWD_TC		
Description			
Tag			
Start	16-05-2025 21:12:36	End	16-05-2025 21:12:40
Elapsed	3.429s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.144s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	2.161s	PASSED

# Login\_With\_Valid\_Email\_Invalid\_PWD\_TC

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com")</p> <p>Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1056)</p> <p>at Login_With_Valid_Email_Invalid_PWD_TC.run(Login_With_Valid_Email_Invalid_PWD_TC:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747410148496.run(TempTestSuite1747410148496.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id</p> <p>Build info: version: '4.28.1', revision: '73f5ad48a2'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14'</p> <p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Command: [72cd6e1b5ae6ae73e751cf93c457c945, findElements (using=xpath, value=//*[@id = 'signInTextEmailOrPhone'])]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019..., userDataDir: /var/folders/11/4_3zc61x455...), fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:51201}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51201/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:</p>	0.073s	FAILED

# Login\_With\_Valid\_Email\_Invalid\_PWD\_TC

#	Description	Elapsed	Status
	<pre>30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost: 4877/session..., webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72cd6e1b5ae6ae73e751cf93c457c945     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182)     at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)     at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)     at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)     at org.openqa.selenium.remote.RemoteWebDriver\$ByteBuddy\$RhbbOTGZ. findElements(Unknown Source)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53)     at com.kms.katalon.core.webui.keyword.builtin.</pre>		



# Login\_With\_Valid\_Email\_Invalid\_PWD\_TC

#	Description	Elapsed	Status
	<div>SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398947402.run(Script1747398947402.groovy:24) ... 15 more )</div>		
5	Start listener action : sampleAfterTestCase  Browser is closed	0.022s	PASSED

# Login\_With\_Invalid\_Email\_TC

## Information

ID	Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC		
Description			
Tag			
Start	16-05-2025 21:12:40	End	16-05-2025 21:12:43
Elapsed	3.624s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.210s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	2.287s	PASSED

# Login\_With\_Invalid\_Email\_TC

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "test@test.com")</p> <p>Unable to set text 'test@test.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'test@test.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1056)</p> <p>at Login_With_Invalid_Email_TC.run(Login_With_Invalid_Email_TC:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747410148496.run(TempTestSuite1747410148496.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id</p> <p>Build info: version: '4.28.1', revision: '73f5ad48a2'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14'</p> <p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Command: [3909bc4708496738a78129eb0632a350, findElements {using=xpath, value=//*[@id = 'signInTextEmailOrPhone']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019..., userDataDir: /var/folders/11/4_3zc61x455...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:51222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:51222/devtoo..., se.cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost:</p>	0.078s	FAILED

# Login\_With\_Invalid\_Email\_TC

#	Description	Elapsed	Status
18426/sessio...	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3909bc4708496738a78129eb0632a350     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182)     at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)     at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)     at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)     at org.openqa.selenium.remote. RemoteWebDriver\$ByteBuddy\$DMEWo0oO.findElements(Unknown Source)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)</pre>		

# Login\_With\_Invalid\_Email\_TC

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398375068.run(Script1747398375068.groovy:24) ... 15 more )</pre>		
5	Start listener action : sampleAfterTestCase  Browser is closed	0.018s	PASSED