

Phase 1

Execution Environment

Host name	yashkabra - localhost
Local OS	Mac OS X 64bit
Katalon version	10.2.0.0
Browser	Firefox 138.0.3
Device name	

Summary

ID	Test Suites/Phase 1		
Description			
Total	7		
Passed	2	Failed	5
Error	0	Incomplete	0
Skipped	0		
Start	16-05-2025 20:23:57	End	16-05-2025 20:35:30
Elapsed	11m - 33.933s		

#	ID	Description	Status
1	Test Cases/Login_and_SignUp/Standard_Login_TC		PASSED
2	Test Cases/Dashboard/MarketPlace/Verify_MarketPlace_TC		FAILED
3	Test Cases/Dashboard/Quantam AI/Verify_Quantam_AI_TC		FAILED
4	Test Cases/Dashboard/Help/Verify_Help_TC		FAILED
5	Test Cases/Login_and_SignUp/Verify_Login_With_Google_TC		PASSED
6	Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC		FAILED
7	Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_PWD_TC		FAILED

Standard_Login_TC

Information

ID	Test Cases/Login_and_SignUp/Standard_Login_TC		
Description			
Tag			
Start	16-05-2025 20:23:57	End	16-05-2025 20:24:41
Elapsed	43.788s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.010s	PASSED
2	openBrowser("") Browser is opened with url: "	5.354s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	6.919s	PASSED
4	click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number")) Object: 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' is clicked on	0.890s	PASSED
5	sendKeys(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com") Keys 'yashkabra30@gmail.com' sent to object: 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'	0.584s	PASSED
6	delay(10) Delayed 10 second(s)	10.033s	PASSED

Standard_Login_TC

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Login_page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	0.503s	PASSED
8	click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Please enter your password")) Object: 'Object Repository/Login_page/Page_QuantumTrades/input_Please enter your password' is clicked on	14.200s	PASSED
9	setEncryptedText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Please enter your password"), "cvW8qx4B2o1WegCEDy41Xg==") Text ***** has been set on object 'Object Repository/Login_page/Page_QuantumTrades/input_Please enter your password'	0.523s	PASSED
10	click(findTestObject("Object Repository/Login_page/Page_QuantumTrades/button_signInBtnPasswordContinue")) Object: 'Object Repository/Login_page/Page_QuantumTrades/button_signInBtnPasswordContinue' is clicked on	0.453s	PASSED
11	verifyElementPresent(findTestObject("Object Repository/Login_page/Page_QuantumTrades/p_user-welcome"), 0) Object 'Object Repository/Login_page/Page_QuantumTrades/p_user-welcome' is present	3.555s	PASSED
12	closeBrowser() Browser is closed	0.714s	PASSED
13	Start listener action : sampleAfterTestCase Browser is closed	0.004s	PASSED

Verify_MarketPlace_TC

Information

ID	Test Cases/Dashboard/MarketPlace/Verify_MarketPlace_TC		
Description			
Tag			
Start	16-05-2025 20:26:39	End	16-05-2025 20:27:30
Elapsed	50.666s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	openBrowser("") Browser is opened with url: "	2.092s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	6.701s	PASSED
4	setText(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com") Text 'yashkabra30@gmail.com' is set on object 'Object Repository/MarketPlace/Page_QuantumTrades/input_Enter your email or phone number'	1.618s	PASSED
5	click(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	0.686s	PASSED
6	click(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	3.071s	PASSED


Verify_MarketPlace_TC

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/MarketPlace/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	2.566s	PASSED
8	click(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/div_QuantumTrades")) Object: 'Object Repository/MarketPlace/Page_QuantumTrades/div_QuantumTrades' is clicked on	2.023s	PASSED

Verify_MarketPlace_TC

#	Description	Elapsed	Status
9	<p>click(findTestObject("Object Repository/MarketPlace/Page_QuantumTrades/input_Please enter your password"))</p> <p>Unable to click on object 'Object Repository/MarketPlace/Page_QuantumTrades/input_Please enter your password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/MarketPlace/Page_QuantumTrades/input_Please enter your password'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:696)</p> <p>at Verify_MarketPlace_TC.run(Verify_MarketPlace_TC:35)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747407232613.run(TempTestSuite1747407232613.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/MarketPlace/Page_QuantumTrades/input_Please enter your password' located by '//*[@id = 'signInTextPassword']' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1457)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.</p>	31.296s	FAILED

Verify_MarketPlace_TC

#	Description	Elapsed	Status
	<pre>ClickKeyword\$.click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1747399885322.run(Script1747399885322.groovy:35) ... 18 more)</pre> 		
10	Start listener action : sampleAfterTestCase Browser is closed	0.601s	PASSED

Verify_Quantam_AI_TC

Information

ID	Test Cases/Dashboard/Quantam AI/Verify_Quantam_AI_TC		
Description			
Tag			
Start	16-05-2025 20:30:42	End	16-05-2025 20:31:50
Elapsed	1m - 7.897s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.995s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	6.824s	PASSED
4	setText(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com") Text 'yashkabra30@gmail.com' is set on object 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Enter your email or phone number'	1.258s	PASSED
5	click(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	0.675s	PASSED
6	click(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	8.411s	PASSED


Verify_Quantam_AI_TC

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	10.679s	PASSED
8	click(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/form_Email Or Phone")) Object: 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/form_Email Or Phone' is clicked on	5.983s	PASSED

Verify_Quantam_AI_TC

#	Description	Elapsed	Status
9	<pre>click(findTestObject("Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Please enter your password")) Unable to click on object 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Please enter your password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Please enter your password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Verify_Quantam_AI_TC.run(Verify_Quantam_AI_TC:35) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:486) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:322) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:406) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:406) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:406) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:186) at TempTestSuite1747407232613.run(TempTestSuite1747407232613. groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Quantam_AI_Page/Page_QuantumTrades/input_Please enter your password' located by '//*[@id = 'signInTextPassword']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1457) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.</pre>	31.440s	FAILED

Verify_Quantam_AI_TC

#	Description	Elapsed	Status
	<pre>ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1747404232399.run(Script1747404232399.groovy:35) ... 18 more)</pre>		
			
10	Start listener action : sampleAfterTestCase Browser is closed	0.617s	PASSED

Verify_Help_TC

Information

ID	Test Cases/Dashboard/Help/Verify_Help_TC		
Description			
Tag			
Start	16-05-2025 20:34:19	End	16-05-2025 20:35:03
Elapsed	43.984s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	2.308s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	12.045s	PASSED
4	setText(findTestObject("Object Repository/Help_Page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com") Text 'yashkabra30@gmail.com' is set on object 'Object Repository/Help_Page/Page_QuantumTrades/input_Enter your email or phone number'	0.647s	PASSED
5	click(findTestObject("Object Repository/Help_Page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Help_Page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	0.657s	PASSED
6	click(findTestObject("Object Repository/Help_Page/Page_QuantumTrades/form_Email Or Phone")) Object: 'Object Repository/Help_Page/Page_QuantumTrades/form_Email Or Phone' is clicked on	3.056s	PASSED

Verify_Help_TC

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Help_Page/Page_QuantumTrades/button_signInBtnEmailContinue")) Object: 'Object Repository/Help_Page/Page_QuantumTrades/button_signInBtnEmailContinue' is clicked on	0.533s	PASSED

Verify_Help_TC

#	Description	Elapsed	Status
8	<p>click(findTestObject("Object Repository/Help_Page/Page_QuantumTrades/input_Please enter your password"))</p> <p>Unable to click on object 'Object Repository/Help_Page/Page_QuantumTrades/input_Please enter your password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Help_Page/Page_QuantumTrades/input_Please enter your password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:696) at Verify_Help_TC.run(Verify_Help_TC:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406) at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186) at TempTestSuite1747407232613.run(TempTestSuite1747407232613.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14' Driver info: com.kms.katalon.selenium.driver.CFirefoxDriver Command: [fc076c7f-d61c-42ac-9ca5-6cc93fd36c30, findElements {using=xpath, value=//*[@id = 'signInTextPassword']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 138.0.3, moz:accessibilityChecks: false, moz:buildID: 20250512124033, moz:debuggerAddress: 127.0.0.1:25610, moz:geckodriverVersion: 0.36.0, moz:</p>	24.045s	FAILED

Verify_Help_TC

#	Description	Elapsed	Status
	<pre>headless: false, moz:platformVersion: 24.4.0, moz:processID: 36231, moz:profile: /var/folders/11/4_3zc61x455..., moz:shutdownTimeout: 60000, moz: webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:25610/devtoo..., se: cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, userAgent: Mozilla/5.0 (Macintosh; Int..., webSocketUrl: ws://127.0.0.1: 25610/sessio...) Session ID: fc076c7f-d61c-42ac-9ca5-6cc93fd36c30 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) atjdk.internal.reflect.GeneratedMethodAccessor14.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at org.openqa.selenium.remote.RemoteWebDriver\$ByteBuddy\$WhIPv0Bc. findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.</pre>		

Verify_Help_TC

#	Description	Elapsed	Status
	<pre>ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:696) at Script1747405357218.run(Script1747405357218.groovy:32) ... 18 more)</pre>		
9	Start listener action : sampleAfterTestCase Browser is closed	0.680s	PASSED

Verify_Login_With_Google_TC

Information

ID	Test Cases/Login_and_SignUp/Verify_Login_With_Google_TC		
Description			
Tag			
Start	16-05-2025 20:35:03	End	16-05-2025 20:35:03
Elapsed	0.022s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	return null	0.000s	PASSED
3	Start listener action : sampleAfterTestCase	0.002s	PASSED
Browser is closed			

Login_With_Invalid_Email_TC

Information

ID	Test Cases/Login_and_SignUp/Login_With_Invalid_Email_TC		
Description			
Tag			
Start	16-05-2025 20:35:14	End	16-05-2025 20:35:17
Elapsed	3.198s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.584s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	1.182s	PASSED

Login_With_Invalid_Email_TC

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "test@test.com")</p> <p>Unable to set text 'test@test.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'test@test.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1056)</p> <p>at Login_With_Invalid_Email_TC.run(Login_With_Invalid_Email_TC:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747407232613.run(TempTestSuite1747407232613.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded</p> <p>Build info: version: '4.28.1', revision: '73f5ad48a2'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14'</p> <p>Driver info: com.kms.katalon.selenium.driver.CFirefoxDriver</p> <p>Command: [2eeaddab-3fea-4a9d-ad67-b067f2ef90da, findElements {using=xpath, value=//*[@id = 'signInTextEmailOrPhone']}]</p> <p>Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion:</p>	0.022s	FAILED

Login_With_Invalid_Email_TC

#	Description	Elapsed	Status
	<pre>138.0.3, moz:accessibilityChecks: false, moz:buildID: 20250512124033, moz: debuggerAddress: 127.0.0.1:41822, moz:geckodriverVersion: 0.36.0, moz: headless: false, moz:platformVersion: 24.4.0, moz:processID: 36346, moz:profile: /var/folders/11/4_3zc61x455..., moz:shutdownTimeout: 60000, moz: webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:41822/devtoo..., se: cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, userAgent: Mozilla/5.0 (Macintosh; Int..., webSocketUrl: ws://127.0.0.1: 41822/sessio...} Session ID: 2eeaddab-3fea-4a9d-ad67-b067f2ef90da at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375) at jdk.internal.reflect.GeneratedMethodAccessor14.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at org.openqa.selenium.remote.RemoteWebDriver\$ByteBuddy\$duUUuAzT. findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.</pre>		

Login_With_Invalid_Email_TC

#	Description	Elapsed	Status
	<pre>findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398375068.run(Script1747398375068.groovy:24) ... 18 more)</pre>		
5	Start listener action : sampleAfterTestCase Browser is closed	0.402s	PASSED

Login_With_Valid_Email_Invalid_PWD_TC

Information

ID	Test Cases/Login_and_SignUp/Login_With_Valid_Email_Invalid_PWD_TC		
Description			
Tag			
Start	16-05-2025 20:35:24	End	16-05-2025 20:35:27
Elapsed	2.888s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	openBrowser("") Browser is opened with url: "	1.453s	PASSED
3	navigateToUrl("https://dev-portal.quantumtrades.com/") Navigate to 'https://dev-portal.quantumtrades.com/' successfully	0.908s	PASSED

Login_With_Valid_Email_Invalid_PWD_TC

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number"), "yashkabra30@gmail.com")</p> <p>Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'yashkabra30@gmail.com' of object 'Object Repository/Login_page/Page_QuantumTrades/input_Enter your email or phone number'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1056)</p> <p>at Login_With_Valid_Email_Invalid_PWD_TC.run(Login_With_Valid_Email_Invalid_PWD_TC:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:486)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:477)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:456)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:322)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:406)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186)</p> <p>at TempTestSuite1747407232613.run(TempTestSuite1747407232613.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded</p> <p>Build info: version: '4.28.1', revision: '73f5ad48a2'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.4.1', java.version: '17.0.14'</p> <p>Driver info: com.kms.katalon.selenium.driver.CFirefoxDriver</p> <p>Command: [7e4f47ff-8e64-492d-b9b1-b65ba88a8557, findElements {using=xpath, value=//*[@id = 'signInTextEmailOrPhone']}]</p>	0.015s	FAILED

Login_With_Valid_Email_Invalid_PWD_TC

#	Description	Elapsed	Status
	<p>Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 138.0.3, moz:accessibilityChecks: false, moz:buildID: 20250512124033, moz:debuggerAddress: 127.0.0.1:7623, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 24.4.0, moz:processID: 36428, moz:profile: /var/folders/11/4_3zc61x455..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:7623/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, userAgent: Mozilla/5.0 (Macintosh; Int..., websocketUrl: ws://127.0.0.1:7623/session...}</p> <p>Session ID: 7e4f47ff-8e64-492d-b9b1-b65ba88a8557</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor48.newInstance (Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor14.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)</p> <p>at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)</p> <p>at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver\$ByteBuddy\$YX8TJ4XV. findElements(Unknown Source)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:759)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1447)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)</p>		

Login_With_Valid_Email_Invalid_PWD_TC

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747398947402.run(Script1747398947402.groovy:24) ... 18 more)</pre>		
5	Start listener action : sampleAfterTestCase Browser is closed	0.505s	PASSED