



Fibure


Polyester Ripcord

Fibure Polyester Ripcord is polyester based, continuous filament yarn designed specifically for fiber optic cable ripcord application.

They are for the easy removal of PE Jackets.

Due to the premium quality of twisting, the Fibure polyester ripcords are also available in water-blocking variants.

- Available in coloured variants
- Magnificent cutting properties
- Available in wicking and non-wicking properties
- High and uniform standard



Properties	Meter weight	Runnage	Break Strength	Elongation
Test method	ASTM D 885	ASTM D 885	ASTM D 885	ASTM D 885
Unit	g/m	m/kg	N	%
1100 dTex				
Nom.	0.110	9091	70	
Min.	0.099	8264	65	10
Max.	0.121	10101		30

1670 dTex				
Nom.	0.170	5882	105	
Min.	0.153	5348	95	10
Max.	0.187	6536		30
2200 dTex				
Nom.	0.220	4545	140	
Min.	0.198	4132	125	10
Max.	0.242	5051		30

3300 dTex				
Nom.	0.345	2899	220	
Min.	0.311	2635	200	10
Max.	0.380	3221		30

2*1100 dTex				
Nom.	0.22		107	15
Min.	0.198			
Max.	0.242		127	30

3*1100 dTex				
Nom.	0.33		206	15
Min.	0.297			
Max.	0.363		216	30



3*1670 dTex LS(5010)				
Nom.	0.500	2000	315	
Min.	0.450	1818	290	10
Max.	0.550	2222		30

3*2200 dTex LS(6600)				
Nom.	0.665	1504	395	
Min.	0.599	1367	380	10
Max.	0.732	1671		30

3*3300 dTex				
Nom.	0.99		539	15
Min.	0.891			
Max.	1.089		588	

Packing Dimensions	Unit	Paper Tube	Paper Tube
Tube inner diameter	mm	94 ± 1	94 ± 1
Outer diameter	mm	220	220
Tube Length	mm	295	295
Traverse	mm	270	270

Packing Information



Mangalchand Tubes Pvt. Ltd.
F-443, Road No. 13,
Vishwakarma Industrial Area,
Jaipur-302013, Rajasthan,
India

email : cc@fibure.com
Phone : +91-141-4086453

Fibure.com

