
Name: Yash Oswal Div:B Roll:38 SRN: 201901226

ITNS Assignment 1

1. Ping

1.1. www.ikea.com

TOOL Used	Information Collected
	IP Address: 104.98.14.84
	Packet Satistics:
	Packet Sent: 4
PING	Packet Recevied: 4
	Packet Loss: 0%
	Average Round Trip Time: 29.832 ms
	Maximum Frame Size: 1742
	TTL Response: 59



1.1. www.lush.com

TOOL Used	Information Collected
	IP Address: 104.16.81.70
	Packet Satistics:
	Packet Sent: 6
PING	Packet Recevied: 6
	Packet Loss: 0%
	Average Round Trip Time: 153.590 ms
	Maximum Frame Size: 1742
	TTL Response: 58



2. Nslookup

2.1. www.sephora.com

Tool/Utility	Information Collected
	DNS Server Name: 127.0.0.53#53
NSLOOKUP	Non-Authoriative Answer: 23.48.236.133
	CName: e3568.x.akamaiedge.net
	MX(Mail eXchanger): None

```
ile Edit View Terminal Tabs Help
 ->> nslookup
> set type=mx
> www.sephora.com
           127.0.0.53
Server:
               127.0.0.53#53
Address:
Non-authoritative answer:
www.sephora.com canonical name = www.sephora.com.edgekey.net.
www.sephora.com.edgekey.net canonical name = e3568.x.akamaiedge.net.
Authoritative answers can be found from:
x.akamaiedge.net
       origin = n0x.akamaiedge.net
        mail addr = hostmaster.akamai.com
       serial = 1645544804
       refresh = 1000
       retry = 1000
expire = 1000
       minimum = 1800
e3568.x.akamaiedge.net internet address = 23.48.236.133
> set type=cname
> www.sephora.com
           127.0.0.53
Server:
               127.0.0.53#53
Address:
Non-authoritative answer:
www.sephora.com canonical name = www.sephora.com.edgekey.net.
Authoritative answers can be found from:
       ↑ 57s 141ms
                                                                             ∑zsh ∑yashoswal № 50% ③ 21:17:13
```

2.2. time.com

Tool/Utility	Information Collected
	DNS Server Name: 127.0.0.53#53
NSLOOKUP	Non-Authoriative Answer: 52.84.251.51
	CName: No cname record available
	MX(Mail eXchanger): aspmx.l.google.com

```
File Edit View Terminal Tabs Help
> set type=mx
> time.com
                    127.0.0.53
Server:
Address:
                    127.0.0.53#53
Non-authoritative answer:
time.com
               mail exchanger = 1 aspmx.l.google.com.
                   mail exchanger = 1 aspmx.t.googte.com.
mail exchanger = 5 alt1.aspmx.l.google.com.
mail exchanger = 5 alt2.aspmx.l.google.com.
mail exchanger = 10 alt3.aspmx.l.google.com.
time.com
time.com
time.com
                    mail exchanger = 10 alt4.aspmx.l.google.com.
time.com
Authoritative answers can be found from:
> set type=cname
> time.com
                    127.0.0.53
Server:
Address:
                   127.0.0.53#53
Non-authoritative answer:
*** Can't find time.com: No answer
Authoritative answers can be found from:
time.com
          origin = dns1.p08.nsone.net
          mail addr = hostmaster.nsone.net
          serial = 1643750388
          refresh = 43200
          retry = 7200
expire = 1209600
minimum = 3600
```