

Veer Narmad South Gujarat University, Surat.

Department of Information and Communication

Technology

B.Sc. (Information Technology)

Project Report

6th Semester

M.Sc. (Information Technology)

5 Years Integrated Course

Year: 2024-2025

tickety

External Guide:

Mr. Rajesh Prajapati

Mr. Keyur Modi

Internal Guide:

Dr. Parul Patel

Submitted by:

Mehta Maitri Chetan

SPID : **2022026217**

Surti Arwa Hunaid

SPID : **2022026326**

Tomar Komal VijendraSingh

SPID: **2022026338**

QUANTUM IT SOLUTION

218, Sovereign Shoppers, Anand Mahal Rd, beside Sindhu Seva Samiti School, Nr.
Gangeshwar Mahadev Temple, Adajan, Surat, Gujarat 395009



Re-Accredited 'B++' 2.86 CGPA by NAAC

VEER NARMAD SOUTH GUJARAT UNIVERSITY

University Campus, Udhna-Magdalla Road, SURAT - 395 007, Gujarat, India.

વીર નર્મદ દક્ષિણ ગુજરાત યુનિવર્સિટી

યુનિવર્સિટી કેમ્પસ, ઉધના-મગદલા રોડ, સુરત - ૩૯૫ ૦૦૭, ગુજરાત, ભારત.

Tel : +91 - 261 - 2227141 to 2227146, Toll Free : 1800 2333 011, Digital Helpline No.- 0261 2388888

E-mail : info@vnsgu.ac.in, Website : www.vnsgu.ac.in

Department of Information and Communication Technology

M.Sc.(Information Technology) Programme

Certificate

This is to certify that Mr./Ms. Mehta Maitri Chetan with exam seat number 91 and SPID 2022026217 has worked on his/her project work entitled as Software Support Ticketing System at Quantum It Solution as a partial fulfillment of requirement of B.Sc. (Information Technology) - 6th Semester, during the academic year 2024-2025.

Date: 22/4/2025

Place: Department of ICT, VNSGU, Surat

Internal Project Guide
BSc(IT) 6th Semester
Department of ICT
VNSGU, Surat

Head of the Department
Department of ICT
VNSGU, Surat

PROJECT OF M. Sc. (I.T.) PROGRAMME VEER NARMAD SOUTH GUJARAT UNIVERSITY	
Academic Year:	_____
Approved By:	_____
EXAMINERS	

2 | Page

**Office Location:**

370 The Galleria, Near Sanjeev Kumar Auditorium, opp. New RTO, Pal Gam, Surat, Gujarat 395009

Date: 11/04/25

To,
Project Coordinator
J.P. Dawer Institute of M.Sc. (I.T) & M.Sc. (I.C.T)

This is to certify that **Ms. Mehta Maitri Chetan, Ms. Surti Arwa Hunaid and Ms. Tomar Komal Vijendrasingh** have done their internship in React and Django technology at Quantum IT SOLUTION, Surat, from Dec-2024 to Apr-2025, they wholeheartedly devoted themselves to the project "**Software Support Ticketing System**" with diligence and determination.

As part of the internship, they have demonstrated their skills with self-motivation to learn new skills. Their performance exceeded our expectations and they were able to complete the project on time. we found them sincere, hardworking, and technically sound and result oriented.



Quantum IT Solution.






Table of Contexts

01	Project Overview	
	1.1 Key stakeholders _____	05
	1.2 Scope _____	06
	1.3 Objectives _____	08
02	System Environment	
	2.1 Technology Description _____	12
	2.2 Software Requirements _____	13
03	System Planning	
	3.1 Feasibility Study _____	14
	3.2 Software Engineering Model _____	15
04	Software Requirements Specification	
	4.1 Functional Requirements _____	18
	4.2 Non-Functional Requirements _____	19
05	Entity-Relationship Diagram _____	21
06	UML Diagram	
	6.1 Use-case Diagram _____	22
	6.2 Class Diagram _____	23
	6.3 Activity Diagram _____	24
	6.4 Sequence Diagram _____	25
07	Data Flow Diagram _____	29
08	Data Dictionary _____	33
09	Software Design	
	9.1 Database Design _____	36
	9.2 Interface Design _____	47
10	Testing _____	126
11	Future Enhancement _____	128
12	Bibliography _____	129

1. Project Overview

The **Software Support Ticketing System** is a comprehensive, web-based application designed to streamline the process of addressing and resolving technical issues faced by customers who have purchased software products from the company. This system enhances communication, efficiency, and transparency between the software engineering company, its customers, and its internal support team.

- **Basic Information:~**

Project Title	Software Support Ticketing System
Organization	Quantum IT Solution
FrontEnd Tools	React JS, DevExtreme
BackEnd Tools	Django (APIs)
Database	MySQL
Cloud	Amazon AWS
Project Category	Web Based Application
Duration	3 Months
Internal Project Guide	Dr. Parul Patel
External Project Guide	Mr. Rajesh Prajapati
Submitted By	Mehta Maitri Surti Arwa Tomar Komal
Submitted To	Department of ICT, VNSGU

1.1 Key Stakeholders

- **Main Company (Software Engineering Company):**
The entity responsible for developing and maintaining the software products and providing support services to customers.
- **Customers (Client Companies):**
Organizations that have purchased the software products. These companies use the platform to report technical issues or request assistance.
- **Users (Support Team Employees):**
Internal employees of the main company who are tasked with addressing and resolving the tickets generated by customers.

1.2 Scope

Ticky is a comprehensive software support ticketing system designed to streamline issue tracking, communication, and resolution workflows between companies, their customers, and internal support teams. The platform supports multi-company environments with role-based access for Super Admins, Company Employees(Users), and Customers.

Core Features in Scope:

- **User Management**
 - Super Admin registration and control
 - Company creation and management
 - Company Employee and Customer login
 - Role-based access control and authentication with OTP verification
- **Ticket Management**
 - Ticket creation, categorization (Category/Subcategory)
 - Assignment of tickets to support staff
 - Real-time ticket status updates and priority handling
 - Ticket time tracking and activity logs
- **Activity & Notes Tracking**
 - Detailed activity logs for each ticket
 - Notes/comments with timestamps and file attachments
- **Notifications**
 - System-generated alerts based on actions (new ticket, status change, etc.)
 - Support for user-specific and ticket-linked notifications
 - WhatsApp Integration:
 - Message sent to customer's registered number when a ticket is created
- **Configuration Management**
 - Company-specific configurations (e.g., primary/alternate emails)
 - Custom branding with company logos

- **Security & Data Integrity**
 - Secure login with hashed passwords
 - OTP verification for users
 - Soft deletion flags and audit timestamps (entry/update dates)
-

1.3 Objectives of Tickety

Our objective is to develop a **web-based ticket management system** that enables **Admins, Users/Employees, and Customers** to efficiently create, manage, and resolve tickets while ensuring **seamless tracking, communication, and SLA compliance**.

1. Role-Based System Functionality

1.1 Admin Objectives

Admins have full control over the system, including managing users, employees, and customers, while ensuring tickets are resolved efficiently.

- **Customer & User/Employee Management**
 - Create, update, and manage **Users/Employees, and Customers**.
 - Assign roles and permissions to employees and users.
 - Activate or deactivate accounts as needed.
 - **Ticket Supervision & Assignment**
 - Oversee **all tickets**, reassign them if needed, and ensure SLA compliance.
 - Assign tickets to specific employees or teams based on category and priority.
 - Escalate critical tickets to higher authorities for immediate action.
 - **System & Data Management**
 - Manage ticket categories, priorities, and SLA settings.
 - Access complete **audit logs and activity history** for compliance and monitoring.
 - Generate and export **custom reports** for business insights.
 - **Security & Authentication**
 - Enforce **role-based access control (RBAC)** to restrict unauthorized access.
 - Configure and manage **two-factor authentication (2FA)** for admin accounts.
-

1.2 User/Employee Objectives

Users and employees handle **ticket-related tasks** and ensure timely resolution.

- **Ticket Creation & Updates**
 - Create new tickets for issues or service requests.
 - Update ticket details, status (**Open** → **Work In Progress** → **Escalated** → **Solved**), and add necessary notes.
 - Attach files or supporting documents to tickets.
 - **Communication & Tracking**
 - Communicate with customers via ticket comments and status updates.
 - Track and manage assigned tickets using filters based on **priority, status, category, sub- category**.
 - Ensure **SLA deadlines** are met to maintain resolution efficiency.
 - **Activity Logs & Audit Trails**
 - View **activity logs** to track ticket updates and previous resolutions.
 - Maintain records of previous tickets for future reference.
-

1.3 Customer Objectives

Customers can only create tickets and manage their profile.

- **Ticket Creation**
 - Submit **new tickets** for issues, service requests, or complaints.
 - Add descriptions, attach files, and select **priority, category and sub-category**.
 - **Ticket Tracking**
 - View **status updates** and responses from employees.
 - Receive **email & WhatsApp notifications** for ticket progress.
 - **Profile Management**
 - Update personal details such as name, contact info, and password.
-

- Manage account settings for notification preferences.
-

2. Ticket Workflow & Tracking

- **Status Progression** → Open → Work In Progress → Escalated → Solved.
 - Each ticket includes:
 - **Timestamps** for creation, updates, and resolution.
 - **Notes Section** for communication between employees and customers.
 - **Activity Log** for tracking all modifications and updates.
 - **Query Section:** streamline ticket tracking by providing clear insights into history, status, and details, enhancing efficiency for support teams.
 - **Automated Notifications**
 - Email & WhatsApp alerts for new ticket creation and updates.
-

3. Dashboard & Reporting

- **Real-time dashboard for Admins & Employees**
 - Monitor ticket statistics, resolution times, and pending issues.
 - **Reporting & Insights**
 - Generate reports based on **date range, priority, assigned employee, and category**.
 - Export reports in CSV formats for external analysis.
-

4. Security & Compliance

- **Role-based access control (RBAC)** restricts unauthorized access.
 - **Two-factor authentication (2FA)** is enabled for Admins.
 - **All ticket data and communication logs are encrypted** for security.
 - **GDPR & IT security compliance** for data protection and privacy.
-
-

Tickety ensures a **streamlined, role-based workflow** where:

- **Admins** manage users, employees, tickets, and system operations.
- **Users/Employees** handle tickets, ensuring efficient resolution.
- **Customers** can only create tickets and manage their profiles.

This structured approach allows for **efficient ticket resolution, accountability, and transparency** in issue tracking.

2. System Environment:

The Software Support Ticketing System is designed to be used by multiple users including customers, companies, and internal users simultaneously. A stable internet connection is required for smooth operation of the web application.

The Ticketing platform consists of the following main components:

- **Customer Panel:** A web-based interface where customers can raise complaints or feedback, track the status of their tickets, and receive responses from the company.
- **User(Employee) Panel:** A web-based interface for companies to view and manage tickets submitted by customers, assign to team members, and provide resolutions.
- **Admin Panel:** A centralized web-based interface for internal team members to manage companies, monitor system activity, handle feedback, and ensure smooth ticket workflow across all users.
- **Server:** A cloud-based backend powered by Django, Node.js, and MySQL that handles authentication, data processing, RESTful API services, ticket management, and communication between modules.

2.1 Technology Description:

1. Frontend Language:

- **Library:** React.js
- **UI Components:** Utilizing DevExtreme components for a rich, responsive, and interactive user interface

2. Backend Language:

- **Framework:** Python Django is used to develop robust and scalable RESTful APIs that handle all core functionalities such as ticket creation, tracking, and user authentication
- **Database Management:** MySQL Database is used for structured data storage, supporting relationships between customers, companies, tickets, and feedback modules

2.2 Software Requirements:

Operating System:	Windows, Linux, macOS
Programming Languages:	React.js (JavaScript library), Python (Django framework)
Database Management System:	MySQL
Web Browsers:	Google Chrome, Microsoft Edge, Mozilla Firefox

3. System Planning

3.1 Feasibility Study:

The problem of inefficient customer complaint management is analyzed, and a feasibility study is conducted to assess the practicality of developing the Software Support Ticketing System. The feasibility report focuses on the following three areas:

1. Technical Feasibility
2. Operational Feasibility
3. Economic Feasibility

1. Technical Feasibility:

The Tickety system is developed using a client-server architecture. The backend is built with **Django** (Python) and **Node.js** for specific modules, while the frontend uses **React.js** with **DevExtreme** components for a rich and responsive interface. The system uses **MySQL** as the database for secure and efficient data management. The platform is cross-browser compatible and supports RESTful API communication, ensuring scalability, reliability, and ease of integration with future modules.

2. Operational Feasibility:

The system provides a simple and intuitive interface for customers, companies, and internal users. Customers can raise tickets and track their status; companies can manage, assign, and resolve issues; and internal users can monitor and control all activities through the admin panel. The organized layout and user-friendly design ensure smooth navigation and minimal training, making it easy to operate for all types of users.

3. Economic Feasibility:

The development cost of Tickety is kept within budget by using open-source technologies like Django, React.js, and MySQL. The system significantly reduces the manual effort involved in handling customer complaints, increases response efficiency, and helps companies maintain better customer relations. The benefits outweigh the development and maintenance costs, ensuring a positive return on investment.

3.2 Software Engineering Model

The **Software Support Ticketing System** was developed using the **Agile model**, allowing for iterative progress, early feedback, and continuous improvement. Development was organized into sprints, starting with requirement gathering and backlog creation, followed by sprint-based development, regular reviews, and a final system-wide release.

1. Product Vision and Backlog Creation

Phase: Initial Planning and Requirement Gathering

Description: This phase is focused on defining the overall vision of the Ticketing system, identifying user roles, features, and functional expectations. The backlog is created with prioritized user stories.

- **Activities:**
 - Stakeholder Meetings
 - Requirement Gathering
 - Feature Listing
 - Backlog Setup
 - Initial Estimation

2. Sprint-Based Iterative Development

Phase: Agile Sprints (Time-Boxed Iterations)

Description: Development is divided into multiple sprints. Each sprint delivers a working module that adds value to the end users. Feedback is integrated after every sprint.

- **Activities (For Each Sprint):**
 - Sprint Planning
 - Daily Scrum
 - Development
 - Unit Testing
 - Integration Testing

3. Sprint Review and Feedback Loop

Phase: Evaluation and Continuous Feedback

Description: After each sprint, working features are demonstrated to stakeholders. Feedback is gathered, bugs and enhancement requests are noted and added to the backlog.

- **Activities:**
 - Sprint Review
-

- Feedback Collection
- Retrospective
- Backlog Grooming

4. Final Release and System Testing

Phase: Pre-Deployment and Release

Description: In the final sprint, all modules are integrated. A system-wide test is conducted. Bugs are fixed, and final acceptance testing is completed before the release.

- **Activities:**

- Final Integration
- System Testing
- Performance Testing
- User Acceptance Testing (UAT)
- Deployment Preparation

- **Project Iterations in Detail**

Sprint 1: Authentication and Admin Setup

Objective: Implement user authentication and super admin functionality

- **Activities:**

- Setup login, registration, and password recovery
- Super Admin panel to manage companies and admins
- Role-based access control
- Unit testing and staging deployment

Sprint 2: Ticket Lifecycle and Customer Portal

Objective: Enable customers to create and manage tickets

- **Activities:**

- Customer ticket creation with categories
- View ticket status and add notes
- Email notifications for ticket updates
- Customer dashboard implementation

Sprint 3: Employee Dashboard and Activities Tracking

Objective: Empower company employees to handle tickets

- Activities:
 - Employee dashboard with assigned tickets
 - Add notes, change ticket status, log time
 - View ticket history
 - Internal notifications and activity logs

Sprint 4: Admin Reports, Configurations & Final Testing

Objective: Provide analytical tools and final system validation

- Activities:
 - Company Admin report generation
 - System-wide configuration module
 - Integration of all modules
 - System testing and final fixes

4. Software Requirement Specification (SRS)

4.1 Functional Requirements :

1. User Authentication

- Users must log in using email and password.
- OTP verification is required for first-time login.
- If OTP verification fails, status remains "Inactive".
- Passwords must meet security criteria (minimum length, special characters, etc.).
- Admins can disable or reset user accounts when needed.

2. Ticket Management

- Users can create or update tickets, but deletion is not allowed.
- Admins can override ticket assignments.
- Users can attach files/images to tickets.
- Status updates: Open, In Progress, Resolved, Closed.
- Each ticket includes:
 - **Timestamps** (creation, updates, resolution time)
 - **Note section** (for internal communication and resolution tracking)
 - **Activity log** (tracks status changes, assigned personnel, comments, etc.)
- On ticket creation or status change, an **email and WhatsApp notification** is sent.
- SLA compliance tracking to ensure tickets are addressed within agreed timelines.
- Tickets can be prioritized as Low, Medium, High, or Critical.
- Ticket search and filtering based on status, priority, category, and assigned employee.

3. Role Management

- Admins can create and assign roles (Admin, User, Employee).
- Users can only access features based on their assigned roles.
- Employees can only view and manage tickets assigned to them.

- Admins have access to all tickets, system settings, and reports.

4. Dashboard & Analytics

- Real-time dashboard with:
 - Total tickets (Open, Work In Progress, Resolved, Solved)
 - User performance metrics (Tickets resolved, average resolution time)
 - SLA compliance monitoring
 - Customizable reports (downloadable in CSV)
- Filters for viewing tickets by:
 - Date range
 - Assigned employee/user
 - Ticket priority and status

5. Notifications

- Users receive:
 - **Email alerts** for ticket updates, assignment, and resolution.
 - **WhatsApp notifications** for urgent tickets.
 - **In-app notifications** for all activity related to their tickets.

4.2 Non-functional Requirements:

1. Performance

- The system should handle **1000+ concurrent users**.
- Ticket retrieval should take **≤ 2 seconds**.
- High-priority tickets must be processed immediately.

2. Security

- Passwords must be encrypted using **bcrypt hashing**.
- **Role-based access control (RBAC)** ensures proper permission management.
- All sensitive data must be encrypted at rest and in transit.

- Two-factor authentication (2FA) for admin access.
- Audit logs maintained for all actions performed on tickets.

3. Usability

- **Fully responsive UI** for desktop & mobile users.
- **No scrolling UI**; compact design with light background for better readability.
- Intuitive and **user-friendly ticket management interface**.
- Quick search and filtering options for efficient navigation.

4. Availability

- **99.9% uptime guarantee** with automatic failover mechanisms.
- System should auto-recover from minor failures with minimal downtime.
- Cloud-based architecture for scalability.


5. Maintainability

- **Modular architecture** (React frontend, PHP backend, API-based) for easier updates.
- Logs and analytics for system performance monitoring.
- **Regular updates and security patches** for system stability.
- Easy integration with third-party services (email, messaging APIs, reporting tools).


6. Compliance & Regulations

- **GDPR-compliant** data storage and user privacy protection.
- Compliance with **IT security policies** to prevent unauthorized access.
- Data retention policies ensuring logs and tickets are archived appropriately.


5. Entity-Relationship Diagram of Software Support Ticketing System




6.1 Use Case Diagram of Software Support Ticketing System




6.2 Class Diagram of Software Support Ticketing System




6.3 Activity Diagram of Software Support Ticketing System





6.4 Sequence Diagram of Software Support Ticketing System



6.4 Sequence Diagram of Software Support Ticketing System




6.4 Sequence Diagram of Software Support Ticketing System

6.4 Sequence Diagram of Software Support Ticketing System


7. Data Flow Diagram for Software Support Ticketing System

1. Level-0




LEVEL- 0 OF SOFTWARE TICKETING SYSTEM

2. Level-1




LEVEL-1 OF SOFTWARE SUPPORT TICKETING SYSTEM

• Level-2



LEVEL 2 OF PROCESS 1 OF SOFTWARE SUPPORT TICKETING SYSTEM



LEVEL 2 of PROCESS 4.0 OF SOFTWARE SUPPORT TICKETING SYSTEM

8. Data Dictionary

1) QIT_CompanyCustomer

Name	QIT_CompanyCustomer
Alias	Customer Master
Where & how to use	Used during customer registration, login, and company-wise mapping.
Description	Stores all details of the customer including credentials, profile, location, company linkage, and activity flags.

2) QIT_Company

Name	QIT_Company
Alias	Company Master
Where & how to use	Used while registering and managing companies. Links to customers, employees, categories, etc.
Description	Company-level data including contact, avatar, login, and OTP verification. Serves as parent to various modules.

3) QIT_CompanyEmployee

Name	QIT_CompanyEmployee
Alias	Internal Company Users
Where & how to use	Used for login/authentication and management of internal users linked to companies.
Description	Holds company user data such as credentials, status, and employee profile with company linkage.

4) QIT_SuperAdminTB

Name	QIT_SuperAdminTB
Alias	Admin Credentials
Where & how to use	Used for super admin login and platform-level control.
Description	Contains super admin credentials and metadata for system-wide control.

5) QIT_TicketCategory

Name	QIT_TicketCategory
Alias	Ticket Group
Where & how to use	Used to group tickets by category for each company.
Description	Master list of categories used to classify support tickets per company.

9. QIT_TicketSubCategory

Name	QIT_TicketSubCategory
Alias	Ticket Type
Where & how to use	Sub-division of ticket categories used in ticket creation.
Description	Defines sub-level categories under each ticket category to allow detailed ticket classification.

10. QIT_Tickets

Name	QIT_Tickets
Alias	Ticket Register
Where & how to use	Used for storing and tracking raised tickets by customers or company users.
Description	Stores full ticket lifecycle information like status, priority, category, created user, and timestamps.

11. QIT_Activities

Name	QIT_Activities
Alias	Ticket Actions
Where & how to use	Captures every action taken on a ticket for tracking.
Description	Records time-stamped activities done by users on tickets including status updates, communication, etc.

12. QIT_TicketNotes

Name	QIT_TicketNotes
Alias	Ticket Comments
Where & how to use	Notes/comments added against a ticket.
Description	Notes with optional file uploads created by users or customers against any ticket and activity.

13. QIT_TicketTimeSpent

Name	QIT_TicketTimeSpent
Alias	Ticket Work Log
Where & how to use	Tracks time spent by support team or staff per ticket.
Description	Start time, end time, and notes describing time spent resolving or working on a ticket.

14. QIT_UserLogin

Name	QIT_UserLogin
Alias	Login Master
Where & how to use	Used for all types of login (admin, staff, customer) and role-based access control.
Description	Maintains login credentials, roles, and flags like is active, is staff, is superuser, etc.

15. QIT_Notifications

Name	QIT_Notifications
Alias	System Alerts
Where & how to use	Used for real-time or stored notifications shown to users.
Description	Stores notification data linked with user/ticket/activity including title, message, and status.

16. QIT_Configuration

Name	QIT_Configuration
Alias	Company Settings
Where & how to use	Used to manage email config and other setup data per company.
Description	Configuration data such as primary email, alternate email, and reference to company for internal settings.

9. Software Design

9.1 Database Design

1) QIT_CompanyCustomer

Element Name	Data Type	Constraint	Description
Transid	bigint	Primary Key	Unique id of customer
Custcode	varchar	Unique Key	Unique code of customer
custname	varchar	not null	Name of customer
Custemail	varchar	not null	Email of customer
Custpassword	varchar	not null	Password of customer
Custphno	varchar	null	Phone no of customer
Custstatus	varchar	null	Status of customer
Custtype	varchar	null	Status of customer
Custgstno	varchar	null	Type of customer
Custregaddr	varchar	null	Registered address of customer
Custcity	varchar	null	City of customer
Custpincode	varchar	null	Pincode of customer
Custstate	varchar	null	State of customer
Custcountry	varchar	null	Country of customer
Custlogo	longblob	null	Logo of customer's company
Custisdeleted	integer	not null	Deletion flag for customer
companytransid	integer	Foreign Key	Transid of table QIT_Company
entry_date	datetime	datetime	Addition of customer date
update_date	datetime	datetime	Updation of customer date
Passwordreq	varchar	null	Password request of customer
Isotpverified	varchar	null	Otp verification of customer

2) QIT_Company

Element Name	Data Type	Constraint	Description
transid	bigint	Primary Key	Unique id of customer
companyname	varchar	Not null	Name of company
companyemail	varchar	Not null	Email of company
companypassword	varchar	Not null	Password of company
companyavatar	longblob	null	Avatar(Base64 encoded image)
companyphno	varchar	null	Phone number of company
companyisdeleted	integer	Not null	Deletion flag of company
companyaddress	varchar	null	Address of company
entry_date	datetime	null	Entry date
update_date	datetime	null	Last update date
companystatus	varchar	null	Status of company
isotpverified	varchar	null	OTP verification flag of company

3) QIT_CompanyEmployee

Element Name	Data Type	Constraint	Description
transid	bigint	Primary Key	Unique id of company user
cmpusercode	varchar	Unique Key	Unique code of company user
cmpuseremail	varchar	Not null	Email of company user
cmpuserpassword	varchar	Not null	Password of company user
cmpuserusername	varchar	Not null	Username of company user
cmpusercontactnumber	varchar	Null	Contact number of company user
cmpuserstatus	varchar	Null	Status of company user
cmpuserisdeleted	integer	Not null	Deletion flag of company user
companytransid	integer	Foreign Key	Transid of table QIT_Company
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date
Passwordreq	varchar	Null	Password request of company user
Isotpverified	varchar	Null	OTP verification flag of company user

4) QIT_SuperAdminTB

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary Key	Unique id of super Admin
email	varchar	Not null	Email of super Admin
password	varchar	Not null	password of super Admin
companyname	varchar	Not null	Company name of super Admin
entry_date	datetime	Not null	Entry date
update_date	datetime	Not null	Last update date

5) QIT_TicketCategory

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary Key	Unique id of Ticket Category
ticketcategoryname	varchar	Null	Name of ticket Category
companytransid	integer	Foreign Key	Transid of table QIT_Company
ticketisdeleted	integer	Not Null	Deletion flag of ticket category
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date

6) QIT_TicketSubCategory

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary Key	Unique id of Ticket Sub-category
ticketsubcatname	varchar	Not Null	Name of Ticket Sub-category
ticketsubiddeleted	integer	Not Null	Deletion flag of ticket sub-category
companytransid	integer	Foreign Key	Transid of table QIT Company
ticketcategorytransid	integer	Foreign Key	Transid of table QIT_TicketCategory
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date

7) QIT_Tickets

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary Key	Unique id of Tickets
ticketcode	varchar	Not Null	Unique code of Tickets
ticketstaus	varchar	Not Null	Status of Tickets
ticketpriority	varchar	Null	Priority Tickets
ticketdescription	varchar	Null	Description of Tickets
ticketsubject	varchar	Null	Subject of Tickets
ticketcreatedby	varchar	Null	Name of company who generated Ticket
ticketcategorytransid	integer	Foreign Key	Transid of table QIT_TicketCategory
ticketsubcattransid	integer	Foreign Key	Transid of table QIT_TicketSubCategory
companytransid	integer	Foreign Key	Transid of table QIT_Company
customertransid	integer	Foreign Key	Transid of table QIT_CompanyCustomer
usertransid	integer	Foreign Key	Transid of table QIT_Companyuser
ticketdatetime	datetime	Not Null	Date of ticket generation
entry_date	datetime	Null	Entry Date
update_date	datetime	Null	Last update date

8) QIT_Activities

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary key	Unique id of Activities
activitydatetime	datetime	Not null	Entered activity date time
tickettransid	integer	Foreign Key	Transid of table QIT_Ticket
activitydoneby	varchar	Null	Name of person who has attempted the activity
creatorcode	varchar	Null	Unique code of creator
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date
activitymessage	varchar	Null	Message of activity
activitytype	varchar	Null	Type of activity

9) QIT_TicketNotes

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary Key	Unique id of TicketNotes
notesdescription	varchar	Null	Description of notes
notesattachedfile	varchar	Null	Attached file of notes
notesdate	date	Null	Date of notes
notestime	time	Null	Time of notes
notescreatedby	varchar	Null	Name who has created notes
tickettransid	integer	Foreign Key	Transid of table QIT_Ticket
custtransid	integer	Foreign Key	Transid of table QIT_CompanyCustomer
usertransid	integer	Foreign Key	Transid of user
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date
activitytransid	integer	Foreign Key	Transid of table QIT_Activities
companytransid	integer	Foreign Key	Transid of table QIT_Company

10) QIT_TicketTimeSpent

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary key	Unique id of TicketTimeSpent
starttime	time	Not null	Starttime of TicketTimeSpent
endtime	time	Not null	endtime of TicketTimeSpent
currentdate	date	Not null	Current date of TicketTimeSpent
description	varchar	null	Description of TicketTimeSpent
tickettransid	integer	Foreign key	Transid of table QIT_Ticket
usertransid	integer	Foreign key	Transid of user
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date
companytransid	integer	Foreign key	Transid of table QIT_Company

11) QIT_UserLogin

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary key	Transid of QIT_UserLogin
email	varchar	Not null	Email of UserLogin
password	varchar	Not null	Password of UserLogin
isotpverified	varchar	Not null	Otp verification for UserLogin
userrole	varchar	Not null	User role of UserLogin
isuserdeleted	varchar	Null	Deletion flag of user
username	varchar	Null	Username of UserLogin
lastlogin	datetime	Null	The timestamp of the user's most recent login
isactive	integer	Null	Indicates whether the user account is active or not.
isstaff	integer	Null	Identifies whether the user has staff privileges
issuperuser	integer	Null	Determines if the user has superuser privileges
entry_date	datetime	Null	Entry date
update_date	datetime	Null	Last update date

12) Qit_Notifications

Element Name	Data Type	Constraint	Description
transid	Bigint	Primary key	Transid of QIT Notifications
title	varchar	Not null	Title of notifications
description	varchar	Not null	Description of notifications
notificationtype	varchar	Not null	Type of notifications
notificationstatus	varchar	null	Status of notifications
usertransid	integer	Foreign key	Transid of table QIT_CompanyUser
customertransid	integer	Foreign key	Transid of table QIT_CompanyCustomer
companytransid	integer	Foreign key	Transid of table QIT_Company
activitytransid	integer	Foreign key	Transid of table QIT_Activities
tickettransid	integer	Foreign key	Transid of table QIT_Tickets
createdby	varchar	null	Created by whom
entrydate	datetime	null	Entry Date
update date	datetime	null	Last update date

13) QIT_Configuration



Element Name	Data Type	Constraint	Description
transid	BigInt	Primary Key	Unique id of QIT_Configuration
companytransid	integer	Foreign Key	Transid of table QIT_Company
primaryemail	varchar	Not null	Main email
altemail	varchar	Not null	Alternative email

9.2 Interface Design


The **Software Support Ticketing System** is designed to streamline the process of handling and tracking issues reported by customers of our software products.

Tickety's Hero Page:


- The Home Panel




- Home Panel




- Services Panel



- **Services Panel:**



- **Tutorial Panel:**



Company's Workflow

What is ticket?

In this system, a "ticket" serves as a record for any technical problem, question, or request raised by a client. Tickets allow both customers and company representatives to effectively report, manage, and resolve software-related issues.

When a customer encounters an issue, they can create a ticket specifying the subject and description of the problem. Alternatively, if the customer reports the issue verbally, a developer or any authorized company representative can create the ticket on their behalf. Each ticket includes fields to capture details such as the status, priority, category, and subcategory of the issue, ensuring that all necessary information is documented for efficient resolution. Additionally, the system tracks the person currently assigned to each ticket, the time spent on its resolution, and its priority level, giving all users clear visibility into the progress of each issue.

The system provides two separate workflows: one for internal company use and one for customer use.

Let's Elaborate the Company Flow First:~


Company Workflow: When logged in, company admin have access to multiple modules and can:

- Add and manage tickets for customers
- Manage customer accounts, including creating accounts and providing login credentials (email and password) to customers, bypassing the need for a separate registration process
- Access user settings, system settings, and analyzing support logs
- View the assignment and progress of each ticket, including the time spent and resolution priority.

• Login

The login page allows users and administrators to securely access the **Software Support Ticketing System** by entering their email address and password. It provides a user-friendly interface for credential entry, error handling, and additional features such as password recovery and role-based access control.

- **Email Address:**
Users can enter their email address in this field.
- **Password:**
Users can enter their password in this field



Forgot Password?

If you've forgotten your password, click the "Forgot Password" link. You will be redirected to the Reset Password page, where you can enter your email address to receive a one-time password (OTP) for verification. Once your email is verified, you can reset your password and regain access to your account.

Email Address:

Enter your email address in this field to receive the OTP.

Software Support Ticketing System

tickety

← Go back

Reset Password

Type your email address to get an OTP

Email Address *

mailtrimehta2404@gmail.com

Continue

tickety

Heya, Rani Patel

Search modules

Create New Ticket

Customers

User Settings

General Settings

Add Tickets

Tickets

In total, you have 20 tickets

	COMPANY NAME	STATUS	SUBJECT	WORKING USER
☐	Pushpa	Work in progress	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pushpa	Open	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pushpa	Solved	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pushpa	Escalated	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pushpa	Open	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pushpa	Solved	Lorem ipsum dolor	Lorem ipsum dolor

OTP Successfully Verified Your One-Time Password (OTP) has been verified! You can now proceed to reset your password and securely access your account.

tickety

← Go back

Verify an OTP

Sent to mailtrimehta2404@gmail.com Not you?

1

6

9

2

4

|

Didn't get an OTP ? Retry in 04 : 47

tickety

Heya, Rani Patel

Search modules

Create New Ticket

Customers

User Settings

General Settings


Add Tickets

Tickets


In total, you have 20 tickets

	COMPANY NAME	STATUS	SUBJECT	WORK
☐	Pushpa	Work in progress	Lorem ipsum dolor	Lorem
☐	Pushpa	Open	Lorem ipsum dolor	Lorem
☐	Pushpa	Solved	Lorem ipsum dolor	Lorem
☐	Pushpa	Escalated	Lorem ipsum dolor	Lorem
☐	Pushpa	Open	Lorem ipsum dolor	Lorem
☐	Pushpa	Solved	Lorem ipsum dolor	Lorem

Incorrect OTP: The OTP you entered is incorrect. Please check and try again. Ensure you're entering the exact code sent to your email. If you're experiencing issues or didn't receive the OTP, click "Resend" to receive a new code. You can try again after the timer resets. Make sure to check your spam or junk folders as well.



Now the new password will be set up.



- **Profile Section:**

This section enables users to quickly access their own account details.

The screenshot displays the 'Profile' section of the system. At the top, it says 'Heya , qitadmin' with a user icon and a dropdown arrow. Below this, the 'Profile' title is on the left, and 'Cancel' and 'Save Details' buttons are on the right. The main content area is divided into two sections. The first section shows the user's profile information: a logo for 'Quantum IT SOLUTION', the username 'qitadmin', email ID 'qitadmin@gmail.com', and a 'Change Password' link. Below this are fields for 'Company Name' (containing 'QIT') and 'Company Email' (containing 'qitadmin@gmail.com'). The second section contains 'Registered Address' (containing 'Anand Mahal Road , Adajan , Surat') and 'Contact Number' (containing '9427478798'). At the bottom, there is a copyright notice: 'Copyright © 2025-2026 Quantum IT Solution Inc.'

Profile Photo:

- The user has the option to set or update their profile photo. This helps personalize the profile and allows the user to upload a photo that represents them visually within the system.

User Information Display:

- This section provides details about the currently logged-in user, allowing them to view their personal and contact information at a glance.
- Key details displayed include:
 - **User Code:** A unique identifier assigned to the user.
 - **Username:** The display name of the user within the system.
 - **Email Address:** The user's registered email address for communication and notifications.
 - **Contact Number:** The user's phone number for direct contact.
 - The user can also change that password

- **Notification Section:**

This flexible structure ensures that users receive clear, actionable information tailored to various types of notifications, whether they relate to meetings, requests, updates, change password request or other activities.

Notification Categories:

The section is divided into two categories:

- **Unread:** Displays only the notifications that the user hasn't opened yet, helping users quickly find new updates.
- **All:** Shows the complete list of notifications, including both read and unread items, for a comprehensive view.
- **Notification Details:** Each notification provides specific details relevant to the user's activities or interactions like:
 - **Who** initiated the action or request?
 - **Relevant Parties** involved in the notification.
 - **Additional Information** like time, date, or any other pertinent details specific to the action.

Notifications		×
Unread	ALL	
New Ticket Created: 1		
28-01-2025 4:18 PM		
Ticket Status Updated		
28-01-2025 2:46 PM		
Time Spent Recorded		
28-01-2025 2:35 PM		
Ticket Status Updated		
28-01-2025 12:00 PM		
Ticket Status Updated		
28-01-2025 12:00 PM		
Ticket Status Updated		
27-01-2025 6:17 PM		
Ticket Status Updated		
27-01-2025 6:17 PM		
Time Spent Updated		
27-01-2025 6:16 PM		
Time Spent Recorded		
27-01-2025 6:16 PM		

Notifications

×

Unread

ALL

New Ticket Created: 1

28-01-2025 4:18 PM

Ticket Status Updated

28-01-2025 2:46 PM

Time Spent Recorded

28-01-2025 2:35 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

27-01-2025 6:17 PM

Ticket Status Updated

27-01-2025 6:17 PM

Time Spent Updated

27-01-2025 6:16 PM

Time Spent Recorded

27-01-2025 6:16 PM

• Ticket Section:

Here's a structured breakdown of the ticket list information shown in the image:

The screenshot shows the 'tickety' software interface. The sidebar on the left contains navigation links: Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The main content area is titled 'Tickets' and shows a list of tickets. At the top right of the main area is a '+ Create New' button. Below the title, there is a search bar and two dropdown menus for 'All Status' and 'All User'. The table below shows the following data:

CUSTOMER	STATUS	TICKET NUMBER	SUBJECT	WORKING USER	REQUESTED ON ↓	PRIORITY	CREATED BY
Komal Tomar	Open	TIC2025J0005	1	Komal Tomar	28/01/2025 16:18:46	High	Komal Tomar
bhavya	Work in progress	TIC2025S0005	new ticket	QIT	27/01/2025 18:03:42	High	QIT
Remorsive Mate	Escalated	TIC2025Q0005	Random Subject	QIT	27/01/2025 17:55:57	Medium	QIT
kogic	Open	TIC2025Z0004	new ticket	QIT	27/01/2025 17:20:52	Medium	kogic
Komal Tomar	Open	TIC2025D0004	problem facing in project	Komal Tomar	27/01/2025 16:03:32	High	Komal Tomar

At the bottom of the page, there is a copyright notice: Copyright © 2011-2025 tickety Inc.

○ Customer Name

- Displays the name of the customer, shown as a clickable link.
- Clicking the name reveals additional actions related to the customer.

When the user clicks on the arrow next to a ticket, a detailed section expands, displaying additional information about the ticket. This view provides a more comprehensive look at the ticket's specifics, helping users understand and manage the ticket more effectively.

○ Status

- Indicates the current status of each ticket.
- Status options include:
 - Open
 - Work in Progress
 - Escalated
 - Solved

- **Ticket Number**
 - Auto-generated unique identifier for each ticket.
- **Subject**
 - Brief description or topic of the ticket.
- **Working User**
 - Indicates the user assigned to work on the ticket.
- **Requested On**
 - Shows the date and time when the ticket was requested.
 - Examples include:
 - Yesterday at a specific time
 - Today at a specific time
- **Priority**
 - Specifies the urgency level of the ticket.
 - Priority levels include:
 - High
 - Medium
 - Low
- **Created by**
 - Shows who has generated the ticket

Clicking on the  button allows the user to initiate the process of creating a new ticket. This feature opens a form or interface where users can:~

Software Support Ticketing System

The screenshot shows the 'Add Tickets' interface. On the left is a sidebar with a search bar and a menu containing 'Tickets', 'Customers', 'User Settings', 'Settings', 'Reports', and 'Log Reports'. The main area is titled 'Add Tickets' and includes a 'Ticket / Add New' breadcrumb. It features a 'Subject' text input, a 'Description' rich text editor with bold, italic, underline, link, and code icons, and a right-hand column with dropdowns for 'Customer', 'Status', 'Priority', and 'Category'. At the bottom right is an 'Upload Attachment' section with a 'SELECT A FILE' button and a 'Drop a file here' instruction. A 'Cancel' button and a red 'Save Details' button are at the top right. The footer contains the copyright notice: 'Copyright © 2025-2026 Quantum IT Solution Inc.'

In the new ticket creation process, the user has the following options:


- **Subject:** Enter a brief title for the ticket.
- **Description:** Provide a detailed explanation of the issue or request.
- **Customer Name:** Select the customer associated with the ticket.
- **Status:** Choose the initial ticket status from:

A dropdown menu for selecting the ticket status. The options are: Open, Work in Progress, Escalated, and Solved. The 'Open' option is currently selected and highlighted with an orange background.

- **Priority:** A dropdown to select the priority level. Options could be:

A dropdown menu for selecting the ticket priority. The options are: High, Medium, and Low. The 'High' option is currently selected and highlighted with an orange background.

- **Category:** Specify the general category of the ticket and the categories are fetched by API call, such as:



A screenshot of a dropdown menu for selecting a category. The menu is open, showing four options: 'SAP-11' (highlighted in light gray), 'Web application', 'Mobile Application', and 'Java'.

- **Subcategory:** Select or create a new specific subcategory within the chosen category, and the sub-categories are fetched by API call such as:
- As soon as category will be selected their specialized sub-category dropdown will appear.



A screenshot of a dropdown menu for selecting a subcategory. The menu is open, showing two options: 'Sap Hana' (highlighted in light gray) and 'Steel & Tube'.

- **Upload Attachment:** If there are any attachment regarding ticket, we can attach it during ticket formation.

- **Save Details:**

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

- **Details of Ticket:**

- **Activity Tab:**

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.

The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links: Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The main header shows the user 'Heya , qitadmin' and a 'Save Details' button. The central 'Ticket Details' section has four tabs: 'Activities' (selected), 'Query', 'Notes', and 'Time Spent'. Under the 'Activities' tab, there are two sections: 'Today' and 'Yesterday'. The 'Today' section contains one activity: 'the work is in process!!!' created on 28-Jan-2025 by QIT. The 'Yesterday' section contains two activities: 'problem facing in project' created on 27-Jan-2025 by Komal Tomar, and 'i have attached the screenshot of not working module.' created on 27-Jan-2025 by Komal Tomar. To the left of the activities, there are fields for ticket details: Status (Open), Customer (Komal Tomar), Priority (High), Category (Java), and Sub-Category (-). At the bottom, there is a copyright notice: 'Copyright © 2011-2025 tickety Inc. All trademarks or registered trademarks are property of their respective owners.'

- Displays all the activities performed on a specific ticket with timestamps.
- The "Status" drop down allows selecting the current status of the ticket.
- Shows the customer associated with the ticket.
- Includes fields for ticket "Category," and "Sub-category," which can be set or modified by the user when creating or updating a ticket.

○ Query Tab:

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.

The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links: Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The main header shows the user 'Heya, qitadmin' and a 'Save Details' button. The 'Ticket Details' section is active, showing the 'Query' tab. The 'All Details' panel on the left lists ticket information: Status (Open), Customer (Mehta Maltri), Priority (High), Category (SAP), and Sub-Category (SAP HANA-11). The main content area shows the 'Subject' (system fault) and 'Description' (there is some system fault!!!). Below the description is an 'ATTACHMENT' button. The footer contains the copyright notice: 'Copyright © 2025-2026 Quantum IT Solution Inc.'

- Displays the "**Subject**" and "**Description**" for the ticket.
- These fields are likely defined when the ticket is initially created.
- ⬇ **Attachment**: Used to download the attachment which is being uploaded during ticket creation.
- **Save Details**:

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

○ Note Tab:

This section provides users with the ability to document ticket-related information comprehensively, including text descriptions and file attachments, enhancing collaboration and record-keeping.


The screenshot displays the 'Ticket Details' interface. On the left, a sidebar contains navigation links: Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The main panel is divided into sections. The 'All Details' section shows the ticket status as 'Open', customer name as 'Mehta Maitri', priority as 'High', category as 'SAP', and sub-category as 'SAP HANA-11'. The 'Notes' tab is selected, showing a list of notes. A filter for 'All Notes' and a date range of 'All Time' are visible. A single note is listed: '1. there is lagging during reloading of page!!' created on 05-Feb-2025 by QIT. An 'Add Note' button is located at the bottom right of the notes section. The footer of the page reads 'Copyright © 2025-2026 Quantum IT Solution Inc.'

View Notes by Time and Type:

- The user can view all notes related to a ticket, organised by time and type.
- **Note Type Filter:** Users can choose to view specific types of notes, such as "Your Notes," "Customer Notes," and "Other User Notes."


A vertical list of four filter options: "All Notes", "Your Notes", "Customer Notes", and "Other User Notes". The "All Notes" option is highlighted with a light gray background.

- **Time Filter:** Options to filter notes by time periods such as "Today," "Yesterday," "This Week," "Past Notes" allow users to focus on recent or relevant updates.



A vertical dropdown menu with a light gray background. It contains five text options: "All Time", "Today", "Yesterday", "This Week", and "Past Notes". The "All Time" option is highlighted with a darker gray background.

○ Add Note:



A form titled "Add Notes" with a close button (X) in the top right corner. The form is divided into two main sections: "All Details" and "Attachment".

All Details

Description

A large text input area with a placeholder text "Add Description".

Attachment

A button labeled "SELECT A FILE" in orange, followed by the text "or Drop a file here".

At the bottom right of the form, there are two buttons: "Cancel" and "Save Details" (in orange).

- When the user clicks on the **"Add Note"** button, a field appears that allows them to add a description related to the ticket.
- Additionally, users can **upload files** related to the note, such as screenshots, documents, or other relevant attachments, which are then linked to the note.

○ Time Spent Tab:

This section enables efficient tracking and management of work time, allowing users to accurately log, edit, and review time spent on a ticket, ensuring accountability and clarity in the work performed.

View Work Logs:

- **Displays a detailed log of time spent on the ticket, including:**
 - Who performed the work?
 - Duration of work (in hours).
 - Start and End Times of each work session.
 - Date information (e.g., "Today," "Yesterday") for quick reference.

The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links: Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The main area is titled 'Ticket Details' and shows a ticket for 'Komal Tomar' with status 'Open' and priority 'High'. The 'Time Spent' tab is active, showing a log for 'Today' with one entry: 'the work is in process!!!' from 5:11 PM to 6:00 PM on 28-01-2025, created and edited by QIT. A 'Save Details' button is in the top right, and an 'Add Time Spent' button is in the top right of the log area. The footer contains copyright information for 2011-2025.

- Each entry includes an **Edit and Delete** option, allowing users to update or remove time logs as needed.

- **Save Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.
- **Add Time Spent:**
 - By clicking on the "Add Time Spent" button, a form opens where users can enter specific details:
 - **Start Time** and **End Time** for the work session.
 - **Description** of the work performed, providing context and details about the tasks completed.
 - **Save Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

Add Time Spent

×

All Details

Start Time *

5:49 PM

⌚

End Time *

5:49 PM

⌚

Select Date *

28-01-2025

📅

Description

Add Description

Cancel

Save Details

○ Edit Option:

Edit Time Spent

×

All Details

Start Time *

5:11 PM

End Time *

6:00 PM

Select Date *

28-01-2025

Description

the work is in process!!!

Cancel

Edit Details

- If a user wants to edit an existing time entry, they can click the **Edit** button next to that entry.
- This action opens a form allowing the user to modify details such as **Start Time**, **End Time**, and **Description** of the work performed.
- Once changes are made, the updated information is saved, providing accurate tracking of time and tasks.
- **Edit Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

○ **Delete Option:**

- If a user needs to delete time entry, they can click the Delete button next to it.
- This action permanently removes the selected time log from the record, helping to keep the time log accurate and relevant by eliminating unnecessary or incorrect entries.

Customer And New Customer Section:

The **Customers** page allows users to manage customer records efficiently. Here, company representatives can view a list of all customers, check the status of their accounts, verify OTP (One-Time Password) status, and manage password change requests.

The screenshot shows the 'tickety' software interface. The sidebar on the left contains navigation links: Tickets, Customers (highlighted), User Settings, Settings, Reports, and Log Reports. The main content area is titled 'Customers' and includes a '+ Add Customer' button. Below this, there is a table of customer information. The table has columns for Customer Name, Status, Code, Email ID, OTP Verification, Password Request, and Contact Number. The table lists six customers: rajvi, Steel&Tube, Aayushi, Komal Tomar, and Remorsive Mate. The status of each customer is indicated by a dot and text: Active (green) or Inactive (red). The OTP Verification status is 'No' or 'Yes'. The Password Request status is 'Changed' or 'Pending'. The Contact Number is displayed for each customer. At the bottom of the table, there is a pagination control showing '1 of 2'.

CUSTOMER NAME	STATUS	CODE	EMAIL ID	OTP VERIFICATION	PASSWORD REQUEST	CONTACT NUMBER
rajvi	Active	customer2025H2	rajvi@gmail.com	No	Changed	9123456780
Steel&Tube	Active	customer2025X2	qit.ranip@gmail.com	Yes	Pending	8827413143
Aayushi	Active	customer2025B2	maayushi2003@gmail.com	Yes	Changed	8320582525
Komal Tomar	Active	customer2025I2	tomarkomal3011@gmail.com	Yes	Changed	9426890306
Remorsive Mate	Inactive	customer2025O2	remorsivemate@gmail.com	Yes	Changed	7878787878

Customer List: This table displays a summary of customer information, including:


- **Customer Name:** The name of the customer, displayed as a clickable link. Clicking on a customer name reveals additional actions.
- **Status:** Indicates whether a customer is *Active* or *Inactive*.
 - **OTP Verification** impacts the customer's status:
 - If OTP verification is successful, the status will automatically update to *Yes*.
 - If OTP verification fails, the status remains *No* and cannot be manually changed.
- **Customer Code:** A unique identifier for each customer.
- **Email ID:** The customer's email address.
- **OTP Verification:** Displays *Yes* if the OTP was correctly entered, or *No* if it was not.
- **Password Request:** Shows the status of any password change requests:

- **Pending:** The request is awaiting approval from the company.
- **Changed:** The request has been approved, and the password has been updated.
- **Contact Number:** Displays the contact number of the customer.

Search and Filters:

- **Search:** Allows users to search for specific customers by entering their name.
- **Status Filter:** Filters the customer list based on their *Active* or *Inactive* status.
- **Password Request Filter:** Filters customers by the status of their password request (e.g., *Pending*, *Changed*).

Three-Dot Menu (Dropdown Actions):~



- Each customer row has a three-dot menu to the right. Clicking on this menu opens a dropdown with the following options:
 - **Edit & View:** Redirects the user to the "Edit Customer" page, where they can update customer information.
 - **Delete:** Allows users to delete the selected customer from the list.
 - **Assign Projects:** Used to assign projects to customer.

Add Customer Button: Located at the top right corner, this button lets users add a new customer. Clicking this button opens a form for entering customer details.

+ Add Customer

Software Support Ticketing System


The screenshot displays the 'Add Customer' form within the 'tickety' software support ticketing system. The interface includes a sidebar with navigation options: Tickets, Customers (selected), User Settings, Settings, Reports, and Log Reports. The main content area is titled 'Add Customer' and is part of the 'Customer / Add Customer' section. The form contains several input fields for customer information, including Customer Code, Customer Name, Email Address, Password, Contact Number, Status, GST Number, Show total work hours?, Registered Address, City, Pin Code, State, and Country. The form is styled with a light orange background and includes a sidebar with navigation options like Tickets, Customers, User Settings, Settings, Reports, and Log Reports. The top bar shows the user 'Heya, qitadmin' and a 'Save Details' button.

To generate a new customer, the following fields are required in the "Add Customer" form. Each field has specific validation and behavior to ensure correct data entry and workflow.

Add Customer Form Fields

- **Customer Code:**
 - **Type:** Unique identifier.
 - **Description:** This field serves as a unique identifier for each customer.
- **Customer Name:**
 - **Type:** Text input.
 - **Description:** The name of the customer.
- **Email Address:**
 - **Type:** Email input with OTP verification.
 - **Description:** The customer's email address.

- **Verification:** An arrow icon next to this field triggers an OTP verification popup when clicked.
 - **OTP Verification:** If the OTP sent to the email is verified, the **Status** field automatically updates to "Active". If the OTP is not verified, the status remains "Inactive" and cannot be changed manually.



- **Password:**

- **Type:** Password input.
- **Description:** Password for the customer's account. This password will be provided to the customer for login purposes.

- **Contact Number:**

- **Type:** Number input.
- **Description:** The customer's contact phone number.

- **Status:**

- **Type:** Dropdown (Active / Inactive).
- **Behavior:** Automatically set to "Active" if the OTP is verified. If the OTP is not verified, the status remains "Inactive" and cannot be manually changed to "Active."



- **GST Number:**
 - **Type:** Text input.
 - **Description:** GST (Goods and Services Tax) number of the customer, if applicable.
- **Registered Address:**
 - **Type:** Text input.
 - **Description:** The official address registered for the customer.
- **City:**
 - **Type:** Text input.
 - **Description:** City where the customer is located.
- **Pin code:**
 - **Type:** Number input.
 - **Description:** Postal code for the customer's location.
- **State:**
 - **Type:** Text input.
 - **Description:** State or province of the customer's registered address.
- **Country:**
 - **Type:** Text input or dropdown.
 - **Description:** Country where the customer is located.

Save Details Button:

Purpose: To save the current customer's information and view their full details.

Behavior: When clicked, this button saves the customer's information and redirects the user to the **Customer Detail Page**. This page provides an overview of the customer's profile, including all saved details, and allows for further actions or edits if needed.

EDIT CUSTOMER:

The screenshot shows the 'Edit Customer' page in the 'tickety' system. The sidebar on the left contains a search bar and navigation links: Tickets, Customers (selected), User Settings, Settings, Reports, and Log Reports. The main content area has a header with the user 'Heya, qitadmin' and a 'Save Details' button. Below the header, the page title 'Edit Customer' is followed by a breadcrumb 'Customer / Edit Customer'. The form contains the following fields:

- Customer Code ***: customer2025X2
- Customer Name ***: Steel&Tube
- Email Address ***: qit.ranip@gmail.com
- Password ***: Change Password (with an eye icon to toggle visibility)
- Contact Number ***: 8827413143
- Status ***: Active (dropdown menu)
- Type ***: Web application (dropdown menu)
- GST Number ***: Gst123456789
- Want to show Total Work Hours for this customer? ***: Yes (dropdown menu)
- Registered Address ***: Adajan, Gam
- City ***: Surat
- Pin Code ***: 395009
- Country ***: India (dropdown menu)
- State ***: Gujarat (dropdown menu)

In the **Edit Customer** page, all fields are pre-filled with the current details of the selected customer, allowing for easy updates and modifications. Here's a breakdown of how this page functions:

Pre-filled Fields:

When a user navigates to the **Edit Customer** page, all fields—such as Customer Code, Customer Name, Email Address, Contact Number, Status, Customer Type, GST Number, Registered Address, City, Pin code, State, and Country—are automatically populated with the existing information.

This helps the user to quickly review and modify any specific details without having to re-enter everything.

Email Address Change and OTP Verification:

If the **Email Address** field is modified, an **OTP verification** process is triggered again to confirm the new email address.

Upon changing the email, an OTP will be sent to the new address. Only after successful OTP entry can the email change be confirmed.

If the user does not change the email, the OTP status remains unchanged, and no additional verification is required.

• Assign Projects

tickety

Search modules

+ Tickets

Customers

User Settings

Settings

Reports

Log Reports

Heya , qitadmin

Assign Projects

Customer / Assign Projects

Project List for maltry

> ☐ SAP

☒ Cloud Infrastructure

☒ IaaS

☒ Web Application

☒ Visitor Management System

☐ Mobile Application

Cancel

Save Details

Copyright © 2025-2026 Quantum IT Solution Inc.

Here, the projects are assigned to the customers.

User Settings Section:

In the User Settings section, the admin has the ability to manage employee and developer credentials. This includes creating, editing, and viewing user accounts, enabling seamless control over access to the system.

tickety Heya , qitadmin

Search modules

+ Tickets

Customers

User Settings

Settings

Reports

Log Reports

User Settings

+ Add User

Users Settings

In total, you have 4 users

Search All Status All Password Status

☐	USER NAME	STATUS	USER CODE	EMAIL ID	PASSWORD REQUEST	CONTACT NUMBER
☐	Rishab's 2nd	• Active	user2025V0009	rishabunderdog@gmail.com	Changed	7889745134
☐	root	• Active	user2025N0009	rootout23@gmail.com	-	12348546835
☐	Arwa Surti	• Active	user2025K0004	arwasurti5253@gmail.com	Changed	9426890307
☐	Rishab Sharma	• Active	user2025H0003	rs9790970@gmail.com	Changed	7889745134

Copyright © 2011-2025 tickety Inc.
All trademarks or registered trademarks are property of their respective owners.

User List View

The user list is displayed in a table format and includes the following columns:

Username: The unique identifier of the user, displayed as a clickable link. Clicking on the username reveals additional user details and actions.

Status: Indicates whether a user is Active or Inactive.

Active: The user is currently active and has access to the system.

Inactive: The user is restricted from accessing the system.

User Code: A unique identifier assigned to each user for easy tracking and reference.

Email ID: The email address associated with the user account.

Contact Number: Displays the contact number of the user.

Password Request Status: Shows the status of any pending password requests for the user:

Pending: The request is awaiting approval.

Changed: The password has been updated.


Search & Filter Functionality

Admins can quickly search for users by typing keywords in the search bar. Additionally, the list can be filtered based on:

Status: Filter users by their current status (Active or Inactive).

Password Requested: Filter users based on whether they have requested a password reset.

Three-Dot Menu (Dropdown Actions):



Each user row has a three-dot menu to the right. Clicking on this menu opens a dropdown with the following options:

Edit & View: Redirects the admin to the "Edit User" page, where they can update user information.

Delete: Allows admin to delete the selected user from the list.

Add User Button: Located in the top-right corner, this button enables the admin to create a new user. Clicking this button redirects the admin to the "Add User" page, where they can enter the new user's details, such as username, email, password, etc.

+ Add User

Software Support Ticketing System

The screenshot shows the 'Add User' form in the 'tickety' system. The form is titled 'Add User' and has a breadcrumb 'Users Settings / Add User'. It includes a search bar for modules and a sidebar with navigation links: Tickets, Customers, User Settings (highlighted), Settings, Reports, and Log Reports. The form fields are: User Code (filled with 'user2025B0009'), User Name (placeholder 'What's the name?'), Email Address (placeholder 'What's email address?' with an arrow icon), Password (placeholder 'Enter Password' with a password icon), Contact Number (placeholder 'Contact Number'), and Status (dropdown menu with 'Select Status'). The form has 'Cancel' and 'Save Details' buttons. The footer contains copyright information: 'Copyright © 2011-2025 tickety Inc. All trademarks or registered trademarks are property of their respective owners.'

Add User Form Fields:

User Code:

Type: Unique identifier.

Description: A unique identifier assigned to each user. This field must be filled with a unique value to prevent duplicates.

Username:

Type: Text input.

Description: The chosen username for the user. This will be used for login and identification purposes.

Email Address:


Type: Email input.

Description: The user's email address for account access and communication.

OTP Verification: An arrow icon next to this field triggers an OTP verification popup when clicked. This ensures that the provided email address is valid and not fake.

If the OTP is verified, the **Status** field automatically updates to "Active."

If OTP verification fails, the status remains "Inactive," and the admin cannot manually set it to "Active."

A dialog box titled "Verify an OTP" with a close button (X) in the top right corner. Below the title, it says "Sent to rani@gmail.com" followed by a link "Not you?". In the center, there are six input boxes for the OTP. The first two boxes contain the digit "1", and the remaining four are empty. At the bottom, it says "Didn't get a OTP? [Click here to resend](#)".

Password:

Type: Password input.

Description: The password for the user's account. This will be used for login purposes.

Contact Number:

Type: Number input.

Description: The user's contact number for communication purposes.

Status:

Type: Dropdown (Active / Inactive).

Behavior: The status will automatically be set to "Active" if the OTP is successfully verified. If OTP verification fails, the status will remain "Inactive," and the admin will not be able to change it to "Active" manually.

A dropdown menu showing two options: "Active" and "Inactive". The "Active" option is highlighted with an orange background.

Top-Right Section Buttons:

Save Details Button:

Purpose: To save the current user's information and view the details.

Behavior: When clicked, the current user's details are saved, and the admin is redirected to the **User Detail Page**. This page displays a comprehensive view of the user's profile, including all saved details and options for further actions or edits.

EDIT USER PAGE:

The **Edit User** page allows admins to update the details of an existing user. This page is pre-filled with the current information of the selected user, making it easy for admins to review and modify specific fields.

The screenshot displays the 'Edit User' interface within the 'tickety' application. The sidebar on the left lists various modules, with 'User Settings' currently selected. The main panel shows the 'Edit User' form, which is pre-filled with the details of a user named 'Arwa Surti'. The form includes fields for User Code, User Name, Email Address, Password, Contact Number, and Status. The 'Status' field is a dropdown menu currently set to 'Active'. At the top right of the form, there are 'Cancel' and 'Save Details' buttons. The footer of the page contains copyright information for the year 2011-2025.

User Code *	User Name *	Email Address *
user2025K0004	Arwa Surti	arwasurti5253@gmail.com

Password *	Contact Number *	Status *
Password not required	9426890307	Active

Pre-filled Fields:

When navigating to the **Edit User** page, the following fields are automatically populated with the current details of the selected user:

User Code: The unique identifier assigned to the user.

Username: The user's current username.

Email Address: The user's email address.

Contact Number: The user's current contact number.

Status: The current status of the user (Active / Inactive).

Password: The user's existing password.

These pre-filled fields allow the admin to quickly review the user's existing details and make necessary updates without having to re-enter all the information.

Email Address Change and OTP Verification:

Email Address Modification: If the admin changes the **Email Address**, an OTP verification process is triggered to ensure the validity of the new email.

Upon updating the email, an OTP is sent to the new email address.

The user must enter the OTP for the email change to be confirmed.

No Email Change: If the email address remains unchanged, the OTP status stays the same, and no additional verification is required.

Setting Section:

The **Settings** section is organized into two categories to streamline user configuration:

tickety

Search modules

Tickets

Customers

User Settings

Settings

Reports

Log Reports

Heya , qitadmin

Settings

Save Details

Settings

General

Configuration

Categories

Sub Categories

Add Sub-Category

Copyright © 2011-2025 tickety Inc.
All trademarks or registered trademarks are property of their respective owners.

1.General:

Displays details of **Sub-Categories** alongside their respective **Categories** in a list format.

Category: Specify the general category of the ticket, such as:

tickety

Search modules

Tickets

Customers

User Settings

Settings

Reports

Log Reports

Heya , qitadmin

General

Configuration

Categories

Category Name *

Enter Category Name

Add Category

Category Name

SAP-11

Web application

Mobile Application

Java

Cloud Infrastructure

Sub Categories

Add Sub-Category

Sub-Category: We can add the sub-category

Sub Categories ^

Add Sub-Category

SUB CATEGORY		CATEGORY
Sap Hana	...	SAP-11
Visitor Management System	...	Web application
Inventory management System	...	Web application
Steel & Tube	...	SAP-11
Spring	...	Java

< 1 of 2 >

Add sub-category:~

Add Sub - Category X

All Details

Sub-Category Name *

Sub-Category Name


Category *

Select Category v

Cancel

Save Details

Three-Dot Menu (Dropdown Actions):



Each user row has a three-dot menu to the right. Clicking on this menu opens a dropdown with the following options:

Edit & View: Redirects the admin to the "Edit Sub-category" page, where they can update Sub-category information.

Delete: Allows admin to delete the selected Sub-category from the list.

Edit Sub-category:~

Edit Sub - Category

All Details

Sub-Category Name *

Sap Hana

Category *

SAP-11

Cancel

Edit Details

- **Configuration:**

The **Configuration** tab allows users to manage specific settings related to email verification and communication.

Heya , qitadmin

 qitadmin

Settings

Save Details

Settings

General

Configuration

Assign Email for Ticket Updates ^

Primary Email Address

Type email address

Secondary Email Address

Type email address

Copyright © 2011-2025 tickety Inc.
All trademarks or registered trademarks are property of their respective owners.

Reports Section:

The **Reports Section** allows admins to filter and view data based on specific criteria. This section includes a filter panel at the top and a data grid below to display the filtered report details.

tickety Heya , qitadmin

Reports

Reports

From Date * To Date * Customer * User *

Select Date Select Date Select Customer Select User **FILTER**

In total, you have 20 records

Search tickets All Status Export to Excel

☐	CUSTOMER	STATUS	TICKET No.	SUBJECT	WORKING USER	REQUESTED ON ↓	TOTAL WORK HOURS	PRIORITY
☐	Remorsive Mate	Escalated	TIC2025I0005	Random Subject	QIT	29/01/2025 15:24:16	0 hrs 0 mins	High
☐	bhavya	Escalated	TIC2025O0005	Random Subject	QIT	29/01/2025 12:34:03	0 hrs 0 mins	High
☐	Remorsive Mate	Escalated	TIC2025P0005	Template Subject	QIT	29/01/2025 12:29:59	0 hrs 0 mins	High
☐	Steel&Tube	Work in progress	TIC2025C0005	problem in the main page	Rani Patel	28/01/2025 17:34:01	0 hrs 0 mins	Medium
☐	Komal Tomar	Open	TIC2025N0005	2	Komal Tomar	28/01/2025 17:12:04	0 hrs 0 mins	High

< 1 of 4 >

Filter Panel:

The upper section contains filters that allow the user to narrow down the report data based on the following criteria:

From Date: The start date for the report data range.

To Date: The end date for the report data range.

Customer: Select the customer for whom the report is being generated.

User: Select the user whose data you want to include in the report.

By selecting the appropriate filters, the data grid below will automatically update to show the relevant information.

Data Grid:

The **Data Grid** below the filter section displays the following details:

Customer Name: The name of the customer associated with the ticket.

Status: The current status of the ticket, which can be one of the following:

Work in Progress

Open

Solved

Escalated

Ticket Number: A unique identifier for each support ticket.

Subject: A brief description or subject of the ticket.

Working User: The user who is currently assigned to the ticket or has worked on it.

Total Working Hours: The total time spent by the working user on the ticket.

Priority: The priority level of the ticket (e.g., Low, Medium, High).

Search and Filter Options:

Search: A search field is provided to quickly find specific data by entering keywords or ticket details.

Status Filter: A dropdown filter allows the user to filter tickets by their current status (e.g., Open, Closed).

Export to Excel:

Export to Excel Button: Located at the top of the data grid, this button allows the user to export the filtered data into an Excel file.

When clicked, the system generates an Excel file containing all the filtered data from the grid.

The file is automatically downloaded to the user's device for offline viewing and record-keeping.

- **Log Reports:~**

tickety Heya , qitadmin

Log Reports

Log Reports

Module * Method * Log Level * Login User * Userrole *

Select Module Select Method Select Log Level Select Login User Select Userrole

In total, you have 9259 records

Search Records

☐	Module	View Name	Method Name	Log Level	Log Message	JSON Pay Load	Login User	User Role
☐	notification	get_notifications	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company ***
☐	notification	get_notifications	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company ***
☐	notification	get_notifications	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company ***
☐	notification	get_notifications	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company ***
☐	notification	get_notifications	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company ***

< 1 of 1852 >

- This is the data that which APIs are getting hit during the execution of tickety.

Company Employee(user) Workflow


Company Employee(user) Workflow: When logged in, company employee have access to multiple modules and can:

Add and manage tickets for customers

View the assignment and progress of each ticket, including the time spent and resolution priority.

Generate reports and can export to excel and can filter the data according to conditions.

Their Login procedure is same as that of company's one:~



- Profile Section:

This section enables users to quickly access their own account details.

The screenshot shows the 'Profile' page of the 'tickety' system. The user is logged in as 'arwasurti5253'. The page displays the following information:

- Profile Photo:** A placeholder image of a building.
- Email ID:** arwasurti5253@gmail.com
- Change Password:** A link to update the password.
- User Code:** user2025K0004
- User Name:** Arwa Surti
- Email Address:** arwasurti5253@gmail.com
- Contact Number:** 9426890307

At the bottom, the copyright notice reads: Copyright © 2011-2025 tickety Inc. All trademarks or registered trademarks are property of their respective owners.

Profile Photo:

- The user has the option to set or update their profile photo. This helps personalize the profile and allows the user to upload a photo that represents them visually within the system.

User Information Display:

- This section provides details about the currently logged-in user, allowing them to view their personal and contact information at a glance.
- Key details displayed include:
 - **User Code:** A unique identifier assigned to the user.
 - **Username:** The display name of the user within the system.
 - **Email Address:** The user's registered email address for communication and notifications.
 - **Contact Number:** The user's phone number for direct contact.
 - The user can also change that password

- **Notification Section:**

This flexible structure ensures that users receive clear, actionable information tailored to various types of notifications, whether they relate to meetings, requests, updates, change password request or other activities.

Notification Categories:

The section is divided into two categories:

- **Unread:** Displays only the notifications that the user hasn't opened yet, helping users quickly find new updates.
- **All:** Shows the complete list of notifications, including both read and unread items, for a comprehensive view.
- **Notification Details:** Each notification provides specific details relevant to the user's activities or interactions like:
 - **Who** initiated the action or request?
 - **Relevant Parties** involved in the notification.
 - **Additional Information** like time, date, or any other pertinent details specific to the action.

Notifications		×
Unread	ALL	
New Ticket Created: 1		
28-01-2025 4:18 PM		
Ticket Status Updated		
28-01-2025 2:46 PM		
Time Spent Recorded		
28-01-2025 2:35 PM		
Ticket Status Updated		
28-01-2025 12:00 PM		
Ticket Status Updated		
28-01-2025 12:00 PM		
Ticket Status Updated		
27-01-2025 6:17 PM		
Ticket Status Updated		
27-01-2025 6:17 PM		
Time Spent Updated		
27-01-2025 6:16 PM		
Time Spent Recorded		
27-01-2025 6:16 PM		

Notifications

×

Unread

ALL

New Ticket Created: 1

28-01-2025 4:18 PM

Ticket Status Updated

28-01-2025 2:46 PM

Time Spent Recorded

28-01-2025 2:35 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

27-01-2025 6:17 PM

Ticket Status Updated

27-01-2025 6:17 PM

Time Spent Updated

27-01-2025 6:16 PM

Time Spent Recorded

27-01-2025 6:16 PM

• Ticket Section:

Here's a structured breakdown of the ticket list information shown in the image:

CUSTOMER	STATUS	TICKET NUMBER	SUBJECT	WORKING USER	REQUESTED ON ↓	PRIORITY	CREATED BY
Rishab Sharma	Work in progress	TIC2025T0009	vds	QIT	05/02/2025 16:45:19	High	QIT
Rishab Sharma	Work in progress	TIC2025K0009	afgj	QIT	05/02/2025 16:42:50	High	QIT
Rishab Sharma	Work in progress	TIC2025A0009	asd	QIT	05/02/2025 16:37:23	High	QIT
Rishab Sharma	Work in progress	TIC2025Q0009	fsef	QIT	05/02/2025 16:34:24	High	QIT
Mehta Matri	Open	TIC2025Z0008	system fault	QIT	05/02/2025 16:09:20	High	QIT

○ Customer Name

- Displays the name of the customer, shown as a clickable link.
- Clicking the name reveals additional actions related to the customer.

When the user clicks on the arrow next to a ticket, a detailed section expands, displaying additional information about the ticket. This view provides a more comprehensive look at the ticket's specifics, helping users understand and manage the ticket more effectively.

○ Status

- Indicates the current status of each ticket.
- Status options include:
 - Open
 - Work in Progress
 - Escalated
 - Solved

- **Ticket Number**
 - Auto-generated unique identifier for each ticket.
- **Subject**
 - Brief description or topic of the ticket.
- **Working User**
 - Indicates the user assigned to work on the ticket.
- **Requested On**
 - Shows the date and time when the ticket was requested.
 - Examples include:
 - Yesterday at a specific time
 - Today at a specific time
- **Priority**
 - Specifies the urgency level of the ticket.
 - Priority levels include:
 - High
 - Medium
 - Low
- **Created by**
 - Shows who has generated the ticket

Clicking on the **+Create New** button allows the user to initiate the process of creating a new ticket. This feature opens a form or interface where users can:~

Software Support Ticketing System

The screenshot shows the 'Add Tickets' interface. On the left is a sidebar with 'ticketsy' logo and navigation links: 'Tickets', 'Reports', and 'Log Reports'. The main header shows the user 'Heya , arwasurti5253' and a search icon. The form title is 'Add Tickets' with a 'Cancel' button and a 'Save Details' button. Below the title is a breadcrumb 'Ticket / Add New'. The form fields are: 'Subject' (text input), 'Description' (rich text editor with bold, italic, underline, link, and code icons), 'Customer' (dropdown), 'Status' (dropdown), 'Priority' (dropdown), 'Category' (dropdown), and 'Upload Attachment' (with a 'SELECT A FILE' button and 'or Drop a file here' text). A footer note reads 'Copyright © 2025-2026 Quantum IT Solution Inc.'

In the new ticket creation process, the user has the following options:


- **Subject:** Enter a brief title for the ticket.
- **Description:** Provide a detailed explanation of the issue or request.
- **Customer Name:** Select the customer associated with the ticket.
- **Status:** Choose the initial ticket status from:

A dropdown menu for the 'Status' field. The 'Open' option is highlighted with an orange background. The other options are 'Work in Progress', 'Escalated', and 'Solved'.

- **Priority:** A dropdown to select the priority level. Options could be:

A dropdown menu for the 'Priority' field. The 'High' option is highlighted with an orange background. The other options are 'Medium' and 'Low'.

- **Category:** Specify the general category of the ticket and the categories are fetched by API call, such as:



A screenshot of a dropdown menu for selecting a category. The menu is open, showing four options: 'SAP-11' (highlighted in light gray), 'Web application', 'Mobile Application', and 'Java'.

- **Subcategory:** Select or create a new specific subcategory within the chosen category, and the sub-categories are fetched by API call such as:



A screenshot of a dropdown menu for selecting a subcategory. The menu is open, showing two options: 'Sap Hana' (highlighted in light gray) and 'Steel & Tube'.

- **Upload Attachment:** If there are any attachment regarding ticket, we can attach it during ticket formation.
- **Save Details:**

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

- **Details of Ticket:**

- **Activity Tab:**

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.

The screenshot displays the 'tickety' software interface. The top header shows the user 'Heya, arwasurti5253' and a 'Save Details' button. The left sidebar contains navigation links for 'Tickets', 'Reports', and 'Log Reports'. The main content area is titled 'Ticket Details' and shows the 'Activities' tab selected. The 'Activities' tab lists two recent actions: 'New Ticket Created:system fault' and 'Notes Added for ticket: TIC2025Z0008'. The left sidebar also displays fields for 'Status' (Open), 'Customer' (Mehta Maitri), 'Priority' (High), 'Category' (SAP), and 'Sub-Category' (SAP HANA-T1).

- Displays all the activities performed on a specific ticket with timestamps.
- The "Status" drop down allows selecting the current status of the ticket.
- Shows the customer associated with the ticket.
- Includes fields for ticket "Category," and "Sub-category," which can be set or modified by the user when creating or updating a ticket.

○ Query Tab:

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.

The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links for 'Tickets', 'Reports', and 'Log Reports'. The main area is titled 'Ticket Details' and shows the user 'Heya, arwasurti5253'. A 'Save Details' button is in the top right. The 'Query' tab is selected, showing ticket information: Status (Open), Customer (Mehta Maitri), Priority (High), Category (SAP), and Sub-Category (SAP HANA-11). The 'Subject' is 'system fault' and the 'Description' is 'there is some system fault!!!'. An 'ATTACHMENT' button is visible. The footer contains the copyright notice: 'Copyright © 2025-2026 Quantum IT Solution Inc.'

- Displays the "**Subject**" and "**Description**" for the ticket.
- These fields are likely defined when the ticket is initially created.
- **Save Details:**

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

○ Note Tab:

This section provides users with the ability to document ticket-related information comprehensively, including text descriptions and file attachments, enhancing collaboration and record-keeping.


The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links for 'Tickets', 'Reports', and 'Log Reports'. The main area is titled 'Ticket Details' and shows a ticket for user 'Heya, arwasurti5253'. The ticket status is 'Open'. The 'Notes' tab is selected, showing a list of notes. The first note is: '1. there is lagging during reloading of page!!' created on '05-Feb-2025' by 'QIT'. There are filters for 'All Time' and 'All Notes'. An 'Add Note' button is visible. The footer shows 'Copyright © 2025-2026 Quantum IT Solution Inc.'

View Notes by Time and Type:

- The user can view all notes related to a ticket, organised by time and type.
- **Note Type Filter:** Users can choose to view specific types of notes, such as "Your Notes," "Customer Notes," and "Other User Notes."


A diagram of a dropdown menu for filtering notes. The menu is titled 'All Notes' and contains four options: 'Your Notes', 'Customer Notes', and 'Other User Notes'. The 'All Notes' option is highlighted with a grey background.

- **Time Filter:** Options to filter notes by time periods such as "Today," "Yesterday," "This Week," "Past Notes" allow users to focus on recent or relevant updates.



A vertical dropdown menu with a black border. It contains five text options: "All Time" (highlighted with a light gray background), "Today", "Yesterday", "This Week", and "Past Notes".

○ Add Note:



A modal form titled "Add Notes" with a close button (X) in the top right corner. The form is divided into two main sections: "All Details" and "Attachment".

All Details

Description

A large text input area with a placeholder text "Add Description".

Attachment

A button labeled "SELECT A FILE" in orange, followed by the text "or Drop a file here".

At the bottom right of the modal, there are two buttons: "Cancel" and "Save Details" (in orange).

Software Support Ticketing System

- When the user clicks on the **"Add Note"** button, a field appears that allows them to add a description related to the ticket.
- Additionally, users can **upload files** related to the note, such as screenshots, documents, or other relevant attachments, which are then linked to the note.

○ Time Spent Tab:

This section enables efficient tracking and management of work time, allowing users to accurately log, edit, and review time spent on a ticket, ensuring accountability and clarity in the work performed.

View Work Logs:

- **Displays a detailed log of time spent on the ticket, including:**
 - Who performed the work?
 - Duration of work (in hours).
 - Start and End Times of each work session.
 - Date information (e.g., "Today," "Yesterday") for quick reference.

The screenshot displays the 'tickety' software interface. On the left is a sidebar with a search bar and navigation links for 'Tickets', 'Reports', and 'Log Reports'. The main area is titled 'Ticket Details' and shows the user 'Heya, arwasurti5253'. Below this, the 'Ticket Details' section includes a 'Status' dropdown set to 'Open', and fields for 'Customer' (Mehta Maitri), 'Priority' (High), 'Category' (Cloud Infrastructure), and 'Sub-Category' (IaaS). To the right, the 'Time Spent' tab is active, showing a list of activities. The first entry is '1. your problem is taken under consideration!!!' with a time range of 'From: 4:00 PM - To: 6:03 PM, 05-02-2025'. It also shows 'Created on 05-Feb-2025, By Arwa Surti' and 'Edited on 05-Feb-2025, By Arwa Surti'. There are 'Add Time Spent' and 'Save Details' buttons. The footer indicates 'Copyright © 2025-2026 Quantum IT Solution Inc.'

- Each entry includes an **Edit and Delete** option, allowing users to update or remove time logs as needed.

- **Save Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.
- **Add Time Spent:**
 - By clicking on the "Add Time Spent" button, a form opens where users can enter specific details:
 - **Start Time** and **End Time** for the work session.
 - **Description** of the work performed, providing context and details about the tasks completed.
 - **Save Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

Add Time Spent

×

All Details

Start Time *

5:49 PM

⌚

End Time *

5:49 PM

⌚

Select Date *

28-01-2025

📅

Description

Add Description

Cancel

Save Details

○ Edit Option:

Edit Time Spent

×

All Details

Start Time *

5:11 PM

End Time *

6:00 PM

Select Date *

28-01-2025

Description

the work is in process!!!

Cancel

Edit Details

- If a user wants to edit an existing time entry, they can click the **Edit** button next to that entry.
- This action opens a form allowing the user to modify details such as **Start Time**, **End Time**, and **Description** of the work performed.
- Once changes are made, the updated information is saved, providing accurate tracking of time and tasks.
- **Edit Details:** This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

○ **Delete Option:**

- If a user needs to delete time entry, they can click the Delete button next to it.
- This action permanently removes the selected time log from the record, helping to keep the time log accurate and relevant by eliminating unnecessary or incorrect entries.

Reports Section:

The **Reports Section** allows admins to filter and view data based on specific criteria. This section includes a filter panel at the top and a data grid below to display the filtered report details.

tickety Heya , arwasurti5253

Search modules

+ Tickets

Reports

Log Reports

Reports

From Date * To Date * Customer * User *

Select Date Select Date Select Customer Select User FILTER

In total, you have 1 records

Search tickets All Status Export to Excel

☐	CUSTOMER	STATUS	TICKET No.	SUBJECT	WORKING USER	REQUESTED ON ↓	TOTAL WORK HOURS	PRIORITY
☐	Mehta Maitri	Open	TIC2025S0001	problem in system fault	Arwa Surti	05/02/2025 17:07:20	2 hrs 3.766666666666667 mins	High

Copyright © 2025-2026 Quantum IT Solution Inc.

Filter Panel:

The upper section contains filters that allow the user to narrow down the report data based on the following criteria:

From Date: The start date for the report data range.

To Date: The end date for the report data range.

Customer: Select the customer for whom the report is being generated.

User: Select the user whose data you want to include in the report.

By selecting the appropriate filters, the data grid below will automatically update to show the relevant information.

Data Grid:

The **Data Grid** below the filter section displays the following details:

Customer Name: The name of the customer associated with the ticket.

Status: The current status of the ticket, which can be one of the following:

Work in Progress

Open

Solved

Escalated

Ticket Number: A unique identifier for each support ticket.

Subject: A brief description or subject of the ticket.

Working User: The user who is currently assigned to the ticket or has worked on it.

Total Working Hours: The total time spent by the working user on the ticket.

Priority: The priority level of the ticket (e.g., Low, Medium, High).

Search and Filter Options:

Search: A search field is provided to quickly find specific data by entering keywords or ticket details.

Status Filter: A dropdown filter allows the user to filter tickets by their current status (e.g., Open, Closed).

Export to Excel:

Export to Excel Button: Located at the top of the data grid, this button allows the user to export the filtered data into an Excel file.

When clicked, the system generates an Excel file containing all the filtered data from the grid.

The file is automatically downloaded to the user's device for offline viewing and record-keeping.

- **Log Reports:~**

tickety

Heya , arwasurti5253

Search modules

Tickets

Reports

Log Reports

Log Reports

Module *
Select Module

Method *
Select Method

Log Level *
Select Log Level

Login User *
Select Login User

User Role *
Select Userrole

In total, you have 115 records

Search Records

☐	Module	View Name	Method Name	Log Level	Log Message	JSON Pay Load	Login User	User Role	
☐	DisplayTickets	get_all_tickets	GET	Info	Request processed with status 200	-	arwasurti5253@gmail.com	User	***
☐	DisplayNotification	get_notifications	GET	Error	Request processed with status 404	-	arwasurti5253@gmail.com	User	***
☐	DisplayActivities	ticket_activities_list_by_ticketcode	GET	Info	Request processed with status 200	-	arwasurti5253@gmail.com	User	***
☐	DisplayCustomers	get_customer	GET	Info	Request processed with status 200	-	qitadmin@gmail.com	Company	***
☐	DisplayNotification	get_notifications	GET	Error	Request processed with status 404	-	qitadmin@gmail.com	Company	***

< 1 of 23 >

- This is the data that which APIs are getting hit during the execution of tickety

Customer Workflow in a Software Support Ticketing System

The customer workflow is designed to offer a user-friendly and intuitive experience, allowing customers to easily submit and monitor their support tickets. The key steps in the workflow include:

User Authentication: Customers log in or register to access the ticket management portal.

Ticket Submission: Customers can create new support tickets by selecting the relevant category, entering a subject, and providing a detailed description of their issue or request.

Attachment Upload: Option to upload relevant files or screenshots to provide additional context.

Confirmation Notification: A confirmation message is displayed once the ticket is successfully submitted, along with a unique ticket ID for reference.

Real-Time Tracking: Customers can view the status of their submitted tickets, including updates, responses, and resolution progress.

Communication Interface: A dedicated space for ongoing communication with support staff, allowing customers to respond to queries or provide further information.

Ticket History: Access to a history of all previous tickets submitted by the customer, including resolved and closed requests.

Feedback Option: After resolution, customers can provide feedback or rate their experience with the support team.

Customer's Workflow:~

Login:

Login Credentials: The customer logs in using the **email and password** provided to them by the company or admin. These credentials are typically set up and shared during account creation by the company.


Access Control: Once the customer enters the credentials, they gain access to their personal account in the system. No registration process is required from the customer's side because the company has already pre-configured their account.

Email Address:

Users can enter their email address in this field.

Password:

Users can enter their password in this field.



Forgot Password?

If you've forgotten your password, click the "**Forgot Password?**" link. You will be redirected to the Reset Password page, where you can enter your email address to receive a one-time password (OTP) for verification. Once your email is verified, you can reset your password and regain access to your account.

Software Support Ticketing System

Email Address:

Enter your email address in this field to receive the OTP.

tickety

[Go back](#)

Reset Password
Type your email address to get an OTP

Email Address *

Continue

tickety

Heya, Rani Patel

Add Tickets

Tickets

In total, you have 20 tickets

	COMPANY NAME	STATUS	SUBJECT	WORKING USER
☐	Pustipa	Work in progress	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pustipa	Open	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pustipa	Solved	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pustipa	Escalated	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pustipa	Open	Lorem ipsum dolor	Lorem ipsum dolor
☐	Pustipa	Solved	Lorem ipsum dolor	Lorem ipsum dolor

OTP Verification:

The customer receives the OTP in their email and enters it in the system.

Once the customer submits the OTP, the system sends the request to the **company's admin or support team** for verification.

OTP Successfully Verified Your One-Time Password (OTP) has been verified! You can now proceed to reset your password and securely access your account.

tickety

[Go back](#)

Verify an OTP
Sent to maitrimehta2404@gmail.com Not you?

16924

Didn't get an OTP ? Retry in 04 : 47

tickety

Heya, Rani Patel


Add Tickets

Tickets


In total, you have 20 tickets

	COMPANY NAME	STATUS	SUBJECT	WORK
☐	Pustipa	Work in progress	Lorem ipsum dolor	Lores
☐	Pustipa	Open	Lorem ipsum dolor	Lores
☐	Pustipa	Solved	Lorem ipsum dolor	Lores
☐	Pustipa	Escalated	Lorem ipsum dolor	Lores
☐	Pustipa	Open	Lorem ipsum dolor	Lores
☐	Pustipa	Solved	Lorem ipsum dolor	Lores


Incorrect OTP The OTP you entered is incorrect. Please check and try again. Ensure you're entering the exact code sent to your email. If you're experiencing issues or didn't receive the OTP, click "Resend" to receive a new code. You can try again after the timer resets. Make sure to check your spam or junk folders as well.



OTP Successfully Verified Your One-Time Password (OTP) has been verified! You can now proceed to reset your password and securely access your account.



Software Support Ticketing System




Verification and Password Reset by Company User:

The **company's admin or support team** reviews the submitted OTP.

If the OTP matches, the support team proceeds to **set a new password** for the customer.

If the OTP is incorrect, the system notifies the customer to retry, or the process may be temporarily locked after multiple failed attempts.

The User then **sets the new password** for the customer and securely updates the customer's account credentials.




New Password Provided to Customer:

Once the password is successfully reset, the company user **sends the new password to the customer** through a secure method (e.g., via email).

The customer receives an **email** with the new password and is instructed to log in using the updated credentials.

Login with New Password:



The customer can now **log in** using the newly provided password.

Login Successful! You have been successfully logged in and redirected to the homepage.

Software Support Ticketing System

Here's a structured breakdown of the ticket list information shown in the image:

tickety

Search modules

+ Tickets

Heya , customerqit

customerqit

Tickets

Create New

In total, you have 4 tickets

Search tickets

All Status

All User

☐	CUSTOMER		STATUS	TICKET NUMBER	SUBJECT	WORKING USER	REQUESTED ON	
☐	Alice Gomez	↗	Work in progress	TIC2025I0004	there is the server side internet problem	QIT	07/02/2025 17:32:39	...
☐	Alice Gomez	↗	Escalated	TIC2025S00004	issue in rendering login page	-	07/02/2025 17:30:33	...
☐	Alice Gomez	↗	Open	TIC2025S0003	Login Button Not Responding	-	06/02/2025 16:30:27	...
☐	Alice Gomez	↗	Solved	TIC2025G0003	there is some sort of lagging in the api rendering	QIT	06/02/2025 16:29:16	...

Copyright © 2025-2026 Quantum IT Solution Inc.

Customer Name

Displays the name of the customer, shown as a clickable link.

Clicking the name reveals additional actions related to the customer.

When the user clicks on the arrow next to a ticket, a detailed section expands, displaying additional information about the ticket. This view provides a more comprehensive look at the ticket's specifics, helping users understand and manage the ticket more effectively.

Status

Indicates the current status of each ticket.

Status options include:

Open

Work in Progress

Escalated

Solved

Requested On

Shows the date and time when the ticket was requested.

Examples include:

Yesterday at a specific time

Today at a specific time

Clicking on the **Create New** button allows the user to initiate the process of creating a new ticket. This feature opens a form or interface where users can:

The screenshot shows the 'Add Tickets' form in the 'tickety' application. The interface includes a sidebar with a search bar and a 'Tickets' link. The main form area has a header with the user's name 'Heya, customerqit' and a notification bell. The form itself is titled 'Add Tickets' and includes a 'Cancel' button and a 'Save Details' button. The form fields are: 'Subject *' (text input), 'Description *' (rich text editor with bold, italic, underline, link, and code icons), 'Priority *' (dropdown menu), 'Category *' (dropdown menu), and 'Upload Attachment' (button to 'SELECT A FILE' or 'Drop a file here').

In the new ticket creation process, the user has the following options:


Subject: Enter a brief title for the ticket.

Description: Provide a detailed explanation of the issue or request.

- **Status:** Choose the initial ticket status from:

A dropdown menu showing four options: 'Open', 'Work in Progress', 'Escalated', and 'Solved'. The 'Open' option is highlighted with an orange background.


- **Priority:** A dropdown to select the priority level. Options could be:



A dropdown menu for selecting ticket priority. The 'High' option is highlighted with an orange background. The other options are 'Medium' and 'Low'.

High
Medium
Low

- **Category:** Specify the general category of the ticket and the categories are fetched by API call, such as:



A dropdown menu for selecting the general category of the ticket. The 'SAP-11' option is highlighted with a light gray background. The other options are 'Web application', 'Mobile Application', and 'Java'.

SAP-11
Web application
Mobile Application
Java

- **Subcategory:** Select or create a new specific subcategory within the chosen category, and the sub-categories are fetched by API call such as:



A dropdown menu for selecting a specific subcategory. The 'Sap Hana' option is highlighted with a light gray background. The other option is 'Steel & Tube'.

Sap Hana
Steel & Tube

- **Upload Attachment:** If there are any attachment regarding ticket, we can attach it during ticket formation.
- **Save Details:**

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.

- **Details of Ticket:**

- **Activity Tab:**

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.

The screenshot displays the 'tickety' software interface. At the top, the user is logged in as 'Heya, customerqit'. The main navigation bar includes a search module and a 'Tickets' link. The 'Ticket Details' section is active, showing a list of ticket details on the left and a list of activities on the right. The activities are as follows:

Activities	Query	Notes	Time Spent
Today			
1. New Ticket Created:there is some sort of lagging in the api rendering Created on 06-Feb-2025, By Alice Gomez			
2. Notes Added for ticket: TIC2025G0003. Created on 06-Feb-2025, By Alice Gomez			
3. Ticket status updated to 'Solved'. Created on 06-Feb-2025, By QIT			
4. Time spent Added for ticket-TIC2025G0003: the problem has been solved. Created on 06-Feb-2025, By QIT			

Copyright © 2025-2026 Quantum IT Solution Inc.

- Displays all the activities performed on a specific ticket with timestamps.
- The "Status" drop down allows selecting the current status of the ticket.
- Shows the customer associated with the ticket.
- Includes fields for ticket "Category," and "Sub-category," which can be set or modified by the user when creating or updating a ticket.

○ Query Tab:

These sections help track the history, status, and details of each ticket, improving clarity and ease of management for users working on the support or service team.


The screenshot displays the 'ticketty' application interface. At the top, the header shows the logo 'ticketty' and a user profile 'customerqit'. A sidebar on the left contains a search bar and a 'Tickets' link. The main content area is titled 'Ticket Details' and features a 'Save Details' button. Below this, there's a section for 'Ticket / Details Of Ticket' with tabs for 'Activities', 'Query' (selected), 'Notes', and 'Time Spent'. The 'Query' tab shows fields for 'Subject' (system fault) and 'Description' (there is some system fault!!!), along with an 'ATTACHMENT' button. A footer at the bottom indicates 'Copyright © 2025-2026 Quantum IT Solution Inc.'

- Displays the "**Subject**" and "**Description**" for the ticket.
- These fields are likely defined when the ticket is initially created.
- **Save Details:**

This ensures that any updates or changes to the information are securely stored and maintained within the system, safeguarding the integrity and privacy of the data.


○ Note Tab:

This section provides users with the ability to document ticket-related information comprehensively, including text descriptions and file attachments, enhancing collaboration and record-keeping.




View Notes by Time and Type:

- The user can view all notes related to a ticket, organised by time and type.
- **Note Type Filter:** Users can choose to view specific types of notes, such as "Your Notes," "Customer Notes," and "Other User Notes."




- **Time Filter:** Options to filter notes by time periods such as "Today," "Yesterday," "This Week," "Past Notes" allow users to focus on recent or relevant updates.



A vertical dropdown menu with a black border. It contains five text options: "All Time" (highlighted with a light gray background), "Today", "Yesterday", "This Week", and "Past Notes".

- **Add Note:**



A modal form titled "Add Notes" with a close button (X) in the top right corner. The form is divided into two main sections: "All Details" and "Attachment".

All Details

Description

Add Description

Attachment

SELECT A FILE or Drop a file here

Cancel **Save Details**

Software Support Ticketing System

- When the user clicks on the **"Add Note"** button, a field appears that allows them to add a description related to the ticket.
- Additionally, users can **upload files** related to the note, such as screenshots, documents, or other relevant attachments, which are then linked to the note.

Time Spent Tab:

The screenshot shows the 'tickety' interface for a user named 'Heya, customerqit'. The left sidebar has a search bar and a 'Tickets' link. The main area is titled 'Ticket Details' and shows a list of details on the left: All Details, Status, Solved, Priority, High, Category, SAP, Sub-Category, and SAP HANA-11. The right pane has tabs for 'Activities', 'Query', 'Notes', and 'Time Spent' (which is active). Under the 'Time Spent' tab, there is a dropdown menu set to 'All Time' and a section for 'Today' with a log entry: '1. the problem has been solved' from 2:30 PM to 4:44 PM on 06-02-2025, created and edited by QIT.

This section enables efficient tracking and management of work time, allowing customers to review time spent on a ticket, ensuring accountability and clarity in the work performed.

- **View Work Logs:**
 - **Displays a detailed log of time spent on the ticket, including:**
 - Who performed the work?
 - Duration of work (in hours).
 - Start and End Times of each work session.
 - Date information (e.g., "Today," "Yesterday") for quick reference.

Profile Section:

This section enables users to quickly access their own account details.

The screenshot displays the 'Profile' section of the 'tickety' system. The user is logged in as 'customerqit'. The profile card shows a placeholder for a profile photo, the name 'customerqit', and the email ID 'customerqit@gmail.com'. Below this, there are three rows of information: Customer Code (customer2025A5), Customer Name (Alice Gomez), and Email Address (customerqit@gmail.com). The next row shows Contact Number (9785120364), Type (SAP), and GST Number (SD45JG78RRDF). Below the profile card, there are two rows of address information: Registered Address (Udhna), Contact Number (9785120364), and Pin Code (394210). The final row shows City (Surat), State (Gujarat), and Country (India). At the bottom, there is a copyright notice: 'Copyright © 2025-2026 Quantum IT Solution Inc.'.

Profile Photo:

The Customer has the option to set or update their profile photo. This helps personalize the profile and allows the user to upload a photo that represents them visually within the system.

Customer Information Display:

This section provides details about the currently logged-in customer, allowing them to view their personal and contact information at a glance.

Key details displayed include:


- **Customer Code:** A unique identifier assigned to the Customer .
- **Customer Name:** The display name of the Customer within the system.
- **Email Address:** The Customer's registered email address for communication and notifications.
- **Contact Number:** The Customer's phone number for direct contact.
- **GST Number:** The **GST number** provided by the user during account creation or customer creation. This is displayed for reference in the system.
- **Registered Address:** The user's official address associated with the account.
- **City:** The city of the registered address.

- **Pin Code:** The postal code associated with the address.
- **State:** The state of the registered address.
- **Country:** The country where the user is based.

- **Password Change Request:**

Includes a link for users to change their password, enhancing account security.

Clicking on this link redirects the user to a password change interface, where they can securely update their login credentials.



The **company's admin or User** reviews the submitted OTP.

If the OTP matches, the support team proceeds to **set a new password** for the customer.

If the OTP is incorrect, the system notifies the customer to retry, or the process may be temporarily locked after multiple failed attempts.

The User then **sets the new password** for the customer and securely updates the customer's account credentials.

- **Save Details:**

Any updates or changes made to the user profile information can be saved by clicking the **Save Details** button.

This action ensures that all profile information, such as contact details or username changes, are saved and updated in the system.

Notification Section:

This flexible structure ensures that users receive clear, actionable information tailored to various types of notifications, whether they relate to meetings, requests, updates, change password request or other activities.

- **Notification Categories:**

The section is divided into two categories:

- **Unread:** Displays only the notifications that the user hasn't opened yet, helping users quickly find new updates.
 - **All:** Shows the complete list of notifications, including both read and unread items, for a comprehensive view.
-
- **Notification Details:** Each notification provides specific details relevant to the user's activities or interactions like:
 - **Who** initiated the action or request?
 - **Relevant Parties** involved in the notification.
 - **Additional Information** like time, date, or any other pertinent details specific to the action.

Unread notification:

Notifications

X

Unread

ALL

New Ticket Created: 1

28-01-2025 4:18 PM

Ticket Status Updated

28-01-2025 2:46 PM

Time Spent Recorded

28-01-2025 2:35 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

28-01-2025 12:00 PM

Ticket Status Updated

27-01-2025 6:17 PM

Ticket Status Updated

27-01-2025 6:17 PM

Time Spent Updated

27-01-2025 6:16 PM

Time Spent Recorded

27-01-2025 6:16 PM

All Notifications:

Notifications		×
Unread	ALL	
New Ticket Created: 1		
	28-01-2025 4:18 PM	
Ticket Status Updated		
	28-01-2025 2:46 PM	
Time Spent Recorded		
	28-01-2025 2:35 PM	
Ticket Status Updated		
	28-01-2025 12:00 PM	
Ticket Status Updated		
	28-01-2025 12:00 PM	
Ticket Status Updated		
	27-01-2025 6:17 PM	
Ticket Status Updated		
	27-01-2025 6:17 PM	
Time Spent Updated		
	27-01-2025 6:16 PM	
Time Spent Recorded		
	27-01-2025 6:16 PM	

10. Testing

In the development of Tickety, a comprehensive testing strategy was employed to ensure functionality, security, and usability across all modules. The testing process combined both manual and automated approaches and was carried out in multiple phases to ensure a reliable and robust ticket management system.

Authentication & Access Control

- **Login and Logout:**

We thoroughly tested role-based login and logout functionalities for customers, users(staff), and company admins. The focus was on secure authentication, session management, and proper access restrictions based on user roles.

Ticket Management

- **Ticket Creation and Submission:**

Test cases were designed to validate that customers can successfully submit tickets with necessary fields such as title and description. All form inputs were validated to ensure data integrity.

- **Ticket Status Management:**

The entire ticket lifecycle was tested, covering transitions from:

Open → Work In Progress → Escalated → Solved

We verified that only authorized users (staff or admins) can perform status updates, maintaining workflow integrity.

- **View Tickets by Role:**

Role-based visibility was validated to ensure:

- Customers can view only their own tickets.
 - Staff can access tickets.
 - Company admins can see all tickets submitted under their organization.
-

Notification System

- **Notification Triggers:**

We tested that notifications are correctly triggered during ticket creation, alerting staff or admins of new incoming requests. Timing and accuracy of these alerts were confirmed.

Validation & Error Handling

- **Input Validation:**

All forms and backend APIs were checked for strong validation rules. Missing or incorrect data inputs were tested to ensure proper error messages were shown.

- **Backend Error Handling:**

Robust error responses were verified for API-level exceptions, helping maintain a stable and user-friendly experience.

Types of Testing Performed

1. **Unit Testing:**

Each component (e.g., ticket creation logic, status update handlers, API endpoints) was tested independently to confirm isolated functionality.

2. **Integration Testing:**

Focused on verifying the interaction between React (frontend) and Django REST Framework (backend), ensuring seamless API communication and UI updates.

3. **System Testing:**

We performed complete end-to-end workflows, simulating real-world use cases such as ticket submission, assignment, updates, and closure.

4. **Validation and Error Testing:**

Special attention was given to catching invalid or missing inputs, ensuring the system responds with meaningful error messages and fails gracefully.

5. **Alpha Testing:**

Carried out by the internal development team to uncover bugs and inconsistencies before external exposure.

6. **Beta Testing:**

Conducted with a small set of external users (e.g., peers or mentors) to gather early feedback on system performance, usability, and stability under real use.

11. Future Enhancements

1. Bulk Ticket Upload via CSV

- Enable the system to support bulk ticket creation by allowing users to upload CSV files containing multiple ticket entries. This will streamline the process of reporting multiple issues simultaneously.

2. Draft Ticket Functionality

- Introduce the ability for users to save incomplete tickets as drafts. Drafts can be edited and submitted at a later time, ensuring flexibility and reducing the chances of losing partial input.

3. CSV Field Mapping Interface

- Implement a mapping interface where users can upload CSV files and map each column to corresponding ticket fields. This enhancement will facilitate accurate and efficient ticket generation.

4. Attachment Support for Tickets

- Allow users and customers to attach files such as screenshots, documents, or logs while creating or updating tickets to provide additional context and aid faster resolution.

5. Feedback and Rating System

- Enable customers to rate their support experience after a ticket is resolved. This feedback can help improve service quality and identify areas for improvement.

6. Performance Analytics Dashboard

- Integrate analytical features to show metrics such as average resolution time, number of tickets per category, user performance, and overall service efficiency in graphical formats.

12. Bibliography

DevExtreme React

Retrieved from https://js.devexpress.com/Documentation/Guide/React_Components/
We used DevExtreme React for various components in our project.

React Documentation

Hooks at a Glance. Retrieved from <https://reactjs.org/docs/hooks-overview.html>
The official React documentation was referred to for implementing hooks syntax.

Django Documentation

Making Queries. Retrieved from <https://docs.djangoproject.com/en/stable/topics/db/queries/>
The Django documentation provided guidance for backend API development.

Celery Documentation

Celery: Distributed Task Queue. Retrieved from <https://docs.celeryproject.org/en/stable/>
Celery documentation was used for scheduling emails and reminder emails.

Stack Overflow

Various questions and answers. Retrieved from <https://stackoverflow.com>
Stack Overflow was consulted for calculating the positions of recipients on PDFs.

React-RND Documentation

Retrieved from <https://github.com/bokuweb/react-rnd>
React-RND documentation was used for resizing and dragging React components.

Quora

Various answers and discussions. Retrieved from <https://www.quora.com>
Quora was used to troubleshoot a few backend errors.