Dropzyy 1 — Comprehensive QA Testing Plan & Verification Guide

Version: 1.0 Production Readiness | **Target:** Web App & FastAPI Backend | **Database:** MongoDB Atlas Cloud + SQLite



Module 1: Authentication, Role-Based Access Control (RBAC) & Security

ID	Test Case / Scenario	Test Steps	Expected Result	Priority	Status
AUTH-01	**Customer OTP Registration**	1. Click 'Sign In' -> 'Register'. 2. Enter valid email and click 'Send OTP'. 3. Enter 6-digit OTP and set password.	OTP received. New customer account created in SQLite and MongoDB Atlas.	**CRITICAL**	[ ] Pass [ ] Fail
AUTH-02	**Supplier Portal Sign-in**	1. Enter supplier credentials (e.g. Ramesh Kirana). 2. Click Login.	JWT Bearer token issued. Redirected to Supplier Dashboard with inventory and timing controls.	**CRITICAL**	[ ] Pass [ ] Fail
AUTH-03	**Admin Privileges & RBAC Barrier**	1. Login as customer. 2. Try directly calling /api/admin/users or opening Admin Panel.	Blocked with HTTP 403 Forbidden. Regular customer cannot access administrative settings.	**HIGH**	[ ] Pass [ ] Fail
AUTH-04	**Security Headers & Rate Limiting**	1. Inspect response headers in DevTools Network tab. 2. Send 15 rapid failed login requests.	Security headers present (X-Content-Type-Options, X-Frame-Options). Rate limiter triggers 429 Too Many Requests.	**HIGH**	[ ] Pass [ ] Fail

Module 2: Restaurant Operating Hours & Availability Calendar

ID	Test Case / Scenario	Test Steps	Expected Result	Priority	Status
SCHED-01	**Operating Hours Evaluation (In-Hours)**	1. Supplier sets hours 08:00 AM - 10:00 PM. 2. Customer views restaurant during these hours.	Store shows 'OPEN NOW' green pill. Live badge in dashboard shows 'Store is OPEN'. Orders allowed.	**CRITICAL**	[ ] Pass [ ] Fail
SCHED-02	**Operating Hours Evaluation (Outside-Hours)**	1. Set closing time to a past hour (e.g. 1 hour ago). 2. Refresh customer view.	Store automatically turns 'CLOSED' red pill with reason 'Currently Closed (Opens at ...)'. Add to Cart is disabled.	**CRITICAL**	[ ] Pass [ ] Fail
SCHED-03	**Calendar Single-Day Closure Override**	1. Supplier opens Availability Calendar. 2. Select today's date & click 'Mark as CLOSED'.	Calendar turns red for today. Store immediately displays 'Closed today (Calendar schedule)'. Overrides operating hours.	**CRITICAL**	[ ] Pass [ ] Fail
SCHED-04	**Calendar Reset to Default**	1. Select today's closed date in calendar. 2. Click 'Reset to Default'.	Calendar cell resets to gray default. Store status immediately recalculates from daily operating hours.	**HIGH**	[ ] Pass [ ] Fail
SCHED-05	**Global Calendar Fetch for Customers**	1. Mark a store closed via calendar in supplier account. 2. Open customer window in incognito.	GET /api/supplier/availability loads calendar rules. Customer sees closed badge without opening supplier dashboard.	**CRITICAL**	[ ] Pass [ ] Fail

Module 3: Restaurant Management & Permanent Deletion Verification

ID	Test Case / Scenario	Test Steps	Expected Result	Priority	Status
DEL-01	**Admin Delete Restaurant (Dual Database)**	1. Admin clicks 'Delete' button on a partner restaurant. 2. Confirm dialog prompt.	DELETE /api/restaurants/{id}?store_name={name} returns 200. Deleted from SQLite & MongoDB Atlas.	**CRITICAL**	[ ] Pass [ ] Fail
DEL-02	**Page Refresh Resuscitation Check**	1. Delete restaurant as Admin. 2. Hard refresh browser (Ctrl+F5).	Restaurant and its products DO NOT reappear. Not resurrected from DEFAULT_PRODUCTS or DB cache.	**CRITICAL**	[ ] Pass [ ] Fail
DEL-03	**Supplier Self-Delete Restaurant**	1. Supplier logs into dashboard -> clicks 'Delete Store'. 2. Confirm dialog.	Supplier company name cleared, role reverts to customer, all products removed from store.	**HIGH**	[ ] Pass [ ] Fail
DEL-04	**Product Inventory CRUD**	1. Supplier adds new item with price & image. 2. Edit item price. 3. Delete item.	Item creates in SQLite/MongoDB. Instant catalog update on homepage and search.	**HIGH**	[ ] Pass [ ] Fail

Module 4: Cart, Checkout, Coupon Codes & Order Tracking

ID	Test Case / Scenario	Test Steps	Expected Result	Priority	Status
ORD-01	**Add to Cart & Quantity Adjustments**	1. Add open store items to cart. 2. Increase quantity to 3, decrease to 1, then 0.	Subtotal dynamically recalculates. Decreasing to 0 cleanly removes line item.	**CRITICAL**	[ ] Pass [ ] Fail
ORD-02	**Coupon Code Validation**	1. Apply valid coupon 'KIRANA10'. 2. Apply invalid coupon 'FAKE999'.	'KIRANA10' applies 10% discount. Invalid code shows informative warning toast.	**MEDIUM**	[ ] Pass [ ] Fail
ORD-03	**Order Checkout & PDF Invoice**	1. Proceed to Checkout. 2. Enter address & confirm order. 3. Click 'Download PDF Invoice'.	Order placed with unique Order ID (e.g. ORD-...). Branded PDF invoice generates and downloads.	**CRITICAL**	[ ] Pass [ ] Fail

ORD-04	**Realtime Order Status & Refund Claims**	1. Open 'Booking Tracking & Refund Claims Platform'. 2. File a refund claim on delivered order.	Order lifecycle tracker updates (Placed -> Preparing -> Out for Delivery -> Delivered). Refund claim logged for Admin.	**HIGH**	[ ] Pass [ ] Fail

Module 5: Dual Database Sync (MongoDB Atlas & SQLite)

ID	Test Case / Scenario	Test Steps	Expected Result	Priority	Status
SYNC-01	**MongoDB Atlas Cloud Parity**	1. Add product or place order. 2. Inspect MongoDB Atlas collection dropzyy.products / orders.	Document appears in MongoDB Atlas with matching fields, status, and timestamp.	**HIGH**	[ ] Pass [ ] Fail
SYNC-02	**SQLite Local Persistence**	1. Inspect SQLite dropzyy.db. 2. Verify users, products, suppliers, orders tables.	Relational integrity intact with proper foreign keys and timestamps.	**HIGH**	[ ] Pass [ ] Fail
SYNC-03	**Offline Database Fallback**	1. Temporarily disrupt internet connection. 2. Browse catalog and place local test order.	App falls back gracefully to SQLite/localStorage without white-screen crash.	**MEDIUM**	[ ] Pass [ ] Fail