





Committed to Progressive Solutions

Francis Kirk
(Socket Screws) Ltd
Francis Kirk & Son Ltd





Committed to Progressive Solutions

Francis Kirk
(Socket Screws) Ltd
Francis Kirk & Son Ltd



Founded in 1868, Francis Kirk & Son Ltd has been actively engaged in the engineering industry since its formation.

Extensive stocks coupled with the knowledge and expertise of our staff all help to ensure a fast and efficient service tailored to suit all our customers.



since 1868 we have the capacity to supply a unique range of products, from prototype to special and standard.

With a range that begins at M1.4 up to M64 (and imperial equivalents) and lengths as long as 700mm we aim to provide an unparalleled service.





Accreditation to BS ISO 9001 ensures quality products meeting worldwide standards are distributed to a customer base that extends across 5 continents.






































































Don't hesitate to call us about any requirements you may have.







































































+44 (0)161 336 2631



Certificate No. 890118

1	Bolts					
		DIN 931	ISO 4014	DIN 601/555	DIN 933	ISO 4017
						
		DIN 960	ISO 8765	DIN 961	ISO 8676	Code: 04400 / 04405
2	Hexagon socket products					
		DIN 6921	DIN 609	DIN 603	DIN 603/555	DIN 604/555
						
		DIN 479	DIN 561	EN 14399-4	EN 14399-4	EN 14399-6
3	Nuts / rivet nuts / inserts					
		DIN 912	DIN 7984	DIN 6912	DIN 7991	ISO 10642
						
		ISO 7380	Code: 07141 / 51028	Code: 07095	ISO 7379	DIN 916
						
		DIN 914	DIN 915	Code: 56949	Code: 07760	DIN 906
						
		DIN 910	ISO 4032	DIN 934	DIN 439	Code: 11400 / 11418
						
		Code: 51106 / 55106	Code: 11398	Code: 11396	Code: 11393	DIN 982/985
						
		Code: 13100 / 51710	Code: 12470	Code: 01150	DIN 6923	DIN 6926
						
		DIN 7967	DIN 935(-1)	Code: 15000	DIN 1587	DIN 917
						
		Code: 16250	DIN 315	DIN 929	Code: 14200 / 14210	DIN 928
						
		DIN 466	DIN 466	DIN 466	DIN 466	DIN 466
		DIN 466	DIN 466	DIN 466	DIN 466	DIN 466

 DIN 562	 DIN 557	 DIN 1804 W	 Code: 11401	 Code: 11790	 Code: 11560
 Code: 69135	 Code: 69435	 Code: 69975	 DIN 8140-1 A	 Code: 71550	4 Threaded rods / stud bolts
 DIN 976-1A	 Code: 20460	 Code: 20470	 Code: 22060	 DIN 938 / 939	 DIN 2510 L/NF
5 Hook / eye products	 DIN 186 B	 DIN 444 B/LB	 DIN 580	 DIN 582	 DIN 1478
 DIN 1479	 DIN 1480	 DIN 82101 A	 Code: 16817	 DIN 741 / 555	 Code: 16833
 Code: 16831	 Code: 17243 / 17567	 Code: 17420	 Code: 17020	 Code: 17310	6 Screws
 DIN 551	 DIN 84	 DIN 85	 DIN 963	 DIN 964	 DIN 923
 DIN 6900	 DIN 7985	 DIN 965	 DIN 966	 DIN 7516	 DIN 7513
 DIN 7500	 DIN 7971 C	 DIN 7972 C	 DIN 7973 C	 DIN 7981 C	 DIN 7982 C
 DIN 7983 C	 Code: 26456	 Code: 29570	 Code: 27410	 DIN 6928 C	 DIN 7976 C
 DIN 571	 Code: 31710	 Code: 31780	 DIN 7504	 Code: 31445	 Code: 31426
 Code: 29248	 Code: 29240	 Code: 51750 / 55750	 Code: 29345	 Code: 29340	 DIN 95

					
DIN 96	DIN 7996	DIN 97	DIN 7997	DIN 464	DIN 653
	7 Washers / o-rings				
DIN 316		DIN 125-1A	DIN 126	NF E25-513	DIN 7989 A
					
DIN 7349	DIN 433	DIN 125-1B	DIN 9021	DIN 440	Code: 38400
					
Code: 51410 / 55410	DIN 127 B	DIN 7980	DIN 74361 C	DIN 137 B	DIN 137 A
					
DIN 128 A	DIN 6798 V	DIN 6798 J	DIN 6798 A	DIN 6797 J	DIN 6797 A
					
DIN 43699	DIN 2093 A/B/C	DIN 6796	Code: 36460	Code: 37980	NF E25-511
					
Code: 37265	Code: 37900	DIN 93	DIN 463	DIN 462	DIN 471
					
DIN 472	DIN 6799	Code: 36230	Code: 36265	Code: 37840	DIN 705 A
					8 Anchoring products / plugs
DIN 988	DIN 436	DIN 434/435	DIN 7603 A	Code: 38801	
					
Code: 20750	Code: 09015	Code: 70410	Code: 09610	Code: 63320	Code: 18040
					
Code: 63324	Code: 63421	Code: 63187	Code: 63186	Code: 65110	Code: 63158
					
Code: 63100	Code: 63261	Code: 63240	Code: 63611	Code: 63190	Code: 63309

9 Rivets / pins / keys	 DIN 18	 DIN 7	 DIN 6325	 DIN 7977	 DIN 7978 A
	 DIN 7979 D	 DIN 1470	 DIN 1471	 DIN 1472	 DIN 1473
	 DIN 1474	 DIN 1475	 DIN 1476	 DIN 1477	 DIN 1478
	 DIN 1479	 DIN 1480	 DIN 1481	 DIN 1482	 DIN 1483
10 Systems / furniture / security fasteners	 DIN 1484	 DIN 1485	 DIN 1486	 DIN 1487	 DIN 1488
	 DIN 1489	 DIN 1490	 DIN 1491	 DIN 1492	 DIN 1493
	 DIN 1494	 DIN 1495	 DIN 1496	 DIN 1497	 DIN 1498
	 DIN 1499	 DIN 1500	 DIN 1501	 DIN 1502	 DIN 1503
	 DIN 1504	 DIN 1505	 DIN 1506	 DIN 1507	 DIN 1508
	 DIN 1509	 DIN 1510	 DIN 1511	 DIN 1512	 DIN 1513
	 DIN 1514	 DIN 1515	 DIN 1516	 DIN 1517	 DIN 1518
	 DIN 1519	 DIN 1520	 DIN 1521	 DIN 1522	 DIN 1523
	 DIN 1524	 DIN 1525	 DIN 1526	 DIN 1527	 DIN 1528
	 DIN 1529	 DIN 1530	 DIN 1531	 DIN 1532	 DIN 1533
	 DIN 1534	 DIN 1535	 DIN 1536	 DIN 1537	 DIN 1538
	 DIN 1539	 DIN 1540	 DIN 1541	 DIN 1542	 DIN 1543

11 Assortments / Storage systems	 Code: 41000	 Code: 41010	12 Engineering parts / machine parts	 Code: 43010	 Code: 43019
 Code: 43060	 Code: 43024	 Code: 43061	 Code: 43073	 Code: 43025	 Code: 43110
 DIN 71412	 DIN 71802 AS	 DIN 808 D/E	 DIN 71752	 DIN 648 B	 DIN 648 A
 Code: 56950	 Code: 56977	 Code: 56952	 Code: 57770	 DIN 2095	 DIN 2097
 DIN 319	 DIN 6336 K/L	 Code: 57043	 Code: 57025	 Code: 57066	 Code: 56961
 DIN 950	 ISO 3290	 Code: 38900	 Code: 38950	 Code: 43316	

DIN	ISO	Description	Section	DIN	ISO	Description	Section
18	2238	Taper pin turned	9	823		Slotted pan head screw with shoulder	6
7	2338	Parallel pin (dowel pin)	9	928		Square weld nut	3
84	1287	Slotted cheese head screw	6	929		Hexagon weld nut	3
85	1588	Slotted pan head screw	6	931	4814	Hexagon head bolt	1
93		Tab washer with long tab	7	933	4817	Hexagon head screw	1
94	1234	Split pin (cotter pin)	9	934	4832	Hexagon nut BSW	3
95		Slotted raised countersunk (oval) head wood screw	6	935(-1)		Hexagon slotted and castle nut	3
96		Slotted round head wood screw	6	938/939		Stud metal end	4
97		Slotted countersunk (flat) head wood screw	6	950		Handwheel AL	12
125-1A	7088	Plain washer without chamfer	7	960	8765	Hexagon head bolt MF	1
125-1B	7090	Single chamfer plain washer	7	961	8676	Hexagon head screw MF	1
126	7091	Plain washer	7	963	2009	Slotted countersunk head screw	6
127 B		Spring lock washer with square ends	7	964	2010	Slotted raised countersunk head screw	6
128 A		Curved spring lock washer	7	965	7046-1	Cross recessed countersunk head screw	6
137 A		Curved spring washer	7	966	7047	Cross recessed raised countersunk head screw	6
137 B		Wave spring washer	7	976-1A		Threaded rod	4
186 B		T-Head bolt with square neck	5	980V	7042	Prevailing torque type hexagon nut all metal	3
315		Wing nut rounded wings	3	982/985	7040	Prevailing torque type hexagon nut with non-metallic insert	3
316		Wing screw rounded wings	6	986		Prevailing torque type hexagon domed cap nut with non-metallic insert	
319		Ball knob	12	988		Shim ring	7
433	7092	Plain washer for cheese head screws	7	1434	2341	Clevis pin with head and split pin hole	9
434/435		Square taper washers 8% / 14% for I-sections	7	1470	8739	Grooved pin, full length parallel grooved with pilot	9
436		Square washer	7	1471	8744	Grooved pin, full length taper grooved	9
439	4035	Hexagon thin nut	3	1472	8745	Grooved pin, half length taper grooved	9
440		Washer for wood construction	7	1473	8740	Grooved pin, full length parallel grooved with chamfer	9
444 B/LB		Eye bolt	5	1474	8741	Grooved pin, half length reverse grooved	9
462		Internal tab washer	7	1475	8742	Grooved pin, third length center grooved	9
463		Tab washer with long tab and wing	7	1476	8746	Round head grooved pin	9
464		Knurled thumb screw high type	6	1478		Turnbuckle made from tubes	5
466		Knurled thumb nut high type	3	1479		Hexagon turnbuckle	5
471		Retaining ring for shaft	7	1480		Turnbuckle	5
472		Retaining ring for bores	7	1481	8752	Spring-type straight pin slotted, heavy duty	9
479		Square head bolt with short dog point	1	1587		Hexagon domed cap nut, high type	3
508		Nut for T-slot	10	1804 W		Slotted round nut for hook spanners	3
551	4756	Slotted set screw with flat point	6	2093 A/B/C		Disc spring	7
557		Square nut	3	2095		Helical compression spring	12
581		Hexagon head set screw with small hexagon and dog point	1	2097		Helical tension spring with English eye	12
562		Square thin nut	3	2510 L/NF		Double end stud with reduced shank with 2 hexagon nuts	4
571		Hexagon head wood screw	6	6325	8734	Parallel pin (dowel pin) hardened tolerance zone m6	9
580		Lifting eye bolt with CE marking	5	6319 C/D		Spherical- and conical washer	10
582		Lifting eye nut with CE marking	5	6330 B		Hexagon nut	10
601/555	4816	Hexagon head bolt with hexagon nut	1	6331		Hexagon nut with collar	10
603	8577 (R)	Mushroom head square neck bolt	1	6336 K/L		Star grip	12
603/555		Mushroom head square neck bolt with hexagon nut	1	6340		Washer for clamping devices	10
604/555		Flat countersunk nib bolt with hexagon nut	1	6796		Conical spring washer for bolted connections	7
609		Hexagon fit bolt with long thread	1	6797 A		Toothed lock washer external teeth	7
648 A		Spherical plain bearing rod end with external thread	12	6797 J		Toothed lock washer internal teeth	7
648 B		Spherical plain bearing rod end with internal thread type SFC	12	6798 A		Serrated lock washer external teeth	7
653		Knurled thumb screw thin type	6	6798 J		Serrated lock washer internal teeth	7
660		Round head rivet	9	6798 V		Countersunk serrated lock washer external teeth	7
661		Countersunk head rivet	9	6799		Retaining washer for shafts	7
705 A		Adjusting ring with set screw	7	6880		Bright key steel length 1 meter	9
741/555		Wire rope clip	5	6885 A		Parallel key high type	9
767		Bolt and screw for T-slots	10	6887		Taper key with gib head	9
808 B/E		Cardan joint	12	6888		Woodruff key	9
906		Hexagon socket pipe plug with external taper pipe thread	2	6900		Slotted screw and washer assembly with plain washer	6
908		Hexagon socket screw plug pipe thread	2	6912		Hexagon socket low head cap screw with pilot recess for wrench key	2
910		Hexagon head screw plug cylindrical pipe thread	2	6921	8102 (R)	Hexagon bolt with flange	1
912	4762	Hexagon socket head cap screw	2	6923	4161 (R)	Hexagon nut with flange	3
913	4026	Hexagon socket set screw with flat point	2	6926	7043 (R)	Prevailing torque type hexagon flange nut with non-metallic insert	3
914	4027	Hexagon socket set screw with cone point	2	6928 C	7053 (R)	Hexagon washer faced head tapping screw	6
915	4028	Hexagon socket set screw with dog point	2				
916	4029	Hexagon socket set screw with cup point	2				
917		Hexagon cap nut low type	3				

DIN	ISO	Description	Section
7337 A	15977-15984	Domed head blind rivet	9
7346	3337	Spring-type straight pin slotted, light duty	9
7349		Washer for bolts with heavy type spring pins	7
7500		Hexagon head thread rolling screw with flange	6
7504	15480-15483	Self-drilling hexagon head screw with washer faced	6
7513		Hexagon head thread cutting screw	6
7516		Cross recessed raised cheese head thread cutting screw	6
7603 A		Sealing ring	7
7965		Slotted screwed insert	10
7967		Self-locking counter nut	3
7971 C	1481 (E)	Slotted pan head tapping screw	6
7972 C	1482 (E)	Slotted countersunk head tapping screw	6
7973 C	1483 (E)	Slotted raised countersunk head tapping screw	6
7976 C	1479 (E)	Hexagon head tapping screw	6
7977	8737 (E)	Taper pin with external thread	9
7978 A	8736 (E)	Taper pin with internal thread ground	9
7979 D	8735 (E)	Parallel pin with internal thread hardened	9
7980		Spring lock washer for screws with cylindrical heads	7
7981 C	7049 (E)	Cross recessed pan head tapping screw	6
7982 C	7050 (E)	Cross recessed countersunk head tapping screw	6
7983 C	7051 (E)	Cross recessed raised countersunk head tapping screw	6
7984		Hexagon socket low head cap screw	2
7985	7045 (E)	Cross recessed raised cheese head screw	6
7989 A		Washer for steel structures	7
7991	10642 (E)	Hexagon socket countersunk head screw	2
7996		Cross recessed round head wood screw	6
7997		Cross recessed countersunk (flat) head wood screw	6
8140-1 A		Wire thread insert	3
9021	7093 (E)	Plain washer d2 = 3 x d1	7
11024	7072 (E)	Spring cotter of a bolt, single	9
15237		Seating screw	1
43699		Contact spring washer for switchgear plants	7
71412		Lubricating nipple cone type	12
71752		Fork joint with spring pin type ES	12
71802 AS		Ball joint	12
74361 C		Conical spring washer	7
82101 A		D (chain) shackle	5

ISO	DIN	Description	Section
2341 B	1434	Clevis pin with head and split pin hole	9
3290	5401	Technical ball	12
4014	931	Hexagon head bolt	1
7379	9841	Hexagon socket head shoulder screw f9	2
7380		Hexagon socket button head screw	2
8748	7344	Spring-type straight pin (spiral pin) coiled, heavy duty	9
8750	7343	Spring-type straight pin (spiral pin) coiled, standard duty	9
10642	7991	Hexalobular socket countersunk head screw	2

NF	Description	Section
E25-511	Contact-lock washer	7
E25-513	Plain washer	7

Code	Description	Section
04400/ 04405	RIPP Self-locking hexagon bolt with flange	1
07095	RIPP Self-locking hexagon socket head cap screw with flange	2
07141/ 51028	Hexagon socket button head screw with flange St Zipl / A2	2
07760	Cover for hexagon socket screws	2
09015	Expansion shield	8
09610	Expanding plug	8
11393	Reducer	3
11396	Spacer with 2x internal thread H1200	3
11398	Spacer with internal thread and external threaded stud type H1202	3
11400/ 11418	Hexagon connection nut height 3 x d	3
11401	Round connection nut	3
11490	COMBY Prevailing torque type hexagon nut with captive toothed lock washer	3
11560	Slotted countersunk (110°) nut	3
11790	Prevailing torque type slotted round nut with non-metallic insert type GUK	3
12470	RIPP Self-locking hexagon nut with flange	3
13100/ 51710	SNEP Prevailing torque type hexagon nut all metal / stainless steel A1 type H100-ESN	3
14100/ 14110	Drive-in nut for wood	10
14200/ 14210	Spot weld nut	3
14440	Hexagon socket screwed insert	10
14441	Hexagon socket flat head cap screw	10
14446	Hexagon socket screwed insert with collar	10
15000	KALEI Press nut	3
16250	Wing nut light (American) type	3
16817	Bow (anchor) shackle with screw collar pin	5
16831	Thimble	5
16833	Snap hook (carabine hook)	5
17020	Screw eye	5
17243/ 17567	U-Bolt St Zipl / A2	5
17310	Dowel screw	5
17420	Screw eye metric	5
18040	Tube insert No. 995G	8
20460	Threaded rod Trapezoidal	4
20470	Round nut Trapezoidal	4
20750	Masonry bolt type E	8
22060	Studbolt with 2 hexagon nuts	4
26456	Cross recessed mushroom head tapping screw with flange Phillips	6
27410	Drive screw	6
29240	Cross recessed countersunk head screw for chipboard Pozidriv	6
29248	HECO-FIX PLUS Cross recessed countersunk head screw for chipboard Pozidriv	6
29340	Cross recessed raised cheese head screw for chipboard Pozidriv	6
29345	HECO-FIX PLUS Cross recessed raised cheese head screw for chipboard Pozidriv	6
29570	Cross recessed screw for back panels Pozidriv	6
31426	Self-drilling countersunk screw with wings and Torx®	6

Code	Description	Section
31710	SFS-TOPFORM Roofing and front bolt with elastomer sealing ring type A	6
31780	SFS-TOPFORM Elastomer sealing ring	6
36230	Fixing washer for shafts (without cap)	7
36265	SL Clip for bolts and shafts	7
36460	Ball bearing location disc spring	7
37265	Contact-lock washer type P	7
37840	Clamp-adjusting ring with hexagon socket head cap screw	7
37900	DUBO Retaining ring for hexagon bolt and nut	7
37980	NORD-LOCK Vibration proof washers	7
38400	Mudwing repair washer	7
38801	O-ring	7
38900	Grommet	12
38950	Blanking plug	12
39660	Linch pin	9
39680	Pipe pin	9
41000	Assortment box plastic	11
41010	Assortment box steel	11
43010	ABA Hose clamp band width 12mm	12
43019	AWAB Hose clamp	12
43024	ABA ROBUST Hose clamp	12
43025	ABA Hose clamp two parts	12
43060	ABA MINI Hose clamp	12
43061	ABA MICRO Hose clamp	12
43073	ABA Two-ear clip	12
43110	ABA Rubber lined clip	12
43316	Locking cable tie	12
47710	Bookscrew	10
51106/	Hexagon connection nut height 3 x d A2 / A4	3
55106		
51410/	Mudwing repair washer A2 / A4	7
55410		
51546	Washer for 90° countersunk head screw	10
51750/	Cross recessed countersunk head screw for chipboard Pozidriv A2 / A4	6
55750		
56661	Protecting cap for hexagon bolts, screws and nuts	1
56792	Tube cap round	10
56795	Tube cap square	10
56949	Hexagon socket set screw with nylon dog point	2
56950	Slotted spring plunger with ball	12
56952	Locking bolt without locking groove	12
56961	Clamp lever steel	12
56977	Spring plunger with pin and hexagon socket	12
57025	Knurled knob	12
57043	Turning knob 4-grips	12
57066	Bridge handle (Bowgrip)	12
57770	Cylindrical mounting type A	12
61035	LINDAPTER Steelwork fixing type A medium	10
61290	LINDAPTER Adjustable tail clamp and set screw tail type D2	10
61355	LINDAPTER Flange clamp type FL with set screw and nut	10
61420	LINDAPTER Clipped washer type CW	10
61850	LINDAPTER Flush clamp	10
61910	LINDAPTER Tip type T	10
61937	LINDAPTER Rail clip type BR medium	10
61941	LINDAPTER Floorfast	10
61942	LINDAPTER GF 3030 Clip	10
61951	LINDAPTER Self-adjusting clamp type LR	10

Code	Description	Section
65110	MOLLY Screw anchor	8
69135	Blind rivet nuts cylindrical Steel zinc open serrated shank	3
69435	Blind rivet nuts reduced countersunk open Steel zinc serrated shank	3
69975	Blind rivet screw cylindrical Steel zinc	3
70410	Wedge anchor type M	8
71550	Self-cutting threaded insert type 302	3



Committed to Progressive Solutions

Denton Hall Farm Road,
Denton, Manchester.
M34 2QN

Tel: (0044) 161 336 2631
Fax: (0044) 161 335 0043
sales@franciskirk.com



Certificate No. 890118

Francis Kirk (Socket Screws) Ltd Francis Kirk & Son Ltd

