## Explore More

Subcription : Premium CDAC NOTES & MATERIAL @99

Contact to Join

Premium Group

Click to Join

Telegram Group

# For More E-Notes

Join Our Community to stay Updated

## TAP ON THE ICONS TO JOIN!

| SR.NO | Project NAME | Technology |
|---|---|---|
| \multicolumn | **codewitharrays.in  freelance project available to buy contact on 8007592194** | |
| 1 | Online E-Learning Platform Hub | React+Springboot+MySql |
| 2 | PG Mates / RoomSharing / Flat Mates | React+Springboot+MySql |
| 3 | Tour and Travel management System | React+Springboot+MySql |
| 4 | Election commition of India (online Voting System) | React+Springboot+MySql |
| 5 | HomeRental Booking System | React+Springboot+MySql |
| 6 | Event Management System | React+Springboot+MySql |
| 7 | Hotel Management System | React+Springboot+MySql |
| 8 | Agriculture web Project | React+Springboot+MySql |
| 9 | AirLine Reservation System / Flight booking System | React+Springboot+MySql |
| 10 | E-commerce web Project | React+Springboot+MySql |
| 11 | Hospital Management System | React+Springboot+MySql |
| 12 | E-RTO Driving licence portal | React+Springboot+MySql |
| 13 | Transpotation Services portal | React+Springboot+MySql |
| 14 | Courier Services Portal / Courier Management System | React+Springboot+MySql |
| 15 | Online Food Delivery Portal | React+Springboot+MySql |
| 16 | Muncipal Corporation Management | React+Springboot+MySql |
| 17 | Gym Management System | React+Springboot+MySql |
| 18 | Bike/Car ental System Portal | React+Springboot+MySql |
| 19 | CharityDonation web project | React+Springboot+MySql |
| 20 | Movie Booking System | React+Springboot+MySql |

**freelance_Project available to buy contact on 8007592194**

| # | Project | Tech Stack |
|---|---------|------------|
| 21 | Job Portal  web project | React+Springboot+MySql |
| 22 | LIC Insurance Portal | React+Springboot+MySql |
| 23 | Employee Management System | React+Springboot+MySql |
| 24 | Payroll Management System | React+Springboot+MySql |
| 25 | RealEstate Property Project | React+Springboot+MySql |
| 26 | Marriage Hall Booking Project | React+Springboot+MySql |
| 27 | Online Student Management portal | React+Springboot+MySql |
| 28 | Resturant management System | React+Springboot+MySql |
| 29 | Solar Management Project | React+Springboot+MySql |
| 30 | OneStepService LinkLabourContractor | React+Springboot+MySql |
| 31 | Vehical Service Center Portal | React+Springboot+MySql |
| 32 | E-wallet Banking Project | React+Springwoot+MySql |
| 33 | Blogg Application Project | React+Springboot+MySql |
| 34 | Car Parking booking Project | React+Springboot+MySql |
| 35 | OLA Cab Booking  Portal | React+NextJs+Springboot+MySql |
| 36 | Society management Portal | React+Springboot+MySql |
| 37 | E-College Portal | React+Springboot+MySql |
| 38 | FoodWaste Management Donate System | React+Springboot+MySql |
| 39 | Sports Ground Booking | React+Springboot+MySql |
| 40 | BloodBank mangement System | React+Springboot+MySql |

| 41 | Bus Tickit Booking Project | React+Springboot+MySql |
|----|----------------------------|------------------------|
| 42 | Fruite Delivery Project | React+Springboot+MySql |
| 43 | Woodworks Bed Shop | React+Springboot+MySql |
| 44 | Online Dairy Product sell Project | React+Springboot+MySql |
| 45 | Online E-Pharma medicine sell Project | React+Springboot+MySql |
| 46 | FarmerMarketplace Web Project | React+Springboot+MySql |
| 47 | Online Cloth Store Project | React+Springboot+MySql |
| 48 | Train Ticket Booking Project | React+Springboot+MySql |
| 49 | Quizz Application Project | JSP+Springboot+MySql |
| 50 | Hotel Room Booking Project | React+Springboot+MySql |

| 51 | Online Crime Reporting Portal Project | React+Springboot+MySql |
|----|----------------------------------------|------------------------|
| 52 | Online Child Adoption Portal Project | React+Springboot+MySql |
| 53 | online Pizza Delivery System Project | React+Springboot+MySql |
| 54 | Online Social Complaint Portal Project | React+Springboot+MySql |
| 55 | Electric Vehical management system Project | React+Springboot+MySql |
| 56 | Online mess / Tiffin management System Project | React+Springboot+MySql |
| 57 | | React+Springboot+MySql |
| 58 | | React+Springboot+MySql |
| 59 | | React+Springboot+MySql |
| 60 | | React+Springboot+MySql |

# Spring Boot + React JS + MySQL Project List

| Sr.No | Project Name | YouTube Link |
|---|---|---|
| 1 | Online E-Learning Hub Platform Project | https://youtu.be/KMjyBaWmgzg?si=YckHuNzs7eC84-IW |
| 2 | PG Mate / Room sharing/Flat sharing | https://youtu.be/4P9cIHg3wvk?si=4uEsi0962CG6Xodp |
| 3 | Tour and Travel System Project Version 1.0 | https://youtu.be/-UHOBywHaP8?si=KHHfE_A0uv725f12 |
| 4 | Marriage Hall  Booking | https://youtu.be/VXz0kZQi5to?si=llOS-QG3TpAFP5k7 |
| 5 | Ecommerce Shopping project | https://youtu.be/vJ_C6LkhrZ0?si=YhcBylSErvdn7paq |
| 6 | Bike Rental System Project | https://youtu.be/FIzsAmIBCbk?si=7ujQTJqEgkQ8ju2H |
| 7 | Multi-Restaurant management system | https://youtu.be/pvV-pM2Jf3s?si=PgvnT-yFc8ktrDxB |
| 8 | Hospital management system Project | https://youtu.be/IynIouBZvY4?si=CXzQs3BsRkjKhZCw |
| 9 | Municipal Corporation system Project | https://youtu.be/cVMx9NVyI4I?si=qX0oQt-GT-LR_5jF |
| 10 | Tour and Travel System Project version 2.0 | https://youtu.be/_4u0mB9mHXE?si=gDiAhKBowi2gNUKZ |

| Sr.No | Project Name | YouTube Link |
|---|---|---|
| 11 | Tour and Travel System Project version 3.0 | https://youtu.be/Dm7nOdpasWg?si=P_Lh2gcOFhlyudug |
| 12 | Gym Management system Project | https://youtu.be/J8_7Zrkg7ag?si=LcxV51ynfUB7OptX |
| 13 | Online Driving License system Project | https://youtu.be/3yRzsMs8TLE?si=JRI_z4FDx4Gmt7fn |
| 14 | Online Flight Booking system Project | https://youtu.be/m755rOwdk8U?si=HURvAY2VnizIyJlh |
| 15 | Employee management system project | https://youtu.be/ID1iE3W_GRw?si=Y_jv1xV_BljhrD0H |
| 16 | Online student school or college portal | https://youtu.be/4A25aEKfei0?si=RoVgZtxMk9TPdQvD |
| 17 | Online movie booking system project | https://youtu.be/Lfjv_U74SC4?si=fiDvrhhrjb4KSlSm |
| 18 | Online Pizza Delivery system project | https://youtu.be/Tp3izreZ458?si=8eWAOzA8SVdNwlyM |
| 19 | Online Crime Reporting system Project | https://youtu.be/0UlzReSk9tQ?si=6vN0e70TVY1GOwPO |
| 20 | Online Children Adoption Project | https://youtu.be/3T5HC2HKyT4?si=bntP78niYH802I7N |

Q. No. 1

**Question:**

Choose the correct HTML tag for the largest heading

Answer Choices

A: <h6>              B: <heading>      C: <head>         **D: <h1>**

Q. No. 2

**Question:**

What is the correct HTML tag for inserting a line break?

Answer Choices

**A: <br />**          B: <break />      C: <lb />         D: </ br>

Q. No. 3

**Question:**

Which of the following tags below are used for a multi-line text input control?

Answer Choices

A: Textml tag                    B: Test tag

**C: Textarea tag**               D: Both b and c

Q. No. 4

**Question:**

What is the correct HTML for creating a hyperlink?

Answer Choices

A: <a name="">A</a>

B: <a>B</a>

**C: <a href="http://www.example.com">example</a>**

D: <a url="http://www.example.com">example</a>

Q. No. 5

**Question:**

<script language="javascript">

Var qpt="ADVANCED COMPUTING";

alert (qpt.charAt(qpt.length-1));

</script>

Answer Choices

A: P                      **B: G**                      C: E                      D: Error

Q. No. 6

**Question:**

Scripting language are

Answer Choices

**A: High Level Programming language**

B: Assembly Level Programming language

C: Machine Level Programming language

D: None of above

Q. No. 7

**Question:**

<script type="text/javascript" language="javascript">

var qpt = "Diploma in Advanced Computing";

var result = qpt.split(" ");

document.write (result);

</script>

Answer Choices

A: Diploma

B: D,i,p,l,o,m,a,i,n,A,d,v,a,n,c,e,d,C,o,m,p,u,t,i,n,g

**C: Diploma,in,Advanced,Computing**

D: DiplomainAdvancedComputing

## Q. No. 8

**Question:**

```
<script language="javascript">
function x()
{
var s= "Good 100%";
var pattern = /\D/g;
var output= s.match(pattern);
document.write(output);
}
</script>
```

Answer Choices

A: Good %                    B: 1,0,0         **C: G,o,o,d,%**        D: Error

## Q. No. 9

**Question:**

In JavaScript, What does isNaN function do ?

Answer Choices

**A: Return true if the argument is not a number**.

B: Return false if the argument is not a number.

C: Return true if the argument is a number.

D: None of the above

## Q. No. 10

**Question:**

How to assign a function to a variable with the JavaScript Function constructor?

Answer Choices

A: var f=Function("x","y","return x+y");

B: var f=Function(x,y){ return x+y;}

**C: var f= new Function("x", "y", "return x + y");**

D: None of above

Q. No. 11

**Question:**

Which sign does jquery use as a shortcut for jquery?

Answer Choices

A: * sign          B: % sign          C: ? sign          **D: $ sign**

Q. No. 12

**Question:**

$("span"). What does it select

Answer Choices

A: The first span element          B: All span elements

C: All of the above          **D: None of above**

Q. No. 13

**Question:**

Jquery code to set the background color of all span elements to blue?

Answer Choices

A: $("span").style("background-color","blue");

B: $("span").manipulate("background-color","blue");

**C: $("span").CSS("background-color","blue");**

D: $("span").layout("background-color","blue");

Q. No. 14

**Question:**

Which jQuery function is used to prevent code from running,before the document is finished loading?

Answer Choices

A: $(document).load()

B: $(body).onload()

C: $(document).onload()

**D: $(document).ready()**

Q. No. 15

**Question:**

Which jQuery method is used to switch between adding/removing one or more classes(for CSS) from selected elements?

Answer Choices

A: switchClass()

**B: toggleClass()**

C: altClass()

D: switch()

Q. No. 16

**Question:**

Which jQuery statement is true?

Answer Choices

A: To use jQuery,you must buy the jQuery library at www.jQuery .com

B: To use jQuery,you do not have to do anything. Most browsers have the jQuery library built in the browser.

**C: To use jQuery,you can refer to a hosted jQuery library at Google**

D: All of the above

Q. No. 17

**Question:**

Consider the following Class

Class Insurance

```
{
function clsName()
{
    Echo get_class($this);
}
}
```

  8. $cl=new Insurance();

  9. $cl->clsName();

  10. Insurance::clsName();

Which of the following lines should be commented to print the class name without errors?

Answer Choices

A: Line 8 and 9

B: Line 10

C: Line 9 and 10

**D: All the three lines 8,9 and 10 should be left as it is.**

Q. No. 18

**Question:**

The inbuilt function to get the number of parameters passed is:

Answer Choices

**A: func_num_args()**                                B: func_args_count()

C: arg_num()                                D: None of the above

Q. No. 19

**Question:**

How would you start a session?

Answer Choices

A: Session(start());                        B: Session();

**C: Session_start();**                        D: Begin_session();

Q. No. 20

**Question:**

microtime() returns _____.

Answer Choices

A: Current Unix timestamp with seconds.

B: Current Unix timestamp with nanoseconds.

**C: Current Unix timestamp with microseconds**

D: None of above

Q. No. 21

**Question:**

The updated MySQL extension released with PHP 5 is typically referred to as

Answer Choices

A: MySQL       **B: Mysqli**       C: Mysql       D: Mysqly

Q. No. 22

**Question:**

Which one of the following methods can be used to diagnose and display information about a MySQL connection error?

Answer Choices

A: connect_errno()            B: connect_error()

C: mysqli_connect_error()       **D: mysqli_connect_errno()**

Q. No. 23

**Question:**

Assume that your php file 'index.php' in location c:/apache/htdocs/phptutor/index.php. If you used basename($_SERVER['PHP_SELF']) function in your page, then what is the return value of this function ?

Answer Choices

*Infoway Technologies Pvt. Ltd., Pune*            *Page 7 of 42*
*Contact No.: 020-41312111/12*
*Website: www.infowayltd.com*

**A: index.php**                                    B: /index.php

C: phptutor                                    D: phptutor/index.php


Q. No. 24

**Question:**

```
<? php
$x=array("aaa","","ccc","ddd","");
$y=array_unique($x);
echo count($x) . "," . Count ($y);
?>
```

Answer Choices

A: 3,1              B: 3,3              C: 5,5              **D: 5,4**


Q. No. 25

**Question:**

Well formed XML document means

Answer Choices

A: It contains a root element

B: It contain an element

C: It contains one or more elements

**D: Must contain one or more elements and root element must contain all other element**


Q. No. 26

**Question:**

Which of the following XML fragments are well-formed?

Answer Choices

A: <? xml?>

**B: <? xml version="A.0"?>**

C: <? xml encoding="JIS"?>

D: <? xml encoding="JIS" version ="A.0" ?>

Q. No. 27

**Question:**

What does DTD stand for?

Answer Choices

**A: Document  Type Definition**       B: Direct  Type Definition

C: Do The Dance                        D: Dynamic  Type Definition

Q. No. 28

**Question:**

DTD includes the specifications about the markup that can be used within the

document, the specifications consists of all EXCEPT

Answer Choices

A: Entity declarations                 B: The size of element name

**C: The browser name**                D: Element declarations

Q. No. 29

**Question:**

The XML DOM object is

Answer Choices

A: Entity                              **B: Entity Reference**

C: Comment Reference                   D: Comment Data

Q. No. 30

**Question:**

To bind the HTML element <INPUT> Type in text with the data source "dsoCustomer"

we use

Answer Choices

A:  <INPUT TYPE="TEXT" DATAFIELD="#dsoCustomer">

B: <INPUT TYPE="TEXT" DATASRC=" dsoCustomer">

**C: <INPUT TYPE="TEXT" DATAFSRC="#dsoCustomer">**

D: <INPUT TYPE="TEXT" DATAFLD="#dsoCustomer">

Q. No. 31

**Question:**

What is oDATA?

Answer Choices

A: Web protocol Use or insertion

**B: Web protocol for querying and updating data**

C: It is a OSI model protocol

D: None of above

Q. No. 32

**Question:**

What is NCName

Answer Choices

A: A Non-Common Name                    B: A Non-Conforming Name

**C: A Non-Colonized  Name**            D: None of the above

Q. No. 33

**Question:**

Ajax stands for

Answer Choices

**A: Asynchronous JavaScript and XML**

B: Abstract  JSON and XML

C: Another Java Abstraction for X-Windows

D: Another Java and XML Library

Q. No. 34

**Question:**

What does the XMLHttpRequest object accomplish in Ajax?

Answer Choices

A: It's a programming language used to develop Ajax application

B: It provides a means of exchanging structured data between the Web server and client

C: It provides the ability to mark up and style the display of Web-page text.

**D: It provides the ability to asynchronously exchange data between Web browsers and a web server**

Q. No. 35

**Question:**

Which one of the technologies is NOT used in AJAX?

Answer Choices

**A: Flash**          B: CSS          C: DOM          D: DHTML

Q. No. 36

**Question:**

AJAX made popular by

Answer Choices

A: Microsoft          B: IBM          C: Sun Microsystems          **D: Google**

Q. No. 37

**Question:**

Which one of these legendary Greek mythical figures or places is the code name for Microsoft's version of AJAX?

Answer Choices

A: Oracle          B: Hercules          **C: Atlas**          D: Delphi

Q. No. 38

**Question:** The tag used to define navigation links id

Answer Choices

A:<dialog>          B:<header>          C:<meter>          D:<nav>

Correct Answer : D

Q. No. 39

**Question:** The tag to specify illustration, diagram, photo is
A:<mark>          B:<figure>          C:<aside>          D:<details>

Correct Answer : B

Q. No. 40

**Question:** The <!DOCTYPE> declaration in HTML5 is
A:<!DOCTYPE html!>          B:<!DOCTYPE html;>
C:<!DOCTYPE html          D:<!DOCTYPE html:>

Correct Answer :C

Q. No. 41

**Question:** The selector in css is
A:javascript tag          B:HTML element
C:css tag          D:css element

Correct Answer : B

Q. No. 42

**Question:** The declaration in css consists

A:Property          B:Value          C:Attribute          D:a and b

Correct Answer : D

Q. No. 43

**Question:** The Statement is call as _____ Statement.
A:Globalization          B:Instantization
C:Declaration          D:Intialization

Correct Answer :C

Q. No. 44

**Question:** Integer Variable is declared using  following syntax in javascript
A:Interger num;              B: var Num;
C:integer num;              D:int num;

Correct Answer : B

Q. No. 45

**Question:** What is an ISP?
A: Internet System Protocol          B: Internal System Program
C: Internet Service Provider          D: None of the above

Correct Answer :C

Q. No. 46

**Question:** <SCRIPT> … </SCRIPT> tag can be placed within _____
A: Header     B:Body              C: both A and B              D: none of the above

Correct Answer :A

Q. No. 47

**Question:** Which tag is used to display the large font size?
A: <LARGE></LARGE>     B: <BIG></BIG>     C: < SIZE ></SIZE>        D: <FONT></FONT>

Correct Answer :B

Q. No. 48

**Question:** Which attribute is used to name an element uniquely?
A: class              B: d              C: dot          D: all of above

Correct Answer :B

Q. No. 49

**Question:** Which of the following is not a valid alignment attribute?
A: Left          B: Right        C: Top              D: All of above

Correct Answer :D

Q. No. 50

**Question:** Which of the following are the background properties in CSS?
 i)  background-color
 ii)  background-image
 iii)  background-repeat
 iv)  background-position
 v)  background

A: i, ii, iii and iv only

B: i, ii, iii and v only

C: i, ii, iv and v only

D: All i, ii, iii, iv and v

Correct Answer :D

Q. No. 51

**Question:** Internet Explorer uses _____ property to create transparent images.
A: -moz-opacity:x       B: filter: alpha(opacity=x)
C: Both of the above      D: None of the above

Correct Answer :B

Q. No. 52

**Question:** The _____ property indicates whether a cell without any content should have a border displayed.
A: blank-cells  B: empty-cells  c nocontent-cells D: noborder-cells

Correct Answer :B

Q. No. 53

**Question:** Why so JavaScript and Java have similar name?
A:  JavaScript is a stripped-down version of Java
B:  JavaScript's syntax is loosely based on Java's
C:  They both originated on the island of Java
D:  None of the above

*Infoway Technologies Pvt. Ltd., Pune*           *Page 14 of 42*
*Contact No.: 020-41312111/12*
*Website: www.infowayltd.com*

Correct Answer :B

Q. No. 54

**Question:** Which of the following attribute can hold the JavaScript version?
A:  LANGUAGE               B:  SCRIPT   C: VERSION          D:  None of the above

Correct Answer :A

Q. No. 55

**Question:** JavaScript is _____ Side Scripting Language.
A:server         B:ISP                   C:browser                 D:none of these

Correct Answer :C

Q. No. 56

**Question:** Which of the following is used to capture all click events in a window?
A:window.captureEvents(Event.CLICK);
B:window.routeEvents(Event.CLICK);
C:window.handleEvents(Event.CLICK);
D:window.raiseEvents(Event.CLICK);

Correct Answer :A

Q. No. 57

**Question:** Which of the following method is used to evaluate a string of JavaScript in the context of specified object?
A: Eval          B:ParseDoule                 C:ParseObject                 D:Efloat

Correct Answer :A

Q. No. 58

**Question:** Which attribute need to be changed  to make elements invisible?
A:visible        B:visibilty        C:invisibility  D:invisible

Correct Answer :B

Q. No. 59

**Question:** If para1 is the DOM object for a paragraph, what is the correct syntax to change the text within the paragraph?
A: "New Text"?
B: para1.value="New Text";
C: para1.firstChilD:nodeValue= "New Text";
D: para1.nodeValue="New Text";

Correct Answer :B

Q. No. 60

**Question:** Which of the following is not the scope variable in php?
A:local                  B:global                  C:static                  D:extern

Correct Answer :D

Q. No. 61

**Question:** Where setcokie() function must appear in php?
A:before tag          B:After tag          C:In tag          D:anywhere

Correct Answer :B

Q. No. 62

**Question:** Data for a cookie stored in _____ in php?
A: in ISP computer          B: In users computer
C:In server computer                D:in depends on php coding

Correct Answer :B

Q. No. 63

**Question:** In PHP language PEAR stands for
A: PHP Enhancement and Application reduce
B: PHP Event and Application Repository

C: PHP Extension and Application Repository
D: None of these above

Correct Answer :C


Q. No. 64

**Question:** PHP configuration settings are maintained in
A: pws-php5cgi.reg        B: php.ini
C: httpD:conf                D:httpd-info.conf

Correct Answer :B


Q. No. 65

**Question:** Which class name is reserved in PHP ?
A: stdClass          B: nameClass          C: newClass          D: None of these

Correct Answer :A


Q. No. 66

**Question:** Which one of the following functions is used to determine object type?
A:obj_type()        B:type()        C:is_a()                D:is_obj()

Correct Answer : C


Q. No. 67

**Question:** What is the correct syntax of the declaration which defines the XML version?
A: <xml version="A:0" />    B: <?xml version="A:0"?>
C: <?xml version="A:0" />  D:None of the above

Correct Answer :B


Q. No. 68

**Question:** Kind of Parsers are
A: well-formed                B: well-documented
C: non-validating and validating    D: none of the above

Correct Answer : C

Q. No. 69

**Question:** In XML
A: the internal DTD subset is read before the external DTD
B: the external DTD subset is read before the internal DTD
C: there is no external type of DTD
D: there is no internal type of DTD

Correct Answer :A

Q. No. 70

**Question:** XML is case sensitive?
A: Yes                    B:No

Correct Answer : A

Q. No. 71

**Question:** Attribute of the document interface in DOM is/are
            i)        doctype
            ii)       implementation
            iii)      documentElement
Which are read only attributes?
A: (i) only
B: (ii) only
C: (ii),(iii) only
D: all

Correct Answer : D

Q. No. 72

**Question:** What is the function of the XML parser?
A: Converts XML document to XML DOM object
B: Converts XML DOM object to XML document
C: Converts XML DOM object to a comment
D: None of the mentioned

Correct Answer :A

Q. No. 73

**Question:** What is the purpose of the method ActiveXObject()?
A: Used to call automation object
B: Used to reference automation object
C: Used to instantiate automation object
D: All of the mention

Correct Answer :C

Q. No. 74

**Question:** What makes Ajax unique?
A: it works as a stand-alone web development tool.
B:it work the same with all web browser
C:it uses c++ as its programming language
D:id makes data requested asynchronously

Correct Answer :D

Q. No. 75

**Question:** What does the XMLHttpRequest object accomplish in ajax?
A:its the programming language used to develop ajax application
B:it provide a means of exchanging structured data between the web server or client
C:it provide the ability to asynchronously exchange data between web server and web browser.
D:it provide the ability to mark up and style the display of web-page text

Correct Answer :C

Q. No. 76

**Question:** ActiveX can be disabled via browser settings.
A:true
B:false

Correct Answer : B

Q. No. 77

**Question:** ajax based on
A:javascript and XML
B:javascript and java
C:vbscript and XML
D:javascript and HTTP requests

Correct Answer :A

Q. No. 78

**Question:** Which of the following is used for parsing JSON text?
A: jQuery.each()                    B: jQuery.parseJSON()
C: jQuery.noConflict()             D: None of the mentioned

Correct Answer :B

Q. No. 79

**Question:** Which selector use for selects all elements in the document.
A:$("p > *")         B:$("p > *")         C:$('*')                D:$("p A:specialClass")

Correct Answer :C

Q. No. 80

**Question:** Is jquery a W3C standard?
A:Yes                        B:No

Correct Answer : B

Q. No. 81

**Question:** $('#temp').action()
What type of selector is used in the above jQuery syntax?
A: id selector
B: class selector
C: name selector

D: value selector

Correct Answer :A

Q. No. 82

**Question:** What is the purpose of the url json?
A: Belongs to JSON object
B: Reference JSON formatted data
C: Both a and b
D: None of the mentioned
Correct Answer :B

Q. No. 83

**Question:** The basic Web Services platform is combination of _____ and _____.
A:CSS + JAVA                    B:XML + HTTP
C: XML + HTML                   D:CSS + HTTP

Correct Answer : B

Q. No. 84

**Question:** What will the function session_id() return is no parameter is passed?
A: Current Session Identification Number
B: Previous Session Identification Number
C: Last Session Identification Number
D: Error

Correct Answer : A

Q. No. 85

**Question**: What will be the output of the following PHP code? Say your previous session username was nachi
1.   Unset($_SESSION['username']);
2.   Printf("username now set to:%s",$_SESSION['username']);
A: Username now set to: System
B: Username now set to: nachi
C: Username now set to:
D: Error

Correct Answer :C

Q. No. 86

**Question:** How php files can be accessed?
A:Through web browser
B:Through HTML files
C:Through web server
D:All of above

Correct Answer :C

Q. No. 87

**Question:** Which of the functions is used to sort an array in descending order?
A: sort()
B: asort()
C: rsort()
D: dsort()

Correct Answer : C

Q. No. 88

**Question:** What will be the output of the following PHP code ?

```
<?php

Function colour()

{$colors=array("red", "green", "blue", "yellow";

Foreach($colors as $value)

{

Echo "$value<br>";

}

}

Colour();?>
```

A:red

green

blue

yellow

B:green

blue

yellow

red

C:red

blue

yellow

green

D:red

green

yellow

blue

Correct Answer :A

Q. No. 89

**Question:** Which statement is true?
A:  An XML document can have one root element
B:  An XML document can have one child element
C: XML elements have to be in lower case
D: All of above

Correct Answer :A

Q. No. 90

**Question:** Choose the correct HTML code to create an email link?
A:       <a href="ganesh@ghumti.com"></a>
B:       <a href="mailto:ganesh@ghumti.com"></a>
C:       <mail> ganesh@ghumti.com </mail>
D:       <a mailhref="ganesh@ghumti.com"></a>

Correct Answer :B

Q. No. 91

**Question:** FTP is an acronym for
A: File Transaction Protocol
B: File Transfer Protocol
C: File Translation Protocol
D: File Transmission Protocol

Correct Answer :B

Q. No. 92

**Question: What does the .com domain represents?**
A: Education domain          B: Commercial domain
C: Network                   D: None of the above

Correct Answer : B

Q. No. 93

**Question:** What does the XMLHttpRequest object accomplish in Ajax?
A:its the programming language used to develop Ajax application
B:it provide a means of echanging structured data between the web server or client
C:it provide the ability to asychronously exchange data between web server and web broser.
D:it provide the ability to mark up and style the display of web-page text

Correct Answer : A

Q. No. 94

**Question:** Ajax comes in
A:2003          B:2005               C:2004               D:2006

Correct Answer :B

Q. No. 95

**Question:** Which of the following is the most commonly used HTTP methods?
A PRE and POST         B GET and SET
C:ASK and REPLY        D:GET and POST

Correct Answer : D

Q. No. 96

**Question:** What is empty element in HTML?
A:An element with no tag
B:An element with no type
C: An element with no content
D:An element with no comment

Correct Answer : C

Q. No. 97

**Question:** A_____ is a symbolic name a network administrator assigns to a machine.
A: URL         B: DNS         C: IP address        D: Host name

Correct Answer : C

Q. No. 98

Question:

The list of predefine option for input control can be given by using _____ tag?

Answer Choices

A:<embed>

B:<datalist>

C:<dataSet>

D:<anchor>

Difficulty Level: Easy

Correct Answer: B

Q. No. 99

*Infoway Technologies Pvt. Ltd., Pune*        *Page 25 of 42*
*Contact No.: 020-41312111/12*
*Website: www.infowayltd.com*

Question:

Which of the following tags will be included in <head> section?

Answer Choices

A:<meta>

B:<link>

C:<style>

D:All of the above.

Difficulty Level: Easy

Correct Answer: D


Q. No. 100

Question:

You can apply a style to many selectors if you like. Just separate the selectors with a

_____?

Answer Choices

A: Comma

B:Hash

C:Colon

D:Question mark

Difficulty Level: Easy

Correct Answer: A


Q. No. 101

Question:

If we want to select all HTML tags on which a common CSS is to be apply, then which

of the following selectors will be used?

Answer Choices

A: *

B: :all

C:element

D::each

Difficulty Level: Intermediate

Correct Answer: A


Q. No. 102

Question:

If the following javascript code is executed then what will be the output?

```
<script type="text/javascript">
var x;
     x = 1000/0;
alert(x);
</script>
```

Answer Choices

A:zero divide error

B:undefined

C:Infinity

D:NaN

Difficulty Level: Intermediate

Correct Answer: C


Q. No. 103

Question:

Which of the following method of an Array object adds and/or removes elements from an array?

Answer Choices

A:Reverse

B:Shift

C:Slice

D:Splice

Difficulty Level: Difficult

Correct Answer: D

Q. No. 104

Question:

In JavaScript, we declare a variable by using the keyword var and until a value is assignedto it, the value of the variable will be implicitly set to _____?

Answer Choices

A:NULL

B:NaN

C:undefined

D:notdefined

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 105

Question:

If the following javascript code is executed, what will be the output?

```
<script type="text/javascript">
var F1 =  function() {
return ("Hello World!");
    }
alert(F1);
</script>
```

Answer Choices

A:Hello World!

B: F1

C:  var F1 =  function() {

return ("Hello World!");

 }

D:compilation error

Difficulty Level: Difficult

Correct Answer: C


Q. No. 106

Question:

_____ method of JavaScript you will use to redirect to another web page.

Answer Choices

A:window.reload

B:window.location

C:window.page

D:page.location

Difficulty Level: Intermediate

Correct Answer: B


Q. No. 107

Question:

```
var x="1";
alert(Number ("1")===x);
```

What will be the result?

Answer Choices

A:true

B:false

C:typeError

D:None of the above

Difficulty Level: Intermediate

Correct Answer: B


Q. No. 108

Question:

varaList = ["Apple", "Banana", "Grapes"];

aList.length=0;

aList.push("Orange");

alert (aList);

What will be the result?

Answer Choices

A:Orange, Apple, Banana, Grapes

B:Orange, Apple

C: Orange

D: ERROR

Difficulty Level: Intermediate

Correct Answer: C


Q. No. 109

Question:

Which of the following syntax is used to apply in-line style sheet in AngularJS?

Answer Choices

A:ng-style="(background-color: blue)"

B:ng-style="{'background-color':'blue'}"

C:ng-style="[background-color: blue]"

D:None of the above.

Difficulty Level: Easy

Correct Answer: B


Q. No. 110

Question:

Which of the following syntax will be used to set background image for a command

button in AngularJS?

Answer Choices

A:ng-style="{'background' : 'url(images.jpg)'}"

B:ng-style="{'background-image' : 'url(images.jpg)'}"

C:ng-style="{'background-image' = 'images.jpg'}"

D:Both A and B

Difficulty Level:

Correct Answer: D


Q. No. 111

Question:

_____ act as glue between controller and view.

Answer Choices

A:&scope

B:$scope

C: _scope

D: %scope

Difficulty Level: Easy

Correct Answer: B


Q. No. 112

Question:

The _____ attribute tells Angular to replace the text content of the specified HTML element with the value of a given expression, and to update the text content when the value of that expression changes.

Answer Choices

A:ngBind

B:ngConnect

C:ngBinding

D:Both A and C

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 113

Question:

Consider the following AngularJS script.

```
varmyApp = angular.module ("myApp", []);
myApp.controller ("controller3", function ($scope) {
        $scope.cnt = 0;
        $scope.fruits = ['Orange', 'Apple', 'Mango', 'Grapes', 'Banana', 'Cherry'];
        $scope.F1 = function () {
                    /* Place code here. */
         };
    });
```

Which of the following code is place in function F1 to print the values of fruits array?

Answer Choices

```
A:for (var i in $scope.fruits){
        alert ($scope.fruits[i]);}
B:for (var i = 0; i <fruits.length; i++) {
alert($scope.fruits[i]);}
C:while (cnt< $scope.fruits.length) {
alert($scope.fruits[cnt]);
cnt += 1;}
D:for (var i = 0; i <fruits.length; i++) {
alert (fruits[i]);}
```

Difficulty Level: Difficult

Correct Answer: A


Q. No. 114

Question:

What is the correct jQuery code to set the background color of all div elements to red?

Answer Choices

A:$("div").layout ("background-color","red");

B:$("div").manipulate ("background-color","red");

C:$("div").css ("background-color","red");

D:$("div").style ("background-color","red");

Difficulty Level: Easy

Correct Answer: C


Q. No. 115

Question:

With jQuery, look at the following selector: $("div.firstClass"). What does it select?

Answer Choices

A:The first div element with class="firstClass"

B:The first div element with id="firstClass"

C:All div elements with class="firstClass"

D:All div elements with id="firstClass"

Difficulty Level: Easy

Correct Answer: C


Q. No. 116

Question:

Which jQuery method is used to hide selected elements?

Answer Choices

A:hidden()

B:hide()

C:visible(false)

D:display(none)

Difficulty Level: Easy

Correct Answer: B


Q. No. 117

Question:

What are the :odd and :even filters?

Answer Choices

A:They allow you to determine if a number is odd or even.

B:They allow you to determine if a specific element is in an odd or even position.

C::odd and :event are invalid filter.

D:None of the above.

Difficulty Level: Intermediate

Correct Answer: B


Q. No. 118

Question:

What are the various speed options?

Answer Choices

A:The words "slow" and "fast" as well as integers for the milliseconds

B:Only the words "slow", "fast", and "medium"

C:All of the above

D:None of the above

Difficulty Level: Intermediate

Correct Answer: A


Q. No. 119

Question:

The speed options can be applied to which jQuery functions?

Answer Choices

A:css and Ajax

B:show and fadeIn

C:toggleCss

D:All of the above

Difficulty Level: Easy

Correct Answer: B


Q. No. 120

Question:

There are three different kinds of arrays:

Answer Choices

A:Numeric array, String array, Multidimensional array

B: Date array, Numeric array, Multidimensional array

C:Numeric array, Associative array, Multidimensional array

D:Const array, Associative array, Multidimensional array

Difficulty Level: Easy

Correct Answer: C


Q. No. 121

Question:

Which of the following will be used to access cookies in PHP?

Answer Choices

A: $COOKIE

B:$_COOKIE

C:$HTTP_COOKIE_VARS

D:Both B and C

Difficulty Level: Intermediate

Correct Answer: D


Q. No. 122

Question:

The _____ function checks if the "end-of-file" (EOF) has been reached.

Answer Choices

A:feof()

B:fileEnd()

C:file_eof()

D:_EOF()

Difficulty Level: Easy

Correct Answer: A


Q. No. 123

Question:

What will be the output of the following PHP code?

```php
<?php
    $Fruits = array ("Orange", "Apple", "Mango");
echo "My favorite fruit is : {$Fruits[0]}";
?>
```

Answer Choices

A:My favorite fruit is : {$Fruits[0]}

B:My favorite fruit is : {Orange}

C:My favorite fruit is : Orange

D:The code has an error.

Difficulty Level: Intermediate

Correct Answer: C


Q. No. 124

Question:

Which types restriction can be used with String data types in XML schema (xs:string)?

Answer Choices

A:pattern

B:maxValue

C:strLength

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: A

Q. No. 125

Question:

Which of the following statement will be used to fixed value is "red" in xml schema:

Answer Choices

A:<xs:element name="color" type="xs:string" fixed="red"/>

B:<xs:element name="color" type="xs:string" fix="red"/>

C:<xs:element name="color" type="xs:string" static="red"/>

D:<xs:element name="color" type="xs:string" const="red"/>

Difficulty Level: Intermediate

Correct Answer: A


Q. No. 126

Question:

Which of the following is XML Schema built-in data type?

Answer Choices

A:xs:int

B:xs:decimal

C:xs:integer

D:All of the above

Difficulty Level: Easy

Correct Answer: D


Q. No. 127

Question:

Which of the following restrictions can be given on XML elements?

Answer Choices

A:totalDigits

B:minExclusive

C:length

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: D


Q. No. 128

Question:

Which object is the top of the hierarchy?

Answer Choices

A:Window Object

B:Document Object

C:Form Object

D:Form Control Elements

Difficulty Level: Intermediate

Correct Answer: A


Q. No. 129

Question:

What is the output of following code?

```
    window.onload = function () {
for (var i = 0; i < document.getElementsByTagName("*").length; i++) {
alert(document.getElementsByTagName("*").item(i).tagName);
        }
    }
```

Answer Choices

A:The code will display all the TAG names.

B:Error because function name is missing.

C:Error because TagName is missing.

D:Error because invalid event.

Difficulty Level: Difficult

Correct Answer: A

*Infoway Technologies Pvt. Ltd., Pune*      *Page 38 of 42*
*Contact No.: 020-41312111/12*
*Website: www.infowayltd.com*

Q. No. 130

Question:

What is the purpose of the Attr object in the HTML DOM?

Answer Choices

A:Redirect to another HTML page

B:HTML Attribute

C:Used to arrange elements

D:None of the mentioned

Difficulty Level:Intermediate

Correct Answer: B

Q. No. 131

Question:

Examine the following code snippet.

```
<script type="text/javascript">
var squareOfNumber = (function (out) { return out*out; }(7));
alert(squareOfNumber);
</script>
```

The output for the above statement would be.

Answer Choices

A:0

B:49

C:NULL

D:Compilation error

Difficulty Level: Difficult

Correct Answer: B

Q. No. 132

Question:

In the following list, which states are valid? XMLHttpRequest.readyState.

Answer Choices

A:2: request received

B:3: processing request

C:4: request finished and response is ready

D:All of the above.

Difficulty Level: Intermediate

Correct Answer: D

Q. No. 133

Question:

What is the correct way to have the function checkState called after 10 seconds?

Answer Choices

A:window.setTimeout(checkState, 10);

B:window.setTimeout(checkState, 10000);

C:window.setTimeout(checkState(), 10);

D:None of the above

Difficulty Level: Intermediate

Correct Answer: B

Q. No. 134

Question:

Which type of server technology is used by Joomla?

Answer Choices

A:Joomla

B:Apache

C:PHP

D:All of the above

Difficulty Level: Easy

Correct Answer: B


Q. No. 135

Question:

Given below is a list of toolbars. Which are toolbars available in Joomla

Answer Choices

A:Article Manager Toolbar

B:Menu Manager Toolbar

C:Module Manager Toolbar

D:All of the above.

Difficulty Level: Easy

Correct Answer: D


Q. No. 136

Question:

Examine the following code snippet.

```
<script type="text/javascript">
var x = parseInt("1001ABC");
alert(x);
</script>
```

The output for the above statement would be.

Answer Choices

A:undefined

B:NaN

C:1001

D:Error

Difficulty Level: Intermediate

Correct Answer: C

Q. No. 137

Question:

Which Joomla file provides the central logic of the template including any module and component display?

Answer Choices

A:index.php

B:template.css

C:TemplateDetails.xml

D: banner.dtd

Difficulty Level: Easy

Correct Answer: A

https://www.youtube.com/@codewitharrays

https://www.instagram.com/codewitharrays/

https://t.me/codewitharrays   Group Link: https://t.me/ccee2025notes

+91 8007592194   +91 9284926333

codewitharrays@gmail.com

https://codewitharrays.in/project