

Explore More

Subscription : Premium CDAC NOTES & MATERIAL @99



Contact to Join
Premium Group



Click to Join
Telegram Group

<CODEWITHARRAY'S/>

For More E-Notes

Join Our Community to stay Updated

TAP ON THE ICONS TO JOIN!

	codewitharrays.in freelance project available to buy contact on 8007592194	
SR.NO	Project NAME	Technology
1	Online E-Learning Platform Hub	React+Springboot+MySql
2	PG Mates / RoomSharing / Flat Mates	React+Springboot+MySql
3	Tour and Travel management System	React+Springboot+MySql
4	Election commition of India (online Voting System)	React+Springboot+MySql
5	HomeRental Booking System	React+Springboot+MySql
6	Event Management System	React+Springboot+MySql
7	Hotel Management System	React+Springboot+MySql
8	Agriculture web Project	React+Springboot+MySql
9	AirLine Reservation System / Flight booking System	React+Springboot+MySql
10	E-commerce web Project	React+Springboot+MySql
11	Hospital Management System	React+Springboot+MySql
12	E-RTO Driving licence portal	React+Springboot+MySql
13	Transpotation Services portal	React+Springboot+MySql
14	Courier Services Portal / Courier Management System	React+Springboot+MySql
15	Online Food Delivery Portal	React+Springboot+MySql
16	Muncipal Corporation Management	React+Springboot+MySql
17	Gym Management System	React+Springboot+MySql
18	Bike/Car ental System Portal	React+Springboot+MySql
19	CharityDonation web project	React+Springboot+MySql
20	Movie Booking System	React+Springboot+MySql

freelance_Project available to buy contact on 8007592194		
21	Job Portal web project	React+Springboot+MySql
22	LIC Insurance Portal	React+Springboot+MySql
23	Employee Management System	React+Springboot+MySql
24	Payroll Management System	React+Springboot+MySql
25	RealEstate Property Project	React+Springboot+MySql
26	Marriage Hall Booking Project	React+Springboot+MySql
27	Online Student Management portal	React+Springboot+MySql
28	Resturant management System	React+Springboot+MySql
29	Solar Management Project	React+Springboot+MySql
30	OneStepService LinkLabourContractor	React+Springboot+MySql
31	Vehical Service Center Portal	React+Springboot+MySql
32	E-wallet Banking Project	React+Springboot+MySql
33	Blogg Application Project	React+Springboot+MySql
34	Car Parking booking Project	React+Springboot+MySql
35	OLA Cab Booking Portal	React+NextJs+Springboot+MySql
36	Society management Portal	React+Springboot+MySql
37	E-College Portal	React+Springboot+MySql
38	FoodWaste Management Donate System	React+Springboot+MySql
39	Sports Ground Booking	React+Springboot+MySql
40	BloodBank mangement System	React+Springboot+MySql

41	Bus Tickit Booking Project	React+Springboot+MySql
42	Fruite Delivery Project	React+Springboot+MySql
43	Woodworks Bed Shop	React+Springboot+MySql
44	Online Dairy Product sell Project	React+Springboot+MySql
45	Online E-Pharma medicine sell Project	React+Springboot+MySql
46	FarmerMarketplace Web Project	React+Springboot+MySql
47	Online Cloth Store Project	React+Springboot+MySql
48	Train Ticket Booking Project	React+Springboot+MySql
49	Quizz Application Project	JSP+Springboot+MySql
50	Hotel Room Booking Project	React+Springboot+MySql
51	Online Crime Reporting Portal Project	React+Springboot+MySql
52	Online Child Adoption Portal Project	React+Springboot+MySql
53	online Pizza Delivery System Project	React+Springboot+MySql
54	Online Social Complaint Portal Project	React+Springboot+MySql
55	Electric Vehical management system Project	React+Springboot+MySql
56	Online mess / Tiffin management System Project	React+Springboot+MySql
57		React+Springboot+MySql
58		React+Springboot+MySql
59		React+Springboot+MySql
60		React+Springboot+MySql

Spring Boot + React JS + MySQL Project List

Sr.No	Project Name	YouTube Link
1	Online E-Learning Hub Platform Project	https://youtu.be/KMjyBaWmgzg?si=YckHuNzs7eC84-IW
2	PG Mate / Room sharing/Flat sharing	https://youtu.be/4P9clHg3wvk?si=4uEsi0962CG6Xodp
3	Tour and Travel System Project Version 1.0	https://youtu.be/-UHOBywHaP8?si=KHHfE_A0uv725f12
4	Marriage Hall Booking	https://youtu.be/VXz0kZQi5to?si=ILOS-QG3TpAFP5k7
5	Ecommerce Shopping project	https://youtu.be/vJ_C6LkhrZ0?si=YhcBylSErvdn7paq
6	Bike Rental System Project	https://youtu.be/FlzsAmIBCbk?si=7ujQTJqEgkQ8ju2H
7	Multi-Restaurant management system	https://youtu.be/pvV-pM2Jf3s?si=PgvnT-yFc8ktrDxB
8	Hospital management system Project	https://youtu.be/lynlouBZvY4?si=CXzQs3BsRkjKhZCw
9	Municipal Corporation system Project	https://youtu.be/cVMx9NVyl4I?si=qX0oQt-GT-LR_5jF
10	Tour and Travel System Project version 2.0	https://youtu.be/_4u0mB9mHXE?si=gDiAhKBowi2gNUKZ

Sr.No	Project Name	YouTube Link
11	Tour and Travel System Project version 3.0	https://youtu.be/Dm7nOdpasWg?si=P_Lh2gcOFhlyudug
12	Gym Management system Project	https://youtu.be/J8_7Zrkg7ag?si=LcxV51ynfUB7OptX
13	Online Driving License system Project	https://youtu.be/3yRzsMs8TLE?si=JRI_z4FDx4Gmt7fn
14	Online Flight Booking system Project	https://youtu.be/m755rOwdk8U?si=HURvAY2VnizlyJlh
15	Employee management system project	https://youtu.be/ID1iE3W_GRw?si=Y_jv1xV_BljhrD0H
16	Online student school or college portal	https://youtu.be/4A25aEKfei0?si=RoVgZtxMk9TPdQvD
17	Online movie booking system project	https://youtu.be/Lfjv_U74SC4?si=fiDvrhhrjb4KSIsm
18	Online Pizza Delivery system project	https://youtu.be/Tp3izreZ458?si=8eWAOzA8SVdNwlyM
19	Online Crime Reporting system Project	https://youtu.be/0UlzReSk9tQ?si=6vN0e70TVY1GOwPO
20	Online Children Adoption Project	https://youtu.be/3T5HC2HKyT4?si=bntP78niYH802I7N

1. Who developed the Java programming language?

- a) Microsoft
- b) Oracle
- c) Sun Microsystems
- d) Google

[Click to View Answer and Explanation](#)

Answer:

- c) Sun Microsystems

Explanation:

Java was developed by Sun Microsystems. Later, Oracle acquired Sun Microsystems in 2010.

2. In which year was the first version of Java released?

- a) 1991
- b) 1995
- c) 1998
- d) 2000

[Click to View Answer and Explanation](#)

3. What was the original name for Java?

- a) C++++
- b) Oak
- c) Pine
- d) Maple

[Click to View Answer and Explanation](#)

4. What does JVM stand for?

- a) Java Version Machine
- b) Java Virtual Mechanism
- c) Java Verified Module
- d) Java Virtual Machine

[Click to View Answer and Explanation](#)

5. Which of the following is responsible for converting bytecode into machine code?

- a) JDK
- b) JRE
- c) JVM
- d) Java Compiler

[Click to View Answer and Explanation](#)

6. What does JDK include?

- a) Only a compiler
- b) Only a runtime environment
- c) Both a compiler and a runtime environment
- d) None of the above

[Click to View Answer and Explanation](#)

7. Which of the following is NOT a part of the JRE?

- a) Bytecode verifier
- b) Classloader

- c) Java Compiler
- d) Java API classes

[Click to View Answer and Explanation](#)

8. What is the primary function of JRE?

- a) Compilation
- b) Debugging
- c) Execution
- d) Development

[Click to View Answer and Explanation](#)

9. Can you run a Java program without JRE?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

10. Is JVM platform-independent?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

11. Which operator is used to perform bitwise "AND" operation?

- a) &&
- b) &
- c) |

d) ||

[Click to View Answer and Explanation](#)

12. What does the == operator compare in Java objects?

- a) Values
- b) References
- c) Hash codes
- d) Fields

[Click to View Answer and Explanation](#)

13. Which operator is used for logical "AND" operation?

- a) &&
- b) &
- c) ||
- d) |

[Click to View Answer and Explanation](#)

14. Which of the following is a unary operator?

- a) +
- b) -
- c) !
- d) All of the above

[Click to View Answer and Explanation](#)

15. Which operator has the highest precedence?

- a) +
- b) *
- c) ()
- d) &&

[Click to View Answer and Explanation](#)

16. What is the output of the expression true || false?

- a) true
- b) false
- c) null
- d) 0

[Click to View Answer and Explanation](#)

17. Which of the following is not a primitive data type in Java?

- a) byte
- b) String
- c) double
- d) short

[Click to View Answer and Explanation](#)

18. What is the default value of the int data type?

- a) 0
- b) 1
- c) null
- d) Undefined

[Click to View Answer and Explanation](#)

19. Which of the following data types can store a floating-point number?

- a) int
- b) byte
- c) double
- d) char

[Click to View Answer and Explanation](#)

20. Which data type can store a single character?

- a) String
- b) byte
- c) char
- d) int

[Click to View Answer and Explanation](#)

21. How many bits does the long data type use?

- a) 8
- b) 16
- c) 32
- d) 64

[Click to View Answer and Explanation](#)

22. What's the main difference between int and Integer in Java?

- a) No difference
- b) Integer can store larger values than int
- c) int is a primitive data type, while Integer is a class
- d) int can be null, while Integer cannot

[Click to View Answer and Explanation](#)

23. Which loop construct in Java is best suited when the number of iterations is known?

- a) for loop
- b) while loop
- c) do-while loop
- d) break statement

[Click to View Answer and Explanation](#)

24. What is the purpose of the continue statement in a loop?

- a) To exit the loop immediately
- b) To skip the current iteration and move to the next iteration
- c) To terminate the program
- d) To execute a specific block of code

[Click to View Answer and Explanation](#)

25. Which loop construct in Java is best suited when the number of iterations is unknown?

- a) for loop
- b) while loop
- c) do-while loop

d) none

[Click to View Answer and Explanation](#)

26. What is the key difference between a while loop and a do-while loop in Java?

- a) The syntax used to define the loop
- b) The number of iterations performed
- c) The condition check timing
- d) The ability to use the break statement

[Click to View Answer and Explanation](#)

27. Which loop construct guarantees that the loop body is executed at least once?

- a) for loop
- b) while loop
- c) do-while loop
- d) continue statement

[Click to View Answer and Explanation](#)

28. What is an infinite loop?

- a) A loop that executes only once
- b) A loop that never terminates naturally
- c) A loop that contains an unreachable code block
- d) A loop that uses the continue statement

[Click to View Answer and Explanation](#)

29. Which statement is used to exit a loop prematurely?

- a) return statement
- b) continue statement
- c) break statement
- d) exit statement

[Click to View Answer and Explanation](#)

30. Which loop construct is best suited for iterating over an array or a collection?

- a) for loop
- b) while loop
- c) do-while loop
- d) continue statement

[Click to View Answer and Explanation](#)

31. How do you declare an array in Java?

- a) `int arrayName;`
- b) `int[] arrayName;`
- c) `int arrayName[];`
- d) Both b and c

[Click to View Answer and Explanation](#)

32. Which method is used to get the length of an array in Java?

- a) `length()`
- b) `size()`

c) `getLength()`

d) `length`

[Click to View Answer and Explanation](#)

33. How do you initialize an array in Java?

a) `int[] arr = (1,2,3,4,5);`

b) `int arr = {1,2,3,4,5};`

c) `int[] arr = new int[]{1,2,3,4,5};`

d) `int arr = new int(5);`

[Click to View Answer and Explanation](#)

34. What happens when you try to access an array element with an index that is out of bounds?

a) It returns -1

b) It returns a null value

c) It throws an exception

d) It initializes a new array

[Click to View Answer and Explanation](#)

35. How can you check if two arrays are equal in Java?

a) Use the `==` operator

b) Use the `.equals()` method

c) Use `Arrays.equals()` method

d) Compare each element one by one

[Click to View Answer and Explanation](#)

36. How do you access the fourth element of an array named numbers?

- a) numbers[4];
- b) numbers(3);
- c) numbers[3];
- d) numbers.get(3);

[Click to View Answer and Explanation](#)

37. Which of the following operators is used for concatenation of two strings?

- a) +
- b) *
- c) &
- d) +=

[Click to View Answer and Explanation](#)

38. Which of the following creates a mutable string?

- a) String
- b) StringBuilder
- c) StringChar
- d) StringMutable

[Click to View Answer and Explanation](#)

39. In Java, strings are:

- a) Primitive data types

- b) Immutable objects
- c) Mutable objects
- d) Arrays of characters

[Click to View Answer and Explanation](#)

40. How do you find the length of a string named 'example'?

- a) example.size()
- b) example.length()
- c) example.getLength()
- d) example.len()

[Click to View Answer and Explanation](#)

41. What is the result of the expression "Java" + "Programming"?

- a) JavaProgramming
- b) Java Programming
- c) Java-Programming
- d) JavaProgramming-

[Click to View Answer and Explanation](#)

42. Which method is used to compare two strings for equality?

- a) ==
- b) equals()
- c) compare()
- d) isEqual()

[Click to View Answer and Explanation](#)

43. Which class can create a string that is thread-safe?

- a) String
- b) StringBuffer
- c) StringBuilder
- d) StringSafe

[Click to View Answer and Explanation](#)

44. What is the root class for all Java classes?

- a) Object
- b) Class
- c) Superclass
- d) Root

[Click to View Answer and Explanation](#)

45. What is polymorphism?

- a) Multiple forms
- b) Single form
- c) No form
- d) Static form

[Click to View Answer and Explanation](#)

46. What is encapsulation in Java?

- a) The process of combining data and methods into a single unit
- b) The process of hiding data and methods within a class
- c) The process of creating multiple instances of a class

- d) The process of reusing code from existing classes

[Click to View Answer and Explanation](#)

47. What is inheritance in Java?

- a) The process of creating multiple instances of a class
- b) The process of hiding data and methods within a class
- c) The process of reusing code from existing classes
- d) The process of combining data and methods into a single unit

[Click to View Answer and Explanation](#)

48. What is polymorphism in Java?

- a) The ability of a class to inherit properties and behaviors from another class
- b) The process of hiding data and methods within a class
- c) The process of creating multiple instances of a class
- d) The ability of an object to take on many forms

[Click to View Answer and Explanation](#)

49. What are abstract classes in Java?

- a) Classes that cannot be instantiated
- b) Classes that can be used as blueprints for creating objects
- c) Classes that only contain abstract methods
- d) All of the above

[Click to View Answer and Explanation](#)

50. What is the purpose of the "super" keyword in Java?

- a) To refer to the current object
- b) To invoke the superclass constructor or methods
- c) To create multiple instances of a class
- d) To hide data and methods within a class

[Click to View Answer and Explanation](#)

51. What is the purpose of the "this" keyword in Java?

- a) To refer to the superclass
- b) To create multiple instances of a class
- c) To hide data and methods within a class
- d) To refer to the current object

[Click to View Answer and Explanation](#)

52. What is the purpose of the "final" keyword in Java?

- a) To prevent the inheritance of a class
- b) To prevent overriding of a method
- c) To prevent modification of a variable's value
- d) All of the above

[Click to View Answer and Explanation](#)

53. What is an interface in Java?

- a) A class
- b) A data type
- c) A blueprint for a class
- d) A data structure

[Click to View Answer and Explanation](#)

54. Which keyword is used to implement an interface?

- a) extends
- b) new
- c) interface
- d) implements

[Click to View Answer and Explanation](#)

55. Can an interface extend another interface in Java?

- a) No
- b) Yes

[Click to View Answer and Explanation](#)

56. Can an interface have a constructor?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

57. Which of the following access modifiers are implicitly applied to variables in an interface?

- a) private
- b) protected
- c) public
- d) default

[Click to View Answer and Explanation](#)

58. Is it possible to create an instance of an interface?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

59. How many interfaces can a Java class implement?

- a) None
- b) Only one
- c) Two
- d) As many as needed

[Click to View Answer and Explanation](#)

60. Can an interface inherit from a class?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

61. Can an interface method be declared as final?

- a) Yes
- b) No

[Click to View Answer and Explanation](#)

62. In Java 9, which type of methods can be added to interfaces to share code between methods?

- a) Static
- b) Private
- c) Final
- d) Protected

[Click to View Answer and Explanation](#)

63. An interface with no methods is known as?

- a) Abstract Interface
- b) Marker Interface
- c) Empty Interface
- d) Functional Interface

[Click to View Answer and Explanation](#)

64. Which keyword is used to define a default method in an interface?

- a) static
- b) default
- c) final
- d) abstract

[Click to View Answer and Explanation](#)

65. Are all methods in an interface abstract?

- a) Yes
- b) No
- c)

d)

[Click to View Answer and Explanation](#)

66. Which of these can be contained in an interface?

- a) Abstract methods
- b) Constants
- c) Default and static methods
- d) All of the above

[Click to View Answer and Explanation](#)

67. Which Java feature helps achieve multiple inheritance?

- a) Abstract classes
- b) Static methods
- c) Interfaces
- d) Enums

[Click to View Answer and Explanation](#)

68. What is the default access modifier of a method in an interface in Java?

- a) private
- b) protected
- c) public
- d) None of the above

[Click to View Answer and Explanation](#)

69. Why were default methods introduced in Java 8 interfaces?

- a) To provide multiple inheritance
- b) To add utility functions
- c) To provide backward compatibility with older interface versions
- d) For better performance

[Click to View Answer and Explanation](#)

70. Starting from which Java version can an interface contain method implementations?

- a) Java 5
- b) Java 7
- c) Java 8
- d) Java 9

[Click to View Answer and Explanation](#)

71. What is the purpose of the instanceof operator?

- a) Multiply instances
- b) Compare two object references
- c) Check if an object is an instance of a specific class or interface
- d) To create a new instance of a class

[Click to View Answer and Explanation](#)

72. Which keyword is used to declare a class variable?

- a) volatile
- b) transient
- c) static

d) final

[Click to View Answer and Explanation](#)

73. Which keyword is used to prevent a class from being inherited?

a) final

b) abstract

c) class

d) extends

[Click to View Answer and Explanation](#)

74. Which keyword is used to create an instance of a class?

a) new

b) return

c) this

d) create

[Click to View Answer and Explanation](#)

75. Which keyword is used to inherit the properties and methods from another class?

a) import

b) package

c) extends

d) implements

[Click to View Answer and Explanation](#)

76. Which keyword is used to refer to the current instance of a class?

- a) class
- b) this
- c) instance
- d) object

[Click to View Answer and Explanation](#)

77. Which keyword in Java is used for importing packages into a program?

- a) import
- b) package
- c) include
- d) requires

[Click to View Answer and Explanation](#)

78. What does the transient keyword indicate in a Java class?

- a) The variable can change over time
- b) The variable cannot be serialized
- c) The variable is thread-safe
- d) The variable is volatile

[Click to View Answer and Explanation](#)

79. Which of these is a checked exception?

- a) NullPointerException
- b) ArithmeticException
- c) IOException

d) IndexOutOfBoundsException

[Click to View Answer and Explanation](#)

80. Which of the following can be used to create a custom checked exception?

- a) Extending the Exception class
- b) Extending the Error class
- c) Extending the RuntimeException class
- d) None of the above

[Click to View Answer and Explanation](#)

81. Which of these is an unchecked exception?

- a) ClassNotFoundException
- b) SQLException
- c) IOException
- d) ArithmeticException

[Click to View Answer and Explanation](#)

82. Which keyword is used to manually throw an exception in Java?

- a) new
- b) throw
- c) throws
- d) Throwable

[Click to View Answer and Explanation](#)

83. Which of these classes is the superclass of all Exception and Error classes?

- a) Exception
- b) Error
- c) Throwable
- d) Object

[Click to View Answer and Explanation](#)

84. What does the finally block do?

- a) Catches any exception
- b) Executes whether an exception is thrown or not
- c) Executes only when an exception is thrown
- d) Executes only when an exception is not thrown

[Click to View Answer and Explanation](#)

85. Which keyword in Java is used for constant variables?

- a) const
- b) static
- c) constant
- d) final

[Click to View Answer and Explanation](#)

86. In Java, what is the primary purpose of the Thread class?

- a) File handling
- b) String operations

- c) Network operations
- d) Creating and executing threads

[Click to View Answer and Explanation](#)

87. Which method is used to start the execution of a thread?

- a) run()
- b) start()
- c) execute()
- d) go()

[Click to View Answer and Explanation](#)

88. What does the join() method do when called on a thread object?

- a) Terminates the thread
- b) Pauses the thread
- c) Forces the current executing thread to wait until the thread it's called on completes
- d) Checks the status of a thread

[Click to View Answer and Explanation](#)

89. Which method can be used to momentarily pause the execution of the current thread?

- a) sleep()
- b) wait()
- c) pause()
- d) stop()

[Click to View Answer and Explanation](#)

90. Which interface provides an alternative to extending the Thread class?

- a) Runnable
- b) Callable
- c) Executor
- d) Parallel

[Click to View Answer and Explanation](#)

91. What is a daemon thread in Java?

- a) A thread that monitors and logs other threads
- b) A thread that runs continuously in the background
- c) A thread that manages memory usage
- d) A thread that is part of the Java virtual machine

[Click to View Answer and Explanation](#)

92. Which interface represents a collection of objects in which duplicate values can be stored?

- a) List
- b) Set
- c) Map
- d) ListMap

[Click to View Answer and Explanation](#)

93. What will be the initial capacity of an ArrayList if it is created with the no-argument constructor?

- a) 0

- b) 5
- c) 10
- d) 16

[Click to View Answer and Explanation](#)

94. What does a Set guarantee?

- a) Order
- b) No duplicates
- c) Both
- d) None of the above

[Click to View Answer and Explanation](#)

95. Which List implementation is synchronized?

- a) ArrayList
- b) Vector
- c) LinkedList
- d) None of the above

[Click to View Answer and Explanation](#)

96. Which interface represents a key-value pair mechanism?

- a) List
- b) Set
- c) Queue
- d) Map

[Click to View Answer and Explanation](#)

97. Which method is used to check if a Collection is empty?

- a) isEmpty()
- b) isNull()
- c) checkEmpty()
- d) hasElements()

[Click to View Answer and Explanation](#)

98. What does the Collections class sort() method do?

- a) Sorts elements in descending order
- b) Sorts elements in ascending order
- c) Randomizes the order of elements
- d) Removes duplicates

[Click to View Answer and Explanation](#)

99. What is the key difference between HashSet and TreeSet?

- a) HashSet allows duplicates; TreeSet doesn't
- b) HashSet is ordered; TreeSet is unordered
- c) HashSet is unordered; TreeSet is ordered
- d) HashSet is synchronized; TreeSet is not

[Click to View Answer and Explanation](#)

100. Which Collection does not allow null values?

- a) ArrayList
- b) HashMap
- c) Hashtable

d) LinkedList

[Click to View Answer and Explanation](#)

101. Which method is used to insert an object at a specific position in a List?

- a) put()
- b) set()
- c) insert()
- d) add()

[Click to View Answer and Explanation](#)

102. Which class provides a thread-safe implementation of the List interface?

- a) ArrayList
- b) Vector
- c) HashMap
- d) LinkedHashMap

[Click to View Answer and Explanation](#)

103. Which interface provides methods to traverse through a collection?

- a) Iterator
- b) Enumerator
- c) Traverser
- d) Mover

[Click to View Answer and Explanation](#)

Answer:

a) Iterator

Explanation:

The Iterator interface provides methods to traverse through a collection.

codewitharrays.in 8007592194

1. What is encapsulation in Java?

- a) The process of combining data and methods into a single unit
- b) The process of hiding data and methods within a class
- c) The process of creating multiple instances of a class
- d) The process of reusing code from existing classes

[Click to View Answer and Explanation](#)

Answer:

- a) The process of combining data and methods into a single unit

Explanation:

Encapsulation is a mechanism in Java that bundles data and methods together within a class and restricts access to the data by using access modifiers. It allows for data hiding, protecting the internal state of an object and ensuring that it can only be accessed through defined methods.

2. What is inheritance in Java?

- a) The process of creating multiple instances of a class
- b) The process of hiding data and methods within a class
- c) The process of reusing code from existing classes
- d) The process of combining data and methods into a single unit

[Click to View Answer and Explanation](#)

Answer:

- c) The process of reusing code from existing classes

Explanation:

Inheritance is a mechanism in Java that allows a class to inherit properties and behaviors from another class. It promotes code reuse by enabling the creation of subclasses that inherit the attributes and methods of a superclass. Subclasses can also add their own unique attributes and methods.

3. What is the difference between method overloading and method overriding in Java?

- a) Method overloading occurs within the same class, while method overriding occurs between different classes.

- b) Method overloading involves creating multiple methods with the same name but different parameters, while method overriding involves providing a different implementation for an inherited method.
- c) Method overloading is a compile-time polymorphism concept, while method overriding is a runtime polymorphism concept.
- d) All of the above.

[Click to View Answer and Explanation](#)

Answer:

- d) All of the above.

Explanation:

All the statements are true. Method overloading allows the definition of multiple methods with the same name but different parameters within the same class. Method overriding occurs when a subclass provides a different implementation for a method that is already defined in its superclass. Method overloading is resolved at compile-time, while method overriding is resolved at runtime.

4. What is polymorphism in Java?

- a) The ability of a class to inherit properties and behaviors from another class
- b) The process of hiding data and methods within a class
- c) The process of creating multiple instances of a class
- d) The ability of an object to take on many forms

[Click to View Answer and Explanation](#)

Answer:

- d) The ability of an object to take on many forms

Explanation:

Polymorphism refers to the ability of an object to take on many forms or have multiple behaviors. In Java, polymorphism is achieved through method overriding and method overloading. It allows objects of different classes to be treated as objects of a common superclass, providing flexibility and extensibility.

5. What are abstract classes in Java?

- a) Classes that cannot be instantiated
- b) Classes that can be used as blueprints for creating objects
- c) Classes that only contain abstract methods
- d) All of the above

[Click to View Answer and Explanation](#)

Answer:

d) All of the above

Explanation:

Abstract classes in Java cannot be instantiated directly and are typically used as blueprints for creating objects. They can contain abstract methods (methods without implementation) and regular methods. Abstract classes provide a way to define common behavior and enforce specific methods to be implemented by subclasses.

6. What is the purpose of the "super" keyword in Java?

- a) To refer to the current object
- b) To invoke the superclass constructor or methods
- c) To create multiple instances of a class
- d) To hide data and methods within a class

[Click to View Answer and Explanation](#)

Answer:

b) To invoke the superclass constructor or methods

Explanation:

The "super" keyword in Java is used to refer to the superclass (or parent class) of the current object. It is commonly used to invoke the superclass constructor or methods within the subclass. The "super" keyword allows for code reuse and accessing superclass members that may be overridden in the subclass.

7. What is the difference between a class and an object in Java?

- a) A class is a blueprint for creating objects, while an object is an instance of a class.
- b) A class is a single entity, while an object is a collection of entities.
- c) A class contains data and methods, while an object only contains data.
- d) A class cannot be instantiated, while an object can be created and used.

[Click to View Answer and Explanation](#)

Answer:

a) A class is a blueprint for creating objects, while an object is an instance of a class.

Explanation:

A class in Java is a template or blueprint that defines the structure and behavior of objects. It specifies the attributes (data) and methods that objects of that class will have. An object, on the other hand, is an instance of a class. It represents a specific entity or instance created based on the class blueprint.

8. What is the purpose of the "this" keyword in Java?

- a) To refer to the superclass
- b) To create multiple instances of a class
- c) To hide data and methods within a class
- d) To refer to the current object

[Click to View Answer and Explanation](#)

Answer:

- d) To refer to the current object

Explanation:

The "this" keyword in Java is used to refer to the current object within an instance method or constructor. It is often used to distinguish between instance variables and method parameters or to access methods and variables of the current object.

9. What is method overriding in Java?

- a) Creating multiple methods with the same name but different parameters within the same class.
- b) Providing a different implementation for an inherited method in a subclass.
- c) Hiding data and methods within a class.
- d) Allowing a class to inherit properties and behaviors from another class.

[Click to View Answer and Explanation](#)

Answer:

- b) Providing a different implementation for an inherited method in a subclass.

Explanation:

Method overriding occurs when a subclass provides a different implementation for a method that is already defined in its superclass. The method in the subclass must have the same name, return type, and parameters as the superclass method. Method overriding allows for polymorphism and dynamic method dispatch.

10. What is the purpose of the "final" keyword in Java?

- a) To prevent the inheritance of a class
- b) To prevent overriding of a method
- c) To prevent modification of a variable's value
- d) All of the above

[Click to View Answer and Explanation](#)

Answer:

- d) All of the above

Explanation:

The "final" keyword in Java can be used to prevent the inheritance of a class, overriding of a method, or modification of a variable's value. When a class, method, or variable is declared as final, it cannot be further extended, overridden, or modified, respectively.

11. What is the purpose of the "abstract" keyword in Java?

- a) To prevent the inheritance of a class
- b) To prevent overriding of a method
- c) To create an instance of a class
- d) To declare an abstract class or method

[Click to View Answer and Explanation](#)

Answer:

- d) To declare an abstract class or method

Explanation:

The "abstract" keyword in Java is used to declare an abstract class or method. An abstract class cannot be instantiated and serves as a blueprint for creating derived classes. An abstract method does not have an implementation and must be overridden in the subclass.

12. What is the difference between static and instance variables in Java?

- a) Static variables are associated with the class itself, while instance variables are associated with an instance of a class.
- b) Static variables are shared among all instances of a class, while instance variables have separate values for each instance.
- c) Static variables can be accessed without creating an object, while instance variables require an object reference.
- d) All of the above.

[Click to View Answer and Explanation](#)

Answer:

- d) All of the above.

Explanation:

In Java, a static variable is a variable that belongs to the class rather than any particular object instance. It gets memory only once, during class loading. On the other hand, instance variables are non-static and are declared in a class outside any method, constructor, or block. They get memory each time an instance of the class is created.

The static variables are associated with a class rather than any particular instance, they are shared across all instances of the class. Meaning, that if you change the value of a static variable in one instance, the value gets reflected in all other instances. In contrast, each instance of a class has its own copy of instance variables, allowing them to have unique values for each object.

Static variables belong to the class, so they can be accessed using the class name without the need to create an instance of the class. Instance variables, on the other hand, require an object to be instantiated for them to be accessed. You need to create an instance (or object) of the class to access or modify instance variables.

13. What is the concept of data hiding in Java?

- a) Encapsulating data within a class and providing controlled access through methods
- b) Making data accessible to all classes in the program
- c) Storing data in a central repository accessible to multiple classes
- d) Restricting access to data within a specific package

[Click to View Answer and Explanation](#)

Answer:

- a) Encapsulating data within a class and providing controlled access through methods

Explanation:

Data hiding in Java involves encapsulating data within a class and providing controlled access to it through methods. It ensures that the internal state of an object is protected and can only be accessed or modified using defined methods, maintaining data integrity and security.

14. What is the output of the following Java program?

```
public class Vehicle {
    public void move() {
        System.out.println("The vehicle moves");
    }
}

public class Car extends Vehicle {
    public void move() {
        System.out.println("The car moves");
    }
}

public class Main {
    public static void main(String[] args) {
        Vehicle vehicle = new Car();
        vehicle.move();
    }
}
```

- A. "The vehicle moves"
- B. "The car moves"
- C. The code does not compile
- D. None of the above

[Click to View Answer and Explanation](#)

Answer:

- B. "The car moves"

Explanation:

In Java, a subclass can override methods from its superclass. In this example, the `Car` class is overriding the `move` method of the `Vehicle` class. Since the object is instantiated as a `Car`, the overridden `move` method in the `Car` class is called, producing the output "The car moves".

15. What is the output of the following Java program?

```
class Parent {
    String name = "parent";
    String message() {
```

```
        return "from parent";
    }
}

class Child extends Parent {
    String name = "child";
    String message() {
        return "from child";
    }
}

public class Main {
    public static void main(String[] args) {
        Parent p = new Child();
        System.out.println(p.name + " " + p.message());
    }
}
```

- A. "parent from parent"
- B. "child from child"
- C. "parent from child"
- D. "child from parent"

[Click to View Answer and Explanation](#)

Answer:

- C. "parent from child"

Explanation:

In Java, while methods are overridden (dynamic binding), variables are not overridden (static binding). Therefore, `p.name` refers to the `Parent` class variable, and `p.message()` refers to the `Child` class method.



<https://www.youtube.com/@codewitharrays>



<https://www.instagram.com/codewitharrays/>



<https://t.me/codewitharrays> Group Link: <https://t.me/ccee2025notes>



[+91 8007592194](tel:+918007592194) [+91 9284926333](tel:+919284926333)



codewitharrays@gmail.com



<https://codewitharrays.in/project>