Explore More

Subcription: Premium CDAC NOTES & MATERIAL @99



Contact to Join Premium Group



Click to Join
Telegram Group

For More E-Notes

Join Our Community to stay Updated

TAP ON THE ICONS TO JOIN!

	codewitharrays.in freelance project available to buy contact on 8007592194	
SR.NO	Project NAME	Technology
1	Online E-Learning Platform Hub	React+Springboot+MySql
2	PG Mates / RoomSharing / Flat Mates	React+Springboot+MySql
3	Tour and Travel management System	React+Springboot+MySql
4	Election commition of India (online Voting System)	React+Springboot+MySql
5	HomeRental Booking System	React+Springboot+MySql
6	Event Management System	React+Springboot+MySql
7	Hotel Management System	React+Springboot+MySql
8	Agriculture web Project	React+Springboot+MySql
9	AirLine Reservation System / Flight booking System	React+Springboot+MySql
10	E-commerce web Project	React+Springboot+MySql
11	Hospital Management System	React+Springboot+MySql
12	E-RTO Driving licence portal	React+Springboot+MySql
13	3 Transpotation Services portal React+Springboot+MySql	
14	4 Courier Services Portal / Courier Management System React+Springboot+MySql	
15	Online Food Delivery Portal	React+Springboot+MySql
16	Muncipal Corporation Management	React+Springboot+MySql
17	Gym Management System	React+Springboot+MySql
18	Bike/Car ental System Portal	React+Springboot+MySql
19	CharityDonation web project	React+Springboot+MySql
20	Movie Booking System	React+Springboot+MySql

freelance_Project available to buy contact on 8007592194		
21	Job Portal web project	React+Springboot+MySql
22	LIC Insurance Portal	React+Springboot+MySql
23	Employee Management System	React+Springboot+MySql
24	Payroll Management System	React+Springboot+MySql
25	RealEstate Property Project	React+Springboot+MySql
26	Marriage Hall Booking Project	React+Springboot+MySql
27	Online Student Management portal	React+Springboot+MySql
28	Resturant management System	React+Springboot+MySql
29	Solar Management Project	React+Springboot+MySql
30	OneStepService LinkLabourContractor	React+Springboot+MySql
31	Vehical Service Center Portal	React+Springboot+MySql
32	E-wallet Banking Project	React+Springboot+MySql
33	Blogg Application Project	React+Springboot+MySql
34	Car Parking booking Project	React+Springboot+MySql
35	OLA Cab Booking Portal	React+NextJs+Springboot+MySql
36	Society management Portal	React+Springboot+MySql
37	E-College Portal	React+Springboot+MySql
38	FoodWaste Management Donate System	React+Springboot+MySql
39	Sports Ground Booking	React+Springboot+MySql
40	BloodBank mangement System	React+Springboot+MySql

41	Bus Tickit Booking Project	React+Springboot+MySql
42	Fruite Delivery Project	React+Springboot+MySql
43	Woodworks Bed Shop	React+Springboot+MySql
44	Online Dairy Product sell Project	React+Springboot+MySql
45	Online E-Pharma medicine sell Project	React+Springboot+MySql
46	FarmerMarketplace Web Project	React+Springboot+MySql
47	Online Cloth Store Project	React+Springboot+MySql
48	Train Ticket Booking Project	React+Springboot+MySql
49	Quizz Application Project	JSP+Springboot+MySql
50	Hotel Room Booking Project	React+Springboot+MySql
F1		
21	Online Crime Reporting Portal Project	React+Springboot+MySql
	Online Crime Reporting Portal Project Online Child Adoption Portal Project	React+Springboot+MySql React+Springboot+MySql
52		
52 53	Online Child Adoption Portal Project	React+Springboot+MySql
52 53 54	Online Child Adoption Portal Project online Pizza Delivery System Project	React+Springboot+MySql React+Springboot+MySql
52 53 54 55	Online Child Adoption Portal Project online Pizza Delivery System Project Online Social Complaint Portal Project	React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql
52 53 54 55	Online Child Adoption Portal Project online Pizza Delivery System Project Online Social Complaint Portal Project Electric Vehical management system Project Online mess / Tiffin management System Project	React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql
52 53 54 55 56	Online Child Adoption Portal Project online Pizza Delivery System Project Online Social Complaint Portal Project Electric Vehical management system Project Online mess / Tiffin management System Project	React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql
52 53 54 55 56 57	Online Child Adoption Portal Project online Pizza Delivery System Project Online Social Complaint Portal Project Electric Vehical management system Project Online mess / Tiffin management System Project	React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql
52 53 54 55 56 57 58	Online Child Adoption Portal Project online Pizza Delivery System Project Online Social Complaint Portal Project Electric Vehical management system Project Online mess / Tiffin management System Project	React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql React+Springboot+MySql

Spring Boot + React JS + MySQL Project List

Sr.No	Project Name	YouTube Link
1	Online E-Learning Hub Platform Project	https://youtu.be/KMjyBaWmgzg?si=YckHuNzs7eC84-IW
2	PG Mate / Room sharing/Flat sharing	https://youtu.be/4P9cIHg3wvk?si=4uEsi0962CG6Xodp
3	Tour and Travel System Project Version 1.0	https://youtu.be/-UHOBywHaP8?si=KHHfE_A0uv725f12
4	Marriage Hall Booking	https://youtu.be/VXz0kZQi5to?si=IIOS-QG3TpAFP5k7
5	Ecommerce Shopping project	https://youtu.be/vJ_C6LkhrZ0?si=YhcBylSErvdn7paq
6	Bike Rental System Project	https://youtu.be/FlzsAmIBCbk?si=7ujQTJqEgkQ8ju2H
7	Multi-Restaurant management system	https://youtu.be/pvV-pM2Jf3s?si=PgvnT-yFc8ktrDxB
8	Hospital management system Project	https://youtu.be/lynlouBZvY4?si=CXzQs3BsRkjKhZCw
9	Municipal Corporation system Project	https://youtu.be/cVMx9NVyI4I?si=qX0oQt-GT-LR_5jF
10	Tour and Travel System Project version 2.0	https://youtu.be/ 4u0mB9mHXE?si=gDiAhKBowi2gNUKZ

Sr.No	Project Name	YouTube Link
11	Tour and Travel System Project version 3.0	https://youtu.be/Dm7nOdpasWg?si=P_Lh2gcOFhlyudug
12	Gym Management system Project	https://youtu.be/J8_7Zrkg7ag?si=LcxV51ynfUB7OptX
13	Online Driving License system Project	https://youtu.be/3yRzsMs8TLE?si=JRI_z4FDx4Gmt7fn
14	Online Flight Booking system Project	https://youtu.be/m755rOwdk8U?si=HURvAY2VnizlyJlh
15	Employee management system project	https://youtu.be/ID1iE3W GRw?si=Y jv1xV BljhrD0H
16	Online student school or college portal	https://youtu.be/4A25aEKfei0?si=RoVgZtxMk9TPdQvD
17	Online movie booking system project	https://youtu.be/Lfjv_U74SC4?si=fiDvrhhrjb4KSlSm
18	Online Pizza Delivery system project	https://youtu.be/Tp3izreZ458?si=8eWAOzA8SVdNwlyM
19	Online Crime Reporting system Project	https://youtu.be/0UlzReSk9tQ?si=6vN0e70TVY1GOwPO
20	Online Children Adoption Project	https://youtu.be/3T5HC2HKyT4?si=bntP78niYH802I7N



SunBeam Institute of Information Technology CDCC



Close this Window

, You have scored: 0 Hi dac

Subject Name Database Technologies QuestionID : 23

Using Oracle 9i

Q1. Boolean is a PL/SQL data type.

And not a oracle data type.

Correct Answer: T

Your Answer:

QuestionID: 25 Subject Name Database Technologies

Using Oracle 9i

Q2. Reserved words of SQL can be used.

Correct Answer: T

Your Answer:

QuestionID : 51 Subject Name Database Technologies

Using Oracle 9i

Q3. Changes made to database are recoreded in

1. control files

- redolog files
- data files
- 4. none of these

Correct Answer: 2

Your Answer:

OuestionID : 58 Subject Name Database Technologies

Using Oracle 9i

is only process that writes to online redolog and reads redolog buffer.

- 1. SMON
- 2. DBWR
- 3. LGWR
- 4. NONE

Correct Answer: 3

Your Answer:

QuestionID: 84 Subject Name Database Technologies

Using Oracle 9i

Q5. A procedure which return a value is called as...

- 1. Procedure
- 2. Function
- 3. Package
- 4. None of these

Correct Answer: 2

Your Answer:

QuestionID: 100 Subject Name Database Technologies

Using Oracle 9i

Q6. The SELECT statement

SELECT "Hi" FROM DUAL WHERE 1!=NULL; outputs

- 1. Hi
- 2. FALSE
- TRUE
- 4. NOTHING

Correct Answer: 4

Your Answer:

OuestionID : 102 Subject Name Database Technologies

Using Oracle 9i

Q7. A table once created can be dropped.

Correct Answer: T Your Answer:

QuestionID: 132 Subject Name Database Technologies Using Oracle 9i Q8. Rollback and Commit affects Only DML Statements 2. Only DDL Statements 3. both 1 and 2 4. All statements executed in SQL*LUS Correct Answer: 1 Your Answer: QuestionID : 155 Subject Name Database Technologies Using Oracle 9i Q9. The Redo log files are fixed in size and never grow bigger than the size at which they were created Correct Answer: T Your Answer: QuestionID : 212 Subject Name Database Technologies Using Oracle 9i Q10. Char conserves memory as compared to varchar Correct Answer: T Your Answer: QuestionID : 218 Subject Name Database Technologies Using Oracle 9i Q11. an order by clause cannot be used in a create view statement Correct Answer: F Your Answer: OuestionID : 221 Subject Name Database Technologies Using Oracle 9i Q12. Diamond represents relationship among entity sets in E-R diagram. Correct Answer: T Your Answer: QuestionID : 230 Subject Name Database Technologies Using Oracle 9i Q13. the size of date datatype in oracle is 7 bytes 2. 8 bytes 3. 4 bytes 4. 12 bytes Correct Answer: 1 Your Answer: QuestionID : 240 Subject Name Database Technologies Using Oracle 9i Q14. What is the work of FETCH statment of PL/SQL 1. Fetching data from DB 2. Moving cursor from current to next Row 3. Both are correct 4. Both are wrong Correct Answer: 1 Your Answer: QuestionID : 241 Subject Name Database Technologies Using Oracle 9i Q15. The functional components of database system are broadly classified into query processor components and storage manager components. Correct Answer: T Your Answer:

Record type declaration

QuestionID : 250

Using Oracle 9i

LOOP

Onening and Parcing of SOI Statements

Q16. Which of the following is not a feature of a Cursor FOR

Subject Name Database Technologies

```
2. Opening and raising or by Distancinents
   Fetcher record from user
   4. Requires EXIT condition to be defined.
   Correct Answer: 4
   Your Answer:
QuestionID : 252
                      Subject Name Database Technologies
Using Oracle 9i
Q17. the SQL*Loader is started via the command SQLLDR
   Correct Answer: T
   Your Answer:
QuestionID : 259
                      Subject Name Database Technologies
Using Oracle 9i
Q18. OCI stands for
   1. Open call inteface
   2. Oracle call interface
   3. Oracle communication inteface
   4. Oracle connection interface
   Correct Answer: 2
   Your Answer:
QuestionID: 294
                      Subject Name Database Technologies
Using Oracle 9i
Q19. The Key that can not have null value is

    primary key

   unique key
   foreign key
   4. none of above
   Correct Answer: 1
   Your Answer:
QuestionID : 309
                      Subject Name Database Technologies
Using Oracle 9i
Q20. EXISTS, SOME, ANY are operators in SQL
   Correct Answer: T
   Your Answer:
QuestionID: 374
                      Subject Name Database Technologies
Using Oracle 9i
Q21. following SGA stores all the redo log entries
   1. data buffer cache
   redo log buffer
   3. data dictionary
   4. librarry cache
   Correct Answer: 2
   Your Answer:
QuestionID: 417
                      Subject Name Database Technologies
Using Oracle 9i
O22.
                specifies the number of freelist groups to maintin
for a table or index

    freelis group

   list
   list group
   4. none
   Correct Answer: 1
   Your Answer:
QuestionID: 448
                      Subject Name Database Technologies
Using Oracle 9i
Q23. The sql query to retrieve current time in oracle is....
   1. select systime from dual
   2. select sysdata from dual
   3. select To_Char(sysDate,hh:m!:ss) from dual
   4. select To Char(sysDate,hh:mm:ss) from dual
   Correct Answer: 4
   Your Answer:
```

Subject Name Database Technologies

QuestionID: 463

```
Using Oracle 9i
Q24. Latest version of ORACLE is called
   1. ORACLE 9i
   2. ORACLE 10i
   ORACLE 11i
   4. ORACLE 10G
   Correct Answer: 4
   Your Answer:
QuestionID : 513
                      Subject Name Database Technologies
Using Oracle 9i
Q25. When sysdate function is used to retrieve the current date
from the DUAL table, then it requires
how many parameters
   1. one
   2. two
   three
   4. none of the above/all
   Correct Answer: 4
   Your Answer:
QuestionID : 540
                      Subject Name Database Technologies
Using Oracle 9i
Q26. select power(4,.5) from dual will return
   1. 4
   2. 2
   3. null
   4. 0
   Correct Answer: 2
   Your Answer:
QuestionID : 550
                      Subject Name Database Technologies
Using Oracle 9i
Q27. create table mytable as select * from emp where 1=2
   1. this will copy structure and not the data
   2. this will copy structure and the data
   3. Error
   4. NO DATA FOUND
   Correct Answer: 1
   Your Answer:
QuestionID: 553
                      Subject Name Database Technologies
Using Oracle 9i
Q28. Which statement most accurately describes the result of not
creating an exception handler for a raised exception?
   1. The program will continue without raising the exception.
   2. There will be memory leak.
   3. Control will pass to the PL/SQL block callers exception
handler.
   4. The program will return a %notfound error.
   Correct Answer: 3
   Your Answer:
QuestionID : 555
                      Subject Name Database Technologies
Using Oracle 9i
Q29. This is the recommanded sequence of clause while retrieving
data from tables -
select
where
group by
having
order by
   Correct Answer: T
   Your Answer:
QuestionID : 566
                      Subject Name Database Technologies
Using Oracle 9i
```

```
Q30. To avoid hard coding the criteria on which the ACTIVE
DATA SET is determined, cursors are used.
   1. IMPLICIT
   2. EXPLICIT
   CURSOR FOR LOOP
   4. PARAMETERIZED
   Correct Answer: 4
   Your Answer:
QuestionID : 591
                      Subject Name Database Technologies
Using Oracle 9i
Q31. Microsoft Access identifies the columns(attributes) as:
   1. table
   2. record
   field
   4. tuples
   Correct Answer: 3
   Your Answer:
QuestionID: 597
                      Subject Name Database Technologies
Using Oracle 9i
Q32. Words used in PL/SQL block are called...

    Literal

   2. Period
   3. Lexical Units
   4. None of the above
   Correct Answer: 3
   Your Answer:
QuestionID : 625
                      Subject Name Database Technologies
Using Oracle 9i
Q33. The _____
               clause can not be used while creating a view
before Oracle 8i
   1. joins
   2. groupby
   3. where
   4. orderby
   Correct Answer: 4
   Your Answer:
QuestionID : 658
                      Subject Name Database Technologies
Using Oracle 9i
Q34. PL/SQL supports overloading
   Correct Answer: T
   Your Answer:
QuestionID: 660
                      Subject Name Database Technologies
Using Oracle 9i
Q35. You can recover the database using a clause-
   1. restore
   recover
   3. both are true
   4. none of the above
   Correct Answer: 2
   Your Answer:
QuestionID : 680
                      Subject Name Database Technologies
Using Oracle 9i
Q36. State true or false. EXISTS, SOME, ANY are operators in
SQL
   Correct Answer: T
   Your Answer:
QuestionID : 683
                      Subject Name Database Technologies
Using Oracle 9i
Q37. SQL is placed at server side.
   Correct Answer: F
   Your Answer:
OuestionID : 711
                      Subject Name Database Technologies
```

Using Oracle 9i Q38. It is illegal to constraint the paramter in the procedure declaration Correct Answer: T Your Answer: QuestionID: 720 Subject Name Database Technologies Using Oracle 9i Q39. searches in the string for certain set of characters. 1. INSTR SUBSTR. 3. CHR LPAD Correct Answer: 1 Your Answer: QuestionID: 767 Subject Name Database Technologies Using Oracle 9i Q40. The number of rows in a table is known 1. attribute 2. tuple 3. cardinality 4. doesnt describe anything Correct Answer: 3 Your Answer: QuestionID : 802 Subject Name Database Technologies Using Oracle 9i Q41. Date datatype occupies ______ bytes in Oracle. 1. 7 2. 8 3. 9 4. 6 Correct Answer: 1 Your Answer: QuestionID : 809 Subject Name Database Technologies Using Oracle 9i Q42. The maximum length of VARCHAR2 datatype is identical when used in PL/SQL code and when used in a table. Correct Answer: F Your Answer: QuestionID : 820 Subject Name Database Technologies Using Oracle 9i Q43. ON DELETE CASCADE is option for Foreign key. Correct Answer: T Your Answer: QuestionID: 827 Subject Name Database Technologies Using Oracle 9i Q44. A table is in first normal form if . . . 1. there are no repeating groups. all the key attributes are defined. 3. all attributes are dependent on a primary key. all of the above. Correct Answer: 4 Your Answer: QuestionID: 861 Subject Name Database Technologies Using Oracle 9i Q45. Logical componants of ORACLE are 1. Tablespace Segment 3. Extent 4. All above Correct Answer: 4 Your Answer:

QuestionID: 862 Subject Name Database Technologies Using Oracle 9i Q46. Cleaning up temporary segments that are no longer in in use is done by 1. LGWR 2. PMON 3. DBWR 4. SMON Correct Answer: 4 Your Answer: QuestionID: 871 Subject Name Database Technologies Using Oracle 9i Q47. Packages can be nested. Correct Answer: F Your Answer: QuestionID : 900 Subject Name Database Technologies Using Oracle 9i Q48. Relational database attribute support multivalued attribute Correct Answer: F Your Answer: QuestionID: 911 Subject Name Database Technologies Using Oracle 9i Q49. Multiple queries can be put together and their output combined using -----. 1. union 2. intersect 3. except 4. none Correct Answer: 2 Your Answer: QuestionID : 939 Subject Name Database Technologies Using Oracle 9i Q50. An Oracle 8i database can store 1. Text 2. Audio/Video 3. Images 4. All of above

Correct Answer: 4 Your Answer:



SunBeam Institute of Information Technology CDCC



Close this Window

Hi dac , You have scored : 0

QuestionID : 12 Subject Name Database Technologies

Using Oracle 9i

Q1. Oracle stores dates and time as two separate values.

Correct Answer: F

Your Answer:

QuestionID : 66 Subject Name Database Technologies

Using Oracle 9i

Q2. CURSOR ALREADY OPEN is a predefined exception.

It is raised Raised when you try to open an already open cursor.

Correct Answer: T

Your Answer:

QuestionID : 82 Subject Name Database Technologies

Using Oracle 9i

Q3. !=,<>,^= all denote same operation.

Correct Answer: T

Your Answer:

QuestionID : 93 Subject Name Database Technologies

Using Oracle 9i

Q4. Char conserves memory as compared to varchar.

Correct Answer: T

Your Answer:

Subject Name Database Technologies QuestionID : 99

Using Oracle 9i

Q5. Which join causes SQL to supply a "dummy" row for rows not meeting the join condition?

- 1. Outer
- NonEqui
- 3. Equi
- 4. Self

Correct Answer: 1

Your Answer:

QuestionID : 127 Subject Name Database Technologies

Using Oracle 9i

Q6. Oracle stored procedures can only be written in Pl/SQL

Correct Answer: F

Your Answer:

QuestionID : 133 Subject Name Database Technologies

Using Oracle 9i

Q7. Any value added to NULL gives

- 1. the value itself
- 2. 0
- 3. NULL
- 4. unpredictable Correct Answer: 3

Your Answer:

QuestionID: 137 Subject Name Database Technologies

Using Oracle 9i

Q8. OCI stands for

- 1. Open Call Interface
- Oracle Call Interface
- 3. Oracle Communication Interface
- 4. Oracle Connection Interface

Correct Answer: 2

Your Answer:

QuestionID : 152 Subject Name Database Technologies

Using Oracle 9i Q9. The database files are fixed in size and never grow bigger than the size at which they were created Correct Answer: T Your Answer: QuestionID : 163 Subject Name Database Technologies Using Oracle 9i Q10. View names are stored in the data dictionary in the table USER-VIEWS Correct Answer: F Your Answer: QuestionID : 174 Subject Name Database Technologies Using Oracle 9i Q11. SQL is a procedural language. Correct Answer: F Your Answer: QuestionID: 239 Subject Name Database Technologies Using Oracle 9i Q12. The set of possible values that a given attribute can have is called its-----1. Range 2. Domain 3. Attribute 4. none of the above Correct Answer: 2 Your Answer: QuestionID: 249 Subject Name Database Technologies Using Oracle 9i Q13. The MODIFY command is used to change or modify data values in a table Correct Answer: F Your Answer: QuestionID : 254 Subject Name Database Technologies Using Oracle 9i Q14. The most serious drawback in the ER model is that it can not depict relationships Correct Answer: T Your Answer: QuestionID : 287 Subject Name Database Technologies Using Oracle 9i Q15. What is the use of SET SERVEROUTPUT ON COMMAND? 1. This is used for on server output 2. if my PL/SQL program is not giving output then we are using this 3. Donot know 4. A and B both are correct Correct Answer: 4 Your Answer: QuestionID : 309 Subject Name Database Technologies Using Oracle 9i Q16. EXISTS, SOME, ANY are operators in SQL Correct Answer: T Your Answer: QuestionID : 311 Subject Name Database Technologies Using Oracle 9i Q17. The data structure used in the Network model is --------& that used in the hierarchical model is ------

tree & link list
 tree & graph
 graph & tree
 graph & link list

```
<del>ч</del>. <u>գու</u>սթու ос шиспес
  Correct Answer: 3
   Your Answer:
QuestionID : 327
                      Subject Name Database Technologies
Using Oracle 9i
Q18. PL/SQL supports overloading
  Correct Answer: T
   Your Answer:
QuestionID : 332
                      Subject Name Database Technologies
Using Oracle 9i
Q19. LOG_CHECKPOINT_INTERVAL parameter is in this file?
  1. init.ora
  2. listener.ora
  3. check.ora
  4. tnsnames.ora
  Correct Answer: 1
   Your Answer:
QuestionID: 348
                      Subject Name Database Technologies
Using Oracle 9i
Q20. LOB column can store only structure information
   Correct Answer: F
   Your Answer:
QuestionID : 350
                      Subject Name Database Technologies
Using Oracle 9i
Q21. How many types of join are there
  1. 3
  2. 6
  3. 5
  4. 4
  Correct Answer: 4
  Your Answer:
QuestionID: 354
                      Subject Name Database Technologies
Using Oracle 9i
Q22. Minus operator returns all distinct rows selected by first
   Correct Answer: T
   Your Answer:
QuestionID: 393
                      Subject Name Database Technologies
Using Oracle 9i
Q23. Which SQL commands are used to create, modify and delete
database structure but not data?
  1. DDL
  2. DML
  3. DCL
  4. DQL
  Correct Answer: 1
   Your Answer:
                      Subject Name Database Technologies
QuestionID : 399
Using Oracle 9i
Q24. In SQL, which symbol is used for Remote access identifier?
  1. @
  2. %
  3. **
  4. =>
   Correct Answer: 1
  Your Answer:
QuestionID: 450
                      Subject Name Database Technologies
Using Oracle 9i
Q25. Oracle supports data integrity and concurrency for all LOBs
Except
  1. BLOB
```

CLOB

- 3. BFILE
- 4. None

Correct Answer: 3

Your Answer:

QuestionID: 461 Subject Name Database Technologies Using Oracle 9i

Q26. What is the difference between SQL99 and SQL3.

- 1. SQL99 is a predecessor of SQL3
- 2. SQL99 is a successor of SQL3
- 3. both are one and the same
- 4. none of the above

Correct Answer: 3

Your Answer:

QuestionID: 479 Subject Name Database Technologies Using Oracle 9i

Q27. All the constraints are stored in user constraints.

Correct Answer: T

Your Answer:

QuestionID: 498 Subject Name Database Technologies Using Oracle 9i

Q28. Review the statement

create view empinfo as select emp_no,emp_name,job from emp order by emp_no,emp_name which clause causes an error?

- 1. as select emp_no,emp_name,job
- 2. order by emp_no,emp_name
- 3. create view empinfo
- 4. 1 & 2

Correct Answer: 4

Your Answer:

QuestionID: 530 Subject Name Database Technologies Using Oracle 9i

Q29. Group function can not be use in WHERE clause.

Correct Answer: T

Your Answer:

QuestionID: 551 Subject Name Database Technologies Using Oracle 9i

Q30. Oracle allows to create user defined data types

Correct Answer: T

Your Answer:

QuestionID: 562 Subject Name Database Technologies Using Oracle 9i

Q31. Database Triggers are PL/SQL that fire when an insert ,update or delete is performed on the table

Correct Answer: T

Your Answer:

QuestionID: 630 Subject Name Database Technologies Using Oracle 9i

Q32. A procedure declares a user defind exception but does not raise it explictly which of the following statement is true about function.

- 1. The user defind exception will never be raised
- the user defind exception will be handled by a WHEN OTHERS exception handler.
 - 3. the procedure wil fail on compile
 - the user defind exception is defind incorrectly.

Correct Answer: 1

Your Answer:

QuestionID: 659 Subject Name Database Technologies Using Oracle 9i

Q33. Truncate is a DDL command and delete is a DML command

```
Correct Answer: T
   Your Answer:
OuestionID : 680
                      Subject Name Database Technologies
Using Oracle 9i
Q34. State true or false. EXISTS, SOME, ANY are operators in
SQL
   Correct Answer: T
   Your Answer:
QuestionID : 682
                      Subject Name Database Technologies
Using Oracle 9i
Q35. DDL statements are allowed in PL/SQL code.
   Correct Answer: F
   Your Answer:
QuestionID : 686
                      Subject Name Database Technologies
Using Oracle 9i
Q36. For update clause is required when the table has a primary
key
   Correct Answer : F
   Your Answer:
QuestionID: 691
                      Subject Name Database Technologies
Using Oracle 9i
Q37. A Sub-Query can not have a _____ clause and a
          of selects.
   1. groupby, For update
   2. orderby, having
   3. orderby,For update
   4. orderby, groupby
   Correct Answer: 3
   Your Answer:
QuestionID: 728
                      Subject Name Database Technologies
Using Oracle 9i
Q38. Modelling of relationship between a collection of entities and
relationships is
   1. Relational Algebra
   2. Relation schema
   3. Aggregation
   4. Relationship set
   Correct Answer: 3
   Your Answer:
QuestionID: 768
                      Subject Name Database Technologies
Using Oracle 9i
Q39. A function or procedure can return only one value
to calling PL/SQL code block.
   Correct Answer: F
   Your Answer:
QuestionID : 800
                      Subject Name Database Technologies
Using Oracle 9i
Q40. The INSTEAD OF trigger works at

    Row level

   Table level
   3. Schema level

    Database level

   Correct Answer: 1
   Your Answer:
QuestionID: 804
                      Subject Name Database Technologies
Using Oracle 9i
```

 implicit cursors are used for SQL statements that are not named.

Q41. Which of the following statement is true about implicit

- 2. implicit cursors are no longer a feature in oracle
 - 3 hoth

cursors

J. 00m

4. all

Correct Answer: 1

Your Answer:

QuestionID: 820 Subject Name Database Technologies

Using Oracle 9i

Q42. ON DELETE CASCADE is option for Foreign key.

Correct Answer: T

Your Answer:

QuestionID: 827 Subject Name Database Technologies

Using Oracle 9i

Q43. A table is in first normal form if . . .

- 1. there are no repeating groups.
- 2. all the key attributes are defined.
- 3. all attributes are dependent on a primary key.
- 4. all of the above.

Correct Answer: 4

Your Answer:

QuestionID: 842 Subject Name Database Technologies

Using Oracle 9i

Q44. Production database run on non-archive mode

Correct Answer: F

Your Answer:

QuestionID: 857 Subject Name Database Technologies

Using Oracle 9i

Q45. select LOG(10,100) from dual returns "Log base 10 of 100"

Correct Answer: T Your Answer:

QuestionID: 906 Subject Name Database Technologies

Using Oracle 9i

Q46. when you create a synonym, when does oracle check for the validity of the object for which you are creating the synonym?

- 1. at the time of before creation of the synonym
- 2. after creation of the synonym
- 3. when the object is accessed via the synonym
- 4. only when you alter the synonym

Correct Answer: 3

Your Answer:

QuestionID: 910 Subject Name Database Technologies

Using Oracle 9i

Q47, the wild card character % used in strings means

- 1. any number of characters
- 2. one or more characters
- 3. at least one character
- 4. at least one alphabet

Correct Answer: 1

Your Answer:

QuestionID: 920 Subject Name Database Technologies

Using Oracle 9i

Q48. Oracle database includes which of the following segments-

- 1. Data segment
- 2. Index segment
- Code Segment
- 4. both 1 and 2

Correct Answer: 4

Your Answer:

QuestionID: 931 Subject Name Database Technologies

Using Oracle 9i

Q49. segment is a specific number of contiguous data blocks and a extent is a collection of segments.

Correct Answer : F

Your Answer:

QuestionID: 955 Subject Name Database Technologies

Using Oracle 9i
Q50. In case of LOB types in PL/SQL, the internal object store a ---- in the large object column of a table.

>

- 1. Pointer to Bfile
- 2. Locator to BLOB or CLOB
- 3. Both
- 4. None

Correct Answer: 2

Your Answer:



SunBeam Institute of Information Technology CDCC



Close this Window

Hi dac You have scored: 0

Subject Name Database Technologies QuestionID : 13

Using Oracle 9i

Q1. RAW & LONG RAW are which type of data types?

- 1. Binary
- 2. LOB
- Rowid
- 4. Float

Correct Answer: 1

Your Answer:

QuestionID : 19 Subject Name Database Technologies

Using Oracle 9i

Q2. In which mode database must be running for HOT BackBack.

- 1. Archivelog mode
- 2. Non Archivelog mode
- 3. Stand-alone mode
- 4. Process-mode

Correct Answer: 1

Your Answer:

Subject Name Database Technologies QuestionID : 29

Using Oracle 9i

Q3. The default character for specifying runtime variables in SELECT statements is

- 1. Ampersand
- Ellipses
- 3. Quotation marks
- 4. Asterisk

Correct Answer: 1

Your Answer:

QuestionID : 70 Subject Name Database Technologies

Using Oracle 9i

Q4. The set of all possible values of data items is called?

- 1. Domain
- 2. Tuples
- 3. Attributes
- None of these

Correct Answer: 1

Your Answer:

QuestionID : 82 Subject Name Database Technologies

Using Oracle 9i

Q5. !=,<>,^= all denote same operation.

Correct Answer: T

Your Answer:

QuestionID: 83 Subject Name Database Technologies

Using Oracle 9i

Q6. Is it possible to use Transactional control statement in Database Triggers?

Correct Answer: F

Your Answer:

QuestionID: 84 Subject Name Database Technologies

Using Oracle 9i

Q7. A procedure which return a value is called as...

- 1. Procedure
- 2. Function
- 3. Package
- 4. None of these

Correct Answer: 2 Your Answer: QuestionID : 89 Subject Name Database Technologies Using Oracle 9i Q8. Spurious tupples may occur due to 1.Bad normalization 2.Theta joins 3. Updating table from join 4. Hash Join 1. 1 and 2 2. 2 and 3 3. 1 and 3 4. 2 and 4 Correct Answer: 3 Your Answer: QuestionID : 120 Subject Name Database Technologies Using Oracle 9i Q9. How does the oracle engine create a stored procedure or function? 1. Complies the procedure or function 2. stores the procedure or function in the database 3. above both 1 and 2 4. none of above Correct Answer: 3 Your Answer: QuestionID : 128 Subject Name Database Technologies Using Oracle 9i Q10. An Invalid procedure or function gets created. The orcale engine display a errors. Correct Answer: F Your Answer: QuestionID : 133 Subject Name Database Technologies Using Oracle 9i Q11. Any value added to NULL gives 1. the value itself 2. 0 3. NULL 4. unpredictable Correct Answer: 3 Your Answer: QuestionID : 192 Subject Name Database Technologies Using Oracle 9i Q12. Which procedure can be used to create a customised error message. 1. RAISE ERROR 2. SQLERRM 3. RAISE APPLICATION ERROR 4. RAISE SERVER ERROR Correct Answer: 3 Your Answer: QuestionID : 202 Subject Name Database Technologies Using Oracle 9i Q13. Which file is used to recover database from error? data file 2. control file 3. redo log file 4. all

Correct Answer: 2 Your Answer:

QuestionID : 213 Subject Name Database Technologies Using Oracle 9i

- Q14. The command used to open a CURSOR FOR loop is
 - 1. open
 - fetch

```
_. _----
   parse

    None, Cursor FOR loop handle cursor opening implicitly

   Correct Answer: 4
   Your Answer:
QuestionID: 237
                      Subject Name Database Technologies
Using Oracle 9i
Q15. BCNF is also called as Normal form.
   1. second
   third
   3. 3 1/2
   4. 2 1/2
   Correct Answer: 3
   Your Answer:
QuestionID : 248
                      Subject Name Database Technologies
Using Oracle 9i
Q16. ---- data type stores unstructured binary data
upto 4GB in length.
   1. BLOB
   CLOB
   3. BFILE
   4. NONE
   Correct Answer: 1
   Your Answer:
QuestionID : 255
                      Subject Name Database Technologies
Using Oracle 9i
Q17. The number of BLOB column allowed in Oracle table is
   1. 1
   2. 255
   3. 1024
   4. Unlimited
   Correct Answer: 1
   Your Answer:
QuestionID : 277
                      Subject Name Database Technologies
Using Oracle 9i
Q18. The datatypes of parameters passed to stored procedures
cannot have any width
   Correct Answer: T
   Your Answer:
QuestionID : 298
                      Subject Name Database Technologies
Using Oracle 9i
Q19. Keyword used to invoke userdefined Exceptions is
   1. Throw
   2. Throws
   3. Raise
   Load
   Correct Answer: 3
   Your Answer:
QuestionID : 363
                      Subject Name Database Technologies
Using Oracle 9i
Q20. the foreign key in second table must be primary key in master
table with same size,name and datatype.
   Correct Answer: T
   Your Answer:
OuestionID: 383
                      Subject Name Database Technologies
Using Oracle 9i
Q21. In relation, there is no concept of positional addressing with
respect to columns.
   Correct Answer: T
   Your Answer:
QuestionID: 408
                      Subject Name Database Technologies
Using Oracle 9i
```

```
Q22. Both an SQL query as well as PL/SQL code is interpreted in
   Correct Answer: F
   Your Answer:
QuestionID: 409
                      Subject Name Database Technologies
Using Oracle 9i
Q23. in which area of the pl/sql block must code be placed in
order to handle oracle-defind exception
   1. declaration section only
   2. declaration and executable sections only
   3. exception handler only
   4. declaration, executable and exception handler sections
   Correct Answer: 4
   Your Answer:
QuestionID : 420
                      Subject Name Database Technologies
Using Oracle 9i
Q24. A ----- is database object that holds user data.
   1. Table
   2. View
   3. Data Dictionary
   4. none of above
   Correct Answer: 1
   Your Answer:
QuestionID: 427
                      Subject Name Database Technologies
Using Oracle 9i
Q25. The
                    is an SQL attribute which set the number of
rows called a bath
   1. Array[size]
   int[size]
   3. array
   4. none
   Correct Answer: 1
   Your Answer:
                      Subject Name Database Technologies
QuestionID: 441
Using Oracle 9i
Q26. primary key is Compulsory in Table
   Correct Answer: F
   Your Answer:
QuestionID: 449
                      Subject Name Database Technologies
Using Oracle 9i
Q27. If no key, either standalone or compound is available to
identify records uniquely then is created by assigning
```

unique no. to each record.

1. partial key

2.

```
alternate key
   artificial key
   4. natural key
   Correct Answer: 3
   Your Answer:
                      Subject Name Database Technologies
QuestionID: 477
Using Oracle 9i
Q28. One table can combine upto coloumns in a
composite primary key.
   1. 2
   2. 16
   3. 12
   4. None of the above
   Correct Answer: 2
   Your Answer:
                      Subject Name Database Technologies
QuestionID : 550
Using Oracle 9i
Q29. create table mytable as select * from emp where 1=2
   1. this will copy structure and not the data
   2. this will copy structure and the data
   3. Error
   4. NO DATA FOUND
   Correct Answer: 1
   Your Answer:
QuestionID : 588
                      Subject Name Database Technologies
Using Oracle 9i
Q30. The data for BLOB, CLOB, NCLOB datatype is stored
outside the database.
   Correct Answer: F
   Your Answer:
                      Subject Name Database Technologies
QuestionID : 622
Using Oracle 9i
Q31. Oracle automatically creates an index on the primary key of a
table.
   Correct Answer: T
   Your Answer:
QuestionID: 687
                      Subject Name Database Technologies
Using Oracle 9i
Q32. lower function returns char with all letters in lowercase.
   Correct Answer: T
   Your Answer:
                      Subject Name Database Technologies
QuestionID : 702
Using Oracle 9i
Q33. PL/SQL provides keyword, which is used to
name an exception.
   1. NameOfException
   Exception
   3. Exception Name
   4. Name Exception As
   Correct Answer: 2
   Your Answer:
                      Subject Name Database Technologies
QuestionID: 708
Using Oracle 9i
              translates a string in any datatype to a unicode
```

string in its fully normalised form in the same character set as input

```
1. COMPOSE
  2. CONVERT
  3. TRANSLATE
  4. CAST
  Correct Answer: 1
   Your Answer:
                      Subject Name Database Technologies
QuestionID: 713
Using Oracle 9i
Q35. How many paramters are required to function Exception init
0
  1. 1
  2. 2
  3. 3
  4. unlimited
  Correct Answer: 2
   Your Answer:
QuestionID: 754
                      Subject Name Database Technologies
Using Oracle 9i
Q36. A database should have----
  1. 2 control files and one redolog file
  2. 1 control file and 2 redo log files
  3. 2 control files and 2 redolog files
  4. any of the above
  Correct Answer: 2
   Your Answer:
QuestionID: 767
                      Subject Name Database Technologies
Using Oracle 9i
Q37. The number of rows in a table is known
  1. attribute
  2. tuple
  3. cardinality
  4. doesnt describe anything
  Correct Answer: 3
   Your Answer:
QuestionID: 783
                      Subject Name Database Technologies
Using Oracle 9i
Q38. Trigger is enabled by DEFAULT when it is created
  Correct Answer: T
   Your Answer:
QuestionID : 802
                      Subject Name Database Technologies
Using Oracle 9i
Q39. Date datatype occupies bytes in Oracle.
  1. 7
  2. 8
  3. 9
  4. 6
  Correct Answer: 1
   Your Answer:
QuestionID : 822
                      Subject Name Database Technologies
Using Oracle 9i
Q40. Triggers are fired implicitly
   Correct Answer: T
   Your Answer:
QuestionID: 833
                      Subject Name Database Technologies
Using Oracle 9i
Q41. You can call strored procedures within the triggers
   Correct Answer: T
   Your Answer:
QuestionID: 847
                      Subject Name Database Technologies
Using Oracle 9i
Q42. WHAT IS THE DEFAULT NAME OF IMPLICIT
```

```
CURSOR CREATED BY ORACLE?
   1. ORACLE
   2. SQL
   3. PL/SOL
   4. CURSOR
   Correct Answer: 2
   Your Answer:
QuestionID: 855
                      Subject Name Database Technologies
Using Oracle 9i
Q43. comments in a PL/SQL are inserted using
   1. --
   2. /* */
   Both (a)& (b)
   4. #
   Correct Answer: 3
   Your Answer:
QuestionID: 893
                      Subject Name Database Technologies
Using Oracle 9i
Q44. The software code area contains data and control information
for a single process
   Correct Answer: F
   Your Answer:
QuestionID: 897
                      Subject Name Database Technologies
Using Oracle 9i
Q45. Which of the following is true about the two special
characters % and (underscore), in case of like operator-
   1. % character matches any substring
   2. - character matches any character

    Both 1 and 2

   4. None
   Correct Answer: 3
   Your Answer:
OuestionID : 898
                      Subject Name Database Technologies
Using Oracle 9i
Q46. How many triggers you can have on a table in Database?
   1. 1
   2. 255
   3. 1024
   4. No Limit
   Correct Answer: 4
   Your Answer:
OuestionID : 918
                      Subject Name Database Technologies
Using Oracle 9i
Q47. INTT.ORA is instance initialization file up until Oracle9i.
   Correct Answer: T
   Your Answer:
QuestionID : 923
                      Subject Name Database Technologies
Using Oracle 9i
Q48. A view cannot be created without a table.
   Correct Answer: F
   Your Answer:
QuestionID: 932
                      Subject Name Database Technologies
Using Oracle 9i
              process of Database is used to cleaning up
temporary segment that are no longer in use.
   1. System Manager(SMON)
   Checkpoint(CKPT)
   3. Process Monitor(PMON)
   4. Archiever(ARCH)
   Correct Answer: 1
   Your Answer:
OuestionID · 063 Subject Name Database Technologies
```

Using Oracle 9i
Q50. Character used for concatenating strings in oracle is

1. &&
2. +
3. ||
4. none of these
Correct Answer: 3
Your Answer:



https://www.youtube.com/@codewitharrays



https://www.instagram.com/codewitharrays/



https://t.me/codewitharrays Group Link: https://t.me/cceesept2023



+91 8007592194 +91 9284926333



codewitharrays@gmail.com



https://codewitharrays.in/project