

2 of 40

Which of the following approach towards testing includes trial techniques and error guessing method because tester does not need knowledge of internal coding of the software?

- 1 ☐ White Box Testing
- 2 ☐ Grey Box Testing
- 3 ☒ Black Box Testing ✓
- 4 ☐ Red Box Testing

Solution -

Black Box Testing

3 of 40

The elements of the software architecture of a computing system include

- 1. software components
- 2. class diagrams
- 3. connectors expressing relationships between software components
- 4. entity relationship diagrams

- 1 ☐ 1 & 2
- 2 ☐ 1 & 3
- 3 ☒ 1, 3 & 4 ✓
- 4 ☐ 1, 2, 3 & 4

Solution -

1, 3 & 4

4 of 40

Cloud Service consists are:

- 1 ☐ Platform, Hardware, Infrastructure
- 2 ☒ Platform, Software, Infrastructure ✓
- 3 ☐ Software, Infrastructure, Hardware
- 4 ☐ Software, Hardware, Infrastructure

Solution -

Platform, Software, Infrastructure

5 of 40

requirement analysis _____

- 1 ☐ delivers a system in a series of versions
- 2 ☐ organizes abstraction
- 3 ☒ builds a bridge between user and developer ✓
- 4 ☐ uses experimental software to better understand user requirements

Solution -

builds a bridge between user and developer

6 of 40

Which is not a type of maintenance?

- 1 ☐ Adaptive
- 2 ☐ Corrective
- 3 ☐ Perfective

4 ☐ Obsolescence ✓

Solution -

Obsolescence

7 of 40

When to Use The V Model?

- 1 ☐ If the requirement is well defined and not ambiguous
- 2 ☐ If acceptance criteria are well defined.
- 3 ☐ If technology and tools used are not dynamic.
- 4 ☐ All of the above ✓

Solution -

All of the above

8 of 40

Load testing is carried out to check whether the system can handle the pressure or load of many users is an example of _____

- 1 ☐ Functional
- 2 ☐ Non-functional testing ✓
- 3 ☐ Unit Testing
- 4 ☐ All of the above

Solution -

Non-functional testing

9 of 40

COCOMO is an effort estimation model in terms of _____

- 1 ☐ Cost
- 2 ☒ Person- Months ✓
- 3 ☐ Both
- 4 ☐ None of the above

Solution -

Person- Months

10 of 40

Final Function point count calculated for project will result in the smallest LOC if implemented in

- 1 ☒ Assembly ✓
- 2 ☐ C
- 3 ☐ C++
- 4 ☐ Visual basic

Solution -

Assembly

11 of 40

Arrange the following activities for making a software product by utilizing 4GT.

- I. Design strategy
- II. Transformation into product

III. Implementation

IV. Requirement gathering

- 1 ☐ 4,1,3,2
- 2 ☐ 4,3,2,1
- 3 ☐ 1,2,3,4
- 4 ☐ 1,4,2,3 ✓

Solution -

1,4,2,3

12 of 40

What is the major drawback of using RAD Model?

- 1 ☐ Highly specialized & skilled developers/designers are required ✓
- 2 ☐ Increases reusability of components
- 3 ☐ Encourages customer/client feedback
- 4 ☐ Increases reusability of components, Highly specialized & skilled developers/designers are required

Solution -

Highly specialized & skilled developers/designers are required

13 of 40

Arrange the following activities in Risk Assessment in the correct sequence

- a. Prioritization
- b. Identification
- c. Analysis

- 1 ☐ b, a, c
- 2 ☐ b, c, a ✓
- 3 ☐ a, b, c
- 4 ☐ c, a, b

Solution -

b, c, a

14 of 40

Chief Programmer Teams are suitable for projects

- 1 ☐ with research orientation
- 2 ☐ with high modularity
- 3 ☐ with high creativity ✓
- 4 ☐ None of the above

Solution -

with high creativity

15 of 40

Regardless of application area, project size, or complexity, software development work may be divided into three generic phases: the_____ phase, which focuses on what, the_____ phase, which focuses on how, and the_____ phase, which focuses on change.

- i. support
- ii. development
- iii. definition

- 1 ☐ iii, ii, i ✓

- 2 ☐ iii, I, ii
- 3 ☐ I, ii, iii
- 4 ☐ ii, I, iii

Solution -

iii, ii, i

16 of 40

Ability to deal with exceptional conditions e.g. invalid input, improper handling, power failure, disk crash etc.

- 1 ☐ Efficiency
- 2 ☒ Robustness ✓
- 3 ☐ Reliability
- 4 ☐ Correctness

Solution -

Robustness

17 of 40

What manifests in the patterns of choices made among alternatives ways of expressing an algorithm is

- 1 ☐ a data flow diagram
- 2 ☒ coding style ✓
- 3 ☐ a data dictionary
- 4 ☐ None of the above

Solution -

coding style

18 of 40

What is true about distributed tracing used in microservices?

- 1 ☐ It ensure that failed microservices are resurrected properly
- 2 ☐ It transfer log management between a given host on demand
- 3 ☒ It observe the behavior of distinct system calls between and within microservices
- 4 ☐ It change the behavior of a microservice at runtime

Solution -

It observe the behavior of distinct system calls between and within microservices

19 of 40

When the user participation isn't involved, which of the following models will not result in the desired output?

- 1 ☒ Prototyping & Waterfall
- 2 ☐ Prototyping & RAD
- 3 ☐ Prototyping & Spiral
- 4 ☐ RAD & Spiral

Solution -

Prototyping & Waterfall

20 of 40

_____ is now one of the most widely used software development processes.

- 1 ☐ V model
- 2 ☒ Waterfall STLC model ✓
- 3 ☐ Both A and B
- 4 ☐ None of the above

Solution -

Waterfall STLC model

21 of 40

Which of the following model is a software enterprise development phrase used to signify a kind of Agile relationship among development and IT operations.

- 1 ☐ Waterfall
- 2 ☒ DevOps ✓
- 3 ☐ Agile
- 4 ☐ Incremental

Solution -

DevOps

22 of 40

Data Items in a data dictionary are description of

- 1 ☐ Input data
- 2 ☐ data flows
- 3 ☐ data stores
- 4 ☐ All of the above ✓

Solution -

All of the above

23 of 40

RAD stands for

- 1 ☐ Rapid Application Development ✓
- 2 ☐ Required Application Development
- 3 ☐ Rapid Application Developers
- 4 ☐ Rapid Application Disposition

Solution -

Rapid Application Development

24 of 40

A host machine has four CPUs available and two running containers. The sysadmin would like to assign two CPUs to each container. Which of the following commands achieves this?

- 1 ☐ Set the '--cpuset-cpu's flag to '1.3' on one container and '2.4' on the other ✓ container.
- 2 ☐ Set the '--cpuset-cpus' flag of the 'dockerd' process to the value 'even

3

- ☐ Set the '--cpu-quota' flag to '1.3' on one container and '2,4' on the other container.

4

- ☐ Set the '--cpuset-cpus' flag to '.5' on both containers

Solution -

Set the '--cpuset-cpus' flag to '1.3' on one container and '2.4' on the other container.

25 of 40

Find the correct sequence used in Jenkins for a continuous delivery pipeline.

1

- ☐ build, deploy, release and test

2

- ☐ build, deploy, test and release

3

- ☒ build, test, deploy and release ✓

4

- ☐ test, build, deploy and release

Solution -

build, test, deploy and release

26 of 40

Which of the following isn't a goal of NewOps?

1

- ☐ Serving as an interface between cloud providers and customers.

2

- ☐ Integrating different operations teams like storage, network, server etc.

3

- by removing silos and be aligned with business

☐

- By automating operations, remove the need for human competencies.

✓

4 ☐ None of the above

Solution -

By automating operations, remove the need for human competencies.

27 of 40

What is a microservice?

- 1 ☐ A design used primarily in functional programming and object-oriented programming
- 2 ☐ A style of design for enterprise systems based on a loosely coupled component architecture ✓
- 3 ☐ A small program that represents discrete logic that executes within a well
- 4 ☐ A very small piece of code that never gets any bigger than 10 lines

Solution -

A style of design for enterprise systems based on a loosely coupled component architecture

28 of 40

Which of the following software is perfect for software teams in need of advanced agile functionality and structured workflow?

- 1 ☒ JIRA ✓
- 2 ☐ Visual studio
- 3 ☐ Eclipse
- 4 ☐ Trello

Solution -

JIRA

29 of 40

Which one of these statements is true?

- 1 ☐ git pull does not modify the local branch tip.
- 2 ☒ git fetch does not update the local branch tip. ✓
- 3 ☐ git fetch may result in a merge conflict.
- 4 ☐ Behavior of git fetch and git pull are same

Solution -

git fetch does not update the local branch tip.

30 of 40

_____ allows one to attach to a container without exiting the container.

- 1 ☒ nsenter ✓
- 2 ☐ docker run
- 3 ☐ cmdr
- 4 ☐ None of the above

Solution -

nsenter

31 of 40

Which plugin is used to run the selenium test cases in Jenkins?

- 1 ☐ Hudson
- 2 ☐ JUnit ✓
- 3 ☐ Rational Tools
- 4 ☐ Nunit

Solution -

JUnit

32 of 40

4GT Model is a set of _____

- 1 ☐ Programs
- 2 ☐ CASE Tools
- 3 ☐ Software tools ✓
- 4 ☐ None of the above

Solution -

Software tools

33 of 40

_____ is a human-friendly data serialization language for all programming languages.

- 1 ☐ XAML

- ☒ 2 XML
- ☐ 3 YAML
- ☐ 4 JSON ✓

Solution -

JSON

34 of 40

The goal of _____ is to obtain a clear understanding of the system and its shortcomings and to determine opportunities for improvement

- ☐ 1 Feasibility study
- ☒ 2 systems analysis ✓
- ☐ 3 systems definition
- ☐ 4 systems study

Solution -

systems analysis

35 of 40

Which of the cloud service models available is used as the foundation upon which operating systems and software are hosted?

- ☐ 1 SaaS
- ☒ 2 IaaS ✓
- ☐ 3 PaaS
- ☐ 4 CaaS

38 of 40

Which of the Git repository having hosting functions?

- 1 ☐ Gitlab
- 2 ☐ Bitbucket
- 3 ☐ SourceForge
- 4 ☐ All of the above ✓

Solution -

All of the above

39 of 40

A ____ is a combination of virtual resources that simulates the underlying hardware.

- 1 ☐ Host machine
- 2 ☐ Host operating system
- 3 ☐ Virtual Machine ✓
- 4 ☐ Guest operating system

Solution -

Virtual Machine

40 of 40

Judging the seriousness of a risk by evaluating its probability along with its consequences is called

- 1 ☐ Risk analysis ✓

- ☒ 2 Risk Projection
- ☐ 3 Risk Estimation
- ☐ 4 All of the above

Solution -

Risk analysis

codewitharrays.in 8007592194