Composite Structure Diagram



- UML 2.0 composite structure diagram
- Basic concepts
  - Structure, structured entity, internal structure
- Elements
  - Property
  - Connector
  - Nested notation
    - Description power
  - Classes & Structured Classes
    - Instance specification
    - Namespace behaviour
  - Collaboration
    - Purpose
  - Roles
  - Role binder
  - Collaboration Occurrence
    - Occurrence binder
    - <<occurrence>> & <<represent>>
  - Port
    - Visibility
    - Interfaces
- Examples

UML 2.0 diagram



- Classified in UML 2.0 structural diagrams
- New:
  this diagram was not available in UML 1.*

Purpose



- Composite structure diagrams can be used to describe:
  - structures of interconnected parts
  - run-time structures of interconnected instances
  - Example:
    Description of the parts of an engine that are interconnected to perform the engine functioning

Structure



- A set of instances that communicate and collaborate at run-time to realize a **common goal**
  - Ex.: net routers that realize a particular journey



Structured element:

- An **element realized** by a structure
  - Ex.: a net realized by routers



Internal structure:

- A structure that **realize** a structured element
  - Ex.: all the routers in a net



Property



- A set of **instances contained** in a structured instance

role of the property instances for the container (optional)

type or class of the property instances (obligatory)

roleName:TypeName

MailSender

ms:MailSender

ms:MailSender

sendMail(…)

Connector



- Represents
  - the **visibility** between two property
  - a **communication way**





Nested notation



- Composite structure diagrams allows to use class diagram-like or **nested notation**
- It is permitted to **recursively nest** already nested entities



Structured Class: example



- **Recursive** application of nested notation can be done inside a single diagram



Description power



Nested notation can describe all things describable in 1.* class diagrams notation, and a little more



Instance specification



- describes the property **which is returned** by an operation call, the operation is pointed by the arrow at the end of a dashed line that starts from the returned type description

<<create>> is an optional label and specify that label exists only after the operation call



Namespace behaviour



- A structured class acts as a **namespace** for its internal descriptions, so descriptions are not implicitly exported

Collaboration



- A joining of structure elements that collaborate to **collectively perform** a task

The name given to the collaboration (obligatory)

CollaborationName

Used in nested notation

CollaborationName

Collaboration purpose



- A collaboration wants to **describe a structure behaviour** made by structure property
- Must be connected only with property which are **required** to perform its described behaviour

Collaboration role



- **property which collaborate** to perform the collaboration goal, interpreting roles
- Each collaboration role perform a **specific task**

"Counting of clients" have some ClientCard as roles



Collaboration Role Binder



- represent a **participation** of the role to the collaboration





Collaboration Occurrence



- A specific collaboration **instance**



Occurrence binder



- Binds an occurrence to a role, maybe specifing how many occurrence **repetitions** are present



Example: occurrence - Send mail





<<occurrence>> label



- A dashed arrow between two symbol of same type means that pointing symbol represent pointed symbol, like in a specialization



<<represent>> label



- A dashed arrow from a collaboration or an occurrence to a property means that property use the other instance, like a client or a use case primary actor



Occurrence binding nest crossing



- Occurrence binding is admitted between **separately nested** elements with also have occurrence bindings

Port



- represent a property **communication point**, and is always placed where the property joins whit its connector
- two types of communications:
  - Between a property and its **external environment**
  - Between a property and its **internal structure**

Ports: visibility marking



- If port symbol cover a rectangle boundary his visibility is **public**
- If port symbol is placed inside a rectangle, adjacent to his boundary, his visibility is **protected**





Ports: interfaces



- An interface **exported** by a port is a little circle (interface symbol) connected with the port symbol by a line
- An interface **needed** by a port is a little semicircle (socket symbol) connected with the port symbol by a line
- If interface is present, interface **type** is signed near interface symbol

Ports: interfaces examples









Example: Port



Structure with many kinds of connectors and ports:



Example: structured class - House





Example: collaboration - Drive a taxi





References



- OMG official site for UML:
  http://www.uml.org
- Agile software association

  Composite structure diagrams:
  http://www.agilemodeling.com/artifacts/compositeStructureDiagram.htm