

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - company
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query 1 x std_per mayuri - Schema

Limit to 1000 rows

```
4 c_name varchar(20),
5 balance decimal);
6
7 • create table statement(
8 acc_no bigint,
9 balance decimal,
10 foreign key(acc_no) references customer(acc_r
11
12 • insert into customer values (101,"Vaishnavi",
13 • insert into customer values (105,"Suhag" 5000
```

SQLAdditions: My Snippets

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	21:33:53	use mayuri	0 row(s) affected	0.000 sec
✓ 2	21:34:06	create table customer(acc_no bigint primary key, c_name varchar(20), balance decimal)	0 row(s) affected	0.203 sec
✓ 3	21:34:21	create table statement(acc_no bigint, balance decimal, foreign key(acc_no) references custom...	0 row(s) affected	0.203 sec

Query Completed

24°C Mostly cloudy

21:36 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Query 1 x std_per mayuri - Schema

SQLAdditions: My Snippets

Limit to 1000 rows

```
9 balance decimal.  
10 Execute the selected portion of the script or everything, if there is no selection  
11  
12 insert into customer values (101,"Vaishnavi",  
13 insert into customer values (105,"Suhass",50000  
14 insert into customer values (106,"Raghav",26000  
15 insert into customer values (107,"Rajiv",35000  
16 insert into customer values (108,"Tanvi",80000  
17  
18 select * from statement;
```

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	21:33:53	use mayuri	0 row(s) affected	0.000 sec
✓ 2	21:34:06	create table customer(acc_no bigint primary key, c_name varchar(20), balance decimal)	0 row(s) affected	0.203 sec
✓ 3	21:34:21	create table statement(acc_no bigint, balance decimal, foreign key(acc_no) references custom...	0 row(s) affected	0.203 sec
✓ 4	21:36:16	insert into customer values (101,"Vaishnavi",90000)	1 row(s) affected	0.078 sec
✓ 5	21:36:16	insert into customer values (105,"Suhass",50000)	1 row(s) affected	0.031 sec
✓ 6	21:36:16	insert into customer values (106,"Raghav",26000)	1 row(s) affected	0.015 sec
✓ 7	21:36:16	insert into customer values (107,"Rajiv",35000)	1 row(s) affected	0.047 sec
✓ 8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec

Object Info Session

Query Completed

24°C Mostly cloudy

21:36 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25 in
26 end
27
28 update customer set balance=balance+1000 where
29 update customer set balance=balance+1000 where
30
31 select * from customer;
32
33 select * from statement;
34

Execute the selected portion of the script or everything, if there is no selection

Limit to 1000 rows

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	21:34:06	create table customer(acc_no bigint primary key, c_name varchar(20), balance decimal)	0 row(s) affected	0.203 sec
3	21:34:21	create table statement(acc_no bigint, balance decimal, foreign key(acc_no) references cust...	0 row(s) affected	0.203 sec
4	21:36:16	insert into customer values (101,"Vaishnavi",90000)	1 row(s) affected	0.078 sec
5	21:36:16	insert into customer values (105,"Suhav",50000)	1 row(s) affected	0.031 sec
6	21:36:16	insert into customer values (106,"Raghav",26000)	1 row(s) affected	0.015 sec
7	21:36:16	insert into customer values (107,"Rajiv",35000)	1 row(s) affected	0.047 sec
8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec
9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec

24°C Mostly cloudy

21:37 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query 1 x

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

Result Grid

	acc_no	c_name	balance
▶	101	Vaishnavi	91000
	105	Suhas	50000
	106	Raghav	26000
	107	Rajiv	36000
	108	Tanvi	80000

customer 16 x Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 5	21:36:16	insert into customer values (105,"Suhas",50000)	1 row(s) affected	0.031 sec
✓ 6	21:36:16	insert into customer values (106,"Raghav",26000)	1 row(s) affected	0.015 sec
✓ 7	21:36:16	insert into customer values (107,"Rajiv",35000)	1 row(s) affected	0.047 sec
✓ 8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec
✓ 9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
✓ 10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
✓ 11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Query Completed

24°C Mostly cloudy

21:37 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema

SQLAdditions: My Snippets

Limit to 1000 rows

32
33 `select * from statement;`
34

Result Grid

	acc_no	balance
▶	101	90000
	107	35000

statement 17 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 6	21:36:16	insert into customer values (106,"Raghav",26000)	1 row(s) affected	0.015 sec
✓ 7	21:36:16	insert into customer values (107,"Rajiv",35000)	1 row(s) affected	0.047 sec
✓ 8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec
✓ 9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
✓ 10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
✓ 11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Query Completed

24°C Mostly cloudy

21:38 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema

SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

```
37 balance decimal,
38 foreign key(acc_no) references customer(acc_r
39
40 insert into customer values(110,"Vijay",21000
41
42 delimiter &
43 create trigger after_update
44 after update on customer
45 for each row
46 begin
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	21:36:16	insert into customer values (107,"Rajiv",35000)	1 row(s) affected	0.047 sec
8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec
9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec

24°C Mostly cloudy

21:38 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

```
41
42
43 • create trigger after_update
44   after update on customer
45   for each row
46   begin
47     insert into statement values(new.acc_no,new.b
48   end&
49
50   update customer set balance=balance+1000 where
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 8	21:36:16	insert into customer values (108,"Tanvi",80000)	1 row(s) affected	0.032 sec
✓ 9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
✓ 10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
✓ 11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec

24°C Mostly cloudy

21:38 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas Information

No object selected

Object Info Session

Query Completed

```
44 after update on customer
45 f. Execute the selected portion of the script or everything, if there is no selection
46 begin
47 insert into statement values(new.acc_no,new.b
48 end&
49
50 update customer set balance=balance+1000 where
51 select * from statement2;
52
53 select * from customer;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	21:36:55	select * from statement LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec

24°C Mostly cloudy

21:39 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

49
50
51

Execute the selected portion of the script or everything, if there is no selection

update customer set balance=balance+1000 where
select * from statement2;

Limit to 1000 rows

Result Grid

acc_no balance

statement2 18 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	21:37:17	create trigger before_update before update on customer for each row begin insert into statem...	0 row(s) affected	0.109 sec
✓ 11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

24°C Mostly cloudy

21:39 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

53 select * from customer;

54

55 create table contacts(

Result Grid

	acc_no	c_name	balance
▶	101	Vaishnavi	91000
	105	Suhas	50000
	106	Raghav	26000
	107	Rajiv	36000
	108	Tanvi	80000

customer 19 x Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 11	21:37:25	update customer set balance=balance+1000 where acc_no=101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.109 sec
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

24°C Mostly cloudy

21:40 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - company
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

```
61 created_by varchar(20),
62
63
64 delimiter &
65 • create trigger before_insert
66 before insert on contacts
67 for each row
68 begin
69 declare user varchar(20);
70 select user() into user;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 12	21:37:25	update customer set balance=balance+1000 where acc_no=107	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.063 sec
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec

24°C Mostly cloudy

21:40 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema

SQLAdditions: My Snippets

Limit to 1000 rows

```
66 before insert on contacts
67 for each row
68 begin
69 declare user varchar(20);
70 select user() into user;
71 set new.vcreate_date=sysdate();
72 set new.created_by=user;
73 end&
74
75 insert into contacts value (1 "Shandee" "Vaic
```

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 13	21:37:46	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec
✓ 21	21:40:43	create trigger before_insert before insert on contacts for each row begin declare user varchar...	0 row(s) affected	0.062 sec

Object Info Session

Query Completed

24°C Mostly cloudy

21:40 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - company
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

```
72 set new.created_by=user;
73 e. Execute the selected portion of the script or everything, if there is no selection
74
75 insert into contacts value (1,"Shendge","Vais
76
77 select * from contacts;
78
79 create table audit(
80 contact_id int,
81 vcreate date date
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 14	21:38:04	select * from statement LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec
✓ 21	21:40:43	create trigger before_insert before insert on contacts for each row begin declare user varchar...	0 row(s) affected	0.062 sec
✓ 22	21:40:52	insert into contacts value (1,"Shendge","Vaishnavi","2003-03-04","2022-02-01","loc")	1 row(s) affected	0.109 sec

24°C Mostly cloudy

21:40 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema

SQLAdditions: My Snippets

76
77 `select * from contacts;`
78

Result Grid

	contact_id	last_name	first_name	birthdate	vreate_date
▶	1	Shendge	Vaishnavi	2003-03-04	2022-10-18
▲	NULL	NULL	NULL	NULL	NULL

contacts 20 x Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	21:38:27	create table statement2(acc_no bigint, balance decimal, foreign key(acc_no) references cus...	0 row(s) affected	0.156 sec
✓ 16	21:38:55	create trigger after_update after update on customer for each row begin insert into statement ...	0 row(s) affected	0.188 sec
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec
✓ 21	21:40:43	create trigger before_insert before insert on contacts for each row begin declare user varchar...	0 row(s) affected	0.062 sec
✓ 22	21:40:52	insert into contacts value (1,"Shendge","Vaishnavi","2003-03-04","2022-02-01","loc")	1 row(s) affected	0.109 sec
✓ 23	21:41:01	select * from contacts LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Query Completed

24°C Mostly cloudy

21:41 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas Information

No object selected

Object Info Session

Query Completed

```
85 • create trigger after_insert
86   a1 Execute the selected portion of the script or everything, if there is no selection
87   for each row
88   begin
89     declare user varchar(20);
90     select user() into user;
91     insert into audit values(new.contact_id,sysda
92   end&
93
94   insert into contacts value (3 "Rhadhange" "S4
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 17	21:39:36	update customer set balance=balance+1000 where acc_no=110	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec
✓ 18	21:39:46	select * from statement2 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec
✓ 21	21:40:43	create trigger before_insert before insert on contacts for each row begin declare user varchar...	0 row(s) affected	0.062 sec
✓ 22	21:40:52	insert into contacts value (1,"Shendge","Vaishnavi","2003-03-04","2022-02-01","loc")	1 row(s) affected	0.109 sec
✓ 23	21:41:01	select * from contacts LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✓ 24	21:41:16	create table audit(contact_id int, vreate_date date, created_by varchar(20))	0 row(s) affected	0.297 sec
✓ 25	21:41:24	create trigger after_insert after insert on contacts for each row begin declare user varchar(20)...	0 row(s) affected	0.047 sec

24°C Mostly cloudy

21:41 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query 1 x std_per mayuri - Schema

Limit to 1000 rows

My Snippets

```
95
96 select * from audit;
97
```

Result Grid

	contact_id	vcreate_date	created_by
▶	3	2022-10-18	root@localhost

audit 21 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 19	21:40:04	select * from customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:40:33	create table contacts(contact_id int not null auto_increment, last_name varchar(20) not null, ...	0 row(s) affected	0.109 sec
✓ 21	21:40:43	create trigger before_insert before insert on contacts for each row begin declare user varchar...	0 row(s) affected	0.062 sec
✓ 22	21:40:52	insert into contacts value (1,"Shendge","Vaishnavi","2003-03-04","2022-02-01","loc")	1 row(s) affected	0.109 sec
✓ 23	21:41:01	select * from contacts LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✓ 24	21:41:16	create table audit(contact_id int, vcreate_date date, created_by varchar(20))	0 row(s) affected	0.297 sec
✓ 25	21:41:24	create trigger after_insert after insert on contacts for each row begin declare user varchar(20)...	0 row(s) affected	0.047 sec
✓ 26	21:41:31	insert into contacts value (3,"Bhadhange","Siddhi","2000-12-09","2022-02-13","local@admi...	1 row(s) affected	0.110 sec
✓ 27	21:41:38	select * from audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

24°C Mostly cloudy

21:41 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- abc
- aids
- cdi
- company
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_diksha
 - Tables
 - Views
 - Stored Procedures
 - Functions
- db_mayu
- db_mayuri
- db_mayuu
- db_pranali

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

Query 1 x std_per mayuri - Schema

Limit to 1000 rows

My Snippets

```
select * from contacts;
```

Result Grid

	contact_id	last_name	first_name	birthdate	vreate_date
▶	1	Shendge	Vaishnavi	2003-03-04	2022-10-18
	2	Pawar	Sakshi	2003-05-03	2022-10-18
	3	Bhadhange	Siddhi	2000-12-09	2022-10-18
•	NULL	NULL	NULL	NULL	NULL

contacts 22 x Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 24	21:41:16	create table audit(contact_id int, vreate_date date, created_by varchar(20))	0 row(s) affected	0.297 sec
✓ 25	21:41:24	create trigger after_insert after insert on contacts for each row begin declare user varchar(20)...	0 row(s) affected	0.047 sec
✓ 26	21:41:31	insert into contacts value (3,"Bhadhange","Siddhi","2000-12-09","2022-02-13","local@admi...	1 row(s) affected	0.110 sec
✓ 27	21:41:38	select * from audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 28	21:42:00	create trigger before_delete before delete on contacts for each row begin declare user varchar...	0 row(s) affected	0.031 sec
✓ 29	21:42:06	insert into contacts value (2,"Pawar","Sakshi","2003-05-03","2021-02-04","local@admin3")	1 row(s) affected	0.078 sec
✗ 30	21:42:13	delete from contacts where last_name="Pawar"	Error Code: 1175. You are using safe update mode and you tried to update a table without a ...	0.031 sec
✗ 31	21:42:32	delete from contacts where last_name="Pawar"	Error Code: 1175. You are using safe update mode and you tried to update a table without a ...	0.000 sec
✓ 32	21:42:54	select * from contacts LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

24°C Mostly cloudy

21:42 18-10-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x std_per mayuri - Schema SQLAdditions: My Snippets

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

127
128 • `select * from contacts;`
129

Result Grid

	contact_id	last_name	first_name	birthdate	vcreate_date
▶	1	Shendge	Vaishnavi	2003-03-04	2022-10-18
	2	Pawar	Sakshi	2003-05-03	2022-10-18
	3	Bhadhange	Siddhi	2000-12-09	2022-10-18
•	NULL	NULL	NULL	NULL	NULL

contacts 24 x Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 27	21:41:38	select * from audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 28	21:42:00	create trigger before_delete before delete on contacts for each row begin declare user varchar...	0 row(s) affected	0.031 sec
✓ 29	21:42:06	insert into contacts value (2,"Pawar","Sakshi","2003-05-03","2021-02-04","local@admin3")	1 row(s) affected	0.078 sec
✗ 30	21:42:13	delete from contacts where last_name="Pawar"	Error Code: 1175. You are using safe update mode and you tried to update a table without a ...	0.031 sec
✗ 31	21:42:32	delete from contacts where last_name="Pawar"	Error Code: 1175. You are using safe update mode and you tried to update a table without a ...	0.000 sec
✓ 32	21:42:54	select * from contacts LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓ 33	21:43:05	select * from audit LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 34	21:43:16	create trigger after_delete after delete on contacts for each row begin declare user varchar(2...	0 row(s) affected	0.031 sec
✓ 35	21:43:32	select * from contacts LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Query Completed

24°C Mostly cloudy

21:43 18-10-2022